

# Package ‘LowMACA’

October 14, 2021

**Type** Package

**Title** LowMACA - Low frequency Mutation Analysis via Consensus Alignment

**Version** 1.22.0

**Date** 2015-04-29

**Author** Stefano de Pretis , Giorgio Melloni

**Maintainer**

Stefano de Pretis <ste.depo@gmail.com>, Giorgio Melloni <melloni.giorgio@gmail.com>

**Description** The LowMACA package is a simple suite of tools to investigate and analyze the mutation profile of several proteins or pfam domains via consensus alignment. You can conduct an hypothesis driven exploratory analysis using our package simply providing a set of genes or pfam domains of your interest.

**License** GPL-3

**Depends** R (>= 2.10)

**Imports** cgdsr, parallel, stringr, reshape2, data.table, RColorBrewer, methods, LowMACAAnnotation, BiocParallel, motifStack, Biostrings, httr, grid, gridBase

**Suggests** BiocStyle, knitr, rmarkdown

**VignetteBuilder** knitr

**biocViews** SomaticMutation, SequenceMatching, WholeGenome, Sequencing, Alignment, DataImport, MultipleSequenceAlignment

**SystemRequirements** clustalo, gs, perl

**git\_url** <https://git.bioconductor.org/packages/LowMACA>

**git\_branch** RELEASE\_3\_13

**git\_last\_commit** b9b4a18

**git\_last\_commit\_date** 2021-05-19

**Date/Publication** 2021-10-14

**R topics documented:**

LowMACA-package	2
alignSequences	3
allPfamAnalysis	5
BLOSUM62	8
bpAll	8
entropy	9
getMutations	11
lfm	12
lfmSingleSequence	14
lmAlignment	16
lmEntropy	17
lmMutations	18
lmObj	19
lmParams	19
lmPlot	21
lmPlotSingleSequence	22
LowMACA-class	24
LowMACA_AML	26
mapMutations	27
newLowMACA	28
nullProfile	29
parallelize	30
protter	31
setup	33
showTumorType	34

<b>Index</b>	<b>36</b>
--------------	-----------

---

LowMACA-package	<i>LowMACA : Low frequency Mutations Analysis via Consensus Alignment</i>
-----------------	---

---

**Description**

The LowMACA package is a simple suite of tools to investigate and analyze the mutation profile of several proteins or pfam domains via consensus alignment. You can conduct an hypothesis driven exploratory analysis using our package simply providing a set of genes or pfam domains of your interest.

**Details**

LowMACA allows to collect, align, analyze and visualize mutations from different proteins or pfam domains.

1. *newLowMACA*: construct a LowMACA object with your proteins or pfam
2. *setup*: align sequences, get mutations and map mutations on the consensus sequence

3. *entropy*: calculate entropy score and pvalues for every position
4. *lfm*: retrieve significant position
5. *lmPlot*: visualize mutations on the consensus sequence, conservation and significant clusters

**Author(s)**

Stefano de Pretis , Giorgio Melloni

Maintainer: <ste.depo@gmail.com> <melloni.giorgio@gmail.com>

**References**

Melloni GEM, de Pretis S, Riva L, et al. LowMACA: exploiting protein family analysis for the identification of rare driver mutations in cancer. BMC Bioinformatics. 2016;17:80. doi:10.1186/s12859-016-0935-7

**See Also**

[LowMACA project website](#)

**Examples**

```
#Create an object of class LowMACA for RAS domain family
lm <- newLowMACA(pfam="PF00071" , genes=c("KRAS" , "NRAS" , "HRAS"))
#Select melanoma, breast cancer and colorectal cancer
lmParams(lm)$tumor_type <- c("skcm" , "brca" , "coadread")
#Align sequences, get mutation data and map them on consensus
lm <- setup(lm)
#Calculate statistics
lm <- entropy(lm)
#Retrieve original mutations
lfm(lm)
#Plot
bpAll(lm)
lmPlot(lm)
protter(lm)
```

---

alignSequences

*Align sequences via clustalo*

---

**Description**

Align sequences for an object of class LowMACA

**Usage**

```
alignSequences(object, clustalo_filename=NULL , mail=NULL ,
perlCommand="perl", use_hmm=FALSE, datum=FALSE)
```

**Arguments**

object	an object of class LowMACA containing at least 2 sequences.
clustalo_filename	a character string that contains the file name where clustal omega alignment file will be stored. In case it's NULL no file will be written. Default=NULL
mail	a character string indicating the email address where error report should be sent in web mode
perlCommand	a character string containing the path to Perl executable. if missing, "perl" will be used as default
use_hmm	When analysing Pfam sequences, it is possible to use the Hidden Markov Model (HMM) of the specific Pfam to align the sequences. Default is FALSE.
datum	When analysing Pfam sequences, use all the genes that belong to the Pfam to generate the alignment. This creates a unique mapping between individual residues and consensus sequence, disregarding the set of sequences that are selected for the analysis. Default is FALSE.

**Details**

This method launches a system call to clustalo aligner and optionally creates a fasta file in clustal format. A warning is returned if at least one sequence has a pairwise similarity below 20% to any other sequence. If only one sequence is passed to `alignSequences`, the alignment will be skipped, but no warning will be raised. If mail is not NULL, a local installation of clustal omega is no longer required and the alignment is performed using clustal omega EBI web service. A limit of 2000 sequences is set in this case and perl must be installed in the system

**Value**

The method returns an object of class LowMACA updating the slot alignment. See [lmAlignment](#)

**Warning**

When a sequence has a similarity below 20%, a warning is raised. In order to produce strong results in terms of conservation of multiple mutations, consider to remove that sequence from the analysis. The alignment will obviously change.

**Author(s)**

Stefano de Pretis, Giorgio Melloni

**References**

[Trident Score Clustal Omega Clustal Omega Web Service](#)

**See Also**

[getMutations](#) , [mapMutations](#) , [setup](#)

**Examples**

```
#Create an object of class LowMACA for RAS domain family
lm <- newLowMACA(pfam="PF00071" , genes=c("KRAS" , "NRAS" , "HRAS"))
#Align sequences using local installation of clustalo
lm <- alignSequences(lm)
#Web service clustalomega aligner
lm <- alignSequences(lm , mail="lowmaca@gmail.com")
#Use HMM to align
lm <- alignSequences(lm , use_hmm=TRUE)
#Use "datum"
lm <- alignSequences(lm , datum=TRUE)
```

---

allPfamAnalysis

*Global analysis of a repository of mutations*


---

**Description**

Given a repository of mutations, the method allPfamAnalysis launches the analysis of all the Pfams and single sequences which are involved with at least one mutation.

**Usage**

```
allPfamAnalysis(repos
, allLowMACAObjects=NULL
, mutation_type=c("missense", "all", "truncating" , "silent")
, NoSilent=TRUE
, mail=NULL
, perlCommand="perl"
, verbose=FALSE
, conservation=0.1
, use_hmm=FALSE
, datum=FALSE
, clustal_cmd="clustalo"
, BPPARAM=bpparam("SerialParam"))
```

**Arguments**

repos	either a data.frame or a filename containing the data to analyze
allLowMACAObjects	filename of a RData file to save all the LowMACA object allPfamsLM produced by the function. It can be usefull for plotting a specific Pfam after the analysis, but it can be a pretty large object. Default NULL
mutation_type	type of mutation to be considered for the analysis. Default to missense.
NoSilent	logical indicating if Silent mutations should be deleted or not. Default TRUE
mail	if not NULL, it must be a valid email address to use EBI clustalo web service. Default is to use a local clustalo installation

perlCommand	a character string containing the path to Perl executable. if missing, "perl" will be used as default. Only used if mail is set
verbose	logical. verbose output or not
conservation	a number between 0 and 1. Represents the minimum level of conservation to test a mutation
use_hmm	When analysing Pfam sequences, it is possible to use the Hidden Markov Model (HMM) of the specific Pfam to align the sequences. Default is FALSE.
datum	When analysing Pfam sequences, use all the genes that belong to the Pfam to generate the alignment. This creates a unique mapping between individual residues and consensus sequence, disregarding the set of sequences that are selected for the analysis. Default is FALSE.
clustal_cmd	path to clustalomega executable. default is to check "clustalo" in the PATH
BPPARAM	An object of class <a href="#">BiocParallelParam-class</a> specifying parameters related to the parallel execution of some of the tasks and calculations within this function. See function <a href="#">register</a> from the BiocParallel package.

### Details

This function takes a data.frame or a tab delimited text file in LowMACA format (see [LowMACA\\_AML](#)) and perform a full analysis of the dataset. It basically divide the mutations into their Pfam and launch many LowMACA analysis as many Pfam are hit by mutations up to the lfm function. Every significant position after lfm is tested at gene level. A binomial test is performed to see if the ratio between the number of mutations in the significant position over the total number of mutations is higher than expected by chance at gene level. The significant mutations of all the lfm functions are aggregated in one single data.frame.

### Value

A list of two dataframes named 'AlignedSequence' and 'SingleSequence'

The first dataframe is the result of the alignment based analysis. Every gene is aggregated by its corresponding Pfam domain.

Gene_Symbol	gene symbols of the analyzed genes
Multiple_Aln_pos	positions in the consensus relatively to the sequence analyzed.
Pfam_ID	Pfam name analyzed
binomialPvalue	pvalue of the single gene test, See details
Amino_Acid_Position	amino acidic positions relative to original protein
Amino_Acid_Change	amino acid changes in hgvs format
Sample	Sample barcode where the mutation was found
Tumor_Type	Tumor type of the Sample
Envelope_Start	start of the pfam domain in the protein
Envelope_End	end of the pfam domain in the protein

metric	qvalue of the position in the multiple alignment of Pfam domains
Entrez	entrez ids of the mutations
Entry	Uniprot entry of the protein
UNIPROT	other protein names for Uniprot
Chromosome	cytobands of the genes
Protein.name	extended protein names

The second dataframe represent the result of LowMACA on every couple gene-domain when it is not aligned with any other member of the same Pfam ID.

Gene_Symbol	gene symbols of the analyzed genes
Amino_Acid_Position	amino acidic positions relative to original protein
Amino_Acid_Change	amino acid changes in hgvs format
Sample	Sample barcode where the mutation was found
Tumor_Type	Tumor type of the Sample
Envelope_Start	start of the pfam domain in the protein
Envelope_End	end of the pfam domain in the protein
Multiple_Aln_pos	positions in the consensus relatively to the sequence analyzed. See warnings section
Entrez	entrez ids of the mutations
Entry	Uniprot entry of the protein
UNIPROT	other protein names for Uniprot
Chromosome	cytobands of the genes
Protein.name	extended protein names

### Author(s)

Stefano de Pretis , Giorgio Melloni

### See Also

[lfm](#), [LowMACA\\_AML](#)

### Examples

```
#Load Homeobox example
data(lmObj)
#Extract the data inside the object as a toy example
myData <- lmMutations(lmObj)$data
#Run allPfamAnalysis on every mutations
significant_muts <- allPfamAnalysis(repos=myData)
#Show the result of alignment based analysis
head(significant_muts$AlignedSequence)
```

```
#Show all the genes that harbor significant mutations
unique(significant_muts$AlignedSequence$Gene_Symbol)
#Show the result of the Single Gene based analysis
head(significant_muts$SingleSequence)
#Show all the genes that harbor significant mutations
unique(significant_muts$SingleSequence$Gene_Symbol)
```

---

BLOSUM62

*BLOSUM62 matrix*

---

### Description

A substitution matrix used for sequence alignment of proteins. In LowMACA, it is used to calculate the trident conservation score.

### Usage

```
data("BLOSUM62")
```

### Format

A squared numeric matrix with aminoacids as rownames and colnames

### Source

[BLOSUM62 from NCBI](#)

### Examples

```
#Load BLOSUM62 and show its structure
data(BLOSUM62)
str(BLOSUM62)
```

---

bpAll

*Draw a mutation barplot*

---

### Description

bpAll draws a stacked barplot of the mutations mapped on the consensus sequence

### Usage

```
bpAll(object)
```

### Arguments

object            an object of class LowMACA



**Details**

Returns a barplot in which mutations are stacked per position on the consensus sequence. Every color represent mutations taht map on the same input sequence (either a protein or a pfam) The LowMACA object must pass through the methods `alignSequences` , `getMutations` , `mapMutations`

**Value**

NULL

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[lmPlot](#)

**Examples**

```
#Load homeobox example and draw plot
data(lmObj)
lmObj <- entropy(lmObj)
bpAll(lmObj)
```

---

entropy

*Calculate LowMACA statistics*

---

**Description**

entropy is a method for objects of class LowMACA. It calculates global entropy score of the mutation profile of the alignment and a test for every position in the consensus comparing the number of observed mutations against a weigthed random uniform distribution.

**Usage**

```
entropy(object, bw = NULL , conservation=0.1)
```

**Arguments**

object	an object of class LowMACA
bw	a character string or a numeric positive value representing the desired bandwidth to launch the function density for the uniform distribution. 0 will not launch density (every position is not aggregated to the surrounded ones) , 'auto' will let the simulation decide according to the Silverman's rule of thumb and every other number is a user defined bandwidth passed to the function density.
conservation	a number between 0 and 1. Represents the minimum level of conservation to test a mutation

**Details**

The parameter `bw` overwrites the bandwidth set with `lmParams`. Therefore, if `bw` is set to `NULL`, the method `entropy` uses the predefined bandwidth of the `LowMACA` object.

**Value**

`entropy` returns an object of class `LowMACA` updating the slot `entropy` and the slot `alignment`. The slot `entropy` becomes a list of 6 elements:

- `bw` the bandwidth used to calculate the null profile
- `uniform` a function to calculate the null profile
- `absval` absolute value of entropy calculated
- `log10pval` p value of the entropy test in log 10
- `pvalue` p value of the entropy test
- `conservation_thr` the minimum conservation level accepted

The slot `alignment` is updated in the `df` element by adding 6 new columns

- `mean` a numeric vector representing the mean value of the empirical uniform function at every position in the consensus
- `lTsh` a numeric vector representing the limit inferior of the 95% confidence interval of the empirical uniform function at every position in the consensus
- `uTsh` a numeric vector representing the limit superior of the 95% confidence interval of the empirical uniform function at every position in the consensus
- `profile` a numeric vector representing the density of mutations at every position in the sample normalized by the number of position. In case of bandwidth 0, this vector is equal to the number of mutations divided by the total number of mutations
- `pvalue` a numeric vector representing the pvalue of the number of mutations found at every position against the weighed random uniform distribution of mutations
- `qvalue` a numeric vector representing the corrected pvalues using FDR method. Only positions with a conservation score  $\geq 10\%$  are considered

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**References**

doi:10.1186/gm563 923 Melloni et al.: *DOTS-Finder: a comprehensive tool for assessing driver genes in cancer genomes*. *Genome Medicine* 2014 6:44

Silverman, B. W. (1986) *Density Estimation*. London: Chapman and Hall.

**See Also**

[alignSequences](#) [lmParams](#) [lmEntropy](#)

## Examples

```
#Load homeobox example and run entropy
data(lmObj)
lmObj <- entropy(lmObj)
lmEntropy(lmObj)
```

---

getMutations	<i>Retrieve mutation data for a LowMACA object</i>
--------------	--

---

## Description

Exploiting the capabilities of the `cgdsr` package, this method downloads and parse the mutation data of the specified genes in the selected tumor types. It also aggregates and show the frequencies of mutations of every gene in the different tumor types.

## Usage

```
getMutations(object, repos = NULL)
```

## Arguments

object	a LowMACA class object
repos	a data.frame containing mutations for the specified genes in the LowMACA object in case of custom mutation data. Default NULL

## Details

With `repos=NULL`, the method is a wrapper around `cgdsr-getMutationData` method from package `cgdsr-package`. The output of the method is moduled by the parameters in `lmParams("LowMACA_object")`. See `lmParams` for further information.

## Value

An object of class LowMACA is returned with an update in the slot mutations. See `lmMutations` method.

## Author(s)

Stefano de Pretis , Giorgio Melloni

## See Also

[lmParams](#) [cgdsr-getMutationData](#) [lmMutations](#)

## Examples

```
#Create an object of class LowMACA
lm <- newLowMACA(pfam="PF12906")
#Change some paramters
#By default, LowMACA retrieve only missense mutations.
#We want all mutations
lmParams(lm)[['mutation_type']] <- 'all'
#By default, LowMACA takes mutations from all the kinds of tumor
#We want just prostate cancer samples
lmParams(lm)[['tumor_type']] <- 'prad'
lm <- getMutations(lm)
```

---

lfm

---

*Show significant clusters of mutations*


---

## Description

The method lfm (low frequency mutations) retrieve the original mutations that created the significant clusters calculated with entropy on the consensus

## Usage

```
lfm(object , metric='qvalue', threshold=.05, conservation=NULL)
```

## Arguments

object	a LowMACA class object
metric	a character that defines whether to use 'pvalue' or 'qvalue' to select significant positions. Default: 'qvalue'
threshold	a numeric defining the threshold of significance for the defined metric. Default: 0.05
conservation	a numeric value in the range of 0-1 that defines the threshold of trident conservation score to include the specified position. The default value is inherited from the slot entropy, whose default is 0.1

## Details

After the alignment, we lose every information about the original sequences used as input. The consensus sequence is in fact an alignment that could not represent the reality of human proteins. lfm allows to go back on the original dataset and retrieve the proteins and the real positions of the mutations that we consider 'conserved'.

**Value**

A data.frame with 13 columns corresponding to the mutations retrieved:

1. Gene\_Symbol gene symbols of the mutations
2. Amino\_Acid\_Position amino acidic positions relative to original protein
3. Amino\_Acid\_Change amino acid changes in hgvs format
4. Sample Sample barcode where the mutation was found
5. Tumor\_Type Tumor type of the Sample
6. Envelope\_Start start of the pfam domain in the protein
7. Envelope\_End end of the pfam domain in the protein
8. Multiple\_Aln\_pos positions in the consensus
9. Entrez entrez ids of the mutations
10. Entry Uniprot entry of the protein
11. UNIPROT other protein names for Uniprot
12. Chromosome cytobands of the genes
13. Protein.name extended protein names

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[entropy](#)

**Examples**

```
#Load homeobox example and launch entropy method
data(lmObj)
lmObj <- entropy(lmObj)
significant_muts <- lfm(lmObj)
#Display original mutations that formed significant clusters (column Multiple_Aln_pos)
head(significant_muts)
#Position 4 has a qvalue<0.05
#What are the genes mutated in position 4 in the consensus?
cluster_4_genes <- significant_muts[ significant_muts[['Multiple_Aln_pos']]==4 , 'Gene_Symbol']
#Display the genes and their number of mutation in consensus position 4
sort(table(cluster_4_genes))
```

---

lfmSingleSequence	<i>Show significant clusters of mutations of every gene in a LowMACA object without alignment</i>
-------------------	---

---

### Description

The method `lfmSingleSequence` (low frequency mutations in Single Sequence) launch `lfm` method on every gene or domain inside a `LowMACA` object without aligning the sequences

### Usage

```
lfmSingleSequence(object , metric='qvalue', threshold=.05
, conservation=0.1
, BPPARAM=bpparam("SerialParam")
, mail=NULL
, perlCommand="perl"
, verbose=FALSE)
```

### Arguments

<code>object</code>	a <code>LowMACA</code> class object
<code>metric</code>	a character that defines whether to use 'pvalue' or 'qvalue' to select significant positions. Default: 'qvalue'
<code>threshold</code>	a numeric element between 0 and 1 defining the threshold of significance for the defined metric. Default: 0.05
<code>conservation</code>	a numeric value in the range of 0-1 that defines the threshold of trident conservation score to include the specified position. Default: 0.1
<code>BPPARAM</code>	An object of class <code>BiocParallelParam-class</code> specifying parameters related to the parallel execution of some of the tasks and calculations within this function. See function <code>register</code> from the <code>BiocParallel</code> package.
<code>mail</code>	if not <code>NULL</code> , it must be a valid email address to use EBI clustalo web service. Default is to use a local clustalo installation
<code>perlCommand</code>	a character string containing the path to Perl executable. if missing, "perl" will be used as default. Only used in web mode
<code>verbose</code>	logical. verbose output or not

### Details

This function completes a `LowMACA` analysis by analyzing every gene or domain in the `LowMACA` object as a 'single sequence' analysis was started in the first place. The result is a dataframe showing all the significant positions of every gene. If you have a `LowMACA` object composed by 100 genes, it will launch 100 `LowMACA` single gene analyses and aggregates the results of every `lfm` launched on these 100 objects. The output looks very similar to `lfm`, but in this case the column `Multiple_Aln_pos` has a different meaning. While in `lfm` it shows where the mutation falls in the consensus sequence, in this case it must be intended the consensus within the gene. If the original

LowMACA object had mode equal to 'gene', the column Multiple\_Aln\_pos will be always equal to Amino\_Acid\_Position. If mode is 'pfam', it is the same unless a gene harbors more than one domain of the same type within its sequence. In that case, an internal alignment of every domain inside the protein is performed.

### Value

A data.frame with 10 columns corresponding to the mutations retrieved:

1. Gene\_Symbol gene symbols of the analyzed genes
2. Amino\_Acid\_Position amino acidic positions relative to original protein
3. Amino\_Acid\_Change amino acid changes in hgvs format
4. Sample Sample barcode where the mutation was found
5. Tumor\_Type Tumor type of the Sample
6. Envelope\_Start start of the pfam domain in the protein
7. Envelope\_End end of the pfam domain in the protein
8. Multiple\_Aln\_pos positions in the consensus relatively to the sequence analyzed. See warnings section
9. Entrez entrez ids of the mutations
10. Entry Uniprot entry of the protein
11. UNIPROT other protein names for Uniprot
12. Chromosome cytobands of the genes
13. Protein.name extended protein names

### Author(s)

Stefano de Pretis , Giorgio Melloni

### See Also

[lfm](#)

### Examples

```
#Load homeobox example
data(lmObj)
#Run lfmSingleSequence
significant_muts <- lfmSingleSequence(lmObj)
#Show the result
head(significant_muts)
#Show all the genes that harbor significant mutations without the alignment
unique(significant_muts$Gene_Symbol)
```

---

`lmAlignment`*Show Alignment Results from a LowMACA object*

---

**Description**

Method for objects of class LowMACA. It can show the results of the alignment procedure that has been performed on the LowMACA object

**Usage**

```
lmAlignment(object)
```

**Arguments**

`object`            object of class LowMaca

**Value**

A list containing the following elements:

- ALIGNMENT an object of class data.frame containing the mapping of the position of the original amino acids to the consensus sequence
- SCORE a list of two objects
  - DIST\_MAT a matrix of the pairwise similarities between sequences as resulted after the multiple alignment (from 0% to 100%)
  - SUMMARY\_SCORE a data.frame containing summary descriptives of the distance matrix
  - CLUSTAL an object of class "AAMultipleAlignment" as provided by Biostrings R package
  - df a dataframe containing the predicted consensus sequence and the trident conservation score at every position

**Author(s)**

Stefano de Pretis, Giorgio Melloni

**See Also**

[alignSequences](#)

**Examples**

```
data('lmObj')
str(lmAlignment(lmObj))
```



---

`lmEntropy`*Show Entropy Information Contained in a LowMACA object*

---

**Description**

Method for objects of class LowMACA. It can show the results of entropy analysis performed on the LowMACA object by the function [entropy](#)

**Usage**

```
lmEntropy(object)
```

**Arguments**

`object`            object of class LowMaca

**Value**

A list containing the following elements:

- `bw` a numeric value that represents the bandwidth used to calculate the Shannon entropy score
- `uniform` an object of class function that was used to calculate the score
- `absval` a numeric value representing the Shannon entropy of the sample data
- `log10pval` a numeric value representing the pvalue of the Shannon entropy score against a gamma distribution with same mean and variance as the empirical uniform distribution in  $-\log_{10}$  scale
- `pvalue` a numeric value representing the pvalue of the Shannon entropy score against a gamma distribution with same mean and variance as the empirical uniform distribution

**Author(s)**

Stefano de Pretis, Giorgio Melloni

**See Also**

[entropy](#)

**Examples**

```
data('lmObj')
lmObj <- entropy(lmObj)
lmEntropy(lmObj)
```

---

`lmMutations`*Show Mutation Data Contained in a LowMACA object*

---

**Description**

Method for objects of class LowMACA. It can show the mutation data contained within the LowMACA object that has been retrieved from [getMutations](#) method.

**Usage**

```
lmMutations(object)
```

**Arguments**

`object`            object of class LowMaca

**Value**

A list containing the following elements:

- `data` a data.frame describing the mutations on every genes and their effect the amino acids they belong to
- `freq` a data.frame containing the absolute number of mutated patients by gene and selected tumor types (this is useful to explore the mutational landscape of your genes in the different tumor types)
- `aligned` a matrix where rows represent proteins/pfam, and columns report the number of mutations on every position of the consensus

**Author(s)**

Stefano de Pretis, Giorgio Melloni

**See Also**

[getMutations](#)

**Examples**

```
data('lmObj')  
str(lmMutations(lmObj))
```

---

`lmObj`*Example of a LowMACA object*

---

**Description**

An object of class LowMACA of the alignment and mapping of the homeobox domain. It is the example used in the vignette.

**Usage**

```
data("lmObj")
```

**Format**

An object of class LowMACA

**Source**

Created by LowMACA package

**Examples**

```
#Load lmObj and show its structure
data(lmObj)
str(lmObj)
```

---

`lmParams`*Show and set parameters*

---

**Description**

Method for objects of class LowMACA. It can show the most important user-definable parameters for a LowMACA analysis and allows to change them.

**Usage**

```
lmParams(object)
lmParams(object) <- value
```

**Arguments**

object	an object of class LowMaca
value	a named list containing: <ol style="list-style-type: none"> <li>1. <code>mutation_type</code> a character string among: 'missense', 'truncating', 'silent', 'all'. Default 'missense'</li> <li>2. <code>tumor_type</code> a character vector or string containing the tumor type barcode of the data in cBioPortal. Default 'all'.</li> <li>3. <code>min_mutation_number</code> an integer value describing the minimum number of mutations accepted for a sequence. If a sequence does not harbor a sufficient number of mutations is discarded from the analysis. Default is 1</li> <li>4. <code>density_bw</code> either a numeric value or 'auto'. A numeric value is passed directly to the function <code>density</code> while putting 0 will not launch density at all (every position is not aggregated to the surrounded ones). 'auto' will let the simulation decide according to the Silverman's rule of thumb the correct bandwidth. Default is 0.</li> <li>5. <code>clustal_cmd</code> path to clustalo executable</li> <li>6. <code>use_hmm</code> When analysing Pfam sequences, it is possible to use the Hidden Markov Model (HMM) of the specific Pfam to align the sequences. Default is FALSE.</li> <li>7. <code>datum</code> When analysing Pfam sequences, use all the genes that belong to the Pfam to generate the alignment. This creates a unique mapping between individual residues and consensus sequence, disregarding the set of sequences that are selected for the analysis. Default is FALSE.</li> </ol>

**Details**

LowMACA is a suite of tool that analyze conserved mutations, so it looks for clusters of gain of function alterations. With 'missense' `mutation_type` we intend all those mutations that change the original DNA but do not create stop codon nor alter the reading frame (these mutations are collectively defined as 'truncating' mutations). In addition we let the possibility to also choose 'silent' mutations even though they are currently not supported by the cBioPortal. To see all the available tumor types to run a LowMACA analysis, simply run `showTumorType`. The parameter `density_bw` has a strong effect on the statistical analysis of LowMACA. With the default bandwidth (0), the Shannon entropy calculation becomes discrete, while the continuous version is used in all the other cases.

**Value**

If `lmParams` is used as a show method it returns a named list of 5 elements: `mutation_type='missense'`, `tumor_type='all'`, `min_mutation_number=1`, `density_bw=0`, `clustal_cmd='clustalo'`

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[showTumorType](#) [getMutations](#) [entropy](#) [density](#)

**Examples**

```

#Construct a LowMACA object
lm <- newLowMACA(pfam="PF12906")
#Show default parameters
lmParams(lm)
#Change all parameters
lmParams(lm) <- list(mutation_type='all'
                    , tumor_type=c('skcm', 'brca')
                    , min_mutation_number=0
                    , density_bw=0
                    , clustal_cmd='clustalo'
                    , use_hmm=FALSE
                    , datum=FALSE)
#Change just one parameter
lmParams(lm)[['tumor_type']] <- 'prad'

```

---

ImPlot

*Draw a comprehensive LowMACA plot*


---

**Description**

LowMACA comprehensive plot is a four layers plot that summarize the entire LowMACA output

**Usage**

```
lmPlot(object , conservation=NULL, splitLen=NULL)
```

**Arguments**

object	a LowMACA class object
conservation	a numeric value in the range of 0-1 that defines the threshold of trident conservation score to include the specified position. The default value is inherited from the slot entropy, whose default is 0.1
splitLen	An integer, defines after how many amino acids the plot should be split By default this parameter is set to NULL, that mean that the plot is not split.

**Details**

The method returns a plot, which is divided into four layers. The LowMACA object must have been passed through the methods `alignSequences`, `getMutations`, `mapMutations` and `entropy`. The four layers of the plot are:

1. The bar plot visualized by `bpAll`
2. The distribution of mutations against the 95% confidence interval superior limit of the null hypothesis (dotted line) with orange bars representing a position with a pvalue <0.05 and a red star for qvalue<0.05
3. The Trident score distribution

4. The logo plot representing the consensus sequence

If this plot is used on a LowMACA object with a single protein, the result is formed by three layers only:

1. The bar plot visualized by bpAll
2. The Pfam domains structure inside the protein
3. The distribution of mutations against the 95% confidence interval superior limit of the null hypothesis (dotted line) with orange bars representing a position with a pvalue <0.05 and a red star for qvalue<0.05

**Value**

NULL

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[alignSequences](#) [getMutations](#) [mapMutations](#) [entropy](#) [bpAll](#)

**Examples**

```
#Load homeobox example and draw the plot
data(lmObj)
#Calculate statistics for nullProfile
lmObj <- entropy(lmObj)
lmPlot(lmObj)
```

---

lmPlotSingleSequence *Draw a LowMACA comprehensive plot of a specified gene within a LowMACA object*

---

**Description**

LowMACA comprehensive plot is a four layers plot that summarize the entire LowMACA output

**Usage**

```
lmPlotSingleSequence(object , gene , mail=NULL , perlCommand="perl")
```

**Arguments**

object	a LowMACA class object
gene	a Gene Symbol that identifies one of the gene analyzed in the LowMACA object
mail	if not NULL, it must be a valid email address to use EBI clustalo web service. Default is to use a local clustalo installation
perlCommand	a character string containing the path to Perl executable. if missing, "perl" will be used as default. Only used in web mode

**Details**

If the specified gene has more than one domain of the same type and mode is pfam, the plot is composed by four layers:

1. The bar plot visualized by bpAll
2. The distribution of mutations against the 95% confidence interval superior limit of the null hypothesis (dotted line) with orange bars representing a position with a pvalue <0.05 and a red star for qvalue<0.05
3. The Trident score distribution
4. The logo plot representing the consensus sequence

If the specified gene has only one domain of the same type and mode is pfam, the plot is composed by two layers:

1. The bar plot visualized by bpAll
2. The distribution of mutations against the 95% confidence interval superior limit of the null hypothesis (dotted line) with orange bars representing a position with a pvalue <0.05 and a red star for qvalue<0.05

If mode is gene, the plot is composed by three layers:

1. The bar plot visualized by bpAll
2. The Pfam domains structure inside the protein
3. The distribution of mutations against the 95% confidence interval superior limit of the null hypothesis (dotted line) with orange bars representing a position with a pvalue <0.05 and a red star for qvalue<0.05

**Value**

NULL

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[ImPlot bpAll](#)

## Examples

```
#Load homeobox example and draw the plot
data(lmObj)
#DUXA has a significant cluster of mutation
#Plot Mutations on DUXA gene in the
#original sequences of its domains PF00046
lmPlotSingleSequence(lmObj , gene="DUXA")
```

---

LowMACA-class

Class "LowMACA"

---

## Description

LowMACA class object describing the properties of mutations mapped on pfam domains or proteins

## Objects from the Class

Objects can be created by calls of the form `newLowMACA(genes, pfam)`.

## Constructor

`newLowMACA(genes=character_vector , pfam=character_vector)`

## Slots

**arguments** Object of class "list" with 6 elements:

- `genes` : vector of selected genes for the analysis in Hugo names format. NULL if `mode="pfam"`.
- `pfam` : vector of selected domains for the analysis in pfam ids format. NULL if `mode="genes"`.
- `input` : data.frame describing the input data as gene symbols, pfam ids, entrez ids, envelope start and end of the domain relative to the protein, name of the canonical protein in uniprot format, amino acidic sequence.
- `mode` : character. automatically set by the constructor as either "pfam" or "genes". If `pfam=NULL` then `mode="genes"`, "pfam" otherwise.
- `params` : named list of starting parameters for the LowMaca analysis. Call `lmParams(object)` to show default. See [lmParams](#) for further details.
- `parallelize` : named list of logicals. `getMutations=FALSE` is the default for the [getMutations](#) method and `makeAlignment=TRUE` is the default for the [alignSequences](#) method. See [parallelize](#) for further details.

**alignment** Object of class "list" with 4 elements:

- `ALIGNMENT` : data.frame of the result of the alignment. Every row represents a position of a sequence and the relative mapping to the consensus sequence.
- `SCORE` : list of two elements. `DIST_MAT` is a matrix of pairwise similarities between sequences as described by clustalo. `SUMMARY_SCORE` is a dataframe of summary descriptive statistics of the `DIST_MAT` matrix



- **CLUSTAL** : an object of class `MultipleAlignment-class` from package Biostrings
- **df** : a data.frame describing the consensus sequence, its per-position degree of conservation and its mutations null profile density. See `entropy` and `lmPlot` for further details

**mutations** Object of class "list" with 3 elements:

- **data** : data.frame derived from the query to the cBioPortal query, `cgdsr-getMutationData`. Every row represents a mutation stratified by position, gene and tumor type.
- **freq** : data.frame of absolute frequency of mutation stratified by gene and tumor type.
- **aligned** : matrix representing the number of mutations at every position in the consensus sequence (columns) and in each original sequence (rows)

**entropy** Object of class "list" with 5 elements:

- **bw** : numeric value. user defined bandwidth for the function `entropy`
- **uniform** : function that generate the uniform null profile
- **absval** : numeric value. Shannon entropy of the mutation data profile according to the defined bandwidth
- **log10pval** : numeric value. pvalue of the entropy test in -log10 scale
- **pvalue** : numeric value. pvalue of the entropy test

## Methods

**alignSequences** `alignSequences(object = "LowMACA")`: ...

**bpAll** `bpAll(object = "LowMACA")`: ...

**entropy** `entropy(object = "LowMACA")`: ...

**getMutations** `getMutations(object = "LowMACA")`: ...

**lfm** `lfm(object = "LowMACA")`: ...

**lmPlot** `lmPlot(object = "LowMACA")`: ...

**mapMutations** `mapMutations(object = "LowMACA")`: ...

**nullProfile** `signature(object = "LowMACA")`: ...

**parallelize** `parallelize(object = "LowMACA")`: ...

**parallelize<-** `signature(object = "LowMACA")`: ...

**lmParams** `params(x = "LowMACA")`: ...

**lmParams<-** `signature(object = "LowMACA")`: ...

**protter** `protter(object = "LowMACA")`: ...

**setup** `setup(object = "LowMACA")`: ...

**show** `show(object = "LowMACA")`: ...

**lfmSingleSequence** `lfmSingleSequence(object = "LowMACA")`: ...

**lmPlotSingleSequence** `lmPlotSingleSequence(object = "LowMACA")`: ...

## Author(s)

Stefano de Pretis, Giorgio Melloni

**References**

[LowMACA website](#)

**See Also**

[newLowMACA](#)

**Examples**

```
#ANALYSIS OF SOME OF THE PROTEINS THAT SHARE THE HOMEBOX DOMAIN
#Genes to analyze
Genes <- c("ADNP", "ALX1", "ALX4", "ARGFX", "CDX4", "CRX"
           , "CUX1", "CUX2", "DBX2", "DLX5", "DMBX1", "DRGX"
           , "DUXA", "ESX1", "EVX2", "HDX", "HLX", "HNF1A"
           , "HOXA1", "HOXA2", "HOXA3", "HOXA5", "HOXB1", "HOXB3"
           , "HOXD3", "ISL1", "ISX", "LHX8")
#Pfam to analyze
Pfam <- "PF00046"
#Construct a new LowMACA object
lm <- newLowMACA(genes=Genes , pfam=Pfam)
#Change some parameters
lmParams(lm)[['tumor_type']] <- c("skcm" , "stad" , "ucec" , "luad" , "lusc" , "coadread" , "brca")
lmParams(lm)[['min_mutation_number']] <- 1
lmParams(lm)[['density_bw']] <- 0
#Run if you have clustalo installed
lm <- setup(lm)
#Calculate staistics
lm <- entropy(lm)
#Retrieve original mutations
lfm(lm)
#Plot
bpAll(lm)
lmPlot(lm)
protter(lm)
```

---

LowMACA\_AML

*Example of a LowMACA object*

---

**Description**

A data frame containing TCGA AML data in the format accepted by LowMACA

**Usage**

```
data("LowMACA_AML")
```

**Format**

A data.frame of 8 columns:

1. Entrez\_gene ID number
2. Gene\_Symbol HGNC official gene symbol
3. Amino\_Acid\_Letter original amino acid letter in the position of the mutation
4. Amino\_Acid\_Position position of the mutation relative to the protein
5. Amino\_Acid\_Change amino acid change in hgvs format, like G12V
6. Mutation\_Type classification of mutation according to MAF format.
7. Sample name of the sample where the mutation was found
8. Tumor\_Type type of tumor, if applicable

**Source**

Adapted from [TCGA ftp repository](#)

**See Also**

[MAF format specification HGVS](#)

**Examples**

```
#Load LowMACA_AML and show its structure
data(LowMACA_AML)
str(LowMACA_AML)
```

---

mapMutations

*Map mutations on consensus sequence*

---

**Description**

mapMutations is a method for the class LowMACA that re-maps the mutations on a sequence to the relative position in a consensus sequence.

**Usage**

```
mapMutations(object)
```

**Arguments**

object            an object of class LowMACA

**Details**

Every position in the consensus alignment correspond to different positions in the single aligned sequences. The mutations are mapped according to this scheme that can be evinced from the slot alignment. mapMutations must be called after alignSequences and getMutations

**Value**

An object of class LowMACA with an update in the slot mutations. mapMutations add a object named aligned of class matrix in this slot that represents the absolute number of mutations in each sequence/position in the consensus as a matrix.

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[getMutations](#) [alignSequences](#) [LowMACA-class](#)

**Examples**

```
#Create an object of class LowMACA
lm <- newLowMACA(pfam="PF12906")
#Align the sequences, requires clustalo
## Not run: lm <- alignSequences(lm)
#Get mutations from the corresponding genes
## Not run: lm <- getMutations(lm)
#Map mutations on the consensus sequence
## Not run: lm <- mapMutations(lm)
```

---

newLowMACA

*Construct a LowMACA object*

---

**Description**

Constructor for the class LowMACA. It initializes a LowMACA object with default parameters

**Usage**

```
newLowMACA(genes = NULL, pfam = NULL)
```

**Arguments**

genes	a character vector of gene symbols in HGNC format or a integer vector of Entrez IDs. If pfam is defined, it can be set to NULL
pfam	a character vector of pfam IDs. If genes is defined, it can be set to NULL

**Details**

When a LowMACA object is initialized, the arguments slot is filled with the input data and default parameters and path to clustalomega aligner. See lmParams and parallelize to change them.

**Value**

An object of class "LowMACA". See [LowMACA-class](#)

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[lmParams parallelize](#)

**Examples**

```
#Set Genes and pfam for the analysis
Genes <- c("ADNP", "ALX1", "ALX4", "ARGFX", "CDX4", "CRX"
          , "CUX1", "CUX2", "DBX2", "DLX5", "DMBX1", "DRGX"
          , "DUXA", "ESX1", "EVX2", "HDX", "HLX", "HNF1A"
          , "HOXA1", "HOXA2", "HOXA3", "HOXA5", "HOXB1", "HOXB3"
          , "HOXD3", "ISL1", "ISX", "LHX8")
Pfam <- "PF00046"
#LowMACA object of pfam PF00046 filtered by Genes
lm <- newLowMACA(genes=Genes , pfam=Pfam)
#LowMACA object of the entire pfam PF00046
lm <- newLowMACA(pfam=Pfam)
#LowMACA object of entire canonical proteins associated to Genes
lm <- newLowMACA(genes=Genes)
```

---

nullProfile

*Draw a mutational profile plot*

---

**Description**

nullProfile is a method for objects of class LowMACA that draw a barplot highlighting the significant clusters of mutations found by LowMACA statistics

**Usage**

```
nullProfile(object , conservation=NULL, windowlimits=NULL)
```

**Arguments**

object	an object of class LowMACA
conservation	a numeric value in the range of 0-1 that defines the threshold of trident conservation score to include the specified position. The default value is inherited from the slot entropy, whose default is 0.1
windowlimits	A vector indicating which amino acids residues will be plotted. The vector refers to the positions in the global alignment. By default this parameter is set to NULL, that means that all the amino acids will be displayed.

**Details**

This method draw the second layer of the `lmPlot` of `LowMACA`. The blue dotted line is a curve that pass through all the points of the upper limit of the 95% confidence interval for the single position test performed by entropy (one point per position in the consensus). The black bars represents the density of mutations in our sample. If a bar passes the blue line, it will be depicted in orange (significant pvalue). After the correction for multiple testing, red stars appears at the top of the orange bars if a cluster is below 0.05 for the qvalue and has a conservation trident score of at least 0.1.

**Value**

NULL

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[lmPlot entropy](#)

**Examples**

```
#Load homeobox example
data(lmObj)
#Calculate statistics
lmObj <- entropy(lmObj)
nullProfile(lmObj)
```

---

parallelize

*Show and set parallelization options*

---

**Description**

Method for objects of class `LowMACA`. It can show parallelization parameters of an object of class `LowMACA` and switch off and on parallelization of [alignSequences](#) and [getMutations](#) method

**Usage**

```
parallelize(object)
parallelize(object) <- value
```

**Arguments**

object	object of class <code>LowMaca</code>
value	a named list containing logical values. Default list( <code>getMutations=FALSE</code> , <code>makeAlignment=TRUE</code> )

**Details**

With `getMutations=TRUE`, the `getMutations` method runs in parallel during the queries to the different `tumor_types`. This can result in an overload to the cBioPortal database and the function returns error. With `makeAlignment=TRUE`, `clustalo` should run in parallel. Nevertheless, `clustalo` can be parallelized only if the OpenMP C library is correctly functioning.

**Value**

If `parallelize` is used as a show method it returns a named list of two elements: `getMutations` and `makeAlignment`

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**See Also**

[getMutations](#)

**Examples**

```
#Construct a LowMACA object
lm <- newLowMACA(pfam="PF12906")
#Show parallelize default
parallelize(lm)
#Change all parameters
parallelize(lm) <- list(getMutations=TRUE , makeAlignment=FALSE)
#Change just one parameter
parallelize(lm)[['getMutations']] <- TRUE
```

---

protter

*Draw a Protter plot*

---

**Description**

This is a wrapper around Protter web service for LowMACA class objects that draw a protter style plot.

**Usage**

```
protter(object, filename = "protter.png", threshold = 0.05 , conservation=NULL)
```

**Arguments**

object	an object of class LowMACA
filename	a character string that identifies the file name where protter plot will be stored. Default "protter.png"
threshold	a numeric value in the interval (0 , 1] that identifies the significant mutations. Default 0.05
conservation	a numeric value in the range of 0-1 that defines the threshold of trident conservation score to include the specified position. The default value is inherited from the slot entropy, whose default is 0.1

**Details**

Using the information in the slot alignment, a request is send to Protter server. Protter will predict a possible secondary structure for the consensus sequence (if possible) and highlights the significant clusters of mutations found by LowMACA (if any). A significant pvalue is colored in orange, a significant qvalue is colored in red.

**Value**

NULL

**Author(s)**

Stefano de Pretis , Giorgio Melloni

**References**

[Protter website](#)

**See Also**

[LowMACA-class entropy](#)

**Examples**

```
#Load homeobox example
data(lmObj)
#Calculate statistics
lmObj <- entropy(lmObj)
#Create protter.png
protter(lmObj)
```



---

setup	<i>Setup of a LowMACA object</i>
-------	----------------------------------

---

**Description**

A wrapper around `alignSequences`, `getMutations` and `mapMutations` in order to execute all these methods at once.

**Usage**

```
setup(object, repos = NULL, clustalo_filename=NULL
, mail=NULL , perlCommand="perl", use_hmm=FALSE, datum=FALSE)
```

**Arguments**

object	an object of class LowMACA
repos	a data.frame containing mutations for the specified genes in the LowMACA object in case of custom mutation data. Default NULL
clustalo_filename	a character string that contains the file name where clustal omega alignment file will be stored. In case it's NULL no file will be written. Default=NULL
mail	a character string indicating the email address where error report should be sent in web mode. Default is NULL, to use a local clustalo installation
perlCommand	a character string containing the path to Perl executable. if missing, "perl" will be used as default
use_hmm	When analysing Pfam sequences, it is possible to use the Hidden Markov Model (HMM) of the specific Pfam to align the sequences. Default is FALSE.
datum	When analysing Pfam sequences, use all the genes that belong to the Pfam to generate the alignment. This creates a unique mapping between individual residues and consensus sequence, disregarding the set of sequences that are selected for the analysis. Default is FALSE.

**Details**

If mail is not NULL, a local installation of clustal omega is no longer required and the alignment is performed using clustal omega EBI web service. A limit of 2000 sequences is set in this case and perl is required with XML::Simple and LWP modules installed

**Value**

An object of class LowMACA with all the updates provided by `alignSequences`, `getMutations` and `mapMutations` methods.

**Author(s)**

Stefano de Pretis , Giorgio Melloni

## References

[Trident Score Clustal Omega Clustal Omega Web Service](#)

## See Also

[alignSequences](#) [getMutations](#) [mapMutations](#)

## Examples

```
#Create an object of class LowMACA for RAS domain family
lm <- newLowMACA(pfam="PF00071" , genes=c("KRAS" , "NRAS" , "HRAS"))
#Select a few tumor types
lmParams(lm)$tumor_type <- c("skcm" , "brca" , "coadread")
#Align sequences, get mutation data and map them on consensus
lm <- setup(lm)
#Same as above, but using web service
lm <- setup(lm , mail="lowmaca@gmail.com")
#Use HMM to align
lm <- setup(lm , use_hmm=TRUE)
#Use "datum"
lm <- setup(lm , datum=TRUE)
```

---

showTumorType

*List of tumor types*

---

## Description

Show all the possible tumor types accepted by LowMACA

## Usage

```
showTumorType()
```

## Details

This method is a wrapper around [cgdsr-getCancerStudies](#) and show all the barcodes for the tumor types as used by cBioPortal.

## Value

A named vector of all the tumor types available in [cgdsr](#) package that can be passed to the method `lmParams`. Every element is the aggregation of all the available sequenced data from all the studies involved in a particular tumor type.

## Author(s)

Stefano de Pretis , Giorgio Melloni

**See Also**

[lmParams cgdsr-getCancerStudies](#)

**Examples**

```
data('lmObj')
out <- showTumorType()
chosenTumors <- out[1:3]
lmParams(lmObj)$tumor_type <- chosenTumors
```

# Index

- \* **classes**
  - LowMACA-class, 24
- \* **datasets**
  - BLOSUM62, 8
  - ImObj, 19
  - LowMACA\_AML, 26
- \* **package**
  - LowMACA-package, 2
- alignSequences, 3, 10, 16, 22, 24, 28, 30, 34
- alignSequences, LowMACA-method (LowMACA-class), 24
- allPfamAnalysis, 5
- BLOSUM62, 8
- bpAll, 8, 22, 23
- bpAll, LowMACA-method (LowMACA-class), 24
- density, 20
- entropy, 9, 13, 17, 20, 22, 25, 30, 32
- entropy, LowMACA-method (LowMACA-class), 24
- getMutations, 4, 11, 18, 20, 22, 24, 28, 30, 31, 34
- getMutations, LowMACA-method (LowMACA-class), 24
- lfm, 7, 12, 15
- lfm, LowMACA-method (LowMACA-class), 24
- lfmSingleSequence, 14
- lfmSingleSequence, LowMACA-method (LowMACA-class), 24
- ImAlignment, 4, 16
- ImAlignment, LowMACA-method (LowMACA-class), 24
- ImEntropy, 10, 17
- ImEntropy, LowMACA-method (LowMACA-class), 24
- ImMutations, 11, 18
- ImMutations, LowMACA-method (LowMACA-class), 24
- ImObj, 19
- ImParams, 10, 11, 19, 24, 29, 35
- ImParams, LowMACA-method (LowMACA-class), 24
- ImParams<- (ImParams), 19
- ImParams<-, LowMACA-method (LowMACA-class), 24
- ImPlot, 9, 21, 23, 25, 30
- ImPlot, LowMACA-method (LowMACA-class), 24
- ImPlotSingleSequence, 22
- ImPlotSingleSequence, LowMACA-method (LowMACA-class), 24
- LowMACA (LowMACA-package), 2
- LowMACA-class, 24
- LowMACA-package, 2
- LowMACA\_AML, 6, 7, 26
- mapMutations, 4, 22, 27, 34
- mapMutations, LowMACA-method (LowMACA-class), 24
- newLowMACA, 26, 28
- nullProfile, 29
- nullProfile, LowMACA-method (LowMACA-class), 24
- parallelize, 24, 29, 30
- parallelize, LowMACA-method (LowMACA-class), 24
- parallelize<- (parallelize), 30
- parallelize<-, LowMACA-method (LowMACA-class), 24
- protter, 31
- protter, LowMACA-method (LowMACA-class), 24
- register, 6, 14

setup, [4](#), [33](#)  
setup, LowMACA-method (LowMACA-class), [24](#)  
show, LowMACA-method (LowMACA-class), [24](#)  
showTumorType, [20](#), [34](#)