

# Package ‘HumanTranscriptomeCompendium’

October 15, 2023

**Title** Tools to work with a Compendium of 181000 human transcriptome sequencing studies

**Description** Provide tools for working with a compendium of human transcriptome sequences (originally htcomp).

**Version** 1.16.3

**Author** Sean Davis, Vince Carey

**Suggests** knitr, BiocStyle, beeswarm, tximportData, DT, tximport, dplyr, magrittr, BiocFileCache, testthat, rhdf5client, rmarkdown

**Imports** shiny, ssrch, S4Vectors, SummarizedExperiment, utils, BiocManager

**Depends** R (>= 3.6)

**Maintainer** VJ Carey <stvjc@channing.harvard.edu>

**License** Artistic-2.0

**LazyLoad** yes

**LazyData** yes

**biocViews** Transcriptomics, Infrastructure

**VignetteBuilder** knitr

**RoxygenNote** 7.2.3

**Encoding** UTF-8

**git\_url** <https://git.bioconductor.org/packages/HumanTranscriptomeCompendium>

**git\_branch** RELEASE\_3\_17

**git\_last\_commit** 4114262

**git\_last\_commit\_date** 2023-09-02

**Date/Publication** 2023-10-15

## R topics documented:

addRD . . . . .	2
ca43k . . . . .	3
get_ds4841 . . . . .	3
htx_app . . . . .	4
htx_load . . . . .	5
htx_query_by_study_accession . . . . .	6
htx_query_by_text . . . . .	6
HumanTranscriptomeCompendium.colnames . . . . .	7
load_bigrnaFiles . . . . .	8
load_experTable . . . . .	8
load_studTable . . . . .	9
path_doc4842 . . . . .	9
procExpToGene . . . . .	10
tx2gene_gencode27 . . . . .	11
uniqueAcc_120518 . . . . .	12
<b>Index</b>	<b>13</b>

---

addRD	<i>add gene-level rowData derived from transcript level rowRanges</i>
-------	-----------------------------------------------------------------------

---

### Description

add gene-level rowData derived from transcript level rowRanges

### Usage

```
addRD(x)
```

### Arguments

x                      result of htx\_load()

### Value

RangedSummarizedExperiment with enhanced rowData

### Examples

```
# this function operates on a SummarizedExperiment that has
# transcript-level rowRanges but gene-level quantifications
addRD
```

---

ca43k	<i>app to survey 43000 cancer transcriptomes</i>
-------	--------------------------------------------------

---

**Description**

app to survey 43000 cancer transcriptomes

**Usage**

```
ca43k()
```

**Value**

a SummarizedExperiment

**Note**

Copies source code and metadata to a temporary folder and executes shiny::runApp there; sets working directory to folder where ca43k was called when app is exited. Also will return either NULL or a SummarizedExperiment at conclusion.

**Examples**

```
ca43k
```

---

get_ds4841	<i>return instance of ssrch::DocSet with metadata on 4841 human transcriptome studies in NCBI SRA</i>
------------	-------------------------------------------------------------------------------------------------------

---

**Description**

return instance of ssrch::DocSet with metadata on 4841 human transcriptome studies in NCBI SRA

**Usage**

```
get_ds4841(
  cache = BiocFileCache::BiocFileCache(),
  csv_zip_path = path_doc4842()
)
```

**Arguments**

cache	instance of ‘BiocFileCache’, defaults to ‘BiocFileCache::BiocFileCache()’
csv_zip_path	a path leading to the zip file of CSV for metadata in the DocSet instance

**Value**

instance of DocSet as defined in ssrch package

**Note**

will bind the correct value of 'zipf' in 'environment(ds4841@doc\_retriever)', which depends on details of installation

**Examples**

```
get_ds4841()
```

---

htx_app	<i>explore SRA metadata</i>
---------	-----------------------------

---

**Description**

explore SRA metadata

**Usage**

```
htx_app()
```

**Value**

a SummarizedExperiment can be requested through an event

**Note**

This function deals with extraction of compendium elements. The overall scope is determined by HumanTranscriptomeCompendium::studTable which is the list of all studies with taxon 9606, strategy RNA-seq, source transcriptomic. Some studies will not have experiments in the compendium, and if such are selected, a warning will be generated in the session.

**Examples**

```
if (interactive()) htx_app()
```

---

htx_load	<i>load a SummarizedExperiment shell for the Human Transcriptome Compendium</i>
----------	---------------------------------------------------------------------------------

---

### Description

load a SummarizedExperiment shell for the Human Transcriptome Compendium

### Usage

```
htx_load(  
  remotePath = NULL,  
  cache = BiocFileCache::BiocFileCache(),  
  genesOnly = TRUE  
)
```

### Arguments

remotePath	defaults to NULL, will be removed in future version
cache	a BiocFileCache instance, defaulting to value of BiocFileCache()
genesOnly	logical(1) if TRUE return reference to SummarizedExperiment with gene-level quantifications; in this case the remotePath value is set to 'https://s3.amazonaws.com/bcfound-bigna/rangedHtxGeneSE.rds'. As of Bioc 3.17, changes to S4Vectors necessitate different remote images or redesign of handling HSDS instances. Thus remotePath parameter is dropped and version-specific code is added to the loader to select an appropriate path.

### Value

a RangedSummarizedExperiment instance

### Examples

```
if (interactive()) {  
  h = htx_load()  
  h  
  SummarizedExperiment::assay(h)  
}
```

---

```
htx_query_by_study_accession
```

*retrieve 'restfulSE' SummarizedExperiment instance for selected studies in htx compendium*

---

### Description

retrieve 'restfulSE' SummarizedExperiment instance for selected studies in htx compendium

### Usage

```
htx_query_by_study_accession(studies, htxSE, ...)
```

### Arguments

studies	character vector of study accessions
htxSE	SummarizedExperiment instance, typically the result of htx_load(), which we don't want to repeat needlessly
...	passed to 'htx_load', ignored if 'se' is nonmissing

### Value

SummarizedExperiment instance

### Note

This function was designed to perform a single query on a 'fresh' compendium image from 'htx\_load()'. However, one could consider iterating the process to build up metadata on multiple series of studies. This is not likely to succeed without careful manipulation of the colData of the input SummarizedExperiment. A message will be written if the input SummarizedExperiment appears to be other than a 'fresh' 'htx\_load' result.

### Examples

```
htx_query_by_study_accession("ERP011411")
```

---

```
htx_query_by_text      subset compendium through keyword lookup
```

---

### Description

subset compendium through keyword lookup

### Usage

```
htx_query_by_text(query, ..., tryGrep = TRUE, ignore.case = TRUE)
```

**Arguments**

query	character(1) to be found in <code>ls(ssrch::kw2docs(get_ds4841()))</code>
...	passed to <code>'htx_query_by_study_accession'</code>
tryGrep	logical(1) if TRUE, <code>'query'</code> does not match any keyword directly, it will be treated as a regular expression and the vector of keywords will be grepped for pattern <code>'query'</code> ; defaults to TRUE
ignore.case	logical(1) used when tryGrep is TRUE, defaults to TRUE

**Value**

SummarizedExperiment instance

**Note**

The DocSet instance returned by `'get_ds4841()'` is used. Lookups are case-sensitive. Look carefully at note for `'htx_query_by_study_accession'` to understand logic of incrementing metadata on a given input SummarizedExperiment.

**Examples**

```
htx_query_by_text("HNRNPC")
```

---

HumanTranscriptomeCompendium.colnames  
*character vector of available samples in HDF cloud assay representation*

---

**Description**

character vector of available samples in HDF cloud assay representation

**Usage**

```
HumanTranscriptomeCompendium.colnames
```

**Format**

character vector

**Source**

compendium processing

**Examples**

```
head(HumanTranscriptomeCompendium::HumanTranscriptomeCompendium.colnames)
```

---

load_bigrnaFiles	<i>obtain listing of contents of BigRNA compendium (salmon runs)</i>
------------------	----------------------------------------------------------------------

---

**Description**

obtain listing of contents of BigRNA compendium (salmon runs)

**Usage**

```
load_bigrnaFiles(cache = BiocFileCache::BiocFileCache())
```

**Arguments**

cache            instance of 'BiocFileCache', defaults to 'BiocFileCache::BiocFileCache()'

**Value**

a named vector

**Examples**

```
if (interactive()) head(load_bigrnaFiles())
```

---

load_experTable	<i>obtain listing of experiments and submission date/time in compendium</i>
-----------------	-----------------------------------------------------------------------------

---

**Description**

obtain listing of experiments and submission date/time in compendium

**Usage**

```
load_experTable(cache = BiocFileCache::BiocFileCache())
```

**Arguments**

cache            instance of 'BiocFileCache', defaults to 'BiocFileCache::BiocFileCache()'

**Value**

a data.frame

**Examples**

```
if (interactive()) head(load_experTable())
```



---

load_studTable	<i>obtain listing of all studies in compendium</i>
----------------	----------------------------------------------------

---

**Description**

obtain listing of all studies in compendium

**Usage**

```
load_studTable(cache = BiocFileCache::BiocFileCache())
```

**Arguments**

cache            instance of ‘BiocFileCache’, defaults to ‘BiocFileCache::BiocFileCache()’

**Value**

a data.frame

**Examples**

```
if (interactive()) head(load_studTable())
```

---

path_doc4842	<i>return path to metadata csvs in zip file</i>
--------------	-------------------------------------------------

---

**Description**

return path to metadata csvs in zip file

**Usage**

```
path_doc4842(cache = BiocFileCache::BiocFileCache())
```

**Arguments**

cache            instance of ‘BiocFileCache’, defaults to ‘BiocFileCache::BiocFileCache()’

**Value**

path to zipfile

**Note**

CSVs were retrieved using methods provided at <https://api-omicidx.cancerdatasci.org/sra/1.0/ui/> and zipped together. Function will lodge zipfile in ‘cache’ if not present.

**Examples**

```
path_doc4842()
```

---

procExpToGene	<i>acquire a single sample from bigRNA compendium specified by accession and develop gene-level quantifications using tximport</i>
---------------	------------------------------------------------------------------------------------------------------------------------------------

---

**Description**

acquire a single sample from bigRNA compendium specified by accession and develop gene-level quantifications using tximport

**Usage**

```
procExpToGene(
  acc,
  tx2gene = tx2gene_gencode27(),
  urlprefix = "http://bigrna-test.cancerdatasci.org/data/?accession=",
  manifestdata = HumanTranscriptomeCompendium::load_bigrnaFiles(),
  regexp = "quant.sf.bz2|json"
)
```

**Arguments**

acc	character(1) sample-level accession as defined in SRA
tx2gene	a data.frame instance mapping transcript identifiers used in the compendium to gene identifiers. See note.
urlprefix	character(1) where the salmon run outputs are lodged, with acc a subfolder defined through the manifestData parameter.
manifestdata	a character vector defining folders (under results/human/27/ with salmon outputs).
regexp	a character(1) regular expression for filtering filename elements in manifestdata to define which salmon output components in the bigrna compendium are retrieved.

**Value**

the result of a tximport run

**Note**

The tx2gene\_gencode function supplied with this package uses the tximportData package contents to create the data.frame for use as tx2gene. The system2 function is used to generate folders to be used by tximport.

**Examples**

```
# this example involves nontrivial internet communications
args(procExpToGene)

td = tempdir()
od = getwd()
setwd(td)
nn = procExpToGene("ERX1097381")
str(nn)
setwd(od)
```

---

tx2gene_gencode27	<i>generate a data.frame mapping gencode 27 ensembl transcript identifiers to ensembl gene identifiers</i>
-------------------	------------------------------------------------------------------------------------------------------------

---

**Description**

generate a data.frame mapping gencode 27 ensembl transcript identifiers to ensembl gene identifiers

**Usage**

```
tx2gene_gencode27()
```

**Value**

a data.frame with 200401 rows mapping transcript identifiers in column 1 to 58288 gene symbols in column 2.

**Note**

Uses CSV in tximportData to acquire the information.

**Examples**

```
head(tx2gene_gencode27())
```

---

uniqueAcc_120518	<i>experiment accessions available in compendium as of may 12 2018</i>
------------------	------------------------------------------------------------------------

---

**Description**

experiment accessions available in compendium as of may 12 2018

**Usage**

```
uniqueAcc_120518
```

**Format**

```
data.frame
```

**Source**

SRAdBv2 may 12 2018

**Examples**

```
head(HumanTranscriptomeCompendium::uniqueAcc_120518)
```

# Index

## \* datasets

- HumanTranscriptomeCompendium.colnames,  
[7](#)
- uniqueAcc\_120518, [12](#)

addRD, [2](#)

ca43k, [3](#)

get\_ds4841, [3](#)

htx\_app, [4](#)

htx\_load, [5](#)

htx\_query\_by\_study\_accession, [6](#)

htx\_query\_by\_text, [6](#)

HumanTranscriptomeCompendium.colnames,  
[7](#)

load\_bigrnaFiles, [8](#)

load\_experTable, [8](#)

load\_studTable, [9](#)

path\_doc4842, [9](#)

procExpToGene, [10](#)

tx2gene\_gencode27, [11](#)

uniqueAcc\_120518, [12](#)