

# Package ‘Doscheda’

April 3, 2025

**Type** Package

**Title** A DownStream Chemo-Proteomics Analysis Pipeline

**Version** 1.29.0

**Author** Bruno Contrino, Piero Ricchiuto

**Maintainer** Bruno Contrino <br1contrino@yahoo.co.uk>

**Description** Doscheda focuses on quantitative chemoproteomics used to determine protein interaction profiles of small molecules from whole cell or tissue lysates using Mass Spectrometry data. The package provides a shiny application to run the pipeline, several visualisations and a downloadable report of an experiment.

**License** GPL-3

**Depends** R (>= 3.4)

**Imports** methods, drc, stats, httr, jsonlite, reshape2, vsn, affy, limma, stringr, ggplot2, graphics, grDevices, calibrate, corrgram, gridExtra, DT, shiny, shinydashboard, readxl, prodlim, matrixStats

**biocViews** Proteomics, Normalization, Preprocessing, MassSpectrometry, QualityControl, DataImport, Regression

**Suggests** BiocStyle, knitr, rmarkdown, testthat

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1

**git\_url** <https://git.bioconductor.org/packages/Doscheda>

**git\_branch** devel

**git\_last\_commit** 305a40a

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.21

**Date/Publication** 2025-04-03

## Contents

|                                       |           |
|---------------------------------------|-----------|
| boxplot,ChemoProtSet-method . . . . . | 2         |
| ChemoProtSet-class . . . . .          | 3         |
| corrPlot . . . . .                    | 3         |
| densityPlot . . . . .                 | 4         |
| doscheda . . . . .                    | 5         |
| doschedaApp . . . . .                 | 5         |
| doschedaData . . . . .                | 5         |
| fitModel . . . . .                    | 6         |
| getDatasets . . . . .                 | 7         |
| getFinal . . . . .                    | 8         |
| getInput . . . . .                    | 8         |
| getNorm . . . . .                     | 9         |
| getParameters . . . . .               | 10        |
| makeReport . . . . .                  | 10        |
| meanSdPlot . . . . .                  | 11        |
| pcaPlot . . . . .                     | 12        |
| plot.ChemoProtSet . . . . .           | 13        |
| processedExample . . . . .            | 13        |
| removePeptides . . . . .              | 14        |
| replicatePlot . . . . .               | 15        |
| runDoscheda . . . . .                 | 16        |
| runNormalisation . . . . .            | 18        |
| setData . . . . .                     | 18        |
| setParameters . . . . .               | 20        |
| volcanoPlot . . . . .                 | 22        |
| <b>Index</b>                          | <b>23</b> |

---

boxplot,ChemoProtSet-method

*Default boxplot for objects of class ChemoProtSet*

---

### Description

Description

### Usage

```
## S4 method for signature 'ChemoProtSet'
boxplot(x, ...)
```

### Arguments

|     |                                |
|-----|--------------------------------|
| x   | object of class 'ChemoProtSet' |
| ... | other plotting options         |

**Value**

boxplot for objects of class ChemoProtSet

---

ChemoProtSet-class      *An S4 class to run the doscheda pipeline*

---

**Description**

An S4 class to run the doscheda pipeline

**Slots**

input A data.frame containing the input data  
normData A data.frame containin a processed and standardised version of the input data  
finalData A data.frame containing the final data produced by the pipeline  
parameters A list containing all the parameters required to make the pipeline run successfully  
datasets A list containing other potentially useful datasets

---

corrPlot                      *Plot showing correlation between all channels across replicates*

---

**Description**

Plot of the correlation between all the channels in the data.

**Usage**

```
corrPlot(x, ...)  
  
## S4 method for signature 'ChemoProtSet'  
corrPlot(x, ...)
```

**Arguments**

x                      object of class 'ChemoProtSet'  
...                      corrplot options

**Value**

correlation plot for objects of class ChemoProtSet

**Examples**

```
ex <- processedExample
ex <- runNormalisation(ex)
ex <- fitModel(ex)
corrPlot(ex)
```

---

densityPlot                      *Density plot for objects of class ChemoProtSet*

---

**Description**

Description

**Usage**

```
densityPlot(x, rankProteins = FALSE, ...)

## S4 method for signature 'ChemoProtSet'
densityPlot(x, rankProteins = FALSE, ...)
```

**Arguments**

|              |   |
|--------------|---|
| x            | object of class 'ChemoProtSet'  |
| rankProteins | plot a the set of ranked proteins or plot the density of the channels |
| ...          | other plot options  |

**Value**

density plot for objects of class ChemoProtSet

**Examples**

```
ex <- processedExample
ex <- runNormalisation(ex)
ex <- fitModel(ex)
densityPlot(ex)
```

---

|          |   |
|----------|---|
| doscheda | <i>Doscheda: A package for Down Stream Chemo-Proteomics Data Analysis</i> |
|----------|---|

---

**Description**

The Doscheda package provides three categories of important functions: foo, bar and baz.

**Foo functions**

The foo functions ...

---

|             |   |
|-------------|---|
| doschedaApp | <i>Run shiny application for DOSCHEDA</i> |
|-------------|---|

---

**Description**

Run a version of the pipeline with some extra features and a simple user experience. The application is documented in detail at [here](#)

**Usage**

```
doschedaApp()
```

**Value**

Launches shiny application

---

|              |  |
|--------------|--|
| doschedaData | <i>Peptide Intensity data set for Doscheda</i> |
|--------------|--|

---

**Description**

A fabricated data set to run the Doscheda pipeline from peptide intensity.

**Usage**

```
data(doschedaData)
```

**Format**

An object of class `data.frame` with 21140 rows and 15 columns.

**Examples**

```
data(doschedaData)  
head(doschedaData)
```

---

fitModel

*Method to fit a model to an object of class 'ChemoProtSet'*


---

### Description

Method to fit a model to an object of class 'ChemoProtSet'

### Usage

```
fitModel(x)
```

```
## S4 method for signature 'ChemoProtSet'
fitModel(x)
```

### Arguments

x                    object of class 'ChemoProtSet'

### Value

object of class ChemoProtSet

### See Also

[DoschedaSet](#)

### Examples

```
channelNames <- c('Abundance..F1..126..Control..REP_1',
'Abundance..F1..127..Sample..REP_1', 'Abundance..F1..128..Sample..REP_1',
'Abundance..F1..129..Sample..REP_1', 'Abundance..F1..130..Sample..REP_1',
'Abundance..F1..131..Sample..REP_1', 'Abundance..F2..126..Control..REP_2',
'Abundance..F2..127..Sample..REP_2', 'Abundance..F2..128..Sample..REP_2',
'Abundance..F2..129..Sample..REP_2', 'Abundance..F2..130..Sample..REP_2',
'Abundance..F2..131..Sample..REP_2')
ex <- new('ChemoProtSet')
ex<- setParameters(x = ex,chansVal = 6, repsVal = 2,dataTypeStr = 'intensity',
modelTypeStr = 'linear',PDBool = FALSE,removePepsBool = FALSE,
incPDofPDBool = FALSE,incGeneFileBool = FALSE,organismStr = 'H.sapiens', pearsonThrshVal = 0.4)
ex<- setData(x = ex, dataFrame = doschedaData, dataChannels = channelNames,
accessionChannel = 'Master.Protein.Accessions',
sequenceChannel = 'Sequence', qualityChannel = 'Quality.PEP' )
ex <- removePeptides(ex,removePeps = FALSE)
ex <- runNormalisation(ex)
ex <- fitModel(ex)
ex
ex <- processedExample
ex <- runNormalisation(ex)
```

```
ex <- fitModel(ex)
ex
```

---

|                          |   |
|--------------------------|---|
| <code>getDatasets</code> | <i>Accessor function for the datasets slot.</i> |
|--------------------------|---|

---

### **Description**

Accessor function for the datasets slot of a ChemoProtSet object.

### **Usage**

```
getDatasets(x)

## S4 method for signature 'ChemoProtSet'
getDatasets(x)
```

### **Arguments**

`x` object of class ChemoProtSet

### **Value**

object of class ChemoProtSet

### **See Also**

[DoschedaSet](#)

### **Examples**

```
ex <- new('ChemoProtSet')
getDatasets(ex)
```

getFinal                      *Accessor function for the finalData slot.*

---

**Description**

Accessor function for the finalData slot of a ChemoProtSet object.

**Usage**

```
getFinal(x)

## S4 method for signature 'ChemoProtSet'
getFinal(x)
```

**Arguments**

x                      object of class ChemoProtSet

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
ex <- new('ChemoProtSet')
getParameters(ex)
```

---

getInput                      *Accessor function for the Input*

---

**Description**

Accessor function for the Input slot of a ChemoProtSet object.

**Usage**

```
getInput(x)

## S4 method for signature 'ChemoProtSet'
getInput(x)
```



**Arguments**

x                    object of class ChemoProtSet

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
ex <- new('ChemoProtSet')
getInput(ex)
```

---

getNorm

*Accessor function for the normData*

---

**Description**

Accessor function for the normData slot of a ChemoProtSet object.

**Usage**

```
getNorm(x)
```

```
## S4 method for signature 'ChemoProtSet'
getNorm(x)
```

**Arguments**

x                    object of class ChemoProtSet

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
ex <- new('ChemoProtSet')
getNorm(ex)
```

getParameters                    *Accessor function for the parameters slot.*

---

**Description**

Accessor function for the parameters slot of a ChemoProtSet object.

**Usage**

```
getParameters(x)  
  
## S4 method for signature 'ChemoProtSet'  
getParameters(x)
```

**Arguments**

x                    object of class ChemoProtSet

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
ex <- new('ChemoProtSet')  
getParameters(ex)
```

---

makeReport                    *Create report from 'ChemProtSet' object*

---

**Description**

Generate a report that includes several plots and descriptions for an experiment that has been analysed using Doscheda

**Usage**

```
makeReport(x)
```

**Arguments**

x                    Object of class 'ChemoProtSet'

**Value**

html report of processed 'ChemoProtSet' object

**Examples**

```
## Not run:  
ex<- new('ChemoProtSet')  
makeReport(ex)  
  
## End(Not run)
```

---

meanSdPlot

*MeanSd plot for objects of class ChemoProtSet*

---

**Description**

Shows the ranked means with a running median calculated with a window size of 10

**Usage**

```
meanSdPlot(x, ...)  
  
## S4 method for signature 'ChemoProtSet'  
meanSdPlot(x, ...)
```

**Arguments**

x                    object of class 'ChemoProtSet'  
...                   other plot options

**Value**

meanSd plot for objects of class ChemoProtSet

**Examples**

```
ex <- processedExample  
ex <- runNormalisation(ex)  
ex <- fitModel(ex)  
meanSdPlot(ex)
```

---

pcaPlot

*PCA of the main data sets contained in a object of class ChemoProtSet*

---

### Description

Plot of Principal Component Analysis for the first two principal components of the experimental data.

### Usage

```
pcaPlot(x, ...)  
  
## S4 method for signature 'ChemoProtSet'  
pcaPlot(x, ...)
```

### Arguments

|     |                                |
|-----|--------------------------------|
| x   | object of class 'ChemoProtSet' |
| ... | other plot options             |

### Value

PCA plot for objects of class ChemoProtSet

### See Also

[DoschedaSet](#)

### Examples

```
ex <- processedExample  
ex <- runNormalisation(ex)  
ex <- fitModel(ex)  
pcaPlot(ex)  
ex <- processedExample  
ex <- runNormalisation(ex)  
ex <- fitModel(ex)  
pcaPlot(ex)
```

---

plot.ChemoProtSet      *Default plot for objects of class ChemoProtSet*

---

**Description**

Description

**Usage**

```
## S3 method for class 'ChemoProtSet'  
plot(x, sigmoidCoef = "rb50", ...)
```

**Arguments**

|             |  |
|-------------|--|
| x           | object of class 'ChemoProtSet'   |
| sigmoidCoef | the sigmoidal coefficient, one of ('difference', 'slope', 'rb50'). Obsolete if modelType is 'linear' |
| ...         | other plotting options   |

**Value**

plot for objects of class ChemoProtSet

---

processedExample      *Processed Peptide Intensity data set for Doscheda*

---

**Description**

A processed fabricated data set to run the Doscheda pipeline from peptide intensity.

**Usage**

```
data(processedExample)
```

**Format**

An object of class ChemoProtSet of length 1.

**Examples**

```
data(processedExample)  
str(processedExample)
```

---

|                |   |
|----------------|---|
| removePeptides | <i>Method to remove peptides from input data of an object of class 'ChemoProtSet'</i> |
|----------------|---|

---

### Description

Method to remove peptides from input data of an object of class 'ChemoProtSet'

### Usage

```
removePeptides(x, changePearson = NA, removePeps = TRUE)
```

```
## S4 method for signature 'ChemoProtSet'
removePeptides(x, changePearson = NA,
  removePeps = TRUE)
```

### Arguments

|               |  |
|---------------|--|
| x             | object of class 'ChemoProtSet'                                     |
| changePearson | option to change the pearson threshold cut-off parameter           |
| removePeps    | boolean value indicating whether peptide removal should take place |

### Value

object of class ChemoProtSet

### See Also

[DoschedaSet](#)

### Examples

```
## Not run:
channelNames <- c('Abundance..F1..126..Control..REP_1',
  'Abundance..F1..127..Sample..REP_1', 'Abundance..F1..128..Sample..REP_1',
  'Abundance..F1..129..Sample..REP_1', 'Abundance..F1..130..Sample..REP_1',
  'Abundance..F1..131..Sample..REP_1', 'Abundance..F2..126..Control..REP_2',
  'Abundance..F2..127..Sample..REP_2', 'Abundance..F2..128..Sample..REP_2',
  'Abundance..F2..129..Sample..REP_2', 'Abundance..F2..130..Sample..REP_2',
  'Abundance..F2..131..Sample..REP_2')
ex <- new('ChemoProtSet')
ex<- setParameters(x = ex,chansVal = 6, repsVal = 2,
  dataTypeStr = 'intensity', modelTypeStr = 'linear',
  PDBool = FALSE,removePepsBool = FALSE,incPDofPDBool = FALSE,
  incGeneFileBool = FALSE,organismStr = 'H.sapiens',
  pearsonThrshVal = 0.4)

ex<- setData(x = ex, dataFrame = doschedaData,
```

```
dataChannels = channelNames,  
accessionChannel = 'Master.Protein.Accessions',  
sequenceChannel = 'Sequence',  
qualityChannel = 'Quality.PEP' )  
ex <- removePeptides(ex,removePeps = FALSE)  
ex  
  
## End(Not run)
```

---

replicatePlot

*Plot replicates between concentrations*

---

### Description

Plot of Fold Change between replicate i and replicate j at a given concentration

### Usage

```
replicatePlot(x, conc, repIndex1, repIndex2, ...)
```

```
## S4 method for signature 'ChemoProtSet'  
replicatePlot(x, conc, repIndex1, repIndex2, ...)
```

### Arguments

|           |                                |
|-----------|--------------------------------|
| x         | object of class 'ChemoProtSet' |
| conc      | concentration of channel       |
| repIndex1 | index of replicate on x axis   |
| repIndex2 | index of replicate on y axis   |
| ...       | options                        |

### Value

Replicate plot for objects of class ChemoProtSet

### Examples

```
ex <- processedExample  
ex <- runNormalisation(ex)  
ex <- fitModel(ex)  
replicatePlot(ex,0,1,2)
```

---

|             |   |
|-------------|---|
| runDoscheda | <i>Wrapper Function to run the entire Doscheda pipeline</i> |
|-------------|---|

---

### Description

A wrapper for the whole Doscheda pipeline, if users want to avoid using the separate steps.

### Usage

```
runDoscheda(dataFrame, dataChannels, accessionChannel, chansVal, repsVal,
  dataTypeStr, modelTypeStr, PDBool = TRUE, removePepsBool = NA,
  incPDofPDBool = FALSE, PDofPDname = NA, incGeneFileBool = FALSE,
  organismStr = "h.sapiens", sigmoidConc = NA, pearsonThrshVal = 0.4,
  uniquePeps = NA, sequenceChannel = NA, qualityChannel = NA,
  pdofpdChannel = NA, incGeneID = FALSE, geneIDFile = NA,
  normType = "loess")
```

### Arguments

|                  |   |
|------------------|---|
| dataFrame        | data.frame of the input data set  |
| dataChannels     | column names of dataFrame that correspond to data channels. These should be ordered in the format: rep1_concentration_0, ..., rep1_concentration_n, rep2_concentration_0, ... |
| accessionChannel | string that is the same as the column name for the protein accessions in dataFrame  |
| chansVal         | number of channels / concentrations in experiment   |
| repsVal          | number of replicates in experiment  |
| dataTypeStr      | string describing the data type of input data set. This can be 'LFC' for log fold-changes, 'FC' for fold-changes and 'intensity' for peptide intensities                      |
| modelTypeStr     | string describing the type of model applied. This can be 'linear' for a linear model or 'sigmoid' for a sigmoidal model   |
| PDBool           | boolean value indicating if the input data is from Proteome Discoverer 2.1 or not   |
| removePepsBool   | boolean value indicating if peptide removal will take place. Only valid if input data is peptide intensities  |
| incPDofPDBool    | boolean value indicating if the input data contains a pull-down of pull-down column   |
| PDofPDname       | string with the same name as column containing pull-down of pull-down data. NA if this is not applicable  |
| incGeneFileBool  | boolean value indicating if the data requires a protein accession to gene ID conversion file  |



|                 |   |
|-----------------|---|
| organismStr     | string giving the name of organism. the options are: 'H.sapiens', 'D. melanogaster', 'C. elegans', 'R. norvegicus', 'M. musculus'. This is only needed if PDbool is FALSE |
| sigmoidConc     | vector of numerical values for concentrations of channels in the case of a sigmoidal fit  |
| pearsonThrshVal | numerical value between -1 and 1 which determines the cut-off used to discard peptides during peptide removal   |
| uniquePeps      | string that is the same as the column name for the number of unique peptides in dataframe   |
| sequenceChannel | string that is the same as the column name for the peptide sequences in dataframe   |
| qualityChannel  | string that is the same as the column name for the peptide quality score in dataframe   |
| pdofpdChannel   | string that is the same as the column name for the pull-down of pull-down data in dataframe   |
| incGeneID       | boolean value indicating if a protein accession to gene ID file is supplied   |
| geneIDFile      | data.frame containing a protein accession to gene ID conversion file  |
| normType        | string indicating the type of normalisation that should take place ('loess', 'median', 'none')  |

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
channelNames <- c('Abundance..F1..126..Control..REP_1',
'Abundance..F1..127..Sample..REP_1', 'Abundance..F1..128..Sample..REP_1',
'Abundance..F1..129..Sample..REP_1', 'Abundance..F1..130..Sample..REP_1',
'Abundance..F1..131..Sample..REP_1', 'Abundance..F2..126..Control..REP_2',
'Abundance..F2..127..Sample..REP_2', 'Abundance..F2..128..Sample..REP_2',
'Abundance..F2..129..Sample..REP_2', 'Abundance..F2..130..Sample..REP_2',
'Abundance..F2..131..Sample..REP_2')
```

```
ex <- runDoscheda(dataFrame = doschedaData, dataChannels = channelNames,
chansVal = 6, repsVal = 2, dataTypeStr = 'intensity',
modelTypeStr = 'linear', PDBool = FALSE, removePepsBool = FALSE,
accessionChannel = 'Master.Protein.Accessions',
sequenceChannel = 'Sequence', qualityChannel = 'Quality.PEP',
incPDofPDBool = FALSE, incGeneFileBool = FALSE,
organismStr = 'H.sapiens', pearsonThrshVal = 0.4)
```

---

|                  |   |
|------------------|---|
| runNormalisation | <i>Method to remove peptides from input data of an object of class 'ChemoProtSet'</i> |
|------------------|---|

---

### Description

Method to remove peptides from input data of an object of class 'ChemoProtSet'

### Usage

```
runNormalisation(x, normalise = "loess")  
  
## S4 method for signature 'ChemoProtSet'  
runNormalisation(x, normalise = "loess")
```

### Arguments

|           |  |
|-----------|--|
| x         | object of class 'ChemoProtSet'   |
| normalise | string indicating the type of normalisation that should take place ('loess', 'median', 'none') |

### Value

object of class ChemoProtSet

### See Also

[DoschedaSet](#)

### Examples

```
ex <- processedExample  
ex <- runNormalisation(ex)  
ex
```

---

|         |  |
|---------|--|
| setData | <i>Method for attaching and standardising data for objects of class 'ChemoProtSet'</i> |
|---------|--|

---

### Description

This method will subset the original data set into the required columns, standardising column names in the process.

**Usage**

```
setData(x, dataFrame, dataChannels, accessionChannel, uniquePeps = NA,
        sequenceChannel = NA, qualityChannel = NA, pdofpdChannel = NA,
        incGeneID = FALSE, geneIDFile = NA)
```

```
## S4 method for signature 'ChemoProtSet'
setData(x, dataFrame, dataChannels, accessionChannel,
        uniquePeps = NA, sequenceChannel = NA, qualityChannel = NA,
        pdofpdChannel = NA, incGeneID = FALSE, geneIDFile = NA)
```

**Arguments**

|                  |   |
|------------------|---|
| x                | object of class 'ChemoProtSet'  |
| dataFrame        | data.frame of the input data set  |
| dataChannels     | column names of dataFrame that correspond to data channels. These should be ordered in the format: rep1_concentration_0, ..., rep1_concentration_n, rep2_concentration_0, ... |
| accessionChannel | string that is the same as the column name for the protein accessions in dataFrame  |
| uniquePeps       | string that is the same as the column name for the number of unique peptides in dataFrame   |
| sequenceChannel  | string that is the same as the column name for the peptide sequences in dataFrame   |
| qualityChannel   | string that is the same as the column name for the peptide quality score in dataFrame   |
| pdofpdChannel    | string that is the same as the column name for the pull-down of pull-down data in dataFrame   |
| incGeneID        | boolean value indicating if a protein accession to gene ID file is supplied   |
| geneIDFile       | data.frame containing a protein accession to gene ID conversion file  |

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
channelNames <- c('Abundance..F1..126..Control..REP_1',
  'Abundance..F1..127..Sample..REP_1', 'Abundance..F1..128..Sample..REP_1',
  'Abundance..F1..129..Sample..REP_1', 'Abundance..F1..130..Sample..REP_1',
  'Abundance..F1..131..Sample..REP_1', 'Abundance..F2..126..Control..REP_2',
  'Abundance..F2..127..Sample..REP_2', 'Abundance..F2..128..Sample..REP_2',
  'Abundance..F2..129..Sample..REP_2', 'Abundance..F2..130..Sample..REP_2',
  'Abundance..F2..131..Sample..REP_2')
```

```

ex <- new('ChemoProtSet')
ex<- setParameters(x = ex,chansVal = 6, repsVal = 2,dataTypeStr = 'intensity',
modelTypeStr = 'linear',PDBool = FALSE,removePepsBool = FALSE,
incPDofPDBool = FALSE,incGeneFileBool = FALSE,organismStr = 'H.sapiens', pearsonThrshVal = 0.4)
ex<- setData(x = ex, dataFrame = doschedaData, dataChannels = channelNames,
accessionChannel = 'Master.Protein.Accessions',
sequenceChannel = 'Sequence',qualityChannel = 'Quality.PEP')

ex

```

---

setParameters

*Method to set parameters for a ChemoProtSet*


---

### Description

Give the ChemoProtSet object the correct parameters for a given experiment in order to successfully run the pipeline

### Usage

```

setParameters(x, chansVal, repsVal, dataTypeStr, modelTypeStr, PDBool = TRUE,
removePepsBool = NA, incPDofPDBool = FALSE, PDofPDname = NA,
incGeneFileBool = FALSE, organismStr = "h.sapiens", sigmoidConc = NA,
pearsonThrshVal = 0.4)

```

```

## S4 method for signature 'ChemoProtSet'
setParameters(x, chansVal, repsVal, dataTypeStr,
modelTypeStr, PDBool = TRUE, removePepsBool = NA, incPDofPDBool = FALSE,
PDofPDname = NA, incGeneFileBool = FALSE, organismStr = "h.sapiens",
sigmoidConc = NA, pearsonThrshVal = 0.4)

```

### Arguments

|                |  |
|----------------|--|
| x              | object of class 'ChemoProtSet'   |
| chansVal       | number of channels / concentrations in experiment  |
| repsVal        | number of replicates in experiment   |
| dataTypeStr    | string describing the data type of input data set. This can be 'LFC' for log fold-changes, 'FC' for fold-changes and 'intensity' for peptide intensities |
| modelTypeStr   | string describing the type of model applied. This can be 'linear' for a linear model or 'sigmoid' for a sigmoidal model                                  |
| PDBool         | boolean value indicating if the input data is from Proteome Discoverer 2.1 or not  |
| removePepsBool | boolean value indicating if peptide removal will take place. Only valid if input data is peptide intensities   |

|                 |   |
|-----------------|---|
| incPDofPDBool   | boolean value indicating if the input data contains a pull-down of pull-down column   |
| PDofPDname      | string with the same name as column containing pull-down of pull-down data. NA if this is not applicable  |
| incGeneFileBool | boolean value indicating if the data requires a protein accession to gene ID conversion file  |
| organismStr     | string giving the name of organism. the options are: 'H.sapiens', 'D. melanogaster', 'C. elegans', 'R. norvegicus', 'M. musculus'. This is only needed if PDbool is FALSE |
| sigmoidConc     | vector of numerical values for concentrations of channels in the case of a sigmoidal fit  |
| pearsonThrshVal | numerical value between -1 and 1 which determines the cut-off used to discard peptides during peptide removal   |

**Value**

object of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
channelNames <- c('Abundance..F1..126..Control..REP_1',
  'Abundance..F1..127..Sample..REP_1', 'Abundance..F1..128..Sample..REP_1',
  'Abundance..F1..129..Sample..REP_1', 'Abundance..F1..130..Sample..REP_1',
  'Abundance..F1..131..Sample..REP_1', 'Abundance..F2..126..Control..REP_2',
  'Abundance..F2..127..Sample..REP_2', 'Abundance..F2..128..Sample..REP_2',
  'Abundance..F2..129..Sample..REP_2', 'Abundance..F2..130..Sample..REP_2',
  'Abundance..F2..131..Sample..REP_2')

ex <- new('ChemoProtSet')
ex<- setParameters(x = ex,chansVal = 6, repsVal = 2,dataTypeStr = 'intensity',
  modelTypeStr = 'linear',PDBool = FALSE, removePepsBool = FALSE,
  incPDofPDBool = FALSE, incGeneFileBool = FALSE,
  organismStr = 'H.sapiens', pearsonThrshVal = 0.4)

ex
```

---

`volcanoPlot`*Volcano plot for objects of class ChemoProtSet*

---

**Description**

Volcano plots designed to be run on objects of class 'ChemoProtSet' when a linear model has been applied.

**Usage**

```
volcanoPlot(x, coefficient = "slope", avExprs = 0.2, pVal = 0.05, ...)
```

```
## S4 method for signature 'ChemoProtSet'  
volcanoPlot(x, coefficient = "slope",  
  avExprs = 0.2, pVal = 0.05, ...)
```

**Arguments**

|                          |   |
|--------------------------|---|
| <code>x</code>           | object of class 'ChemoProtSet'  |
| <code>coefficient</code> | coefficient of linear model to be plotted ('slope','intercept','quadratic') |
| <code>avExprs</code>     | average expression cutoff   |
| <code>pVal</code>        | p-value cut-off   |
| <code>...</code>         | other plotting options  |

**Value**

volcano plot for objects of class ChemoProtSet

**See Also**

[DoschedaSet](#)

**Examples**

```
ex <- processedExample  
ex <- runNormalisation(ex)  
ex <- fitModel(ex)  
volcanoPlot(ex)
```

# Index

- \* **datasets**
  - doschedaData, 5
  - processedExample, 13
- boxplot, ChemoProtSet-method, 2
- ChemoProtSet-class, 3
- corrPlot, 3
- corrPlot, ANY, ANY-method (corrPlot), 3
- corrPlot, ChemoProtSet-method (corrPlot), 3
- densityPlot, 4
- densityPlot, ANY, ANY-method (densityPlot), 4
- densityPlot, ChemoProtSet-method (densityPlot), 4
- doscheda, 5
- doscheda-package (doscheda), 5
- doschedaApp, 5
- doschedaData, 5
- DoschedaSet, 6–10, 12, 14, 17–19, 21, 22
- DoschedaSet (ChemoProtSet-class), 3
- fitModel, 6
- fitModel, ANY, ANY-method (fitModel), 6
- fitModel, ChemoProtSet-method (fitModel), 6
- getDatasets, 7
- getDatasets, ANY, ANY-method (getDatasets), 7
- getDatasets, ChemoProtSet-method (getDatasets), 7
- getFinal, 8
- getFinal, ANY, ANY-method (getFinal), 8
- getFinal, ChemoProtSet-method (getFinal), 8
- getInput, 8
- getInput, ANY, ANY-method (getInput), 8
- getInput, ChemoProtSet-method (getInput), 8
- getNorm, 9
- getNorm, ANY, ANY-method (getNorm), 9
- getNorm, ChemoProtSet-method (getNorm), 9
- getParameters, 10
- getParameters, ANY, ANY-method (getParameters), 10
- getParameters, ChemoProtSet-method (getParameters), 10
- makeReport, 10
- meanSdPlot, 11
- meanSdPlot, ANY, ANY-method (meanSdPlot), 11
- meanSdPlot, ChemoProtSet-method (meanSdPlot), 11
- pcaPlot, 12
- pcaPlot, ANY, ANY-method (pcaPlot), 12
- pcaPlot, ChemoProtSet-method (pcaPlot), 12
- plot.ChemoProtSet, 13
- processedExample, 13
- removePeptides, 14
- removePeptides, ANY, ANY-method (removePeptides), 14
- removePeptides, ChemoProtSet-method (removePeptides), 14
- replicatePlot, 15
- replicatePlot, ANY, ANY-method (replicatePlot), 15
- replicatePlot, ChemoProtSet-method (replicatePlot), 15
- runDoscheda, 16
- runNormalisation, 18
- runNormalisation, ANY, ANY-method (runNormalisation), 18

runNormalisation,ChemoProtSet-method  
(runNormalisation), [18](#)

setData, [18](#)

setData,ANY,ANY-method (setData), [18](#)

setData,ChemoProtSet-method (setData),  
[18](#)

setParameters, [20](#)

setParameters,ANY,ANY-method  
(setParameters), [20](#)

setParameters,ChemoProtSet-method  
(setParameters), [20](#)

volcanoPlot, [22](#)

volcanoPlot,ANY,ANY-method  
(volcanoPlot), [22](#)

volcanoPlot,ChemoProtSet-method  
(volcanoPlot), [22](#)