

# bsubtiliscdf

April 16, 2025

---

|              |                     |
|--------------|---------------------|
| bsubtiliscdf | <i>bsubtiliscdf</i> |
|--------------|---------------------|

---

## Description

environment describing the CDF file

---

---

|              |                     |
|--------------|---------------------|
| bsubtilisdim | <i>bsubtilisdim</i> |
|--------------|---------------------|

---

## Description

environment describing the CDF dimensions

---

---

|      |                                                                     |
|------|---------------------------------------------------------------------|
| i2xy | <i>Convert (x,y)-coordinates to single-number indices and back.</i> |
|------|---------------------------------------------------------------------|

---

## Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

## Usage

```
i2xy(i)
xy2i(x,y)
```

## Arguments

|   |                                                 |
|---|-------------------------------------------------|
| x | numeric. x-coordinate (from 1 to 454)           |
| y | numeric. y-coordinate (from 1 to 454)           |
| i | numeric. single-number index (from 1 to 206116) |

**Details**

Type `i2xy` and `xy2i` at the R prompt to view the function definitions.

**See Also**

[bsubtiliscdf](#)

**Examples**

```
xy2i(5,5)
i      = 1:(454*454)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

# Index

## \* **datasets**

- bsubtiliscdf, [1](#)
- bsubtilisdim, [1](#)
- i2xy, [1](#)

bsubtiliscdf, [1](#), [2](#)  
bsubtilisdim, [1](#)

i2xy, [1](#)

xy2i (i2xy), [1](#)