

# Package ‘ReactomePA’

October 12, 2016

**Type** Package

**Title** Reactome Pathway Analysis

**Version** 1.16.2

**Author** Guangchuang Yu <guangchuangyu@gmail.com> with contributions from  
Vladislav Petyuk

**Maintainer** Guangchuang Yu <guangchuangyu@gmail.com>

**Description** This package provides functions for pathway analysis based on  
REACTOME pathway database. It implements enrichment analysis, gene set  
enrichment analysis and several functions for visualization.

**Depends** R (>= 3.2.0), DOSE (>= 2.9.6)

**Imports** AnnotationDbi, reactome.db, igraph, graphite, GOSemSim

**Suggests** BiocStyle, clusterProfiler, knitr, org.Hs.eg.db

**VignetteBuilder** knitr

**License** GPL-2

**URL** <http://guangchuangyu.github.io/ReactomePA>

**BugReports** <https://github.com/GuangchuangYu/ReactomePA/issues>

**biocViews** Pathways, Visualization, Annotation, MultipleComparison,  
GeneSetEnrichment, Reactome

**RoxygenNote** 5.0.1

**NeedsCompilation** no

## R topics documented:

ReactomePA-package . . . . .	2
DataSet . . . . .	2
enrichPathway . . . . .	3
getALLEG . . . . .	4
gsePathway . . . . .	4
viewPathway . . . . .	5
<b>Index</b>	<b>7</b>

---

ReactomePA-package      *Reactome Pathway Analysis*

---

### Description

This package is designed for reactome pathway analysis.

### Details

Package:      ReactomePA  
Type:          Package  
Version:       1.9.4  
Date:          02-09-2012  
biocViews:    Bioinformatics, Pathway, Visualization  
Depends:      AnnotationDbi, org.Hs.eg.db, igraph, plyr, methods, stats, qvalue, reactome.db  
Suggests:     GOSemSim, DOSE, clusterProfiler  
License:       GPL-2

### Author(s)

Guangchuang Yu <guangchuangyu@gmail.com>

Maintainer: Guangchuang Yu <guangchuangyu@gmail.com>

### See Also

[enrichResult](#)

---

DataSet                      *Datasets sample contains a sample of gene IDs.*

---

### Description

Datasets sample contains a sample of gene IDs.

---

enrichPathway	<i>Pathway Enrichment Analysis of a gene set. Given a vector of genes, this function will return the enriched pathways with FDR control.</i>
---------------	--

---

## Description

Pathway Enrichment Analysis of a gene set. Given a vector of genes, this function will return the enriched pathways with FDR control.

## Usage

```
enrichPathway(gene, organism = "human", pvalueCutoff = 0.05,  
              pAdjustMethod = "BH", qvalueCutoff = 0.2, universe, minGSSize = 10,  
              maxGSSize = 500, readable = FALSE)
```

## Arguments

gene	a vector of entrez gene id.
organism	one of "human", "rat", "mouse", "celegans", "yeast", "zebrafish", "fly".
pvalueCutoff	Cutoff value of pvalue.
pAdjustMethod	one of "holm", "hochberg", "hommel", "bonferroni", "BH", "BY", "fdr", "none"
qvalueCutoff	Cutoff value of qvalue
universe	background genes
minGSSize	minimal size of genes annotated by Ontology term for testing.
maxGSSize	maximal size of each geneSet for analyzing
readable	whether mapping gene ID to gene Name

## Value

A enrichResult instance.

## Author(s)

Guangchuang Yu <http://ygc.name>

## See Also

[enrichResult-class](#)

## Examples

```
gene <- c("11171", "8243", "112464", "2194",  
"9318", "79026", "1654", "65003",  
"6240", "3476", "6238", "3836",  
"4176", "1017", "249")  
yy = enrichPathway(gene, pvalueCutoff=0.05)  
head(summary(yy))  
#plot(yy)
```

---

getALLEG

*getALLEG*

---

## Description

get all entrezgene ID of a specific organism

## Usage

```
getALLEG(organism)
```

## Arguments

organism      species

## Value

entrez gene ID vector

## Author(s)

Yu Guangchuang

---

gsePathway

*gsePathway*

---

## Description

Gene Set Enrichment Analysis of Reactome Pathway

## Usage

```
gsePathway(geneList, organism = "human", exponent = 1, nPerm = 1000,  
minGSSize = 10, maxGSSize = 500, pvalueCutoff = 0.05,  
pAdjustMethod = "BH", verbose = TRUE, seed = FALSE)
```

**Arguments**

geneList	order ranked geneList
organism	organism
exponent	weight of each step
nPerm	permutation numbers
minGSSize	minimal size of each geneSet for analyzing
maxGSSize	maximal size of each geneSet for analyzing
pvalueCutoff	pvalue Cutoff
pAdjustMethod	pvalue adjustment method
verbose	print message or not
seed	logical

**Value**

gseaResult object

**Author(s)**

Yu Guangchuang

---

viewPathway	<i>viewPathway</i>
-------------	--------------------

---

**Description**

view reactome pathway

**Usage**

```
viewPathway(pathName, organism = "human", readable = TRUE,
             foldChange = NULL, ...)
```

**Arguments**

pathName	pathway Name
organism	supported organism
readable	logical
foldChange	fold change
...	additional parameters passed to <a href="#">netplot</a>

**Details**

plotting reactome pathway

6

*viewPathway*

**Value**

plot

**Author(s)**

Yu Guangchuang

# Index

\*Topic **datasets**

DataSet, [2](#)

\*Topic **manip**

enrichPathway, [3](#)

\*Topic **package**

ReactomePA-package, [2](#)

DataSet, [2](#)

enrichPathway, [3](#)

enrichResult, [2](#)

getALLEG, [4](#)

gsePathway, [4](#)

netplot, [5](#)

ReactomePA (ReactomePA-package), [2](#)

ReactomePA-package, [2](#)

viewPathway, [5](#)