

# Package ‘qsmooth’

October 16, 2019

**Title** Smooth quantile normalization

**Version** 1.0.0

**Imports** SummarizedExperiment, utils, sva, stats, methods, graphics

**Depends** R (>= 3.6.0)

**Suggests** bodymapRat, quantro, knitr, rmarkdown, BiocStyle, testthat

**VignetteBuilder** knitr

**RoxygenNote** 6.1.1

**Encoding** UTF-8

**License** CC BY 4.0

**Description** Smooth quantile normalization  
is a generalization of quantile normalization,  
which is average of the two types of assumptions  
about the data generation process: quantile  
normalization and quantile normalization between  
groups.

**biocViews** Normalization, Preprocessing, MultipleComparison,  
Microarray, Sequencing, RNASeq, BatchEffect

**git\_url** <https://git.bioconductor.org/packages/qsmooth>

**git\_branch** RELEASE\_3\_9

**git\_last\_commit** 2b88f17

**git\_last\_commit\_date** 2019-05-02

**Date/Publication** 2019-10-15

**Author** Stephanie C. Hicks [aut, cre] (<<https://orcid.org/0000-0002-7858-0231>>),  
Kwame Okrah [aut],  
Hector Corrada Bravo [aut] (<<https://orcid.org/0000-0002-1255-4444>>),  
Rafael Irizarry [aut] (<<https://orcid.org/0000-0002-3944-4309>>)

**Maintainer** Stephanie C. Hicks <[shicks19@jhu.edu](mailto:shicks19@jhu.edu)>

## R topics documented:

qsmooth . . . . .	2
qsmooth-class . . . . .	3
qsmoothData . . . . .	3
qsmoothPlotWeights . . . . .	4
qsmoothWeights . . . . .	5
qstats . . . . .	5

**Index****7**


---

qsmooth	<i>qsmooth</i>
---------	----------------

---

**Description**

This function applies a generalization of quantile normalization called smoothed quantile normalization. This function defines the `qsmooth` class and constructor.

**Usage**

```
qsmooth(object, group_factor, batch = NULL, norm_factors = NULL,
        window = 0.05)
```

**Arguments**

object	an object which is a matrix or data.frame with observations (e.g. probes or genes) on the rows and samples as the columns. Alternatively, a user can provide a SummarizedExperiment object and the <code>assay(object, "counts")</code> will be used as input for the <code>qsmooth</code> normalization.
group_factor	a group level continuous or categorical covariate associated with each sample or column in the object. The order of the <code>group_factor</code> must match the order of the columns in object.
batch	(Optional) batch covariate (multiple batches are not allowed). If batch covariate is provided, <code>Combat()</code> from <code>sva</code> is used prior to <code>qsmooth</code> normalization to remove batch effects. See <code>Combat()</code> for more details.
norm_factors	optional normalization scaling factors.
window	window size for running median which is a fraction of the number of rows in object. Default is 0.05.

**Details**

Quantile normalization is one of the most widely used normalization tools for data analysis in genomics. Although it was originally developed for gene expression microarrays it is now used across many different high-throughput applications including RNAseq and ChIPseq. The methodology relies on the assumption that observed changes in the empirical distribution of samples are due to unwanted variability. Because the data is transformed to remove these differences it has the potential to remove interesting biologically driven global variation. Therefore, applying quantile normalization, or other global normalization methods that rely on similar assumptions, may not be an appropriate depending on the type and source of variation.

This function computes a weight at every quantile that compares the variability between groups relative to within groups. In one extreme quantile normalization is applied and in the other extreme quantile normalization within each biological condition is applied. The weight shrinks the group-level quantile normalized data towards the overall reference quantiles if variability between groups is sufficiently smaller than the variability within groups. See the vignette for more details.

**Value**

A object of the class `qsmooth` that contains a numeric vector of the `qsmooth` weights in the `qsmoothWeights` slot and a matrix of normalized values after applying smoothed quantile normalization in the `qsmoothData` slot.

**Examples**

```
dat <- cbind(matrix(rnorm(1000), nrow=100, ncol=10),
             matrix(rnorm(1000, .1, .7), nrow=100, ncol=10))
dat_qs <- qsmooth(object = dat,
                 group_factor = rep(c(0,1), each=10))
```

---

qsmooth-class	<i>the qsmooth class</i>
---------------	--------------------------

---

**Description**

Objects of this class store all the values needed information to work with a qsmooth object

**Value**

qsmoothWeights returns the qsmooth weights and qsmoothData returns the qsmooth normalized data

**Slots**

qsmoothWeights qsmooth weights  
qsmoothData qsmooth normalized data

**Examples**

```
dat <- cbind(matrix(rnorm(1000), nrow=100, ncol=10),
             matrix(rnorm(1000, .1, .7), nrow=100, ncol=10))
dat_qs <- qsmooth(object = dat,
                 group_factor = rep(c(0,1), each=10))
```

---

qsmoothData	<i>Generic function that returns the qsmooth normalized data</i>
-------------	--

---

**Description**

Given a qsmooth object, this function returns the qsmooth normalized data  
Accessors for the 'qsmoothData' slot of a qsmooth object.

**Usage**

```
qsmoothData(object)

## S4 method for signature 'qsmooth'
qsmoothData(object)
```

**Arguments**

object an object of class qsmooth.

**Value**

The normalized data after applying smoothed quantile normalization.

**Examples**

```
dat <- cbind(matrix(rnorm(1000), nrow=100, ncol=10),
             matrix(rnorm(1000, .1, .7), nrow=100, ncol=10))
dat_qs <- qsmooth(object = dat,
                 group_factor = rep(c(0,1), each=10))
qsmoothData(dat_qs)
```

---

qsmoothPlotWeights      *Plot weights from qsmooth function.*

---

**Description**

This function plots a scatterplot showing the qsmoothWeights along the y-axis and the quantiles on the x-axis.

**Usage**

```
qsmoothPlotWeights(object, xLab = "quantiles", yLab = "weights",
                  mainLab = "qsmooth weights")
```

**Arguments**

object	a qsmooth object from qsmooth
xLab	label for x-axis. Default is "quantiles"
yLab	label for y-axis. Default is "weights"
mainLab	title of plot. Default is "qsmooth weights"

**Value**

A scatterplot will be created showing the qsmoothWeights along the y-axis and the quantiles on the x-axis.

**Examples**

```
dat <- cbind(matrix(rnorm(1000), nrow=100, ncol=10),
             matrix(rnorm(1000, .1, .7), nrow=100, ncol=10))
dat_qs <- qsmooth(object = dat,
                 group_factor = rep(c(0,1), each=10))
qsmoothPlotWeights(dat_qs)
```

---

qsmoothWeights	<i>Generic function that returns the qsmooth weights</i>
----------------	--

---

**Description**

Given a qsmooth object, this function returns the qsmooth weights  
 Accessors for the 'qsmoothWeights' slot of a qsmooth object.

**Usage**

```
qsmoothWeights(object)

## S4 method for signature 'qsmooth'
qsmoothWeights(object)
```

**Arguments**

object            an object of class qsmooth.

**Value**

The weights calculated for each feature after applying smoothed quantile normalization.

**Examples**

```
dat <- cbind(matrix(rnorm(1000), nrow=100, ncol=10),
              matrix(rnorm(1000, .1, .7), nrow=100, ncol=10))
dat_qs <- qsmooth(object = dat,
                  group_factor = rep(c(0,1), each=10))
qsmoothWeights(dat_qs)
```

---

qstats	<i>qstats</i>
--------	---------------

---

**Description**

This function is a helper function that computes quantile statistics for the function qsmooth.

**Usage**

```
qstats(object, group_factor, window = 0.05)
```

**Arguments**

object            an object which is a data frame or matrix with observations (e.g. probes or genes) on the rows and samples as the columns.

group\_factor      a group level continuous or categorical covariate associated with each sample or column in the object. The order of the group\_factor must match the order of the columns in object.

window            window size for running median which is a fraction of the number of rows in object. Default is 0.05.

**Value**

A list of quantile statistics including

Q	sample quantiles
Qref	reference quantile
Qhat	linear model fit at each quantile
SST	total sum of squares
SSB	between sum of squares
SSE	within sum of squares
roughWeights	SSE / SST
smoothWeights	smoothed weights computed using a running median with a given window size.

**Examples**

```
dat <- cbind(matrix(rnorm(1000), nrow=100, ncol=10),
              matrix(rnorm(1000, .1, .7), nrow=100, ncol=10))
qs <- qstats(object = dat,
             group_factor = rep(c(0,1), each=10),
             window = 0.05)
```

# Index

qsmooth, [2](#)  
qsmooth-class, [3](#)  
qsmoothData, [3](#)  
qsmoothData, qsmooth-method  
    (qsmoothData), [3](#)  
qsmoothPlotWeights, [4](#)  
qsmoothWeights, [5](#)  
qsmoothWeights, qsmooth-method  
    (qsmoothWeights), [5](#)  
qstats, [5](#)