

# Package ‘mspms’

April 7, 2025

**Type** Package

**Title** Tools for the analysis of MSP-MS data

**Version** 0.99.7

**Description** This package provides functions for the analysis of data generated by the multiplex substrate profiling by mass spectrometry for proteases (MSP-MS) method. Data exported from upstream proteomics software is accepted as input and subsequently processed for analysis. Tools for statistical analysis, visualization, and interpretation of the data are provided.

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Depends** R (>= 4.4.0)

**biocViews** Proteomics, MassSpectrometry, Preprocessing

**LazyData** true

**Imports** QFeatures, SummarizedExperiment, magrittr, rlang, dplyr, purrr, stats, tidyr, stringr, ggplot2, ggseqlogo, heatmaply, readr, rstatix, tibble, ggpubr

**Suggests** knitr, testthat (>= 3.0.0), downloadthis, DT, rmarkdown, BiocStyle, imputeLCMD

**Config/testthat/edition** 3

**URL** <https://github.com/baynec2/mspms>

**BugReports** <https://github.com/baynec2/mspms/issues>

**VignetteBuilder** knitr

**git\_url** <https://git.bioconductor.org/packages/mspms>

**git\_branch** devel

**git\_last\_commit** 9653326

**git\_last\_commit\_date** 2024-12-02

**Repository** Bioconductor 3.21

**Date/Publication** 2025-04-06

**Author** Charlie Bayne [aut, cre] (ORCID:  
<<https://orcid.org/0000-0003-1870-5298>>)

**Maintainer** Charlie Bayne <baynec2@gmail.com>

## Contents

mspms-package . . . . .	3
add_cleavages . . . . .	4
all_possible_8mers_from_228_library . . . . .	4
calculate_all_cleavages . . . . .	5
calc_AA_count_of_motif . . . . .	5
calc_AA_fc . . . . .	6
calc_AA_motif_zscore . . . . .	6
calc_AA_percent_difference . . . . .	7
calc_AA_prop_of_motif . . . . .	8
calc_per_samples_library_nd . . . . .	8
calc_sig_zscores . . . . .	9
check_file_is_valid_fragpipe . . . . .	9
check_file_is_valid_pd . . . . .	10
check_file_is_valid_peaks . . . . .	10
check_peptide_library . . . . .	11
colData . . . . .	11
consolidate_cleavages . . . . .	12
count_cleavages_per_pos . . . . .	12
cterm_cleavage . . . . .	13
generate_report . . . . .	14
icelogo_col_scheme . . . . .	15
load_colData . . . . .	15
log2fc_t_test . . . . .	16
log2fc_t_test_data . . . . .	16
mspms_log2fc . . . . .	17
mspms_tidy . . . . .	17
mspms_tidy_data . . . . .	18
mspms_t_tests . . . . .	18
nterm_cleavage . . . . .	19
peaks_prepared_data . . . . .	20
peptide_library . . . . .	20
plot_all_icelogos . . . . .	21
plot_cleavages_per_pos . . . . .	22
plot_heatmap . . . . .	22
plot_icelogo . . . . .	23
plot_nd_peptides . . . . .	24
plot_pca . . . . .	25
plot_qc_check . . . . .	26
plot_time_course . . . . .	27
plot_volcano . . . . .	28

<i>mspm-package</i>	3
prepared_to_qf . . . . .	28
prepare_fc . . . . .	29
prepare_for_PCA . . . . .	30
prepare_fragpipe . . . . .	30
prepare_icelogo_data . . . . .	31
prepare_pd . . . . .	32
prepare_peaks . . . . .	33
prepare_qc_check_data . . . . .	34
prepare_sig_p_dif . . . . .	34
processed_qf . . . . .	35
process_qf . . . . .	36
remaining_cd_names . . . . .	36
rlog2 . . . . .	37
%>% . . . . .	37
<b>Index</b>	<b>38</b>

---

<code>mspm-package</code>	<i>mspm: Tools for the analysis of MSP-MS data</i>
---------------------------	--

---

## Description

This package provides functions for the analysis of data generated by the multiplex substrate profiling by mass spectrometry for proteases (MSP-MS) method. Data exported from upstream proteomics software is accepted as input and subsequently processed for analysis. Tools for statistical analysis, visualization, and interpretation of the data are provided.

## Author(s)

**Maintainer:** Charlie Bayne <baynec2@gmail.com> ([ORCID](#))

## See Also

Useful links:

- <https://github.com/baynec2/mspms>
- Report bugs at <https://github.com/baynec2/mspms/issues>

---

add_cleavages	<i>add_cleavages</i>
---------------	----------------------

---

### Description

Adds cleavage information to a tibble by wrapping the `n_term_cleavage` and `c_term_cleavage` functions into a consolidated function.

### Usage

```
add_cleavages(joined_with_library, n_residues = 4)
```

### Arguments

<code>joined_with_library</code>	a tibble containing columns named "peptide", "library_match_sequence", and "library_real_sequence".
<code>n_residues</code>	the number of residues to the left and right of the cleavage site to include in the output.

### Value

a tibble with cleavage information added.

---

<code>all_possible_8mers_from_228_library</code>	<i>all_possible_8mers_from_228_library</i> All possible 8mers from the standard (as of 26April2024) 228 MSP-MS peptide library (This is equivalent to the result of <code>mspms::calculate_all_cleavages(mspms::peptide_library\$real_cleavage_seq,n=4)</code> vector of the 14 AA peptides used in the library.
--	--

---

### Description

`all_possible_8mers_from_228_library` All possible 8mers from the standard (as of 26April2024) 228 MSP-MS peptide library (This is equivalent to the result of `mspms::calculate_all_cleavages(mspms::peptide_library$real_cleavage_seq,n=4)` vector of the 14 AA peptides used in the library.

### Usage

```
all_possible_8mers_from_228_library
```

### Format

```
## 'all_possible_8mers_from_228_library' A vector with 2964 entries
```

**Source**

<standard peptide library used with MSP-MS method in the O'Donoghue lab as of 26April2024>

---

```
calculate_all_cleavages
```

*calculate\_all\_cleavages calculate all possible cleavages for a defined peptide library containing peptides of the same length.*

---

**Description**

calculate\_all\_cleavages calculate all possible cleavages for a defined peptide library containing peptides of the same length.

**Usage**

```
calculate_all_cleavages(peptide_library_seqs, n_AA_after_cleavage = 4)
```

**Arguments**

```
peptide_library_seqs
```

The sequences of each peptide in the peptide library. They should all be the same length.

```
n_AA_after_cleavage
```

The number of AA after (and before) the cleavage site to consider.

**Value**

a vector of all the possible cleavages for the peptide library sequences

**Examples**

```
calculate_all_cleavages(mspms::peptide_library$library_real_sequence,
  n_AA_after_cleavage = 4
)
```

---

```
calc_AA_count_of_motif
```

*calc\_AA\_count\_of\_motif*

---

**Description**

Calculate the counts of amino acids at each position of a motif for all the sequences in a vector.

**Usage**

```
calc_AA_count_of_motif(cleavage_motif)
```

**Arguments**

`cleavage_motif` a vector of cleavage motifs

**Value**

a matrix of counts

---

<code>calc_AA_fc</code>	<i>calc_AA_fc</i>
-------------------------	-------------------

---

**Description**

Calculate the fold change of each amino acid by position.

**Usage**

```
calc_AA_fc(experimental_prop_matrix, background_prop_matrix, sig_zscores)
```

**Arguments**

`experimental_prop_matrix`

a matrix of the experimental proportions (from your vector of cleavage sequences) at each position.

`background_prop_matrix`

a matrix of the background proportions of AAs at each position

`sig_zscores`

a tibble of the significant zscores.

**Value**

a matrix

---

<code>calc_AA_motif_zscore</code>	<i>calc_AA_motif_zscore</i>
-----------------------------------	-----------------------------

---

**Description**

Calculate the Z score for the amino acids at each position

**Usage**

```
calc_AA_motif_zscore(
  background_count_matrix,
  background_prop_matrix,
  experimental_count_matrix,
  experimental_prop_matrix
)
```

**Arguments**

- background\_count\_matrix  
the count matrix from the background sequences
- background\_prop\_matrix  
the proportion matrix from the background sequences
- experimental\_count\_matrix  
the count matrix from the experimental sequences
- experimental\_prop\_matrix  
the proportion matrix from the experimental sequences

**Value**

a data frame of Zscores for each amino acid at each position.

---

`calc_AA_percent_difference`  
*calc\_AA\_percent\_difference*

---

**Description**

Calculate the percent difference between a matrix of background proportions and a matrix of experimentally observed proportions.

**Usage**

`calc_AA_percent_difference(background_prop_matrix, experimental_prop_matrix)`

**Arguments**

- background\_prop\_matrix  
a proportion matrix of amino acids per position from background cleavage sequences
- experimental\_prop\_matrix  
a proportion matrix of amino acids per position from experimental cleavage sequences

**Value**

a data frame of percent differences

---

calc\_AA\_prop\_of\_motif *calc\_AA\_prop\_of\_motif*

---

### Description

Calculate the proportion of amino acids at each position in a vector of motifs.

### Usage

```
calc_AA_prop_of_motif(count_matrix)
```

### Arguments

count\_matrix    this is a matrix of the counts of cleavage motifs

### Value

a matrix with proportions of counts.

---

calc\_per\_samples\_library\_nd

*calc\_per\_samples\_library\_nd Calculate the percentage of samples each library\_id peptide was not detected in.*

---

### Description

calc\_per\_samples\_library\_nd Calculate the percentage of samples each library\_id peptide was not detected in.

### Usage

```
calc_per_samples_library_nd(  
  processed_qf,  
  peptide_library_ids = mspms::peptide_library$library_id  
)
```

### Arguments

processed\_qf    a QFeatures object with a SummarizedExperiment named "peptides". Intended to be prepared by one of the pre-processing prepare\_x\_data functions of the mspms R package.

peptide\_library\_ids  
                  a character vector containing the names of the library\_ids

### Value

a tibble containing percentage of samples each library id was detected in, both as full length, and as cleavage products.



---

calc_sig_zscores	<i>calc_sig_zscores Determine which Zscores are significant at the given alpha for a matrix of scores</i>
------------------	---

---

**Description**

calc\_sig\_zscores Determine which Zscores are significant at the given alpha for a matrix of scores

**Usage**

```
calc_sig_zscores(zscores, pval = 0.05)
```

**Arguments**

zscores = a data frame of zscores  
pval = p value threshold for significance. Default is 0.05

**Value**

a tibble of significant zscores

---

check_file_is_valid_fragpipe	<i>check_file_is_valid_fragpipe Check to make sure the input data looks like the expected FragPipe file.</i>
------------------------------	--

---

**Description**

check\_file\_is\_valid\_fragpipe Check to make sure the input data looks like the expected FragPipe file.

**Usage**

```
check_file_is_valid_fragpipe(fragpipe_data)
```

**Arguments**

fragpipe\_data combined\_peptide.tsv file generated by FragPipe read into R.

**Value**

a stop command with a informative message if file looks unexpected. otherwise, nothing.

---

check\_file\_is\_valid\_pd

*check\_file\_is\_valid\_pd* Check to make sure the input data looks like the expected ProteomeDiscoverer file.

---

**Description**

check\_file\_is\_valid\_pd Check to make sure the input data looks like the expected ProteomeDiscoverer file.

**Usage**

```
check_file_is_valid_pd(pd_data)
```

**Arguments**

pd\_data            PeptideGroups.txt file generated by ProteomeDiscover and read into R.

**Value**

a stop command with a informative message if file looks unexpected. otherwise, nothing.

---

check\_file\_is\_valid\_peaks

*check\_file\_is\_valid\_peaks* Check to make sure the input data looks like the expected PEAKS file.

---

**Description**

check\_file\_is\_valid\_peaks Check to make sure the input data looks like the expected PEAKS file.

**Usage**

```
check_file_is_valid_peaks(peaks_data)
```

**Arguments**

peaks\_data        protein-peptides-lfq.csv file generated by PEAKS read into R.

**Value**

a stop command with a informative message if file looks unexpected. otherwise, nothing.

---

check\_peptide\_library *check\_peptide\_library*

---

**Description**

check\_peptide\_library

**Usage**

check\_peptide\_library(peptide\_library)

**Arguments**

peptide\_library

**Value**

an informative error if the column names of the peptide library are unexpected. Otherwise nothing.

---

colData *colData A tibble containing the colData associated with an experiment to proc*

---

**Description**

colData A tibble containing the colData associated with an experiment to proc

**Usage**

colData

**Format**

## 'colData' A tibble: 42 × 4

**Source**

colData corresponding to cathepsin A-D MSP-MS experiment

---

consolidate\_cleavages *consolidate\_cleavages*

---

**Description**

Consolidate the n term and c term cleavage data. The nterm and cterm cleavage information are consolidated into a single column and rows

**Usage**

```
consolidate_cleavages(cleavage_added_data)
```

**Arguments**

cleavage\_added\_data  
a tibble where cleavage information has been added by add\_cleavages()

**Value**

a tibble with the cleavage information combined into a single column and rows with no cleavage information or double information removed.

---

count\_cleavages\_per\_pos  
*count\_cleavages\_per\_pos*

---

**Description**

Count the number of cleavages per position

**Usage**

```
count_cleavages_per_pos(data, peptide_library = mspms::peptide_library)
```

**Arguments**

data a tibble containing columns named peptide,cleavage\_pos,condition, and time. Other column names can be included.

**Value**

a ggplot2 object

---

cTerm_cleavage	<i>cTerm_cleavage</i>
----------------	-----------------------

---

### Description

Finding the cleavage sequences on the C terminus of a given peptide in reference to the peptide library it was derived from

### Usage

```
cTerm_cleavage(  
  peptide_sequence,  
  library_match_sequence,  
  library_real_sequence,  
  n_residues = 4  
)
```

### Arguments

**peptide\_sequence** the peptide sequence represented in single letter code. "\_" denotes cleavage site.

**library\_match\_sequence** the sequence the peptide matches to with the proteomics search software used. Note, this may not be the true sequence of the peptide depending on how the library was constructed. For example, in the standard MSP-MS 228 member library, methionine has been replaced with norleucine (n). This was done because norleucine looks like methionine to a protease, but it cannot be oxidized. Norleucine's (n) mass is the same as leucine (L), so it is recognized by the proteomics software as L.

**library\_real\_sequence** the sequence the peptide truly is. In the standard MSP-MS 228 member library, some of the amino acids recognize as leucine (L) are truly Norleucine (n).

**n\_residues** the number of residues to the left and right of the cleavage event to return

### Value

a tibble with the peptide sequence, cleavage sequences (converted from the matching to real sequence), with n number of amino acids to the left and right of the c term cleavage, and the position of the c-term cleavage in the library sequence

---

generate_report	<i>generate_report</i>
-----------------	------------------------

---

## Description

wrapper function to generate an automatic .html report of a basic mspms analysis.

## Usage

```
generate_report(  
  prepared_data,  
  peptide_library = mspms::peptide_library,  
  n_residues = 4,  
  outdir = getwd(),  
  output_file = paste0(Sys.Date(), "_mspms_report.html")  
)
```

## Arguments

prepared_data	a QFeatures object containing a SummarizedExperiment named "peptides".
peptide_library	peptide library used with experiment. Contains columns "library_id", "library_match_sequence", and "library_real_sequence".
n_residues	the number of amino acid residues before and after the cleavage site to generate a cleavage seq for.
outdir	the output directory you would like to render the report to.
output_file	the file name to export.

## Value

a knitted .html report of the mspms analysis.

## Examples

```
generate_report(mspms::peaks_prepared_data)
```

---

icelogo_col_scheme	<i>icelogo_col_scheme</i> Defining a color scheme for our iceLogos
--------------------	--

---

**Description**

icelogo\_col\_scheme Defining a color scheme for our iceLogos

**Usage**

```
icelogo_col_scheme()
```

**Value**

a ggseqlogo color scheme function

---

load_colData	<i>load_colData</i>
--------------	---------------------

---

**Description**

load a .csv file containing sample colData.

**Usage**

```
load_colData(colData_filepath)
```

**Arguments**

colData\_filepath  
filepath to .csv file containing colData.

**Value**

a tibble

---

log2fc_t_test	<i>log2fc_t_test</i>
---------------	----------------------

---

**Description**

Calculates the log2 fold change and t-test statistics given a user specified reference variable and value.

**Usage**

```
log2fc_t_test(processed_qf, reference_variable = "time", reference_value = 0)
```

**Arguments**

processed\_qf    mspms data in a QFeatures object.  
reference\_variable  
                  the colData variable to use as reference  
reference\_value  
                  the value of the colData variable to use as reference

**Value**

a tibble containing log2fc and t test statistics

**Examples**

```
log2fc_and_t_test <- log2fc_t_test(mspms::processed_qf)
```

---

log2fc_t_test_data	<i>log2fc_t_test_data</i> A tibble containing the results of t-tests and log2fc compared to time 0 14,497 × 19
--------------------	--

---

**Description**

log2fc\_t\_test\_data A tibble containing the results of t-tests and log2fc compared to time 0 14,497 × 19

**Usage**

```
log2fc_t_test_data
```

**Format**

```
## 'peaks_prepared_data' A tibble: 14,497 × 19
```



**Source**

<mspms processed data originally from PEAKS files found in "tests/testdata/protein-peptides-id.csv" and "tests/testdata/protein-peptides-lfq.csv">

---

mspms\_log2fc

*mspms\_log2fc*


---

**Description**

calculates the log2fc for each time point within each condition relative to a specified value for a specified reference variable.

**Usage**

```
mspms_log2fc(processed_qf, reference_variable = "time", reference_value = 0)
```

**Arguments**

processed\_qf a QFeatures object with a SummarizedExperiment named "peptides\_norm".

reference\_variable

the variable to used as a reference (denominator of log2 fold change).

reference\_value

the value of the reference variable to use as the reference

**Value**

a tibble with the t test statistics for each peptide within each group with the supplied value at the supplied variable as reference.

---

mspms\_tidy

*mspms\_tidy* Convert a SummarizedExperiment object within a QFeatures object into a tidy tibble.

---

**Description**

mspms\_tidy Convert a SummarizedExperiment object within a QFeatures object into a tidy tibble.

**Usage**

```
mspms_tidy(processed_qf, se_name = "peptides_norm")
```

**Arguments**

processed\_qf a QFeature object containing rowData and colData.

se\_name

the name of the SummarizedExperiment you would like to extract

**Value**

a tibble containing all the rowData, colData, and assay data for the specified SummarizedExperiment.

**Examples**

```
mspms_data <- mspms_tidy(mspms::processed_qf)
```

---

mspms_tidy_data	<i>mspms_tidy_data</i> A tibble containing tidy data derived from QFeatures object
-----------------	--

---

**Description**

mspms\_tidy\_data A tibble containing tidy data derived from QFeatures object

**Usage**

```
mspms_tidy_data
```

**Format**

```
## 'mspms_tidy_data' A tibble:
```

**Source**

```
processed_qf
```

---

mspms_t_tests	<i>mspms_t_tests</i>
---------------	----------------------

---

**Description**

performs t-tests for each peptide within each group for the user specified. FDR adjustment is performed.

**Usage**

```
mspms_t_tests(processed_qf, reference_variable = "time", reference_value = "0")
```

**Arguments**

processed\_qf a QFeatures object with a SummarizedExperiment named "peptides\_norm".

reference\_variable the variable to used as a reference.

reference\_value the value of the reference variable to use as the reference

**Value**

a tibble with the t test statistics for each peptide within each group with the supplied value at the supplied variable as reference.

---

nterm_cleavage	<i>nterm_cleavage</i>
----------------	-----------------------

---

**Description**

Finding the cleavage sequences on the N terminus of a given peptide in reference to the peptide library it was derived from.

**Usage**

```
nterm_cleavage(
  peptide_sequence,
  library_match_sequence,
  library_real_sequence,
  n_residues = 4
)
```

**Arguments**

`peptide_sequence` the peptide sequence represented in single letter code. "\_" denotes cleavage site.

`library_match_sequence` the sequence the peptide matches to with the proteomics search software used. Note, this may not be the true sequence of the peptide depending on how the library was constructed. For example, in the standard MSP-MS 228 member library, methionine has been replaced with norleucine (n). This was done because norleucine looks like methionine to a protease, but it cannot be oxidized. Norleucine's (n) mass is the same as leucine (L), so it is recognized by the proteomics software as L.

`library_real_sequence` the sequence the peptide truly is. In the standard MSP\_MS 228 member library, some of the amino acids recognize as leucine (L) are truly Norleucine (n).

`n_residues` the number of residues to the left and right of the cleavage event to return.

**Value**

a tibble with the peptide sequence, cleavage sequences n specified number of AA on the left and right of the n term cleavage, and the position of the n term cleavage in the library sequence.

---

peaks\_prepared\_data     *peaks\_prepared\_data* A *QFeatures* object prepared from PEAKS data of cathepsin data/.

---

### Description

peaks\_prepared\_data A *QFeatures* object prepared from PEAKS data of cathepsin data/.

### Usage

peaks\_prepared\_data

### Format

## 'peaks\_prepared\_data' An instance of class *QFeatures* containing 1 assays: [1] peptides: SummarizedExperiment with 2071 rows and 42 columns

**peptides** Peptide Sequence Detected ...

### Source

<mspms processed data originally from PEAKS files found in "tests/testdata/protein-peptides-id.csv" and "tests/testdata/protein-peptides-lfq.csv">

---

peptide\_library     *peptide\_library*

---

### Description

This is the 228 peptide library used by the O'Donoghue lab as of 26April2024.

### Usage

peptide\_library

### Format

## 'peptide\_library' A data frame with 228 rows and 3 columns:

**library\_reference\_id** reference id of the detected peptide as put in upstream software

**library\_match\_sequence** the sequence match to the peptide library, methionine is replaced with norleucine, which should function the same as methionine for proteases but has the same mass as L

**library\_real\_sequence** Ls corresponding to norleucine are replaced back with n (for norleucine )

...

**Source**

<O'Donoghue lab as of 26April2024 >

---

plot\_all\_icelogos      *plot\_all\_icelogos*

---

**Description**

Easily plot a iceLogo corresponding to peptides of interest across each condition of an experiment.

**Usage**

```
plot_all_icelogos(  
  sig_cleavage_data,  
  type = "percent_difference",  
  pval = 0.05,  
  background_universe = mspms::all_possible_8mers_from_228_library  
)
```

**Arguments**

sig_cleavage_data	a tibble of data of interest containing a column labeled peptide, cleavage_seq, and condition
type	this is the type of iceLogo you would like to generate, can be either "percent_difference" or "fold_change".
pval	this is the pvalue threshold ( $\leq$ ) to consider significant when determining the significance of the sig_cleavages relative to the background at each position of the iceLogo.
background_universe	this is a list cleavages you would like to compare to as background of the iceLogo

**Value**

a ggplot object that shows the motif of the cleavage sequences

**Examples**

```
# Determining cleavages of interest  
sig_cleavage_data <- mspms::log2fc_t_test_data %>%  
  dplyr::filter(p.adj <= 0.05, log2fc > 3)  
# Plotting a iceLogo for each condition.  
plot_all_icelogos(sig_cleavage_data)
```

---

plot\_cleavages\_per\_pos  
*plot\_cleavages\_per\_pos*

---

### Description

plot the number of cleavages at each

### Usage

```
plot_cleavages_per_pos(sig_cleavage_data, ncol = NULL)
```

### Arguments

`sig_cleavage_data` a tibble of data of interest containing a column labeled peptide, cleavage\_seq, condition, and cleavage\_pos.

`ncol` the number of columns to plot.

### Value

a ggplot2 object

### Examples

```
# Defining the significant peptides
sig_cleavage_data <- log2fc_t_test_data %>%
  dplyr::filter(p.adj <= 0.05, log2fc > 3)
# Plotting
p1 <- mspms::plot_cleavages_per_pos(sig_cleavage_data)
p1
```

---

plot\_heatmap      *plot\_heatmap*

---

### Description

This produces a heatmaply interactive heatmap of the QFeatures object with color bars representing the condition and time for each sample in each row.

**Usage**

```
plot_heatmap(  
  mspms_tidy_data,  
  value_colname = "peptides_norm",  
  scale = "column",  
  plot_method = "plotly",  
  show_dendrogram = c(TRUE, TRUE)  
)
```

**Arguments**

mspms_tidy_data	tidy mspms data (prepared from QFeatures object by mspms_tidy())
value_colname	the name of the column containing values.
scale	how would you like the data scaled? default is none, but can also be "row", "column", or "none"
plot_method	what plot method would you like to use, can use plotly or ggplot2.
show_dendrogram	Logical vector of length two, controlling whether the row and/or column dendrograms are displayed. If a logical scalar is provided, it is repeated to become a logical vector of length two.

**Details**

Each column has a colored bar representing whether the peptide is a cleavage product or a full length member of the peptide library.

**Value**

a heatmaply interactive heatmap

**Examples**

```
plot_heatmap(mspms::mspms_tidy_data)
```

---

plot\_icelogo

*plot\_icelogo*

---

**Description**

This function plots the cleavage motifs that were enriched relative to background as implemented in the iceLogo method. <https://iomics.ugent.be/icelogoserver/resources/manual.pdf>

**Usage**

```
plot_icelogo(
  cleavage_seqs,
  background_universe = mspms::all_possible_8mers_from_228_library,
  pval = 0.05,
  type = "percent_difference"
)
```

**Arguments**

`cleavage_seqs` these are the cleavage sequences of interest

`background_universe`  
this is a list of cleavage sequences to use as the background in building the iceLogo.

`pval` this is the pvalue threshold ( $\leq$ ) to consider significant when determining the significance of the sig\_cleavages relative to the background at each position of the iceLogo.

`type` this is the type of visualization you would like to perform, accepted values are either "percent\_difference" or "fold\_change".

**Value**

a ggplot2 object

**Examples**

```
# Determining significant cleavages for catA
catA_sig_cleavages <- mspms::log2fc_t_test_data %>%
  dplyr::filter(p.adj <= 0.05, log2fc > 3) %>%
  dplyr::filter(condition == "CatA") %>%
  dplyr::pull(cleavage_seq) %>%
  unique()

# Plotting icelogo
plot_icelogo(catA_sig_cleavages,
  background_universe = all_possible_8mers_from_228_library
)
```

---

plot\_nd\_peptides

*plot\_nd\_peptides*

---

**Description**

plot the percentage of samples each peptide from library was undetected in (if the percentage is > 0).



**Usage**

```
plot_nd_peptides(
  processed_qf,
  peptide_library_ids = mspms::peptide_library$library_id
)
```

**Arguments**

`processed_qf` a QFeatures object containing a SummarizedExperiment named "peptides"  
`peptide_library_ids` a vector of all peptide library ids in the experiment.

**Value**

a ggplot2 object

**Examples**

```
plot_nd_peptides(mspms::processed_qf)
```

---

plot\_pca

*plot\_pca*

---

**Description**

Easily create a PCA plot from a QFeatures object containing mspms data. Ellipses are drawn around the points at a 95 Shape and colors are user specified.

**Usage**

```
plot_pca(
  mspms_tidy_data,
  value_colname = "peptides_norm",
  color = "time",
  shape = "condition"
)
```

**Arguments**

`mspms_tidy_data` tidy mspms data (prepared from QFeatures object by `mspms_tidy`)  
`value_colname` the name of the column containing values.  
`color` the name of the variable you would like to color by.  
`shape` the name of the variable that you would like to determine shape by.

**Value**

a ggplot2 object

**Examples**

```
plot_pca(mspms::mspms_tidy_data)
```

---

plot_qc_check	<i>plot_qc_check plot the the percentage of the peptide library undetected in each sample per each sample group.</i>
---------------	--

---

**Description**

plot\_qc\_check plot the the percentage of the peptide library undetected in each sample per each sample group.

**Usage**

```
plot_qc_check(
  processed_qf,
  peptide_library = mspms::peptide_library$library_id,
  full_length_threshold = NULL,
  cleavage_product_threshold = NULL,
  ncol = 2
)
```

**Arguments**

processed_qf	QFeatures object containing a SummarizedExperiment named "peptides"
peptide_library	a vector of all peptide library ids in the experiment.
full_length_threshold	percent to use as threshold visualized as a vertical blue dashed line
cleavage_product_threshold	percent to use as a threshold visualized as a red dashed line
ncol	n columns.

**Value**

a ggplot2 object.

**Examples**

```
plot_qc_check(mspms::processed_qf)
```

---

plot_time_course	<i>plot_time_course</i>
------------------	-------------------------

---

## Description

Easily plot a time course of all peptides in a QFeatures object by peptide.

## Usage

```
plot_time_course(  
  mspms_tidy_data,  
  value_colname = "peptides_norm",  
  summarize_by_mean = FALSE  
)
```

## Arguments

`mspms_tidy_data` tidy mspms data (prepared from QFeatures object by `mspms_tidy()`)

`value_colname` the name of the column containing values.

`summarize_by_mean` whether to summarise by mean (TRUE- show error bars +- 1 standard deviation) or not (FALSE)

## Value

a ggplot2 object

## Examples

```
# Determining peptide of interest  
max_log2fc_pep <- mspms::log2fc_t_test_data %>%  
  dplyr::filter(p.adj <= 0.05, log2fc > 3) %>%  
  dplyr::filter(log2fc == max(log2fc)) %>%  
  dplyr::pull(peptide)  
  
# Defining QFeatures filter  
filtered <- mspms::mspms_tidy_data %>%  
  dplyr::filter(peptide == max_log2fc_pep) %>%  
  plot_time_course()
```

---

plot_volcano	<i>plot_volcano</i>
--------------	---------------------

---

**Description**

create a volcano plot to generate log2fc and adjusted p values for experimental conditions

**Usage**

```
plot_volcano(
  log2fc_t_test_data,
  log2fc_threshold = 3,
  padj_threshold = 0.05,
  facets = "grid",
  ncol = 1
)
```

**Arguments**

log2fc_t_test_data	a tibble containing the log2fc and adjusted p values
log2fc_threshold	the log2fc threshold that you want displayed on plot
padj_threshold	the padj threshold that you want displayed on plot
facets	how facets should be displayed. Accepted values are grid and wrap
ncol	ncol to include if facets = "wrap"

**Value**

a ggplot2 object

**Examples**

```
p1 <- mspms::plot_volcano(mspms::log2fc_t_test_data, log2fc_threshold = 3)
p1
```

---

prepared_to_qf	<i>convert prepared data to a QFeatures object</i>
----------------	--

---

**Description**

convert prepared data to a QFeatures object

**Usage**

```
prepared_to_qf(
  prepared_data,
  colData,
  peptide_library = mspms::peptide_library,
  n_residues = 4
)
```

**Arguments**

`prepared_data` data prepared within one of the prepare functions

`colData` sample metadata

`peptide_library` the peptide library used.

`n_residues` the number of residues reported in the cleavage site

**Value**

a QFeatures object

---

prepare_fc	<i>prepare_fc</i>
------------	-------------------

---

**Description**

Prepare fold changes of amino acids by position for Icelogo visualization.

**Usage**

```
prepare_fc(fold_change, sig_zscores)
```

**Arguments**

`fold_change` a matrix of the fold changes of the AA by position.

`sig_zscores` a tibble of the significant zscores.

**Value**

a matrix of the fold changes of the significant AAs at each position.

---

prepare_for_PCA	<i>prepare_for_PCA()</i>
-----------------	--------------------------

---

**Description**

prepare QFeatures object for PCA analysis

**Usage**

```
prepare_for_PCA(mspms_tidy_data, value_colname = "peptides_norm")
```

**Arguments**

mspms\_tidy\_data  
tidy mspms data (prepared from QFeatures object by mspms\_tidy())

value\_colname the name of the column containing values.

**Value**

a tibble

---

prepare_fragpipe	<i>prepare_fragpipe</i>
------------------	-------------------------

---

**Description**

Prepare a label free quantification file exported from Fragpipe for subsequent mspms analysis.

**Usage**

```
prepare_fragpipe(  
  combined_peptide_filepath,  
  colData_filepath,  
  peptide_library = mspms::peptide_library,  
  n_residues = 4  
)
```

**Arguments**

combined\_peptide\_filepath  
file path the combined\_peptide.tsv file generated by FragPipe.

colData\_filepath  
file path to .csv file containing colData. Must have columns named "quant-Cols", "group", "condition", and "time".

peptide\_library peptide library used with experiment. Contains columns "library\_id", "library\_match\_sequence", and "library\_real\_sequence".

n\_residues the number of amino acid residues before and after the cleavage site to generate a cleavage seq for.

**Value**

a QFeatures object containing a summarizedExperiment named "peptides"

**Examples**

```
fragpipe_combined_peptide <- system.file("extdata/fragpipe_combined_peptide.tsv", package = "mspms")
colData_filepath <- system.file("extdata/colData.csv", package = "mspms")
# Prepare the data
fragpipe_prepared_data <- mspms::prepare_fragpipe(fragpipe_combined_peptide, colData_filepath)
```

---

```
prepare_icelogo_data  prepare_icelogo_data
```

---

**Description**

Prepare the final matrix containing iceLogo data for plotting.

**Usage**

```
prepare_icelogo_data(
  cleavage_seqs,
  background_universe = mspms::all_possible_8mers_from_228_library,
  pval = 0.05,
  type = "percent_difference"
)
```

**Arguments**

cleavage\_seqs the cleavage sequences that are observed in the experiment

background\_universe a vector of the cleavage sequences to use as the background.

pval the p-value threshold to consider

type the type of iceLogo calculation to perform. Accepted values are "percent\_difference" or "fold\_change".

**Value**

a matrix of enriched amino acids per position

---

prepare_pd	<i>prepare_pd Prepare a label free quantification file exported from Proteome Discoverer for subsequent mspms analysis.</i>
------------	---

---

## Description

prepare\_pd Prepare a label free quantification file exported from Proteome Discoverer for subsequent mspms analysis.

## Usage

```
prepare_pd(
  peptide_groups_filepath,
  colData_filepath,
  peptide_library = mspms::peptide_library,
  n_residues = 4
)
```

## Arguments

peptide_groups_filepath	filepath to PeptideGroups.txt file exported from proteome discoverer.
colData_filepath	file path to .csv file containing colData. Must have columns named "quant-Cols", "group", "condition", and "time".
peptide_library	peptide library used with experiment. Contains columns "library_id", "library_match_sequence", and "library_real_sequence".
n_residues	the number of amino acid residues before and after the cleavage site to generate a cleavage seq for.

## Value

a QFeatures object containing a summarizedExperiment named "peptides"

## Examples

```
peptide_groups_filepath <- system.file(
  "extdata/proteome_discoverer_PeptideGroups.txt",
  package = "mspms"
)
colData_filepath <- system.file("extdata/colData.csv", package = "mspms")
```



---

prepare_peaks	<i>prepare_peaks</i> Prepare a label free quantification file exported from PEAKS for subsequent mspms analysis.
---------------	--

---

## Description

prepare\_peaks Prepare a label free quantification file exported from PEAKS for subsequent mspms analysis.

## Usage

```
prepare_peaks(
  lfq_filepath,
  colData_filepath,
  quality_threshold = 0.3,
  peptide_library = mspms::peptide_library,
  n_residues = 4
)
```

## Arguments

`lfq_filepath` this is the file path to a .csv file exported from PEAKS

`colData_filepath` file path to .csv file containing colData. Must have columns named "quant-Cols", "group", "condition", and "time".

`quality_threshold` only consider peptides with quality scores > than this threshold.

`peptide_library` peptide library used in the experiment.

`n_residues` the number of amino acid residues before and after the cleavage site to generate a cleavage seq for.

## Value

a QFeatures object containing a summarizedExperiment named "peptides"

## Examples

```
lfq_filepath <- system.file("extdata/peaks_protein-peptides-lfq.csv", package = "mspms")
colData_filepath <- system.file("extdata/colData.csv", package = "mspms")
# Prepare the data
peaks_prepared_data <- mspms::prepare_peaks(lfq_filepath, colData_filepath)
```

---

`prepare_qc_check_data` *prepare\_qc\_check* Run simple quality control checks on the data. This checks to see how many peptides belonging to the library were identified in the data in each sample. Computes full length, and cleavage products independantly.

---

### Description

`prepare_qc_check` Run simple quality control checks on the data. This checks to see how many peptides belonging to the library were identified in the data in each sample. Computes full length, and cleavage products independantly.

### Usage

```
prepare_qc_check_data(
  processed_qf,
  peptide_library_ids = mspms::peptide_library$library_id
)
```

### Arguments

`processed_qf` a QFeatures object with a SummarizedExperiment named "peptides". Intended to be prepared by one of the pre-processing `prepare_x_data` functions of the `mspms` R package.

`peptide_library_ids` a character vector containing the names of the `library_ids`

### Value

a tibble containing percentage of `library_ids` detected per sample, both as full length, and as cleavage products.

---

`prepare_sig_p_dif` *prepare\_sig\_p\_dif*

---

### Description

Prepare significant percent difference data frame for `iceLogo`

### Usage

```
prepare_sig_p_dif(percent_difference, sig_zscores)
```

**Arguments**

percent\_difference      a data frame containing the percent differences

sig\_zscores            a matrix of significant amino acids at each position based on z-scores

**Value**

a tibble

---

processed_qf	<i>processed_qf A QFeatures object prepared from PEAKS data of Cathepsin data that has been processed (imputation/normalization)</i>
--------------	--

---

**Description**

processed\_qf A QFeatures object prepared from PEAKS data of Cathepsin data that has been processed (imputation/normalization)

**Usage**

```
processed_qf
```

**Format**

```
## 'peaks_prepared_data' An instance of class QFeatures containing 5 assays: [1] peptides: SummarizedExperiment with 2071 rows and 42 columns [2] peptides_log: SummarizedExperiment with 2071 rows and 42 columns [3] peptides_log_norm: SummarizedExperiment with 2071 rows and 42 columns [4] peptides_log_impute_norm: SummarizedExperiment with 2071 rows and 42 columns [5] peptides_norm: SummarizedExperiment with 2071 rows and 42 columns
```

```
peptides Peptide Sequence Detected ...
```

**Source**

```
<mspms processed data originally from PEAKS files found in "tests/testdata/protein-peptides-id.csv" and "tests/testdata/protein-peptides-lfq.csv">
```

---

process_qf	<i>process_qf</i>
------------	-------------------

---

**Description**

process\_qf

**Usage**

```
process_qf(prepared_qf)
```

**Arguments**

prepared_qf	this is a QFeatures object containing a SummarizedExperiment named "peptides"
-------------	---

**Value**

a QFeatures object containing a SummarizedExperiments named "peptides", "peptides\_log", "peptides\_log\_norm", "peptides\_log\_impute\_norm", and "peptides\_norm"

**Examples**

```
processed_qf <- process_qf(mspms::peaks_prepared_data)
```

---

remaining_cd_names	<i>remaining_cd_names</i>
--------------------	---------------------------

---

**Description**

determine what the remaining colData names are when removing the reference variable.

**Usage**

```
remaining_cd_names(processed_qf, reference_variable)
```

**Arguments**

processed_qf	a QFeatures object
reference_variable	name of reference variable

**Value**

a vector of the remaining names in the colData

---

rlog2	<i>rlog2 Reverse log2 transformation</i>
-------	--

---

**Description**

rlog2 Reverse log2 transformation

**Usage**

```
rlog2(x)
```

**Arguments**

x                    a numeric value

**Value**

a reverse log2 transformed value

---

<code>%&gt;%</code>	<i>Pipe operator</i>
---------------------	----------------------

---

**Description**

See `magrittr::%>%` for details.

**Usage**

```
lhs %>% rhs
```

**Arguments**

lhs                    A value or the magrittr placeholder.  
rhs                    A function call using the magrittr semantics.

**Value**

The result of calling 'rhs(lhs)'.

# Index

## \* datasets

- all\_possible\_8mers\_from\_228\_library, 4
- colData, 11
- log2fc\_t\_test\_data, 16
- mspms\_tidy\_data, 18
- peaks\_prepared\_data, 20
- peptide\_library, 20
- processed\_qf, 35

## \* internal

- %>%, 37
- add\_cleavages, 4
- calc\_AA\_count\_of\_motif, 5
- calc\_AA\_fc, 6
- calc\_AA\_motif\_zscore, 6
- calc\_AA\_percent\_difference, 7
- calc\_AA\_prop\_of\_motif, 8
- calc\_per\_samples\_library\_nd, 8
- calc\_sig\_zscores, 9
- check\_file\_is\_valid\_peaks, 10
- check\_peptide\_library, 11
- consolidate\_cleavages, 12
- count\_cleavages\_per\_pos, 12
- cterm\_cleavage, 13
- icelogo\_col\_scheme, 15
- load\_colData, 15
- mspms-package, 3
- mspms\_log2fc, 17
- mspms\_t\_tests, 18
- nterm\_cleavage, 19
- prepare\_fc, 29
- prepare\_for\_PCA, 30
- prepare\_icelogo\_data, 31
- prepare\_qc\_check\_data, 34
- prepare\_sig\_p\_dif, 34
- prepared\_to\_qf, 28
- remaining\_cd\_names, 36
- rlog2, 37
- %>%, 37, 37

- add\_cleavages, 4
- all\_possible\_8mers\_from\_228\_library, 4
- calc\_AA\_count\_of\_motif, 5
- calc\_AA\_fc, 6
- calc\_AA\_motif\_zscore, 6
- calc\_AA\_percent\_difference, 7
- calc\_AA\_prop\_of\_motif, 8
- calc\_per\_samples\_library\_nd, 8
- calc\_sig\_zscores, 9
- calculate\_all\_cleavages, 5
- check\_file\_is\_valid\_fragpipe, 9
- check\_file\_is\_valid\_pd, 10
- check\_file\_is\_valid\_peaks, 10
- check\_peptide\_library, 11
- colData, 11
- consolidate\_cleavages, 12
- count\_cleavages\_per\_pos, 12
- cterm\_cleavage, 13
- generate\_report, 14
- icelogo\_col\_scheme, 15
- load\_colData, 15
- log2fc\_t\_test, 16
- log2fc\_t\_test\_data, 16
- mspms (mspms-package), 3
- mspms-package, 3
- mspms\_log2fc, 17
- mspms\_t\_tests, 18
- mspms\_tidy, 17
- mspms\_tidy\_data, 18
- nterm\_cleavage, 19
- peaks\_prepared\_data, 20
- peptide\_library, 20
- plot\_all\_icelogos, 21
- plot\_cleavages\_per\_pos, 22

plot\_heatmap, [22](#)  
plot\_icelogo, [23](#)  
plot\_nd\_peptides, [24](#)  
plot\_pca, [25](#)  
plot\_qc\_check, [26](#)  
plot\_time\_course, [27](#)  
plot\_volcano, [28](#)  
prepare\_fc, [29](#)  
prepare\_for\_PCA, [30](#)  
prepare\_fragpipe, [30](#)  
prepare\_icelogo\_data, [31](#)  
prepare\_pd, [32](#)  
prepare\_peaks, [33](#)  
prepare\_qc\_check\_data, [34](#)  
prepare\_sig\_p\_dif, [34](#)  
prepared\_to\_qf, [28](#)  
process\_qf, [36](#)  
processed\_qf, [35](#)  
  
remaining\_cd\_names, [36](#)  
rlog2, [37](#)