

bsubtiliscdf

October 16, 2009

R topics documented:

bsubtiliscdf	1
bsubtilisdim	1
i2xy	1

Index	3
--------------	----------

bsubtiliscdf	<i>bsubtiliscdf</i>
--------------	---------------------

Description

environment describing the CDF file

bsubtilisdim	<i>bsubtilisdim</i>
--------------	---------------------

Description

environment describing the CDF dimensions

i2xy	<i>Convert (x,y)-coordinates to single-number indices and back.</i>
------	---

Description

Convert (x,y)-coordinates on the chip (and in the CEL file) to the single-number indices used in AffyBatch and CDF environment, and back.

Usage

```
i2xy(i)  
xy2i(x, y)
```

Arguments

x	numeric. x-coordinate (from 1 to 454)
y	numeric. y-coordinate (from 1 to 454)
i	numeric. single-number index (from 1 to 206116)

Details

Type `i2xy` and `xy2i` at the R prompt to view the function definitions.

See Also

[bsubtiliscdf](#)

Examples

```
xy2i(5,5)
i      = 1:(454*454)
coord = i2xy(i)
j      = xy2i(coord[, "x"], coord[, "y"])
stopifnot(all(i==j))
range(coord[, "x"])
range(coord[, "y"])
```

Index

*Topic **datasets**

bsubtiliscdf, [1](#)

bsubtilisdim, [1](#)

i2xy, [1](#)

bsubtiliscdf, [1](#), [2](#)

bsubtilisdim, [1](#)

i2xy, [1](#)

xy2i ([i2xy](#)), [1](#)