

xcms

October 25, 2011

SSgauss

Gaussian Model

Description

This `selfStart` model evaluates the Gaussian model and its gradient. It has an `initial` attribute that will evaluate the initial estimates of the parameters `mu`, `sigma`, and `h`.

Usage

```
SSgauss(x, mu, sigma, h)
```

Arguments

<code>x</code>	a numeric vector of values at which to evaluate the model
<code>mu</code>	mean of the distribution function
<code>sigma</code>	standard deviation of the distribution function
<code>h</code>	height of the distribution function

Details

Initial values for `mu` and `h` are chosen from the maximal value of `x`. The initial value for `sigma` is determined from the area under `x` divided by $h \cdot \sqrt{2 \cdot \pi}$.

Value

A numeric vector of the same length as `x`. It is the value of the expression $h \cdot \exp(-(x - \mu)^2 / (2 \cdot \sigma^2))$, which is a modified gaussian function where the maximum height is treated as a separate parameter not dependent on `sigma`. If arguments `mu`, `sigma`, and `h` are names of objects, the gradient matrix with respect to these names is attached as an attribute named `gradient`.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[nls](#), [selfStart](#)

absent-methods *Determine which peaks are absent / present in a sample class*

Description

Determine which peaks are absent / present in a sample class

Arguments

object `xcmsSet-class` object
class Name of a sample class from `sampclass`
minfrac minimum fraction of samples necessary in the class to be absent/present

Details

Determine which peaks are absent / present in a sample class The functions treat peaks that are only present because of `fillPeaks` correctly, i.e. does not count them as present.

Value

An logical vector with the same length as `nrow(groups(object))`.

Methods

object = "xcmsSet" `absent(object, ...)` `present(object, ...)`

See Also

[groupdiffreport](#)

c-methods *Combine xcmsSet objects*

Description

Combines the samples and peaks from multiple `xcmsSet` objects into a single object. Group and retention time correction data are discarded. The `profinfo` list is set to be equal to the first object.

Arguments

xs1 `xcmsSet` object
... `xcmsSet` objects

Value

A `xcmsSet` object.

Methods

xs1 = "xcmsRaw" `c(xs1, ...)`

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[xcmsSet-class](#)

calibrate-methods *Calibrate peaks for correcting unprecise m/z values*

Description

Calibrate peaks of a `xcmsSet` via a set of known masses

Arguments

<code>object</code>	a <code>xcmsSet</code> object with uncalibrated <code>mz</code>
<code>calibrants</code>	a vector or a list of vectors with reference <code>m/z</code> -values
<code>method</code>	the used calibrating-method, see below
<code>mzppm</code>	the relative error used for matching peaks in ppm (parts per million)
<code>mzabs</code>	the absolute error used for matching peaks in Da
<code>neighbours</code>	the number of neighbours from which the one with the highest intensity is used (instead of the nearest)
<code>plotres</code>	can be set to <code>TRUE</code> if wanted a result-plot showing the found <code>m/z</code> with the distances and the regression

Value

<code>object</code>	a <code>xcmsSet</code> with one or more samples
<code>calibrants</code>	for each sample different calibrants can be used, if a list of <code>m/z</code> -vectors is given. The length of the list must be the same as the number of samples, alternatively a single vector of masses can be given which is used for all samples.
<code>method</code>	"shift" for shifting each <code>m/z</code> , "linear" does a linear regression and adds a linear term to each <code>m/z</code> . "edgeshift" does a linear regression within the range of the <code>mz</code> -calibrants and a shift outside.

Methods

```
object = "xcmsSet" calibrate(object, calibrants, method="linear", mzabs=0.0001,
mzppm=5, neighbours=3, plotres=FALSE)
```

See Also

[xcmsSet-class](#),

collect-methods *Collect MSⁿ peaks into xcmsFragments*

Description

Collecting Peaks into `xcmsFragments` from several MS-runs using `xcmsSet` and `xcmsRaw`.

Arguments

<code>object</code>	(empty) <code>xcmsFragments-class</code> object
<code>xs</code>	A <code>xcmsSet-class</code> object which contains picked ms1-peaks from several experiments
<code>compMethod</code>	("floor", "round", "none"): compare-method which is used to find the parent peak of a MSnpeak through comparing the MZ-values of the MS1peaks with the MSnParentPeaks.
<code>snthresh</code> , <code>mzgap</code> , <code>uniq</code>	these are the parameters for the getspec-peakpicker included in <code>xcmsRaw</code> .

Details

After running `collect(xFragments,xSet)` The peak table of the `xcmsFragments` includes the ms1Peaks from all experiments stored in a `xcmsSet`-object. Further it contains the relevant msN-peaks from the `xcmsRaw`-objects, which were created temporarily with the paths in `xcmsSet`.

Value

A matrix with columns:

<code>peakID</code>	unique identifier of every peak
<code>MSnParentPeakID</code>	PeakID of the parent peak of a msLevel>1 - peak, it is 0 if the peak is msLevel 1.
<code>msLevel</code>	The msLevel of the peak.
<code>rt</code>	retention time of the peak midpoint
<code>mz</code>	the mz-Value of the peak
<code>intensity</code>	the intensity of the peak
<code>sample</code>	the number of the sample from the <code>xcmsSet</code>
<code>GroupPeakMSn</code>	Used for grouped <code>xcmsSet</code> groups
<code>CollisionEnergy</code>	The collision energy of the fragment

Methods

object = "xcmsFragments" `collect(object, ...)`

diffreport-methods *Create report of analyte differences*

Description

Create a report showing the most significant differences between two sets of samples. Optionally create extracted ion chromatograms for the most significant differences.

Arguments

object	the <code>xcmsSet</code> object
class1	character vector with the first set of sample classes to be compared
class2	character vector with the second set of sample classes to be compared
filebase	base file name to save report, <code>.tsv</code> file and <code>_eic</code> will be appended to this name for the tabular report and EIC directory, respectively. if blank nothing will be saved
eicmax	number of the most significantly different analytes to create EICs for
eicwidth	width (in seconds) of EICs produced
sortpval	logical indicating whether the reports should be sorted by p-value
classaic	character vector with the sample classes to include in the EICs
value	intensity values to be used for the diffreport. If <code>value="into"</code> , integrated peak intensities are used. If <code>value="maxo"</code> , maximum peak intensities are used. If <code>value="intb"</code> , baseline corrected integrated peak intensities are used (only available if peak detection was done by <code>findPeaks.centWave</code>).
metlin	mass uncertainty to use for generating link to Metlin metabolite database. the sign of the uncertainty indicates negative or positive mode data for M+H or M-H calculation. a value of FALSE or 0 removes the column
h	Numeric variable for the height of the eic and boxplots that are printed out.
w	Numeric variable for the width of the eic and boxplots print out made.
...	optional arguments to be passed to <code>mt.teststat</code>

Details

This method handles creation of summary reports with statistics about which analytes were most significantly different between two sets of samples. It computes Welch's two-sample t-statistic for each analyte and ranks them by p-value. It returns a summary report that can optionally be written out to a tab-separated file.

Additionally, it does all the heavy lifting involved in creating superimposed extracted ion chromatograms for a given number of analytes. It does so by reading the raw data files associated with the samples of interest one at a time. As it does so, it prints the name of the sample it is currently reading. Depending on the number and size of the samples, this process can take a long time.

If a base file name is provided, the report (see Value section) will be saved to a tab separated file. If EICs are generated, they will be saved as 640x480 PNG files in a newly created subdirectory. However this parameter can be changed with the commands arguments. The numbered file names correspond to the rows in the report.

Chromatographic traces in the EICs are colored and labeled by their sample class. Sample classes take their color from the current palette. The color a sample class is assigned is dependent its order in the `xcmsSet` object, not the order given in the class arguments. Thus `levels(sampclass(object))[1]` would use `colorpalette()[1]` and so on. In that way, sample classes maintain the same color across any number of different generated reports.

When there are multiple sample classes, `xcms` will produce boxplots of the different classes and will generate a single anova p-value statistic. Like the `aic`'s the plot number corresponds to the row number in the report.

Value

A data frame with the following columns:

<code>fold</code>	mean fold change (always greater than 1, see <code>tstat</code> for which set of sample classes was higher)
<code>tstat</code>	Welch's two sample t-statistic, positive for analytes having greater intensity in <code>class2</code> , negative for analytes having greater intensity in <code>class1</code>
<code>pvalue</code>	p-value of t-statistic
<code>anova</code>	p-value of the anova statistic if there are multiple classes
<code>mzmed</code>	median m/z of peaks in the group
<code>mzmin</code>	minimum m/z of peaks in the group
<code>mzmax</code>	maximum m/z of peaks in the group
<code>rtmed</code>	median retention time of peaks in the group
<code>rtmin</code>	minimum retention time of peaks in the group
<code>rtmax</code>	maximum retention time of peaks in the group
<code>npeaks</code>	number of peaks assigned to the group
<code>Sample Classes</code>	number samples from each sample class represented in the group
<code>metlin</code>	A URL to metlin for that mass
<code>...</code>	one column for every sample class
<code>Sample Names</code>	integrated intensity value for every sample
<code>...</code>	one column for every sample

Methods

```
object = "xcmsSet" diffreport(object, class1 = levels(sampclass(object))[1],
  class2 = levels(sampclass(object))[2], filebase = character(), eicmax
  = 0, eicwidth = 200, sortpval = TRUE, classeic = c(class1,class2),
  value=c("into","maxo","intb"), metlin = FALSE, h=480,w=640, ...)
```

See Also

[xcmsSet-class](#), [mt.teststat](#), [palette](#)

etg

Empirically Transformed Gaussian function

Description

A general function for asymmetric chromatographic peaks.

Usage

```
etg(x, H, t1, tt, k1, kt, lambda1, lambda2, alpha, beta)
```

Arguments

x	times to evaluate function at
H	peak height
t1	time of leading edge inflection point
tt	time of trailing edge inflection point
k1	leading edge parameter
kt	trailing edge parameter
lambda1	leading edge parameter
lambda2	trailing edge parameter
alpha	leading edge parameter
beta	trailing edge parameter

Value

The function evaluated at times x.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

References

Jianwei Li. Development and Evaluation of Flexible Empirical Peak Functions for Processing Chromatographic Peaks. *Anal. Chem.*, 69 (21), 4452-4462, 1997. <http://dx.doi.org/10.1021/ac970481d>

fillPeaks-methods *Integrate areas of missing peaks*

Description

For each sample, identify peak groups where that sample is not represented. For each of those peak groups, integrate the signal in the region of that peak group and create a new peak.

Arguments

object	the <code>xcmsSet</code> object
method	the filling method

Details

After peak grouping, there will always be peak groups that do not include peaks from every sample. This method produces intensity values for those missing samples by integrating raw data in peak group region. According to the type of raw-data there are 2 different methods available. for filling gcms/lcms data the method "chrom" integrates raw-data in the chromatographic domain, whereas "MSW" is used for peaklists without retention-time information like those from direct-infusion spectra.

Value

A `xcmsSet` objects with filled in peak groups.

Methods

```
object = "xcmsSet" fillPeaks(object, method="")
```

See Also

[xcmsSet-class](#), [getPeaks](#)

fillPeaks.MSW-methods
Integrate areas of missing peaks in FTICR-MS data

Description

For each sample, identify peak groups where that sample is not represented. For each of those peak groups, integrate the signal in the region of that peak group and create a new peak.

Arguments

object	the <code>xcmsSet</code> object
--------	---------------------------------

Details

After peak grouping, there will always be peak groups that do not include peaks from every sample. This method produces intensity values for those missing samples by integrating raw data in peak group region. In a given group, the start and ending m/z values for integration are defined by the median start and end points of the other detected peaks.

Value

A `xcmsSet` objects with filled in peak groups.

Methods

```
object = "xcmsSet" fillPeaks.MSW(object)
```

See Also

[xcmsSet-class](#), [getPeaks](#) [fillPeaks](#)

`fillPeaks.chrom-methods`

Integrate areas of missing peaks

Description

For each sample, identify peak groups where that sample is not represented. For each of those peak groups, integrate the signal in the region of that peak group and create a new peak.

Arguments

`object` the `xcmsSet` object

Details

After peak grouping, there will always be peak groups that do not include peaks from every sample. This method produces intensity values for those missing samples by integrating raw data in peak group region. In a given group, the start and ending retention time points for integration are defined by the median start and end points of the other detected peaks. The start and end m/z values are similarly determined. Intensities can be still be zero, which is a rather unusual intensity for a peak. This is the case if e.g. the raw data was thresholded, and the integration area contains no actual raw intensities, or if one sample is miscalibrated, such that the raw data points are (just) outside the integration area.

Importantly, if retention time correction data is available, the alignment information is used to more precisely integrate the proper region of the raw data. If the corrected retention time is beyond the end of the raw data, the value will be not-a-number (NaN).

Value

A `xcmsSet` objects with filled in peak groups (into and maxo).

Methods

```
object = "xcmsSet" fillPeaks.chrom(object)
```

See Also

[xcmsSet-class](#), [getPeaks](#) [fillPeaks](#)

findMZ

Find fragment ions in xcmsFragment objects

Description

This is a method to find a fragment mass with a ppm window in a xcmsFragment object

Usage

```
findMZ(object, find, ppmE=25, print=TRUE)
```

Arguments

object	xcmsFragment object type
find	The fragment ion to be found
ppmE	the ppm error window for searching
print	If we should print a nice little report

Details

The method simply searches for a given fragment ion in an xcmsFragment object type given a certain ppm error window

Value

A data frame with the following columns:

PrecursorMz	The precursor m/z of the fragment
MSnParentPeakID	An index ID of the location of the precursor peak in the xcmsFragment object
msLevel	The level of the found fragment ion
rt	the Retention time of the found ion
mz	the actual m/z of the found fragment ion
intensity	The intensity of the fragment ion
sample	Which sample the fragment ion came from
GroupPeakMSn	an ID if the peaks were grouped by an xcmsSet grouping
CollisionEnergy	The collision energy of the precursor scan

Author(s)

H. Paul Benton, <hpaul.beonton08@imperial.ac.uk>

References

H. Paul Benton, D.M. Wong, S.A. Strauger, G. Siuzdak "XCMS²" Analytical Chemistry 2008

See Also

[findneutral](#),

Examples

```
## Not run:
library(msdata)
mzdatapath <- system.file("iontrap", package = "msdata")
mzdatafiles<-list.files(mzdatapath, pattern = "extracted.mzData", recursive = TRUE, full.
xs <- xcmsSet(mzdatafiles, method = "MS1")
##takes only one file from the file set
xfrag <- xcmsFragments(xs)
found<-findMZ(xfrag, 657.3433, 50)

## End(Not run)
```

findPeaks-methods *Feature detection for GC/MS and LC/MS Data - methods*

Description

A number of peak pickers exist in XCMS. `findPeaks` is the generic method.

Arguments

<code>object</code>	<code>xcmsRaw-class</code> object
<code>method</code>	Method to use for peak detection. See details.
<code>...</code>	Optional arguments to be passed along

Details

Different algorithms can be used by specifying them with the `method` argument. For example to use the matched filter approach described by Smith et al (2006) one would use: `findPeaks(object, method="matchedFilter")`. This is also the default.

Further arguments given by `...` are passed through to the function implementing the `method`.

A character vector of *nicknames* for the algorithms available is returned by `getOption("BioC")$xcms$findPeak`. If the nickname of a method is called "centWave", the help page for that specific method can be accessed with `?findPeaks.centWave`.

Value

A matrix with columns:

<code>mz</code>	weighted (by intensity) mean of peak m/z across scans
<code>mzmin</code>	m/z of minimum step
<code>mzmax</code>	m/z of maximum step
<code>rt</code>	retention time of peak midpoint
<code>rtmin</code>	leading edge of peak retention time

rtmax trailing edge of peak retention time
 into integrated area of original (raw) peak
 maxo maximum intensity of original (raw) peak
 and additional columns depending on the chosen method.

Methods

object = "xcmsRaw" findPeaks(object, ...)

See Also

[findPeaks.matchedFilter](#) [findPeaks.centWave](#) [xcmsRaw-class](#)

findPeaks.MS1-methods

Collecting MS1 precursor peaks

Description

Collecting Tandem MS or MSⁿ Mass Spectrometry precursor peaks as annotated in XML raw file

Arguments

object xcmsRaw object

Details

Some mass spectrometers can acquire MS1 and MS2 (or MSⁿ scans) quasi simultaneously, e.g. in data dependent tandem MS or DDIT mode.

Since xcmsFragments attaches *all* MSⁿ peaks to MS1 peaks in xcmsSet, it is important that findPeaks and xcmsSet do not miss any MS1 precursor peak.

To be sure that all MS1 precursor peaks are in an xcmsSet, findPeaks.MS1 does not do an actual peak picking, but simply uses the annotation stored in mzXML, mzData or mzML raw files.

This relies on the following XML tags:

```
mzData: <spectrum id="463"> <spectrumInstrument msLevel="2"> <cvParam
cvLabel="psi" accession="PSI:1000039" name="TimeInSeconds" value="92.7743"/>
</spectrumInstrument> <precursor msLevel="1" spectrumRef="461"> <cvParam
cvLabel="psi" accession="PSI:1000040" name="MassToChargeRatio" value="462.091"/>
<cvParam cvLabel="psi" accession="PSI:1000042" name="Intensity" value="366.674"/>
</precursor> </spectrum>
```

```
mzXML: <scan num="17" msLevel="2" retentionTime="PT1.5224S"> <precursorMz
precursorIntensity="125245">220.1828003</precursorMz> </scan>
```

Several mzXML and mzData converters are known to create incomplete files, either without intensities (they will be set to 0) or without the precursor retention time (then a reasonably close rt will be chosen. NYI).

Value

A matrix with columns:

mz, mzmin, mzmax	annotated MS1 precursor selection mass
rt, rtmin, rtmax	annotated MS1 precursor retention time
into, maxo, sn	annotated MS1 precursor intensity

Methods

```
object = "xcmsRaw" findPeaks.MS1(object)
```

Author(s)

Steffen Neumann, <sneumann@ipb-halle.de>

See Also

[findPeaks-methods xcmsRaw-class](#)

findPeaks.MSW-methods

Feature detection for single-spectrum non-chromatography MS data

Description

Processing Mass Spectrometry direct-injection spectrum by using wavelet based algorithm.

Arguments

object	xcmsSet object
snthresh	signal to noise ratio cutoff
scales	scales of CWT
nearbyPeak	Determine whether to include the nearby small peaks of major peaks. TRUE by default
sleep	number of seconds to pause between plotting peak finding cycles
verbose.columns	additional peak meta data columns are returned

Details

This is a wrapper around the peak picker in the bioconductor package MassSpecWavelet calling 'cwt', 'get.localMaximum.cwt', 'get.ridge', 'identify.majorPeaks' and tuneIn.peakInfo.

Value

A matrix with columns:

mz	m/z value of the peak at the centroid position
mzmin	m/z value at the start-point of the peak
mzmax	m/z value at the end-point of the peak
rt	always -1
rtmin	always -1
rtmax	always -1
into	integrated area of original (raw) peak
maxo	intensity of original (raw) peak at the centroid position
intf	always NA
maxf	maximum MSW-filter response of the peak
sn	Signal/Noise ratio

Methods

```
object = "xcmsRaw" findPeaks.MSW(object, snthresh=3, scales=seq(1,22,3),
nearbyPeak=TRUE, peakScaleRange=5, amp.Th=0.01, minNoiseLevel=amp.Th/SNR.Th,
ridgeLength=24, tuneIn=FALSE, sleep=0, verbose.columns = FALSE)
```

Author(s)

Steffen Neumann, Joachim kutzera, <sneumann|jkutzer@ipb-halle.de>

See Also

[findPeaks-methods](#) [xcmsRaw-class](#) [peakDetectionCWT](#)

findPeaks.centWave-methods

Feature detection for high resolution LC/MS data

Description

Peak density and wavelet based feature detection for high resolution LC/MS data in centroid mode

Arguments

object	xcmsSet object
ppm	maximal tolerated m/z deviation in consecutive scans, in ppm (parts per million)
peakwidth	Chromatographic peak width, given as range (min,max) in seconds
snthresh	signal to noise ratio cutoff, definition see below.
prefilter	prefilter=c(k, I). Prefilter step for the first phase. Mass traces are only retained if they contain at least k peaks with intensity >= I.

mzCenterFun	Function to calculate the m/z center of the feature: wMean intensity weighted mean of the feature m/z values, mean mean of the feature m/z values, apex use m/z value at peak apex, wMeanApex3 intensity weighted mean of the m/z value at peak apex and the m/z value left and right of it, meanApex3 mean of the m/z value at peak apex and the m/z value left and right of it.
integrate	Integration method. If =1 peak limits are found through descent on the mexican hat filtered data, if =2 the descent is done on the real data. Method 2 is very accurate but prone to noise, while method 1 is more robust to noise but less exact.
mzdiff	minimum difference in m/z for peaks with overlapping retention times, can be negative to allow overlap
fitgauss	logical, if TRUE a Gaussian is fitted to each peak
scanrange	scan range to process
noise	optional argument which is useful for data that was centroided without any intensity threshold, centroids with intensity < noise are omitted from ROI detection
sleep	number of seconds to pause between plotting peak finding cycles
verbose.columns	logical, if TRUE additional peak meta data columns are returned

Details

This algorithm is most suitable for high resolution LC/{TOF,OrbiTrap,FTICR}-MS data in centroid mode. In the first phase of the method mass traces (characterised as regions with less than ppm m/z deviation in consecutive scans) in the LC/MS map are located. In the second phase these mass traces are further analysed. Continuous wavelet transform (CWT) is used to locate chromatographic peaks on different scales.

Value

A matrix with columns:

mz	weighted (by intensity) mean of peak m/z across scans
mzmin	m/z peak minimum
mzmax	m/z peak maximum
rt	retention time of peak midpoint
rtmin	leading edge of peak retention time
rtmax	trailing edge of peak retention time
into	integrated peak intensity
intb	baseline corrected integrated peak intensity
maxo	maximum peak intensity
sn	Signal/Noise ratio, defined as $(\text{maxo} - \text{baseline}) / \text{sd}$, where maxo is the maximum peak intensity, baseline the estimated baseline value and sd the standard deviation of local chromatographic noise.
egauss	RMSE of Gaussian fit
	if verbose.columns is TRUE additionally :
mu	Gaussian parameter mu

sigma	Gaussian parameter sigma
h	Gaussian parameter h
f	Region number of m/z ROI where the peak was localised
dppm	m/z deviation of mass trace across scans in ppm
scale	Scale on which the peak was localised
scpos	Peak position found by wavelet analysis
scmin	Left peak limit found by wavelet analysis (scan number)
scmax	Right peak limit found by wavelet analysis (scan number)

Methods

```
object = "xcmsRaw" findPeaks.centWave(object, ppm=25, peakwidth=c(20,50),
  snthresh=10, prefilter=c(3,100), mzCenterFun="wMean", integrate=1,
  mzdiff=-0.001, fitgauss=FALSE, scanrange= numeric(), noise=0, sleep=0,
  verbose.columns=FALSE)
```

Author(s)

Ralf Tautenhahn

References

Ralf Tautenhahn, Christoph Böttcher, and Steffen Neumann "Highly sensitive feature detection for high resolution LC/MS" BMC Bioinformatics 2008, 9:504

See Also

[findPeaks-methods](#) [xcmsRaw-class](#)

findPeaks.matchedFilter-methods

Feature detection in the chromatographic time domain

Description

Find peaks in extracted the chromatographic time domain of the profile matrix.

Arguments

object	xcmsRaw object
fwhm	full width at half maximum of matched filtration gaussian model peak. Only used to calculate the actual sigma, see below.
sigma	standard deviation (width) of matched filtration model peak
max	maximum number of peaks per extracted ion chromatogram
snthresh	signal to noise ratio cutoff
step	step size to use for profile generation
steps	number of steps to merge prior to filtration
mzdiff	minimum difference in m/z for peaks with overlapping retention times
index	return indicies instead of values for m/z and retention times
sleep	number of seconds to pause between plotting peak finding cycles

Value

A matrix with columns:

mz	weighted (by intensity) mean of peak m/z across scans
mzmin	m/z of minimum step
mzmax	m/z of maximum step
rt	retention time of peak midpoint
rtmin	leading edge of peak retention time
rtmax	trailing edge of peak retention time
into	integrated area of original (raw) peak
intf	integrated area of filtered peak
maxo	maximum intensity of original (raw) peak
maxf	maximum intensity of filtered peak
i	rank of peak identified in merged EIC (<= max)
sn	signal to noise ratio of the peak

Methods

```
object = "xcmsRaw" findPeaks.matchedFilter(object, fwhm = 30, sigma =  
  fwhm/2.3548, max = 5, snthresh = 10, step = 0.1, steps = 2, mzdiff  
  = 0.8 - step*steps, index = FALSE, sleep = 0)
```

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[findPeaks-methods](#) [xcmsRaw-class](#)

findneutral

Find neutral losses in xcmsFragment objects

Description

This is a method to find a neutral loss with a ppm window in a xcmsFragment object

Usage

```
findneutral(object, find, ppmE=25, print=TRUE)
```

Arguments

object	xcmsFragment object type
find	The neutral loss to be found
ppmE	the ppm error window for searching
print	If we should print a nice little report

Details

The method searches for a given neutral loss in an `xcmsFragment` object type given a certain ppm error window. The neutral losses are generated between neighbouring ions. The resulting data frame shows the whole scan in which the neutral loss was found.

Value

A data frame with the following columns:

PrecursorMz	The precursor m/z of the neutral losses
MSnParentPeakID	An index ID of the location of the precursor peak in the <code>xcmsFragment</code> object
msLevel	The level of the found fragment ion
rt	the Retention time of the found ion
mz	the actual m/z of the found fragment ion
intensity	The intensity of the fragment ion
sample	Which sample the fragment ion came from
GroupPeakMSn	an ID if the peaks were grouped by an <code>xcmsSet</code> grouping
CollisionEnergy	The collision energy of the precursor scan

Author(s)

H. Paul Benton, <hpbenton@scripps.edu>

References

H. Paul Benton, D.M. Wong, S.A. Strauger, G. Siuzdak "XCMS²" Analytical Chemistry 2008

See Also

[findMZ](#),

Examples

```
## Not run:
library(msdata)
mzdatapath <- system.file("iontrap", package = "msdata")
mzdatafiles<-list.files(mzdatapath, pattern = "extracted.mzData", recursive = TRUE, full.
xs <- xcmsSet(mzdatafiles, method = "MS1")
##takes only one file from the file set
xfrag <- xcmsFragments(xs)
found<-findneutral(xfrag, 58.1455, 50)

## End(Not run)
```

getEIC-methods *Get extracted ion chromatograms for specified m/z ranges*

Description

Generate multiple extracted ion chromatograms for m/z values of interest. For `xcmsSet` objects, reread original raw data and apply precomputed retention time correction, if applicable.

Arguments

<code>object</code>	the <code>xcmsRaw</code> or <code>xcmsSet</code> object
<code>mzrange</code>	either a two column matrix with minimum or maximum m/z or a matrix of any dimensions containing columns <code>mzmin</code> and <code>mzmax</code> for <code>xcmsSet</code> objects, if left blank the group data will be used instead
<code>rtrange</code>	a two column matrix the same size as <code>mzrange</code> with minimum and maximum retention times between which to return EIC data points for <code>xcmsSet</code> objects, it may also be a single number specifying the time window around the peak to return EIC data points
<code>step</code>	step size to use for profile generation
<code>groupidx</code>	either character vector with names or integer vector with indices of peak groups for which to get EICs
<code>sampleidx</code>	either character vector with names or integer vector with indices of samples for which to get EICs
<code>rt</code>	"corrected" for using corrected retention times, or "raw" for using raw retention times

Value

For `xcmsRaw` objects, if `rtrange` is `NULL`, an intensity matrix with a row for each `mzmin`, `mzmax` pair. Columns correspond to individual scans. If `rtrange` is not `NULL`, a list of two column (retention time/intensity) matrices, one for each `mzmin`, `mzmax` pair.

For `xcmsSet` objects, an `xcmsEIC` object.

Methods

object = "xcmsRaw" `getEIC(object, mzrange, rtrange = NULL, step = 0.1)`

object = "xcmsSet" `getEIC(object, mzrange, rtrange = 200, groupidx, sampleidx = samplenames(object), rt = c("corrected", "raw"))`

See Also

[xcmsRaw-class](#), [xcmsSet-class](#), [xcmsEIC-class](#)

getPeaks-methods *Get peak intensities for specified regions*

Description

Integrate extracted ion chromatograms in pre-defined defined regions. Return output similar to [findPeaks](#).

Arguments

object	the <code>xcmsSet</code> object
peakrange	matrix or data frame with 4 columns: <code>mzmin</code> , <code>mzmax</code> , <code>rtmin</code> , <code>rtmax</code> (they must be in that order or named)
step	step size to use for profile generation

Value

A matrix with columns:

<code>i</code>	rank of peak identified in merged EIC (\leq <code>max</code>), always NA
<code>mz</code>	weighted (by intensity) mean of peak m/z across scans
<code>mzmin</code>	m/z of minimum step
<code>mzmax</code>	m/z of maximum step
<code>ret</code>	retention time of peak midpoint
<code>retmin</code>	leading edge of peak retention time
<code>retmax</code>	trailing edge of peak retention time
<code>into</code>	integrated area of original (raw) peak
<code>intf</code>	integrated area of filtered peak, always NA
<code>maxo</code>	maximum intensity of original (raw) peak
<code>maxf</code>	maximum intensity of filtered peak, always NA

Methods

object = "xcmsRaw" `getPeaks(object, peakrange, step = 0.1)`

See Also

[xcmsRaw-class](#)

getScan-methods *Get m/z and intensity values for a single mass scan*

Description

Return the data from a single mass scan using the numeric index of the scan as a reference.

Arguments

object	the <code>xcmsRaw</code> object
scan	integer index of scan. if negative, the index numbered from the end
mzrange	limit data points returned to those between in the range, <code>range(mzrange)</code>

Value

A matrix with two columns:

mz	m/z values
intensity	intensity values

Methods

object = "xcmsRaw" `getScan(object, scan, mzrange = numeric())`

See Also

[xcmsRaw-class](#), [getSpec](#)

getSpec-methods *Get average m/z and intensity values for multiple mass scans*

Description

Return full-resolution averaged data from multiple mass scans.

Arguments

object	the <code>xcmsRaw</code> object
...	arguments passed to profRange used to sepecificy the spectral segments of interest for averaging

Details

Based on the mass points from the spectra selected, a master unique list of masses is generated. Every spectra is interpolated at those masses and then averaged.

Value

A matrix with two columns:

mz	m/z values
intensity	intensity values

Methods

object = "xcmsRaw" `getSpec(object, ...)`

See Also

[xcmsRaw-class](#), [profRange](#), [getScan](#)

group-methods

Group peaks from different samples together

Description

A number of grouping (or alignment) methods exist in XCMS. `group` is the generic method.

Arguments

object	xcmsSet-class object
method	Method to use for grouping. See details.
...	Optional arguments to be passed along

Details

Different algorithms can be used by specifying them with the `method` argument. For example to use the density-based approach described by Smith et al (2006) one would use: `group(object, method="density")`. This is also the default.

Further arguments given by `...` are passed through to the function implementing the method.

A character vector of *nicknames* for the algorithms available is returned by `getOption("BioC")$xcms$group.me`. If the nickname of a method is called "mzClust", the help page for that specific method can be accessed with `?group.mzClust`.

Value

An `xcmsSet` object with peak group assignments and statistics.

Methods

object = "xcmsSet" `group(object, ...)`

See Also

[group.density](#) [group.mzClust](#) [xcmsSet-class](#),

group.density *Group peaks from different samples together*

Description

Group peaks together across samples using overlapping m/z bins and calculation of smoothed peak distributions in chromatographic time.

Arguments

object	the <code>xcmsSet</code> object
minfrac	minimum fraction of samples necessary in at least one of the sample groups for it to be a valid group
minsamp	minimum number of samples necessary in at least one of the sample groups for it to be a valid group
bw	bandwidth (standard deviation or half width at half maximum) of gaussian smoothing kernel to apply to the peak density chromatogram
mzwid	width of overlapping m/z slices to use for creating peak density chromatograms and grouping peaks across samples
max	maximum number of groups to identify in a single m/z slice
sleep	seconds to pause between plotting successive steps of the peak grouping algorithm. peaks are plotted as points showing relative intensity. identified groups are flanked by dotted vertical lines.

Value

An `xcmsSet` object with peak group assignments and statistics.

Methods

```
object = "xcmsSet" group(object, bw = 30, minfrac = 0.5, minsamp = 1, mzwid = 0.25, max = 50, sleep = 0)
```

See Also

[xcmsSet-class](#), [density](#)

group.mzClust *Group Peaks via High Resolution Alignment*

Description

Runs high resolution alignment on single spectra samples stored in a given `xcmsSet`.

Arguments

object	a xcmsSet with peaks
mzppm	the relative error used for clustering/grouping in ppm (parts per million)
mzabs	the absolute error used for clustering/grouping
minsamp	set the minimum number of samples in one bin
minfrac	set the minimum fraction of each class in one bin

Value

Returns a xcmsSet with slots groups and groupindex set.

Methods

```
object = "xcmsSet" group(object, method="mzClust", mzppm = 20, mzabs =
0, minsamp = 1, minfrac=0)
```

References

Saira A. Kazmi, Samiran Ghosh, Dong-Guk Shin, Dennis W. Hill and David F. Grant
Alignment of high resolution mass spectra: development of a heuristic approach for metabolomics.
 Metabolomics, Vol. 2, No. 2, 75-83 (2006)

See Also

[xcmsSet-class](#),

Examples

```
## Not run:
library(msdata)
mzdatapath <- system.file("fticr", package = "msdata")
mzdatafiles <- list.files(mzdatapath, recursive = TRUE, full.names = TRUE)

xs <- xcmsSet(method="MSW", files=mzdatafiles, scales=c(1,7), SNR.method='data.mean' , width=1000,
              peakThr=80000, amp.Th=0.005)

xsg <- group(xs, method="mzClust")

## End(Not run)
```

group.nearest

Group peaks from different samples together

Description

Group peaks together across samples by creating a master peak list and assigning corresponding peaks from all samples. It is inspired by the alignment algorithm of mzMine. For further details check <http://mzmine.sourceforge.net/> and

Katajamaa M, Miettinen J, Oresic M: MZmine: Toolbox for processing and visualization of mass spectrometry based molecular profile data. *Bioinformatics* (Oxford, England) 2006, 22:634-636.

Currently, there is no equivalent to minfrac or minsamp.

Arguments

object	the <code>xcmsSet</code> object
mzVsRTbalance	Multiplicator for m/z value before calculating the (euclidean) distance between two peaks.
mzCheck	Maximum tolerated distance for m/z.
rtCheck	Maximum tolerated distance for RT.
kNN	Number of nearest Neighbours to check

Value

An `xcmsSet` object with peak group assignments and statistics.

Methods

```
object = "xcmsSet" group(object, mzVsRTbalance=10, mzCheck=0.2, rtCheck=15,
kNN=10)
```

See Also

[xcmsSet-class](#), [group.density](#) and [group.mzClust](#)

groupnames-methods *Generate unique names for peak groups*

Description

Allow linking of peak group data between classes using unique group names that remain the same as long as no re-grouping occurs.

Arguments

object	the <code>xcmsSet</code> or <code>xcmsEIC</code> object
mzdec	number of decimal places to use for m/z
rtdec	number of decimal places to use for retention time
template	a character vector with existing group names whose format should be emulated

Value

A character vector with unique names for each peak group in the object. The format is `M[m/z]T[time in seconds]`.

Methods

```
object = "xcmsSet" (object, mzdec = 0, rtdec = 0, template = NULL)
object = "xcmsEIC" (object)
```

See Also

[xcmsSet-class](#), [xcmsEIC-class](#)

groupval-methods *Extract a matrix of peak values for each group*

Description

Generate a matrix of peak values with rows for every group and columns for every sample. The value included in the matrix can be any of the columns from the `xcmsSet` `peaks` slot matrix. Collisions where more than one peak from a single sample are in the same group get resolved with one of several user-selectable methods.

Arguments

<code>object</code>	the <code>xcmsSet</code> object
<code>method</code>	conflict resolution method, "medret" to use the peak closest to the median retention time or "maxint" to use the peak with the highest intensity
<code>value</code>	name of peak column to enter into returned matrix, or "index" for index to the corresponding row in the <code>peaks</code> slot matrix
<code>intensity</code>	if <code>method == "maxint"</code> , name of peak column to use for intensity

Value

A matrix with with rows for every group and columns for every sample. Missing peaks have NA values.

Methods

```
object = "xcmsSet" groupval(object, method = c("medret", "maxint"), value
= "index", intensity = "into")
```

See Also

[xcmsSet-class](#)

image-methods *Plot log intensity image of a xcmsRaw object*

Description

Create log intensity false-color image of a `xcmsRaw` object plotted with `m/z` and retention time axes

Arguments

<code>x</code>	<code>xcmsRaw</code> object
<code>col</code>	vector of colors to use for for the image
<code>...</code>	arguments for <code>profRange</code>

Methods

```
x = "xcmsRaw" image(x, col = rainbow(256), ...)
```

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[xcmsRaw-class](#)

medianFilter *Apply a median filter to a matrix*

Description

For each element in a matrix, replace it with the median of the values around it.

Usage

```
medianFilter(x, mrad, nrad)
```

Arguments

x	numeric matrix to median filter
mrad	number of rows on either side of the value to use for median calculation
nrad	number of rows on either side of the value to use for median calculation

Value

A matrix whose values have been median filtered

Author(s)

Colin A. Smith, <csmith@scripps.edu>

Examples

```
mat <- matrix(1:25, nrow=5)
mat
medianFilter(mat, 1, 1)
```

peakPlots-methods *Plot a grid of a large number of peaks*

Description

Plot extracted ion chromatograms for many peaks simultaneously, indicating peak integration start and end points with vertical grey lines.

Arguments

object	the <code>xcmsRaw</code> object
peaks	matrix with peak information as produced by <code>findPeaks</code>
figs	two-element vector describing the number of rows and the number of columns of peaks to plot, if missing then an approximately square grid that will fit the number of peaks supplied
width	width of chromatogram retention time to plot for each peak

Details

This function is intended to help graphically analyze the results of peak picking. It can help estimate the number of false positives and improper integration start and end points. Its output is very compact and tries to waste as little space as possible. Each plot is labeled with rounded m/z and retention time separated by a space.

Methods

```
signature(object = "xcmsSet") plotPeaks(object, peaks, figs, width = 200)
```

See Also

`xcmsRaw-class`, `findPeaks`, `split.screen`

peakTable-methods *Create report of aligned peak intensities*

Description

Create a report showing all aligned peaks.

Arguments

object	the <code>xcmsSet</code> object
filebase	base file name to save report, <code>.tsv</code> file and <code>_eic</code> will be appended to this name for the tabular report and EIC directory, respectively. if blank nothing will be saved
...	arguments passed down to <code>groupval</code> , which provides the actual intensities.

Details

This method handles creation of summary reports similar to `diffreport`. It returns a summary report that can optionally be written out to a tab-separated file.

If a base file name is provided, the report (see Value section) will be saved to a tab separated file.

Value

A data frame with the following columns:

<code>mz</code>	median m/z of peaks in the group
<code>mzmin</code>	minimum m/z of peaks in the group
<code>mzmax</code>	maximum m/z of peaks in the group
<code>rt</code>	median retention time of peaks in the group
<code>rtmin</code>	minimum retention time of peaks in the group
<code>rtmax</code>	maximum retention time of peaks in the group
<code>npeaks</code>	number of peaks assigned to the group
Sample Classes	number samples from each sample class represented in the group
...	one column for every sample class
Sample Names	integrated intensity value for every sample
...	one column for every sample

Methods

```
object = "xcmsSet" peakTable(object, filebase = character(), ...)
```

See Also

[xcmsSet-class](#),

Examples

```
## Not run:
library(faahKO)
cdfpath <- system.file("cdf", package = "faahKO")
cdffiles <- list.files(cdfpath, recursive = TRUE, full.names = TRUE)
xs<-xcmsSet(cdf files)
xs<-group(xs)
peakTable(xs, filebase="peakList")

## End(Not run)
```

plot.xcmsEIC *Plot extracted ion chromatograms from multiple files*

Description

Batch plot a list of extracted ion chromatograms to the current graphics device.

Arguments

x	the xcmsEIC object
y	optional xcmsSet object with peak integration data
groupidx	either character vector with names or integer vector with indices of peak groups for which to plot EICs
sampleidx	either character vector with names or integer vector with indices of samples for which to plot EICs
rtrange	a two column matrix with minimum and maximum retention times between which to return EIC data points if it has the same number of rows as the number groups in the xcmsEIC object, then sampleidx is used to subset it. otherwise, it is repeated over the length of sampleidx it may also be a single number specifying the time window around the peak for which to plot EIC data
col	color to use for plotting extracted ion chromatograms. if missing and y is specified, colors are taken from unclass(sampclass(y)) and the default palette if it is the same length as the number groups in the xcmsEIC object, then sampleidx is used to subset it. otherwise, it is repeated over the length of sampleidx
legtext	text to use for legend. if NULL and y is specified, legend text is taken from the sample class information found in the xcmsSet
peakint	logical, plot integrated peak area with darkened lines (requires that y also be specified)
sleep	seconds to pause between plotting EICs
...	other graphical parameters

Value

A xcmsSet object.

Methods

```
x = "xcmsEIC" plot.xcmsEIC(x, y, groupidx = groupnames(x), sampleidx
= sampnames(x), rtrange = x@rtrange, col = rep(1, length(sampleidx)),
legtext = NULL, peakint = TRUE, sleep = 0, ...)
```

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[xcmsEIC-class](#), [png](#), [pdf](#), [postscript](#),

plotChrom-methods *Plot extracted ion chromatograms from the profile matrix*

Description

Uses the pre-generated profile mode matrix to plot averaged or base peak extracted ion chromatograms over a specified mass range.

Arguments

object	the <code>xcmsRaw</code> object
base	logical, plot a base-peak chromatogram
ident	logical, use mouse to identify and label peaks
fitgauss	logical, fit a gaussian to the largest peak
vline	numeric vector with locations of vertical lines
...	arguments passed to profRange

Value

If `ident == TRUE`, an integer vector with the indices of the points that were identified. If `fitgauss == TRUE`, a `nls` model with the fitted gaussian. Otherwise a two-column matrix with the plotted points.

Methods

```
object = "xcmsRaw" plotChrom(object, base = FALSE, ident = FALSE, fitgauss
= FALSE, vline = numeric(0), ...)
```

See Also

[xcmsRaw-class](#)

plotEIC-methods *Plot extracted ion chromatograms for specified m/z range*

Description

Plot extracted ion chromatogram for m/z values of interest. The raw data is used in contrast to [plotChrom](#) which uses data from the profile matrix.

Arguments

object	<code>xcmsRaw</code> object
mzrange	m/z range for EIC
rtrange	retention time range for EIC
scanrange	scan range for EIC

Value

A two-column matrix with the plotted points.

Methods

```
object = "xcmsRaw" plotEIC(object, mzrange = numeric(), rtrange = numeric(),  
scanrange = numeric())
```

Author(s)

Ralf Tautenhahn

See Also

[rawEIC](#), [xcmsRaw-class](#)

plotPeaks-methods *Plot a grid of a large number of peaks*

Description

Plot extracted ion chromatograms for many peaks simultaneously, indicating peak integration start and end points with vertical grey lines.

Arguments

object	the xcmsRaw object
peaks	matrix with peak information as produced by findPeaks
figs	two-element vector describing the number of rows and the number of columns of peaks to plot, if missing then an approximately square grid that will fit the number of peaks supplied
width	width of chromatogram retention time to plot for each peak

Details

This function is intended to help graphically analyze the results of peak picking. It can help estimate the number of false positives and improper integration start and end points. Its output is very compact and tries to waste as little space as possible. Each plot is labeled with rounded m/z and retention time separated by a space.

Methods

```
object = "xcmsRaw" plotPeaks(object, peaks, figs, width = 200)
```

See Also

[xcmsRaw-class](#), [findPeaks](#), [split.screen](#)

plotRaw-methods *Scatterplot of raw data points*

Description

Produce a scatterplot showing raw data point location in retention time and m/z. This plot is more useful for centroided data than continuum data.

Arguments

object	the <code>xcmsRaw</code> object
mzrange	numeric vector of length ≥ 2 whose range will be used to select the masses to plot
rtrange	numeric vector of length ≥ 2 whose range will be used to select the retention times to plot
scanrange	numeric vector of length ≥ 2 whose range will be used to select scans to plot
log	logical, log transform intensity
title	main title of the plot

Value

A matrix with the points plotted.

Methods

```
object = "xcmsRaw" plotRaw(object, mzrange = numeric(), rtrange = numeric(),
  scanrange = numeric(), log=FALSE, title='Raw Data')
```

See Also

[xcmsRaw-class](#)

plotScan-methods *Plot a single mass scan*

Description

Plot a single mass scan using the impulse representation. Most useful for centroided data.

Arguments

object	the <code>xcmsRaw</code> object
scan	integer with number of scan to plot
mzrange	numeric vector of length ≥ 2 whose range will be used to select masses to plot
ident	logical, use mouse to interactively identify and label individual masses

Methods

```
object = "xcmsRaw" plotScan(object, scan, mzrange = numeric(), ident = FALSE)
```

See Also

[xcmsRaw-class](#)

plotSpec-methods *Plot mass spectra from the profile matrix*

Description

Uses the pre-generated profile mode matrix to plot mass spectra over a specified retention time range.

Arguments

object	the <code>xcmsRaw</code> object
ident	logical, use mouse to identify and label peaks
vline	numeric vector with locations of vertical lines
...	arguments passed to profRange

Value

If `ident == TRUE`, an integer vector with the indices of the points that were identified. Otherwise a two-column matrix with the plotted points.

Methods

```
object = "xcmsRaw" plotSpec(object, ident = FALSE, vline = numeric(0), ...)
```

See Also

[xcmsRaw-class](#)

plotSurf-methods *Plot profile matrix 3D surface using OpenGL*

Description

This method uses the `rgl` package to create interactive three dimensional representations of the profile matrix. It uses the terrain color scheme.

Arguments

<code>object</code>	the <code>xcmsRaw</code> object
<code>log</code>	logical, log transform intensity
<code>aspect</code>	numeric vector with aspect ratio of the m/z, retention time and intensity components of the plot
<code>...</code>	arguments passed to profRange

Details

The `rgl` package is still in development and imposes some limitations on the output format. A bug in the axis label code means that the axis labels only go from 0 to the aspect ratio constant of that axis. Additionally the axes are not labeled with what they are.

It is important to only plot a small portion of the profile matrix. Large portions can quickly overwhelm your CPU and memory.

Methods

```
object = "xcmsRaw" plotSurf(object, log = FALSE, aspect = c(1, 1, .5),  
...)
```

See Also

[xcmsRaw-class](#)

plotTIC-methods *Plot total ion count*

Description

Plot chromatogram of total ion count. Optionally allow identification of target peaks and viewing/identification of individual spectra.

Arguments

<code>object</code>	the <code>xcmsRaw</code> object
<code>ident</code>	logical, use mouse to identify and label chromatographic peaks
<code>msident</code>	logical, use mouse to identify and label spectral peaks

Value

If `ident == TRUE`, an integer vector with the indices of the points that were identified. Otherwise a two-column matrix with the plotted points.

Methods

```
object = "xcmsRaw" plotTIC(object, ident = FALSE, msident = FALSE)
```

See Also

[xcmsRaw-class](#)

plotrt-methods *Plot retention time deviation profiles*

Description

Use corrected retention times for each sample to calculate retention time deviation profiles and plot each on the same graph.

Arguments

<code>object</code>	the <code>xcmsSet</code> object
<code>col</code>	vector of colors for plotting each sample
<code>ty</code>	vector of line and point types for plotting each sample
<code>leg</code>	logical plot legend with sample labels
<code>densplit</code>	logical, also plot peak overall peak density

Methods

```
object = "xcmsSet" plotrt(object, col = NULL, ty = NULL, leg = TRUE, densplit  
= FALSE)
```

See Also

[xcmsSet-class](#), [retcor](#)

profMedFilt-methods

Median filtering of the profile matrix

Description

Apply a median filter of given size to a profile matrix.

Arguments

object	the <code>xcmsRaw</code> object
massrad	number of m/z grid points on either side to use for median calculation
scanrad	number of scan grid points on either side to use for median calculation

Methods

object = "xcmsRaw" `profMedFilt(object, massrad = 0, scanrad = 0)`

See Also

[xcmsRaw-class](#), [medianFilter](#)

profMethod-methods *Get and set method for generating profile data*

Description

These methods get and set the method for generating profile (matrix) data from raw mass spectral data. It can currently be `bin`, `binlin`, `binlinbase`, or `intlin`.

Methods

object = "xcmsRaw" `profMethod(object)`

See Also

[xcmsRaw-class](#), [profMethod](#), [profBin](#), [plotSpec](#), [plotChrom](#), [findPeaks](#)

profRange-methods *Specify a subset of profile mode data*

Description

Specify a subset of the profile mode matrix given a mass, time, or scan range. Allow flexible user entry for other functions.

Arguments

object	the <code>xcmsRaw</code> object
mzrange	single numeric mass or vector of masses
rtrange	single numeric time (in seconds) or vector of times
scanrange	single integer scan index or vector of indecies
...	arguments to other functions

Details

This function handles selection of mass/time subsets of the profile matrix for other functions. It allows the user to specify such subsets in a variety of flexible ways with minimal typing.

Because R does partial argument matching, `mzrange`, `scanrange`, and `rtrange` can be specified in short form using `m=`, `s=`, and `t=`, respectively. If both a `scanrange` and `rtrange` are specified, then the `rtrange` specification takes precedence.

When specifying ranges, you may either enter a single number or a numeric vector. If a single number is entered, then the closest single scan or mass value is selected. If a vector is entered, then the range is set to the `range()` of the values entered. That allows specification of ranges using shortened, slightly non-standard syntax. For example, one could specify 400 to 500 seconds using any of the following: `t=c(400, 500)`, `t=c(500, 400)`, or `t=400:500`. Use of the sequence operator (`:`) can save several keystrokes when specifying ranges. However, while the sequence operator works well for specifying integer ranges, fractional ranges do not always work as well.

Value

A list with the folloing items:

mzrange	numeric vector with start and end mass
masslab	textual label of mass range
massidx	integer vector of mass indecies
scanrange	integer vector with start and end scans
scanlab	textual label of scan range
scanidx	integer vector of scan range
rtrange	numeric vector of start and end times
timelab	textual label of time range

Methods

object = "xcmsRaw" `profRange(object, mzrange = numeric(), rtrange = numeric(), scanrange = numeric(), ...)`

See Also[xcmsRaw-class](#)

profStep-methods *Get and set m/z step for generating profile data*

Description

These methods get and set the m/z step for generating profile (matrix) data from raw mass spectral data. Smaller steps yield more precision at the cost of greater memory usage.

Methods

object = "xcmsRaw" profStep(object)

See Also[xcmsRaw-class](#), [profMethod](#)**Examples**

```
## Not run:
library(faahKO)
cdfpath <- system.file("cdf", package = "faahKO")
cdffiles <- list.files(cdfpath, recursive = TRUE, full.names = TRUE)
xset <- xcmsRaw(cdffiles[1])

xset
plotSurf(xset, mass=c(200,500))

profStep(xset)<-0.1 ## decrease the bin size to get better resolution
plotSurf(xset, mass=c(200, 500))
##works nicer on high resolution data.

## End(Not run)
```

rawEIC-methods *Get extracted ion chromatograms for specified m/z range*

Description

Generate extracted ion chromatogram for m/z values of interest. The raw data is used in contrast to [getEIC](#) which uses data from the profile matrix.

Arguments

object	xcmsRaw object
mzrange	m/z range for EIC
rtrange	retention time range for EIC
scanrange	scan range for EIC

Value

A list of :

scan	scan number
intensity	added intensity values

Methods

```
object = "xcmsRaw" rawEIC(object, mzrange = numeric(), rtrange = numeric(),  
scanrange = numeric())
```

Author(s)

Ralf Tautenhahn

See Also

[xcmsRaw-class](#)

rawMat-methods	<i>Get a raw data matrix</i>
----------------	------------------------------

Description

Returns a matrix with columns for time, m/z, and intensity that represents the raw data from a chromatography mass spectrometry experiment.

Arguments

object	The container of the raw data
mzrange	Subset by m/z range
rtrange	Subset by retention time range
scanrange	Subset by scan index range
log	Whether to log transform the intensities

Value

A numeric matrix with three columns: time, mz and intensity.

Methods

```
object = "xcmsRaw" rawMat(object, mzrange = numeric(), rtrange = numeric(),  
scanrange = numeric(), log=FALSE)
```

Author(s)

Michael Lawrence

See Also

[plotRaw](#) for plotting the raw intensities

retcor-methods *Correct retention time from different samples*

Description

To correct differences between retention times between different samples, a number of methods exist in XCMS. `retcor` is the generic method.

Arguments

<code>object</code>	<code>xcmsSet-class</code> object
<code>method</code>	Method to use for retention time correction. See details.
<code>...</code>	Optional arguments to be passed along

Details

Different algorithms can be used by specifying them with the `method` argument. For example to use the approach described by Smith et al (2006) one would use: `retcor(object, method="loess")`. This is also the default.

Further arguments given by `...` are passed through to the function implementing the method.

A character vector of *nicknames* for the algorithms available is returned by `getOption("BioC")$xcms$retcor.methods`. If the nickname of a method is called "loess", the help page for that specific method can be accessed with `?retcor.loess`.

Value

An `xcmsSet` object with corrected retention times.

Methods

`object = "xcmsSet" retcor(object, ...)`

See Also

`retcor.loess` `retcor.obiwarp` `xcmsSet-class`,

`retcor.obiwarp` *Align retention times across samples with Obiwarp*

Description

Calculate retention time deviations for each sample. It is based on the code at <http://obi-warp.sourceforge.net/>. However, this function is able to align multiple samples, by a center-star strategy.

For the original publication see

Chromatographic Alignment of ESI-LC-MS Proteomics Data Sets by Ordered Bijective Interpolated Warping John T. Prince and, Edward M. Marcotte Analytical Chemistry 2006 78 (17), 6140-6152

Arguments

object	the <code>xcmsSet</code> object
plottype	if deviation plot retention time deviation
profStep	step size (in m/z) to use for profile generation from the raw data files
center	the index of the sample all others will be aligned to. If center==NULL, the sample with the most peaks is chosen as default.
col	vector of colors for plotting each sample
ty	vector of line and point types for plotting each sample
response	Responsiveness of warping. 0 will give a linear warp based on start and end points. 100 will use all bijective anchors
distFunc	DistFunc function: cor (Pearson's R) or cor_opt (default, calculate only 10% diagonal band of distance matrix, better runtime), cov (covariance), prd (product), euc (Euclidean distance)
gapInit	Penalty for Gap opening, see below
gapExtend	Penalty for Gap enlargement, see below
factorDiag	Local weighting applied to diagonal moves in alignment.
factorGap	Local weighting applied to gap moves in alignment.
localAlignment	Local rather than global alignment
initPenalty	Penalty for initiating alignment (for local alignment only) Default: 0 Default gap penalties: (gapInit, gapExtend) [by distFunc type]: 'cor' = '0.3,2.4' 'cov' = '0,11.7' 'prd' = '0,7.8' 'euc' = '0.9,1.8'

Value

An `xcmsSet` object

Methods

object = "xcmsSet" `retcor(object, method="obiwarp", plottype = c("none", "deviation"), profStep=1, center=NULL, col = NULL, ty = NULL, response=1, distFunc="cor_opt", gapInit=NULL, gapExtend=NULL, factorDiag=2, factorGap=1, localAlignment=0, initPenalty=0)`

See Also

[xcmsSet-class](#),

`retcor.peakgroups-methods`

Align retention times across samples

Description

These two methods use “well behaved” peak groups to calculate retention time deviations for every time point of each sample. Use smoothed deviations to align retention times.

Arguments

object	the <code>xcmsSet</code> object
missing	number of missing samples to allow in retention time correction groups
extra	number of extra peaks to allow in retention time correction correction groups
smooth	either "loess" for non-linear alignment or "linear" for linear alignment
span	degree of smoothing for local polynomial regression fitting
family	if <code>gaussian</code> fitting is by least-squares with no outlier removal, and if <code>symmetric</code> a re-descending M estimator is used with Tukey's biweight function, allowing outlier removal
plottype	if <code>deviation</code> plot retention time deviation points and regression fit, and if <code>mdevden</code> also plot peak overall peak density and retention time correction peak density
col	vector of colors for plotting each sample
ty	vector of line and point types for plotting each sample

Value

An `xcmsSet` object

Methods

object = "xcmsSet" `retcor(object, missing = 1, extra = 1, smooth = c("loess", "linear"), span = .2, family = c("gaussian", "symmetric"), plottype = c("none", "deviation", "mdevden"), col = NULL, ty = NULL)`

See Also

[xcmsSet-class](#), [loess](#) [retcor](#).[obiwarp](#)

retexp

Set retention time window to a specified width

Description

Expands (or contracts) the retention time window in each row of a matrix as defined by the `retmin` and `retmax` columns.

Usage

```
retexp(peakrange, width = 200)
```

Arguments

peakrange	matrix with columns <code>retmin</code> and <code>retmax</code>
width	new width for the window

Value

The altered matrix.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[getEIC](#)

samprnames-methods *Get sample names*

Description

Return sample names for an object

Value

A character vector with sample names.

Methods

object = "xcmsEIC" samprnames(object)

object = "xcmsSet" samprnames(object)

See Also

[xcmsSet-class](#), [xcmsEIC-class](#)

score_fun *Scoring for MS/MS spectra*

Description

A similarity scoring function for MS/MS spectra against a reference.

Usage

```
score_fun(ref, exp, method="distMatrix", ...)
```

Arguments

ref	An array of numbers for the reference
exp	An array of numbers for the test
method	A string of either 'distMatrix' or 'cor'
...	Any other arguments to be passed to other functions

Details

This is a starting method to score MS/MS data. Which reports the parameters to the various one of the scoring functions.

Value

score Percentage score between the two arrays

Author(s)

H. Paul Benton, <hpbenton@scripps.edu>

References

H. Paul Benton, D.M. Wong, S.A.Strauger, G. Siuzdak "XCMS²:" Analytical Chemistry 2008
DOI:<http://pubs.acs.org/doi/abs/10.1021/ac800795f/>

See Also

[score_fun.distMatrix](#), [score_fun.cor](#)

score_fun.cor *Scoring for MS/MS spectra Via correlation*

Description

A similarity scoring function for MS/MS spectra against a reference via correlation.

Usage

```
score_fun.cor(ref, exp)
```

Arguments

ref An array of numbers for the reference
exp An array of numbers for the test

Details

A score system using correlation analysis to correlate two arrays. If the arrays are a different length then the system will buffer the shorter one with 0s.

Value

score Correlation between the two arrays

Author(s)

H. Paul Benton, <hpbenton@scripps.edu>

References

H. Paul Benton, D.M. Wong, S.A.Strauger, G. Siuzdak "XCMS²:" Analytical Chemistry 2008
DOI:<http://pubs.acs.org/doi/abs/10.1021/ac800795f/>

See Also

[score_fun.distMatrix](#)

Examples

```
## Not run:
score<-xcms:::score_fun.cor(rnorm(10), rnorm(10))
score

a<-abs(rnorm(5))
a[2]<-xcms:::ppmDev(a[2], 30)
score<-xcms:::score_fun.cor()
score

## End(Not run)
```

score_fun.distMatrix
Scoring for MS/MS spectra

Description

A similarity scoring function for MS/MS spectra against a reference via a distance matrix.

Usage

```
score_fun.distMatrix(ref, exp, ppmfrag)
```

Arguments

ref	An array of numbers for the reference
exp	An array of numbers for the test
ppmfrag	A numerical string for the amount of error in

Details

A simple scoring function to score two arrays of numbers and give a percentage match between the two. Uses a distance and similarity matrix score system. When the two scores are calculated the percentage score is calculated from the theoretical maximum score and the theoretical minimum score.

Value

score	Percentage score between the two arrays
-------	---

Author(s)

H. Paul Benton, <hpbenton@scripps.edu>

References

H. Paul Benton, D.M. Wong, S.A. Strauger, G. Siuzdak "XCMS²:" Analytical Chemistry 2008
DOI:<http://pubs.acs.org/doi/abs/10.1021/ac800795f/>

See Also[score_fun.cor](#)**Examples**

```
## Not run:
score<-xcms:::score_fun.distMatrix(rnorm(10), rnorm(10), 20)
score

a<-abs(rnorm(5))
a[2]<-xcms:::ppmDev(a[2], 30)
score<-xcms:::score_fun.distMatrix()
score

## End(Not run)
```

`searchMetlin`*Search Metlin Online Database*

Description

A method for searching MS^2 data against the accurate MS^2 METLIN database

Usage

```
searchMetlin(object, ppmfrag=10, ppmMZ= 5, file,
metXML="metlin", limit=8, ...)
```

Arguments

<code>object</code>	An <code>xcmsFragment</code> object generated by <code>xcmsRaw.collect</code>
<code>ppmfrag</code>	Error in ppm for each fragment
<code>ppmMZ</code>	Error in ppm for precursor mass
<code>file</code>	Name of the results file
<code>metXML</code>	location of metlin like XML file or "metlin" as a default
<code>limit</code>	Limit the amount of peaks used
<code>...</code>	Arguments to <code>plot.metlin()</code>

Details

This method automates the task of MS/MS comparison to a reference library. By default the METLIN database is used however this can be changed with the `metXML` parameter. The `limit` parameter allows for the reduction of peaks used in the matching so that the number of peaks from the spectra match that coming from METLIN. Metlin is restricted to the top 8 intensity peaks.

The search first identifies precursors that match entries in the current METLIN database using the specified error given by `ppmMZ`. Once a matching m/z value is found, MS/MS data is searched. Each fragment is identified and compared to the reference fragments with error specified by `ppmfrag`. Each match is done using a score schema of the difference and similarity of the two spectra. This value is the equivocated against the possible maximum and minimum.

For each match a plot of the two MS/MS spectra are given. These are found using the `A` and `B` parameter

Value

A data frame with the following columns:

A	Location of the plot
B	Seconded number locator for plot
Precursor Ion	M/Z of the precursor Ion
rtmin	Start of rt window
rtmax	End of rt window
CollisionEnergy experiment"	Collision energy of the experiment
CollisionEnergy Reference	Collision energy of the reference
Percentage Match"	Match percentage of the reference spectra to the experimental spectra
Metlin Mass	The mass of the reference precursor ion
# matching"	The number of matching fragment
# non-matching	The number of non-matching fragments
Total # Ref ion	The total number of fragment reference ions
Metlin ID Name	Name of the identified meatbolite
Ionization	Is the reference spectra in '-' mode or '+' mode
Adduct	Is the reference spectra an adduct of the precursor

Author(s)

H. Paul Benton, <hpbenton@scripps.edu>

References

H. Paul Benton, D.M. Wong, S.A.Strauger, G. Siuzdak "XCMS²" Analytical Chemistry 2008

Examples

```
## Not run:
library(msdata)
mzdatapath <- system.file("iontrap", package = "msdata")
mzdatafiles<-list.files(mzdatapath, pattern = "extracted.mzData", recursive = TRUE, full.
xs <- xcmsSet(mzdatafiles[1], method = "MS1")
##takes only one file from the file set
xfrag <- xcmsFragments(xs)
met<-searchMetlin(xfrag, file="metlinSearchTest")

## End(Not run)
```


simSearch

*Unrestricted precursor Metlin Search***Description**

A method for searching MS^2 data against the METLIN Database without a precursor restraint.

Usage

```
simSearch(object, ppmfrag=20, percent=50, limit=8, file, fullReport=FALSE, ...)
```

Arguments

object	An xcmsFragment object generated by xcmsRaw.collect
ppmfrag	Error on fragment masses in ppm
percent	Percentage threshold to use for identification
file	Name of the output files
fullReport	Should a full report be generated
limit	Limit the number of peaks used for matching
...	Arguments to plot.metlin()

Details

This method searches the METLIN database for similar MS/MS spectra and ranks them on a fragment score and a neutral loss score. Both of these scores work on a `score_fun` method. The search takes `xcmsFragment` objects and searches the database with an unrestricted precursor, thereby searching all spectra in the METLIN database. The `percent` variable can be used to remove spectra that are below the accepted percentage similarity. The percentage similarity is an independent variable for both the fragment search and the neutral loss search. The method generates two files when the `fullReport` variable is set to `TRUE`. The default file shows the top 5 m/z 's most frequently matched. This gives a guide as fragments and neutral losses which should be inspected with a formula calculator. The second file which is printed to a variable and or to the second file is a full report of the data. This report includes metabolite names from the METLIN database and gives both the fragment score and the neutral loss score thereby giving a confidence to the likelihood of the possible molecule/family of molecules.

The `limit` parameter allows for the reduction of peaks used in the matching so that the number of peaks from the spectra match that coming from METLIN. Metlin is restricted to the top 8 intensity peaks. However, plotting still uses all of the peaks so that a true representation can be viewed. `limit` can be set to 0 to allow for full peak matching.

Value

A data frame with the following columns:

<code>m/z</code>	Precursor m/z of the Experimental spectra
<code>rtmin</code>	Start of the <code>rt</code> window
<code>rtmax</code>	End of the <code>rt</code> window
<code>Experiment</code>	Collision Energy
	Experimental spectra Collision Energy

Fragment Score	Score of the Fragments
Neutral Score	Score of the Neutral loss
Common Neutral loss	m/z of the most matching neutral loss
Common Fragment	m/z of the most matching fragment
Compound Name	Name of the compound from METLIN
Metlin Mass	The mass as reported by METLIN
Collision Energy	The collision energy of the metlin spectra

Author(s)

H. Paul Benton, <hpbenton@scripps.edu>

References

H. Paul Benton, D.M. Wong, S.A. Strauger, G. Siuzdak "XCMS²:" Analytical Chemistry 2008

specDist-methods *Distance methods for xcmsSet, xcmsRaw and xsAnnotate*

Description

There are several methods for calculating a distance between two sets of peaks in xcms. specDist is the generic method.

Arguments

object	a xcmsSet or xcmsRaw.
method	Method to use for distance calculation. See details.
...	mzabs, mzppm and parameters for the distance function.

Details

Different algorithms can be used by specifying them with the `method` argument. For example to use the "meanMZmatch" approach with xcmsSet one would use: `specDist(object, peakIDs1, peakIDs2, method="meanMZmatch")`. This is also the default.

Further arguments given by `...` are passed through to the function implementing the method.

A character vector of *nicknames* for the algorithms available is returned by `getOption("BioC")$xcms$specDist`. If the nickname of a method is called "meanMZmatch", the help page for that specific method can be accessed with `?specDist.meanMZmatch`.

Value

mzabs	maximum absolute deviation for two matching peaks
mzppm	relative deviations in ppm for two matching peaks
symmetric	use symmetric pairwise m/z-matches only, or each match

Methods

object = "xcmsSet" specDist(object, peakIDs1, peakIDs2, ...)

object = "xsAnnotate" specDist(object, PSpec1, PSpec2, ...)

Author(s)

Joachim Kutzera, <jkutzer@ipb-halle.de>

specDist.cosine *a Distance function based on matching peaks*

Description

This method calculates the distance of two sets of peaks using the cosine-distance.

Usage

```
specDist.cosine(peakTable1, peakTable2, mzabs=0.001, mzppm=10, mzExp=0.6, intExp
```

Arguments

peakTable1	a Matrix containing at least m/z-values, row must be called "mz"
peakTable2	the matrix for the other mz-values
mzabs	maximum absolute deviation for two matching peaks
mzppm	relative deviations in ppm for two matching peaks
symmetric	use symmetric pairwise m/z-matches only, or each match
mzExp	the exponent used for mz
intExp	the exponent used for intensity
nPdiff	the maximum nrow-difference of the two peaktables
nPmin	the minimum absolute sum of peaks from both peaktables

Details

The result is the cosine-distance of the product from weighted factors of mz and intensity from matching peaks in the two peaktables. The factors are calculated as $wFact = mz^{mzExp} * int^{intExp}$. if no distance is calculated (for example because no matching peaks were found) the return-value is NA.

Methods

```
peakTable1 = "matrix", peakTable2 = "matrix" specDist.cosine(peakTable1, peakTable2,
  mzabs = 0.001, mzppm = 10, mzExp = 0.6, intExp = 3, nPdiff = 2,
  nPmin = 8, symmetric = FALSE)
```

Author(s)

Joachim Kutzera, <jkutzer@ipb-halle.de>

`specDist.meanMZmatch`*a Distance function based on matching peaks*

Description

This method calculates the distance of two sets of peaks.

Usage

```
specDist.meanMZmatch(peakTable1, peakTable2, matchdist=1, matchrate=1, mzabs=0.0
```

Arguments

`peakTable1` a Matrix containing at least m/z-values, row must be called "mz"

`peakTable2` the matrix for the other mz-values

`mzabs` maximum absolute deviation for two matching peaks

`mzppm` relative deviations in ppm for two matching peaks

`symmetric` use symmetric pairwise m/z-matches only, or each match

`matchdist` the weight for value one (see details)

`matchrate` the weight for value two

Details

The result of the calculation is a weighted sum of two values. Value one is the mean absolute difference of the matching peaks, value two is the relation of matching peaks and non matching peaks. if no distance is calculated (for example because no matching peaks were found) the return-value is NA.

Methods

```
peakTable1 = "matrix", peakTable2 = "matrix" specDist.meanMZmatch(peakTable1,  
peakTable2, matchdist=1, matchrate=1, mzabs=0.001, mzppm=10, symmetric=TRUE)
```

Author(s)

Joachim Kutzera, <jkutzer@ipb-halle.de>

```
specDist.peakCount-methods
```

a Distance function based on matching peaks

Description

This method calculates the distance of two sets of peaks by just returning the number of matching peaks (m/z-values).

Usage

```
specDist.peakCount(peakTable1, peakTable2, mzabs=0.001, mzppm=10, symmetric=FALSE)
```

Arguments

peakTable1	a Matrix containing at least m/z-values, row must be called "mz"
peakTable2	the matrix for the other mz-values
mzabs	maximum absolute deviation for two matching peaks
mzppm	relative deviations in ppm for two matching peaks
symmetric	use symmetric pairwise m/z-matches only, or each match

Methods

```
peakTable1 = "matrix", peakTable2 = "matrix" specDist.peakCount(peakTable1,
  peakTable2, mzppm=10, symmetric=FALSE )
```

Author(s)

Joachim Kutzera, <jkutzer@ipb-halle.de>

```
specNoise
```

Calculate noise for a sparse continuum mass spectrum

Description

Given a sparse continuum mass spectrum, determine regions where no signal is present, substituting half of the minimum intensity for those regions. Calculate the noise level as the weighted mean of the regions with signal and the regions without signal. If there is only one raw peak, return zero.

Usage

```
specNoise(spec, gap = quantile(diff(spec[, "mz"]), 0.9))
```

Arguments

spec	matrix with named columns mz and intensity
gap	threshold above which to data points are considered to be separated by a blank region and not bridged by an interpolating line

Details

The default gap value is determined from the 90th percentile of the pair-wise differences between adjacent mass values.

Value

A numeric noise level

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[getSpec](#), [specPeaks](#)

specPeaks

Identify peaks in a sparse continuum mode spectrum

Description

Given a spectrum, identify and list significant peaks as determined by several criteria.

Usage

```
specPeaks(spec, sn = 20, mzgap = 0.2)
```

Arguments

spec	matrix with named columns <code>mz</code> and <code>intensity</code>
sn	minimum signal to noise ratio
mzgap	minimal distance between adjacent peaks, with smaller peaks being excluded

Details

Peaks must meet two criteria to be considered peaks: 1) Their s/n ratio must exceed a certain threshold. 2) They must not be within a given distance of any greater intensity peaks.

Value

A matrix with columns:

mz	m/z at maximum peak intensity
intensity	maximum intensity of the peak
fwhm	full width at half max of the peak

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[getSpec](#), [specNoise](#)

split.xcmsRaw *Divide an xcmsRaw object*

Description

Divides the scans from a `xcmsRaw` object into a list of multiple objects. MSⁿ data is discarded.

Arguments

<code>x</code>	<code>xcmsRaw</code> object
<code>f</code>	factor such that <code>factor(f)</code> defines the scans which go into the new <code>xcmsRaw</code> objects
<code>drop</code>	logical indicating if levels that do not occur should be dropped (if 'f' is a 'factor' or a list).
<code>...</code>	further potential arguments passed to methods.

Value

A list of `xcmsRaw` objects.

Methods

xr = "xcmsRaw" `split(x, f, drop = TRUE, ...)`

Author(s)

Steffen Neumann, <sneumann(at)ipb-halle.de>

See Also

[xcmsRaw-class](#)

split.xcmsSet *Divide an xcmsSet object*

Description

Divides the samples and peaks from a `xcmsSet` object into a list of multiple objects. Group data is discarded.

Arguments

<code>xs</code>	<code>xcmsSet</code> object
<code>f</code>	factor such that <code>factor(f)</code> defines the grouping
<code>drop</code>	logical indicating if levels that do not occur should be dropped (if 'f' is a 'factor' or a list).
<code>...</code>	further potential arguments passed to methods.

Value

A list of `xcmsSet` objects.

Methods

xs = "xcmsSet" `split(x, f, drop = TRUE, ...)`

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[xcmsSet-class](#)

stitch-methods *Correct gaps in data*

Description

Fixes gaps in data due to calibration scans or lockmass.

Arguments

<code>object</code>	An xcmsRaw-class object
<code>lockMass</code>	A dataframe of locations of the gaps
<code>freq</code>	The intervals of the lock mass scans
<code>start</code>	The starting lock mass scan location, default is 1

Details

`makeacqNum` takes locates the gap using the starting lock mass scan and it's intervals. This data frame is then used in `stitch` to correct for the gap caused by the lock mass. Correction works by using scans from either side of the gap to fill it in.

Value

`stitch` A corrected `xcmsRaw-class` object `makeacqNum` A numeric vector of scan locations corresponding to lock Mass scans

Methods

object = "xcmsRaw" `stitch(object, lockMass=numeric())`

object = "xcmsRaw" `makeacqNum(object, freq=numeric(), start=1)`

Author(s)

Paul Benton, <hpaul.benton08@imperial.ac.uk>

Examples

```
## Not run: library(xcms)
library(faahKO) ## These files do not have this problem to correct for but just for an ex
cdfpath <- system.file("cdf", package = "faahKO")
cdffiles <- list.files(cdfpath, recursive = TRUE, full.names = TRUE)
xr<-xcmsRaw(cdffiles[1])
xr
##Lets assume that the lockmass starts at 1 and is every 100 scans
lockMass<-xcms::makeacqNum(xr, freq=100, start=1)
ob<-stitch(xr, lockMass)
ob

#plot the old data before correction
foo<-rawEIC(xr, m=c(200,210), scan=c(80,140))
plot(foo$scan, foo$intensity, type="h")

#plot the new corrected data to see what changed
foo<-rawEIC(ob, m=c(200,210), scan=c(80,140))
plot(foo$scan, foo$intensity, type="h")

## End(Not run)
```

write.cdf-methods *Save an xcmsRaw object to file*

Description

Write the raw data to a (simple) CDF file.

Arguments

object	the xcmsRaw object
filename	filename (may include full path) for the CDF file. Pipes or URLs are not allowed.

Details

Currently the only application known to read the resulting file is XCMS. Others, especially those which build on the AndiMS library, will refuse to load the output.

Value

None.

Methods

object = "xcmsRaw" write.cdf(object, filename)

See Also

[xcmsRaw-class](#), [xcmsRaw](#),

`write.mzdata-methods`*Save an xcmsRaw object to a file*

Description

Write the raw data to a (simple) mzData file.

Arguments

<code>object</code>	the <code>xcmsRaw</code> object
<code>filename</code>	filename (may include full path) for the mzData file. Pipes or URLs are not allowed.

Details

This function will export a given `xcmsRaw` object to an mzData file. The mzData file will contain a `<spectrumList>` containing the `<spectrum>` with mass and intensity values in 32 bit precision. Other formats are currently not supported. Any header information (e.g. additional `<software>` information or `<cvParams>`) will be lost. Currently, also any MSn information will not be stored.

Value

None.

Methods

```
object = "xcmsRaw" write.mzdata(object, filename)
```

See Also

[xcmsRaw-class](#), [xcmsRaw](#),

`xcmsEIC-class`*Class xcmsEIC, a class for multi-sample extracted ion chromatograms*

Description

This class is used to store and plot parallel extracted ion chromatograms from multiple sample files. It integrates with the `xcmsSet` class to display peak area integrated during peak identification or fill-in.

Objects from the Class

Objects can be created with the [getEIC](#) method of the `xcmsSet` class. Objects can also be created by calls of the form `new("xcmsEIC", ...)`.

Slots

eic: list containing named entries for every sample. for each entry, a list of two column EIC matrices with retention time and intensity

mzrange: two column matrix containing starting and ending m/z for each EIC

rtrange: two column matrix containing starting and ending time for each EIC

rt: either "raw" or "corrected" to specify retention times contained in the object

groupnames: group names from xcmsSet object used to generate EICs

Methods

groupnames signature(object = "xcmsEIC"): get groupnames slot

mzrange signature(object = "xcmsEIC"): get mzrange slot

plot signature(x = "xcmsEIC"): plot the extracted ion chromatograms

rtrange signature(object = "xcmsEIC"): get rtrange slot

sampnames signature(object = "xcmsEIC"): get sample names

Note

No notes yet.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[getEIC](#)

xcmsFragments-class

Class xcmsFragments, a class for handling Tandem MS and MSⁿ data

Description

This class is similar to [xcmsSet](#) because it stores peaks from a number of individual files. However, xcmsFragments keeps Tandem MS and e.g. Ion Trap or Orbitrap MSⁿ peaks, including the parent ion relationships.

Objects from the Class

Objects can be created with the [xcmsFragments](#) constructor and filled with peaks using the collect method.

Slots

peaks: matrix with columns peakID (MS1 parent in corresponding xcmsSet), MSnParentPeakID (parent peak within this xcmsFragments), msLevel (e.g. 2 for Tandem MS), rt (retention time in case of LC data), mz (fragment mass-to-charge), intensity (peak intensity extracted from the original xcmsSet), sample (the index of the rawData-file).

MS2spec: This is a list of matrixes. Each matrix in the list is a single collected spectra from collect. The column ID's are mz, intensity, and full width half maximum(fwhm). The fwhm column is only relevant if the spectra came from profile data.

specinfo: This is a matrix with reference data for the spectra in MS2spec. The column id's are preMZ, AccMZ, rtmin, rtmax, ref, CollisionEnergy. The preMZ is precursor mass from the MS1 scan. This mass is given by the XML file. With some instruments this mass is only given as nominal mass, therefore a AccMZ is given which is a weighted average mass from the MS1 scan of the collected spectra. The retention time is given by rtmin and rtmax. The ref column is a pointer to the MS2spec matrix spectra. The collisionEnergy column is the collision Energy for the spectra.

Methods

collect signature(object = "xcmsFragments"): gets a xcmsSet-object, collects ms1-peaks from it and the msn-peaks from the corresponding xcmsRaw-files.

plotTree signature(object = "xcmsFragments"): prints a (text based) pseudo-tree of the peaktable to display the dependencies of the peaks among each other.

show signature(object = "xcmsFragments"): print a human-readable description of this object to the console.

Note

No notes yet.

Author(s)

S. Neumann, J. Kutzera

References

A parallel effort in metabolite profiling data sharing: <http://metlin.scripps.edu/>

See Also

[xcmsRaw](#)

xcmsFragments

Constructor for xcmsFragments objects which holds Tandem MS peaks

Description

EXPERIMENTAL FEATURE

xcmsFragments is an object similar to xcmsSet, which holds peaks picked (or collected) from one or several xcmsRaw objects.

There are still discussions going on about the exact API for MSⁿ data, so this is likely to change in the future. The code is not yet pipeline-ified.

Usage

```
xcmsFragments(xs, ...)
```

Arguments

`xs` A `xcmsSet-class` object which contains picked ms1-peaks from one or several experiments

`...` further arguments to the `collect` method

Details

After running `collect(xFragments,xSet)` The peaktable of the `xcmsFragments` includes the `ms1Peaks` from all experiments stored in a `xcmsSet`-object. Further it contains the relevant `MSn-peaks` from the `xcmsRaw`-objects, which were created temporarily with the paths in `xcmsSet`.

Value

An `xcmsFragments` object.

Author(s)

Joachim Kutzera, Steffen Neumann, <sneumann@ipb-halle.de>

See Also

[xcmsFragments-class](#), [collect](#)

xcmsPapply

xcmsPapply

Description

An apply-like function which uses `Rmpi` to distribute the processing evenly across a cluster. Will use a non-MPI version if distributed processing is not available.

Usage

```
xcmsPapply(arg_sets, papply_action, papply_commondata = list(),
           show_errors = TRUE, do_trace = FALSE, also_trace = c())
```

Arguments

`arg_sets` a list, where each item will be given as an argument to `papply_action`

`papply_action` A function which takes one argument. It will be called on each element of `arg_sets`

`papply_commondata` A list containing the names and values of variables to be accessible to the `papply_action`. 'attach' is used locally to import this list.

`show_errors` If set to `TRUE`, overrides `Rmpi`'s default, and messages for errors which occur in R slaves are produced.

<code>do_trace</code>	If set to TRUE, causes the <code>papply_action</code> function to be traced. i.e. Each statement is output before it is executed by the slaves.
<code>also_trace</code>	If supplied an array of function names, as strings, tracing will also occur for the specified functions.

Details

Similar to `apply` and `lapply`, applies a function to all items of a list, and returns a list with the corresponding results.

Uses `Rmpi` to implement a pull idiom in order to distribute the processing evenly across a cluster. If `Rmpi` is not available, or there are no slaves, implements this as a non-parallel algorithm.

`xcmsPapply` is a modified version of the `papply` function from package `papply` 0.2 (Duane Currie). Parts of the slave function were wrapped in `try()` to make it failsafe and progress output was added.

Make sure `Rmpi` was installed properly by executing the example below. `Rmpi` was tested with

- OpenMPI : Unix, <http://www.open-mpi.org/>, don't forget to export `MPI_ROOT` before installing `Rmpi` e.g. `export MPI_ROOT=/usr/lib/openmpi`
- DeinoMPI : Windows, <http://mpi.deino.net/>, also see <http://www.stats.uwo.ca/faculty/yu/Rmpi/>

Value

A list of return values from `papply_action`. Each value corresponds to the element of `arg_sets` used as a parameter to `papply_action`

Note

Does not support distributing recursive calls in parallel. If `papply` is used inside `papply_action`, it will call a non-parallel version

Author(s)

Duane Currie <duane.currie@acadiau.ca>, modified by Ralf Tautenhahn <rtautenh@ipb-halle.de>.

References

<http://ace.acadiau.ca/math/ACMMaC/software/papply/>

Examples

```
## Not run:
library(Rmpi)
library(xcms)

number_lists <- list(1:10, 4:40, 2:27)

mpi.spawn.Rslaves(nslaves=2)

results <- xcmsPapply(number_lists, sum)
results

mpi.close.Rslaves()
```

```
## End(Not run)
```

xcmsPeaks-class *A matrix of peaks*

Description

A matrix of peak information. The actual columns depend on how it is generated (i.e. the [findPeaks](#) method).

Objects from the Class

Objects can be created by calls of the form `new("xcmsPeaks", ...)`.

Slots

`.Data`: The matrix holding the peak information

Extends

Class "[matrix](#)", from data part. Class "[array](#)", by class "matrix", distance 2. Class "[structure](#)", by class "matrix", distance 3. Class "[vector](#)", by class "matrix", distance 4, with explicit coerce.

Methods

None yet. Some utilities for working with peak data would be nice.

Author(s)

Michael Lawrence

See Also

[findPeaks](#) for detecting peaks in an [xcmsRaw](#).

xcmsRaw-class *Class xcmsRaw, a class for handling raw data*

Description

This class handles processing and visualization of the raw data from a single LC/MS or GS/MS run. It includes methods for producing a standard suite of plots including individual spectra, multi-scan average spectra, TIC, and EIC. It will also produce a feature list of significant peaks using matched filtration.

Objects from the Class

Objects can be created with the [xcmsRaw](#) constructor which reads data from a NetCDF file into a new object.

Slots

acquisitionNum: acquisitionNum

env: environment with three variables: `mz` - concatenated m/z values for all scans, `intensity` - corresponding signal intensity for each m/z value, and `profile` - matrix representation of the intensity values with columns representing scans and rows representing equally spaced m/z values

filepath: Path to the raw data file

gradient: matrix with first row, `time`, containing the time point for interpolation and successive columns representing solvent fractions at each point

msnAcquisitionNum: for each scan a unique acquisition number as reported via "spectrum id" (`mzData`) or "<scan num=...>" and "<scanOrigin num=...>" (`mzXML`)

msnCollisionEnergy: "CollisionEnergy" (`mzData`) or "collisionEnergy" (`mzXML`)

msnLevel: for each scan the "msLevel" (both `mzData` and `mzXML`)

msnPrecursorCharge: "ChargeState" (`mzData`) and "precursorCharge" (`mzXML`)

msnPrecursorIntensity: "Intensity" (`mzData`) or "precursorIntensity" (`mzXML`)

msnPrecursorMz: "MassToChargeRatio" (`mzData`) or "precursorMz" (`mzXML`)

msnPrecursorScan: "spectrumRef" (both `mzData` and `mzXML`)

msnRt: Retention time of the scan

msnScanindex: msnScanindex

mzrange: numeric vector of length 2 with minimum and maximum m/z values represented in the profile matrix

polarity: polarity

profmethod: character value with name of method used for generating the profile matrix

profparam: profparam

scanindex: integer vector with starting positions of each scan in the `mz` and `intensity` variables (note that index values are based off a 0 initial position instead of 1)

scantime: numeric vector with acquisition time (in seconds) for each scan

tic: numeric vector with total ion count (intensity) for each scan

Methods

findPeaks signature(object = "xcmsRaw"): feature detection using matched filtration in the chromatographic time domain

getEIC signature(object = "xcmsRaw"): get extracted ion chromatograms in specified m/z ranges

getPeaks signature(object = "xcmsRaw"): get data for peaks in specified m/z and time ranges

getScan signature(object = "xcmsRaw"): get m/z and intensity values for a single mass scan

getSpec signature(object = "xcmsRaw"): get average m/z and intensity values for multiple mass scans

image signature(x = "xcmsRaw"): get data for peaks in specified m/z and time ranges

plotChrom signature(object = "xcmsRaw"): plot a chromatogram from profile data

plotRaw signature(object = "xcmsRaw"): plot locations of raw intensity data points

- plotScan** signature(object = "xcmsRaw"): plot a mass spectrum of an individual scan from the raw data
- plotSpec** signature(object = "xcmsRaw"): plot a mass spectrum from profile data
- plotSurf** signature(object = "xcmsRaw"): experimental method for plotting 3D surface of profile data with rgl.
- plotTIC** signature(object = "xcmsRaw"): plot total ion count chromatogram
- profMedFilt** signature(object = "xcmsRaw"): median filter profile data in time and m/z dimensions
- profMethod<-** signature(object = "xcmsRaw"): change the method of generating the profile matrix
- profMethod** signature(object = "xcmsRaw"): get the method of generating the profile matrix
- profMz** signature(object = "xcmsRaw"): get vector of m/z values for each row of the profile matrix
- profRange** signature(object = "xcmsRaw"): interpret flexible ways of specifying subsets of the profile matrix
- profStep<-** signature(object = "xcmsRaw"): change the m/z step used for generating the profile matrix
- profStep** signature(object = "xcmsRaw"): get the m/z step used for generating the profile matrix
- revMz** signature(object = "xcmsRaw"): reverse the order of the data points for each scan
- sortMz** signature(object = "xcmsRaw"): sort the data points by increasing m/z for each scan
- stitch** signature(object = "xcmsRaw"): Raw data correction for lock mass calibration gaps.

Note

No notes yet.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

References

A parallel effort in metabolite profiling data sharing: <http://metlin.scripps.edu/>

See Also

[xcmsRaw](#)

`xcmsRaw`*Constructor for xcmsRaw objects which reads NetCDF/mzXML files*

Description

This function handles the task of reading a NetCDF/mzXML file containing LC/MS or GC/MS data into a new `xcmsRaw` object. It also transforms the data into profile (maxrix) mode for efficient plotting and data exploration.

Usage

```
xcmsRaw(filename, profstep = 1, profmethod = "bin", profparam =  
list(), includeMSn=FALSE, mslevel=NULL)
```

```
deepCopy(object)
```

Arguments

<code>filename</code>	path name of the NetCDF or mzXML file to read
<code>profstep</code>	step size (in m/z) to use for profile generation
<code>profmethod</code>	method to use for profile generation
<code>profparam</code>	extra parameters to use for profile generation
<code>includeMSn</code>	only for XML file formats: also read MS ⁿ (Tandem-MS of Ion-/Orbi- Trap spectra)
<code>mslevel</code>	move data from mslevel into normal MS1 slots, e.g. for peak picking and visualisation
<code>object</code>	An <code>xcmsRaw</code> object

Details

If `profstep` is set to 0, no profile matrix is generated. Unless `includeMSn=TRUE` only first level MS data is read, not MS/MS, etc.)

`deepCopy(xraw)` will create a copy of the `xcmsRaw` object with its own copy of m/z and intensity data in `xraw@env`

Value

A `xcmsRaw` object.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

References

NetCDF file format: <http://my.unidata.ucar.edu/content/software/netcdf/>
<http://www.astm.org/Standards/E2077.htm>
<http://www.astm.org/Standards/E2078.htm>

mzXML file format: http://sashimi.sourceforge.net/software_glossolalia.html

PSI-MS working group who developed mzData and mzML file formats: <http://www.psicodev.info/index.php?q=node/80>

Parser used for XML file formats: <http://tools.proteomecenter.org/wiki/index.php?title=Software:RAMP>

See Also

[xcmsRaw-class](#), [profStep](#), [profMethod](#) [xcmsFragments](#)

Examples

```
## Not run:
library(xcms)
library(faahKO)
cdfpath <- system.file("cdf", package = "faahKO")
cdffiles <- list.files(cdfpath, recursive = TRUE, full.names = TRUE)
xr<-xcmsRaw(cdffiles[1])
xr
##This gives some information about the file
names(attributes(xr))
## Lets have a look at the structure of the object

str(xr)
##same but with a preview of each slot in the object
##SO... lets have a look at how this works
head(xr@scanindex)
#[1] 0 429 860 1291 1718 2140
xr@env$mz[425:430]
#[1] 596.3 597.0 597.3 598.1 599.3 200.1
##We can see that the 429 index is the last mz of scan 1 therefore...

mz.scan1<-xr@env$mz[(1+xr@scanindex[1]):xr@scanindex[2]]
intensity.scan1<-xr@env$intensity[(1+xr@scanindex[1]):xr@scanindex[2]]
plot(mz.scan1, intensity.scan1, type="h", main=paste("Scan 1 of file", basename(cdffiles[1])))
##the easier way :p
scan1<-getScan(xr, 1)
head(scan1)
plotScan(xr, 1)

## End(Not run)
```

Description

This class transforms a set of peaks from multiple LC/MS or GC/MS samples into a matrix of preprocessed data. It groups the peaks and does nonlinear retention time correction without internal standards. It fills in missing peak values from raw data. Lastly, it generates extracted ion chromatograms for ions of interest.

Objects from the Class

Objects can be created with the `xcmsSet` constructor which gathers peaks from a set NetCDF files. Objects can also be created by calls of the form `new("xcmsSet", ...)`.

Slots

peaks: matrix containing peak data
filled: a vector with peak indices of peaks which have been added by a `fillPeaks` method,
groups: matrix containing statistics about peak groups
groupidx: list containing indices of peaks in each group
phenoData: a data frame containing the experimental design factors
rt: list containing two lists, `raw` and `corrected`, each containing retention times for every scan of every sample
filepaths: character vector with absolute path name of each NetCDF file
profinfo: list containing two values, `method` - profile generation method, and `step` - profile m/z step size
dataCorrection : numeric vector of lock mass scan locations. This is filled if the `waters` parameter is used.
polarity: a string ("positive" or "negative" or NULL) describing whether only positive or negative scans have been used reading the raw data.
progressInfo: progress informations for some xcms functions (for GUI)
progressCallback: function to be called, when `progressInfo` changes (for GUI)

Methods

c signature("xcmsSet"): combine objects together
filepaths<- signature(object = "xcmsSet"): set filepaths slot
filepaths signature(object = "xcmsSet"): get filepaths slot
diffreport signature(object = "xcmsSet"): create report of differentially regulated ions including EICs
fillPeaks signature(object = "xcmsSet"): fill in peak data for groups with missing peaks
getEIC signature(object = "xcmsSet"): get list of EICs for each sample in the set
groupidx<- signature(object = "xcmsSet"): set groupidx slot
groupidx signature(object = "xcmsSet"): get groupidx slot
groupnames signature(object = "xcmsSet"): get textual names for peak groups
groups<- signature(object = "xcmsSet"): set groups slot
groups signature(object = "xcmsSet"): get groups slot

groupval signature(object = "xcmsSet"): get matrix of values from peak data with a row for each peak group

group signature(object = "xcmsSet"): find groups of peaks across samples that share similar m/z and retention times

peaks<- signature(object = "xcmsSet"): set peaks slot

peaks signature(object = "xcmsSet"): get peaks slot

plotrt signature(object = "xcmsSet"): plot retention time deviation profiles

profinfo<- signature(object = "xcmsSet"): set profinfo slot

profinfo signature(object = "xcmsSet"): get profinfo slot

retcor signature(object = "xcmsSet"): use initial grouping of peaks to do nonlinear loess retention time correction

sampclass<- signature(object = "xcmsSet"): **DEPRECATED**. If used, the experimental design will be replaced with a data frame with a single column matching the supplied factor.

sampclass signature(object = "xcmsSet"): get the interaction of the experimental design factors

phenoData<- signature(object = "xcmsSet"): set the phenoData slot

phenoData signature(object = "xcmsSet"): get the phenoData slot

progressCallback<- signature(object = "xcmsSet"): set the progressCallback slot

progressCallback signature(object = "xcmsSet"): get the progressCallback slot

sampnames<- signature(object = "xcmsSet"): set rownames in the phenoData slot

sampnames signature(object = "xcmsSet"): get rownames in the phenoData slot

split signature("xcmsSet"): divide into a list of objects

Note

No notes yet.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

References

A parallel effort in metabolite profiling data sharing: <http://metlin.scripps.edu/>

See Also

[xcmsSet](#)

xcmsSet	<i>Constructor for xcmsSet objects which finds peaks in NetCDF/mzXML files</i>
---------	--

Description

This function handles the construction of xcmsSet objects. It finds peaks in batch mode and pre-sorts files from subdirectories into different classes suitable for grouping.

Usage

```
xcmsSet(files = NULL, snames = NULL, sclass = NULL, phenoData = NULL,
        profmethod = "bin", profparam = list(),
        polarity = NULL, lockMassFreq=FALSE, start=0,
        mslevel=NULL, nSlaves=0, progressCallback=NULL,...)
```

Arguments

files	path names of the NetCDF/mzXML files to read
snames	sample names
sclass	sample classes
phenoData	sample names and classes
profmethod	method to use for profile generation
profparam	parameters to use for profile generation
polarity	filter raw data for positive/negative scans
lockMassFreq	Performs correction for Waters LockMass function, set to the lockmass frequency of the experimental setting for correction
start	Specifies where the 1st lockmass scan is
mslevel	perform peak picking on data of given mslevel
nSlaves	number of slaves/cores to be used for parallel peak detection. MPI is used if installed, otherwise the snow package is employed for multicore support.
progressCallback	function to be called, when progressInfo changes (useful for GUIs)
...	further arguments to the findPeaks method of the xcmsRaw class

Details

The default values of the files, snames, sclass, and phenoData arguments cause the function to recursively search for readable files. The filename without extension is used for the sample name. The subdirectory path is used for the sample class. If the files contain both positive and negative spectra, the polarity can be selected explicitly. The default (NULL) is to read all scans.

The lock mass correction allows for the lock mass scan to be added back in with the last working scan. This correction gives better reproducibility between sample sets.

Value

A xcmsSet object.

Author(s)

Colin A. Smith, <csmith@scripps.edu>

See Also

[xcmsSet-class](#), [findPeaks](#), [profStep](#), [profMethod](#), [xcmsPapply](#)

Index

*Topic **classes**

- xcmsEIC-class, 58
- xcmsFragments-class, 59
- xcmsPeaks-class, 63
- xcmsRaw-class, 63
- xcmsSet-class, 67

*Topic **file**

- calibrate-methods, 3
- diffreport-methods, 5
- fillPeaks-methods, 8
- fillPeaks.chrom-methods, 9
- fillPeaks.MSW-methods, 8
- getEIC-methods, 19
- group.density, 23
- group.mzClust, 23
- group.nearest, 24
- groupnames-methods, 25
- peakTable-methods, 28
- retcor.peakgroups-methods, 42
- sampnames-methods, 44
- write.cdf-methods, 57
- write.mzdata-methods, 58
- xcmsFragments, 60
- xcmsRaw, 66
- xcmsSet, 70

*Topic **hplot**

- image-methods, 26
- plot.xcmsEIC, 30
- plotChrom-methods, 31
- plotPeaks-methods, 32
- plotRaw-methods, 33
- plotrt-methods, 36
- plotScan-methods, 33
- plotSpec-methods, 34
- plotSurf-methods, 35
- plotTIC-methods, 35

*Topic **iplot**

- plotChrom-methods, 31
- plotSpec-methods, 34
- plotSurf-methods, 35
- plotTIC-methods, 35

*Topic **manip**

- c-methods, 2

- getPeaks-methods, 20
- getScan-methods, 21
- getSpec-methods, 21
- groupval-methods, 26
- medianFilter, 27
- profMedFilt-methods, 37
- profMethod-methods, 37
- profRange-methods, 38
- profStep-methods, 39
- retexp, 43
- specNoise, 53
- specPeaks, 54
- split.xcmsRaw, 55
- split.xcmsSet, 55
- stitch-methods, 56

*Topic **methods**

- absent-methods, 2
- calibrate-methods, 3
- collect-methods, 4
- diffreport-methods, 5
- fillPeaks-methods, 8
- fillPeaks.chrom-methods, 9
- fillPeaks.MSW-methods, 8
- findMZ, 10
- findneutral, 17
- findPeaks-methods, 11
- findPeaks.centWave-methods, 14
- findPeaks.matchedFilter-methods, 16
- findPeaks.MS1-methods, 12
- findPeaks.MSW-methods, 13
- getEIC-methods, 19
- getPeaks-methods, 20
- getScan-methods, 21
- getSpec-methods, 21
- group-methods, 22
- group.density, 23
- group.mzClust, 23
- group.nearest, 24
- groupnames-methods, 25
- groupval-methods, 26
- peakPlots-methods, 28

- peakTable-methods, 28
- plot.xcmsEIC, 30
- plotChrom-methods, 31
- plotEIC-methods, 31
- plotPeaks-methods, 32
- plotRaw-methods, 33
- plotrt-methods, 36
- plotScan-methods, 33
- plotSpec-methods, 34
- plotSurf-methods, 35
- plotTIC-methods, 35
- profMedFilt-methods, 37
- profMethod-methods, 37
- profRange-methods, 38
- profStep-methods, 39
- rawEIC-methods, 39
- rawMat-methods, 40
- retcor-methods, 41
- retcor.obiwarp, 41
- retcor.peakgroups-methods, 42
- sampnames-methods, 44
- searchMetlin, 47
- simSearch, 49
- specDist-methods, 50
- specDist.cosine, 51
- specDist.meanMZmatch, 52
- specDist.peakCount-methods, 53
- stitch-methods, 56
- write.cdf-methods, 57
- write.mzdata-methods, 58
- *Topic models**
 - etg, 7
- *Topic nonlinear**
 - SSgauss, 1
- absent (*absent-methods*), 2
- absent, xcmsSet-method (*absent-methods*), 2
- absent-methods, 2
- array, 63
- c, 68
- c, c-methods (*c-methods*), 2
- c-methods, 2
- c.xcmsSet (*c-methods*), 2
- calibrate (*calibrate-methods*), 3
- calibrate, xcmsSet-method (*calibrate-methods*), 3
- calibrate-methods, 3
- collect, 60, 61
- collect (*collect-methods*), 4
- collect, xcmsFragments-method (*collect-methods*), 4
- collect, xcmsRaw-method (*collect-methods*), 4
- collect-methods, 4
- deepCopy (*xcmsRaw*), 66
- deepCopy, xcmsRaw-method (*xcmsRaw*), 66
- density, 23
- diffreport, 2, 29, 68
- diffreport (*diffreport-methods*), 5
- diffreport, xcmsSet-method (*diffreport-methods*), 5
- diffreport-methods, 5
- etg, 7
- filepaths (*xcmsSet-class*), 67
- filepaths, xcmsSet-method (*xcmsSet-class*), 67
- filepaths<- (*xcmsSet-class*), 67
- filepaths<-, xcmsSet-method (*xcmsSet-class*), 67
- fillPeaks, 2, 9, 10, 68
- fillPeaks (*fillPeaks-methods*), 8
- fillPeaks, xcmsSet-method (*fillPeaks-methods*), 8
- fillPeaks-methods, 8
- fillPeaks.chrom (*fillPeaks.chrom-methods*), 9
- fillPeaks.chrom, xcmsSet-method (*fillPeaks.chrom-methods*), 9
- fillPeaks.chrom-methods, 9
- fillPeaks.MSW (*fillPeaks.MSW-methods*), 8
- fillPeaks.MSW, xcmsSet-method (*fillPeaks.MSW-methods*), 8
- fillPeaks.MSW-methods, 8
- findMZ, 10, 18
- findMZ, xcmsFragments-method (*findMZ*), 10
- findneutral, 11, 17
- findneutral, xcmsFragments-method (*findneutral*), 17
- findPeaks, 20, 28, 32, 37, 63, 64, 71
- findPeaks (*findPeaks-methods*), 11
- findPeaks, xcmsRaw-method (*findPeaks-methods*), 11
- findPeaks-methods, 13, 14, 16, 17
- findPeaks-methods, 11

- findPeaks.centWave, 5, 12
- findPeaks.centWave
 - (*findPeaks.centWave-methods*), 14
- findPeaks.centWave, xcmsRaw-method
 - (*findPeaks.centWave-methods*), 14
- findPeaks.centWave-methods, 14
- findPeaks.matchedFilter, 12
- findPeaks.matchedFilter
 - (*findPeaks.matchedFilter-methods*), 16
- findPeaks.matchedFilter, xcmsRaw-method
 - (*findPeaks.matchedFilter-methods*), 16
- findPeaks.matchedFilter-methods, 16
- findPeaks.MS1
 - (*findPeaks.MS1-methods*), 12
- findPeaks.MS1, xcmsRaw-method
 - (*findPeaks.MS1-methods*), 12
- findPeaks.MS1-methods, 12
- findPeaks.MSW
 - (*findPeaks.MSW-methods*), 13
- findPeaks.MSW, xcmsRaw-method
 - (*findPeaks.MSW-methods*), 13
- findPeaks.MSW-methods, 13

- getEIC, 39, 44, 58, 59, 64, 68
- getEIC (*getEIC-methods*), 19
- getEIC, xcmsRaw-method
 - (*getEIC-methods*), 19
- getEIC, xcmsSet-method
 - (*getEIC-methods*), 19
- getEIC-methods, 19
- getPeaks, 8–10, 64
- getPeaks (*getPeaks-methods*), 20
- getPeaks, xcmsRaw-method
 - (*getPeaks-methods*), 20
- getPeaks-methods, 20
- getScan, 22, 64
- getScan (*getScan-methods*), 21
- getScan, xcmsRaw-method
 - (*getScan-methods*), 21
- getScan-methods, 21
- getSpec, 21, 54, 64
- getSpec (*getSpec-methods*), 21
- getSpec, xcmsRaw-method
 - (*getSpec-methods*), 21
- getSpec-methods, 21
- group, 2, 69
- group (*group-methods*), 22
- group, xcmsSet-method
 - (*group-methods*), 22
- group-methods, 22
- group.density, 22, 23, 25
- group.density, xcmsSet-method
 - (*group.density*), 23
- group.mzClust, 22, 23, 25
- group.mzClust, xcmsSet-method
 - (*group.mzClust*), 23
- group.nearest, 24
- group.nearest, xcmsSet-method
 - (*group.nearest*), 24
- groupidx (*xcmsSet-class*), 67
- groupidx, xcmsSet-method
 - (*xcmsSet-class*), 67
- groupidx<- (*xcmsSet-class*), 67
- groupidx<-, xcmsSet-method
 - (*xcmsSet-class*), 67
- groupnames, 59, 68
- groupnames (*groupnames-methods*), 25
- groupnames, xcmsEIC-method
 - (*groupnames-methods*), 25
- groupnames, xcmsSet-method
 - (*groupnames-methods*), 25
- groupnames-methods, 25
- groups (*xcmsSet-class*), 67
- groups, xcmsSet-method
 - (*xcmsSet-class*), 67
- groups<- (*xcmsSet-class*), 67
- groups<-, xcmsSet-method
 - (*xcmsSet-class*), 67
- groupval, 28, 69
- groupval (*groupval-methods*), 26
- groupval, xcmsSet-method
 - (*groupval-methods*), 26
- groupval-methods, 26

- image, 64
- image, xcmsRaw-method
 - (*image-methods*), 26
- image-methods, 26

- loess, 43

- makeacqNum (*stitch-methods*), 56
- makeacqNum, xcmsRaw-method
 - (*stitch-methods*), 56
- matrix, 63
- medianFilter, 27, 37
- mt.teststat, 5, 6
- mzrange (*xcmsEIC-class*), 58

- mzrange, *xcmsEIC*-method
(*xcmsEIC*-class), 58
- nls, 1
- palette, 6
- pdf, 31
- peakDetectionCWT, 14
- peakPlots, *xcmsSet*-method
(*peakPlots*-methods), 28
- peakPlots-methods, 28
- peaks (*xcmsSet*-class), 67
- peaks, *xcmsSet*-method
(*xcmsSet*-class), 67
- peaks<- (*xcmsSet*-class), 67
- peaks<-, *xcmsSet*-method
(*xcmsSet*-class), 67
- peakTable (*peakTable*-methods), 28
- peakTable, *xcmsSet*-method
(*peakTable*-methods), 28
- peakTable-methods, 28
- phenoData (*xcmsSet*-class), 67
- phenoData, *xcmsSet*-method
(*xcmsSet*-class), 67
- phenoData<- (*xcmsSet*-class), 67
- phenoData<-, *xcmsSet*-method
(*xcmsSet*-class), 67
- plot, 59
- plot, plot-methods
(*plot.xcmsEIC*), 30
- plot.xcmsEIC, 30
- plotChrom, 31, 37, 64
- plotChrom (*plotChrom*-methods), 31
- plotChrom, *xcmsRaw*-method
(*plotChrom*-methods), 31
- plotChrom-methods, 31
- plotEIC (*plotEIC*-methods), 31
- plotEIC, *xcmsRaw*-method
(*plotEIC*-methods), 31
- plotEIC-methods, 31
- plotPeaks (*plotPeaks*-methods), 32
- plotPeaks, *xcmsRaw*-method
(*plotPeaks*-methods), 32
- plotPeaks-methods, 32
- plotRaw, 40, 64
- plotRaw (*plotRaw*-methods), 33
- plotRaw, *xcmsRaw*-method
(*plotRaw*-methods), 33
- plotRaw-methods, 33
- plotrt, 69
- plotrt (*plotrt*-methods), 36
- plotrt, *xcmsSet*-method
(*plotrt*-methods), 36
- plotrt-methods, 36
- plotScan, 65
- plotScan (*plotScan*-methods), 33
- plotScan, *xcmsRaw*-method
(*plotScan*-methods), 33
- plotScan-methods, 33
- plotSpec, 37, 65
- plotSpec (*plotSpec*-methods), 34
- plotSpec, *xcmsRaw*-method
(*plotSpec*-methods), 34
- plotSpec-methods, 34
- plotSurf, 65
- plotSurf (*plotSurf*-methods), 35
- plotSurf, *xcmsRaw*-method
(*plotSurf*-methods), 35
- plotSurf-methods, 35
- plotTIC, 65
- plotTIC (*plotTIC*-methods), 35
- plotTIC, *xcmsRaw*-method
(*plotTIC*-methods), 35
- plotTIC-methods, 35
- plotTree (*xcmsFragments*-class), 59
- plotTree, *xcmsFragments*-method
(*xcmsFragments*-class), 59
- png, 31
- postscript, 31
- present (*absent*-methods), 2
- present, *xcmsSet*-method
(*absent*-methods), 2
- profBin, 37
- profinfo (*xcmsSet*-class), 67
- profinfo, *xcmsSet*-method
(*xcmsSet*-class), 67
- profinfo<- (*xcmsSet*-class), 67
- profinfo<-, *xcmsSet*-method
(*xcmsSet*-class), 67
- profMedFilt, 65
- profMedFilt
(*profMedFilt*-methods), 37
- profMedFilt, *xcmsRaw*-method
(*profMedFilt*-methods), 37
- profMedFilt-methods, 37
- profMethod, 37, 39, 65, 67, 71
- profMethod (*profMethod*-methods),
37
- profMethod, *xcmsRaw*-method
(*profMethod*-methods), 37
- profMethod-methods, 37
- profMethod<-, 65
- profMethod<-
(*profMethod*-methods), 37
- profMethod<-, *xcmsRaw*-method

- (*profMethod-methods*), 37
- profMz* (*xcmsRaw-class*), 63
- profMz*, *xcmsRaw-method* (*xcmsRaw-class*), 63
- profRange*, 21, 22, 31, 34, 35, 65
- profRange* (*profRange-methods*), 38
- profRange*, *xcmsRaw-method* (*profRange-methods*), 38
- profRange-methods*, 38
- profStep*, 65, 67, 71
- profStep* (*profStep-methods*), 39
- profStep*, *xcmsRaw-method* (*profStep-methods*), 39
- profStep-methods*, 39
- profStep<-*, 65
- profStep<-* (*profStep-methods*), 39
- profStep<-*, *xcmsRaw-method* (*profStep-methods*), 39
- progressCallback* (*xcmsSet-class*), 67
- progressCallback*, *xcmsSet-method* (*xcmsSet-class*), 67
- progressCallback<-* (*xcmsSet-class*), 67
- progressCallback<-*, *xcmsSet-method* (*xcmsSet-class*), 67
- rawEIC*, 32
- rawEIC* (*rawEIC-methods*), 39
- rawEIC*, *xcmsRaw-method* (*rawEIC-methods*), 39
- rawEIC-methods*, 39
- rawMat* (*rawMat-methods*), 40
- rawMat*, *xcmsRaw-method* (*rawMat-methods*), 40
- rawMat-methods*, 40
- retcor*, 36, 69
- retcor* (*retcor-methods*), 41
- retcor*, *xcmsSet-method* (*retcor-methods*), 41
- retcor-methods*, 41
- retcor.linear* (*retcor.peakgroups-methods*), 42
- retcor.linear*, *xcmsSet-method* (*retcor.peakgroups-methods*), 42
- retcor.loess*, 41
- retcor.loess* (*retcor.peakgroups-methods*), 42
- retcor.loess*, *xcmsSet-method* (*retcor.peakgroups-methods*), 42
- 42
- retcor.obiwarp*, 41, 41, 43
- retcor.obiwarp*, *xcmsSet-method* (*retcor.obiwarp*), 41
- retcor.peakgroups* (*retcor.peakgroups-methods*), 42
- retcor.peakgroups*, *xcmsSet-method* (*retcor.peakgroups-methods*), 42
- retcor.peakgroups-methods*, 42
- retexp*, 43
- revMz* (*xcmsRaw-class*), 63
- revMz*, *xcmsRaw-method* (*xcmsRaw-class*), 63
- rtrange* (*xcmsEIC-class*), 58
- rtrange*, *xcmsEIC-method* (*xcmsEIC-class*), 58
- sampclass*, 2
- sampclass* (*xcmsSet-class*), 67
- sampclass*, *xcmsSet-method* (*xcmsSet-class*), 67
- sampclass<-* (*xcmsSet-class*), 67
- sampclass<-*, *xcmsSet-method* (*xcmsSet-class*), 67
- sampnames*, 59, 69
- sampnames* (*sampnames-methods*), 44
- sampnames*, *xcmsEIC-method* (*sampnames-methods*), 44
- sampnames*, *xcmsSet-method* (*sampnames-methods*), 44
- sampnames-methods*, 44
- sampnames<-* (*xcmsSet-class*), 67
- sampnames<-*, *xcmsSet-method* (*xcmsSet-class*), 67
- score_fun*, 44
- score_fun.cor*, 45, 45, 47
- score_fun.distMatrix*, 45, 46, 46
- searchMetlin*, 47
- searchMetlin*, *xcmsFragments-method* (*searchMetlin*), 47
- selfStart*, 1
- show*, 60
- show*, *xcmsEIC-method* (*xcmsEIC-class*), 58
- show*, *xcmsFragments-method* (*xcmsFragments-class*), 59
- show*, *xcmsPeaks-method* (*xcmsPeaks-class*), 63
- show*, *xcmsRaw-method* (*xcmsRaw-class*), 63

- show, *xcmsSet*-method
 - (*xcmsSet-class*), 67
- simSearch, 49
- simSearch, *xcmsFragments*-method
 - (*simSearch*), 49
- sortMz (*xcmsRaw-class*), 63
- sortMz, *xcmsRaw*-method
 - (*xcmsRaw-class*), 63
- specDist (*specDist-methods*), 50
- specDist, *xcmsSet*-method
 - (*specDist-methods*), 50
- specDist-methods, 50
- specDist.cosine, 51
- specDist.cosine, matrix, matrix-method
 - (*specDist.cosine*), 51
- specDist.meanMZmatch, 52
- specDist.meanMZmatch, matrix, matrix-method
 - (*specDist.meanMZmatch*), 52
- specDist.peakCount
 - (*specDist.peakCount-methods*), 53
- specDist.peakCount, matrix, matrix-method
 - (*specDist.peakCount-methods*), 53
- specDist.peakCount-methods, 53
- specNoise, 53, 54
- specPeaks, 54, 54
- split, 69
- split, split-methods
 - (*split.xcmsSet*), 55
- split.screen, 28, 32
- split.xcmsRaw, 55
- split.xcmsSet, 55
- SSgauss, 1
- stitch (*stitch-methods*), 56
- stitch, *xcmsRaw*-method
 - (*stitch-methods*), 56
- stitch-methods, 56
- structure, 63

- vector, 63

- write.cdf (*write.cdf-methods*), 57
- write.cdf, *xcmsRaw*-method
 - (*write.cdf-methods*), 57
- write.cdf-methods, 57
- write.mzdata
 - (*write.mzdata-methods*), 58
- write.mzdata, *xcmsRaw*-method
 - (*write.mzdata-methods*), 58
- write.mzdata-methods, 58

- xcmsEIC-class*, 19, 25, 31, 44
- xcmsEIC-class*, 58
- xcmsFragments*, 4, 59, 60, 67
- xcmsFragments-class*, 4, 61
- xcmsFragments-class*, 59
- xcmsPapply*, 61, 71
- xcmsPeaks-class*, 63
- xcmsRaw*, 4, 57, 58, 60, 63, 65, 66
- xcmsRaw-class*, 11–14, 16, 17, 19–22, 27, 28, 31–37, 39, 40, 55–58, 67
- xcmsRaw-class*, 63
- xcmsSet*, 4, 59, 68, 69, 70
- xcmsSet-class*, 2–4, 6, 8–10, 19, 22–26, 29, 36, 41–44, 56, 61, 71
- xcmsSet-class*, 67