

# SIFT.Hsapiens.dbSNP132

February 8, 2012

---

SIFT.Hsapiens.dbSNP132

*SIFT predictions for Homo sapiens dbSNP build 132*

---

## Description

Database of SIFT predictions for Homo sapiens dbSNP build 132

## Details

- Methods : See 'SIFTDb-class' for methods.
- Creation of Database Tables : This package includes SIFT predictions for dbSNP build 132 human coding non-synonymous SNPs.
- Source Files :
  - Source : [ftp://ftp.jcvi.org/pub/data/sift/dbSNP\\_132/](ftp://ftp.jcvi.org/pub/data/sift/dbSNP_132/)
  - Software : SIFT 4.0.3
  - Databases : PSI-BLAST
  - Source Files : collated\_predictions\_dbSNP132.tgz SIFT predictions for all snps in dbSNP build 132 readme\_collated\_predictions\_dbSNP132.txt description of data columns
  - Description : This package contains SIFT annotations for 437544 human SNPs included in dbSNP build 132.

## Author(s)

Valerie Obenchain <[vobencha@fhcrc.org](mailto:vobencha@fhcrc.org)>

## References

SIFT Home: <http://sift.jcvi.org/>

Kumar P, Henikoff S, Ng PC. Predicting the effects of coding non-synonymous variants on protein function using the SIFT algorithm. Nat Protoc. 2009;4(7):1073-81

Ng PC, Henikoff S. Predicting the Effects of Amino Acid Substitutions on Protein Function Annu Rev Genomics Hum Genet. 2006;7:61-80.

Ng PC, Henikoff S. SIFT: predicting amino acid changes that affect protein function. Nucleic Acids Res. 2003 Jul 1;31(13):3812-4.

**See Also**[SIFTDb-class](#)

see ? SIFTDbColumns for column descriptions

**Examples**

```
library(SIFT.Hsapiens.dbSNP132)

## metadata
metadata(SIFT.Hsapiens.dbSNP132)

## column descriptions can be found at ?SIFTDbColumns
head(keys(SIFT.Hsapiens.dbSNP132))
cols(SIFT.Hsapiens.dbSNP132)

## subset on keys and cols
rsids <- c("rs17970171", "rs2142947", "rs3026284")
subst <- c("RSID", "METHOD", "PREDICTION", "SCORE")
select(SIFT.Hsapiens.dbSNP132, keys=rsids, cols=subst)
select(SIFT.Hsapiens.dbSNP132, keys=rsids)
```

# Index

## \*Topic **data**

SIFT.Hsapiens.dbSNP132, [1](#)

## \*Topic **package**

SIFT.Hsapiens.dbSNP132, [1](#)

SIFT.Hsapiens.dbSNP132, [1](#)

SIFT.Hsapiens.dbSNP132-package

(*SIFT.Hsapiens.dbSNP132*), [1](#)

SIFTDb-class, [2](#)