

Package ‘RLassoCox’

October 16, 2023

Type Package

Title A reweighted Lasso-Cox by integrating gene interaction information

Version 1.8.0

Date 2020-10-21

Depends R (>= 4.1), glmnet

Imports Matrix, igrph, survival, stats

Description RLassoCox is a package that implements the RLasso-Cox model proposed by Wei Liu. The RLasso-Cox model integrates gene interaction information into the Lasso-Cox model for accurate survival prediction and survival biomarker discovery. It is based on the hypothesis that topologically important genes in the gene interaction network tend to have stable expression changes. The RLasso-Cox model uses random walk to evaluate the topological weight of genes, and then highlights topologically important genes to improve the generalization ability of the Lasso-Cox model. The RLasso-Cox model has the advantage of identifying small gene sets with high prognostic performance on independent datasets, which may play an important role in identifying robust survival biomarkers for various cancer types.

License Artistic-2.0

biocViews Survival, Regression, GeneExpression, GenePrediction, Network

BugReports <https://github.com/weiliu123/RLassoCox/issues>

BiocType Software

Suggests knitr

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/RLassoCox>

git_branch RELEASE_3_17

git_last_commit 1bbb223

git_last_commit_date 2023-04-25

Date/Publication 2023-10-15

Author Wei Liu [cre, aut] (<<https://orcid.org/0000-0002-5496-3641>>)

Maintainer Wei Liu <free1w@qq.com>

R topics documented:

RLassoCox-package	2
cvRLassoCox	3
dGMMirGraph	5
mRNA_matrix	5
predict.cvRLassoCox	6
predict.RLassoCox	7
RLassoCox	8
rw	9
survData	10

Index	11
--------------	-----------

RLassoCox-package	<i>A reweighted Lasso-Cox by integrating gene interaction information</i>
-------------------	---

Description

RLassoCox is a package that implements the RLasso-Cox model proposed by Wei Liu. The RLasso-Cox model integrates gene interaction information into the Lasso-Cox model for accurate survival prediction and survival biomarker discovery. It is based on the hypothesis that topologically important genes in the gene interaction network tend to have stable expression changes. The RLasso-Cox model uses random walk to evaluate the topological weight of genes, and then highlights topologically important genes to improve the generalization ability of the Lasso-Cox model. The RLasso-Cox model has the advantage of identifying small gene sets with high prognostic performance on independent datasets, which may play an important role in identifying robust survival biomarkers for various cancer types.

Details

The DESCRIPTION file: This package was not yet installed at build time.

Index: This package was not yet installed at build time.

Very simple to use. Accepts x,y data for the RLasso-Cox model, and makes predictions for new samples.

RLassoCox A reweighted Lasso-Cox model for survival prediction and biomarker discovery. predict.RLassoCox This function predicts the risk of new samples from a fitted RLasso-Cox model. cvRLassoCox Does k-fold cross-validation for the RLasso-Cox model, produces a plot, and returns a value for lambda. predict.cvRLassoCox This function makes predictions from a cross-validated RLasso-Cox model, using the optimal value chosen for lambda.

Author(s)

NA

Maintainer: NA

References

Integration of gene interaction information into a reweighted Lasso-Cox model for accurate survival prediction. To be published.

Examples

```
library("survival")
library("igraph")
library("glmnet")
library("Matrix")

data(dGMMirGraph)
data(mRNA_matrix)
data(survData)

trainSmpl.Idx <- sample(1:dim(mRNA_matrix)[1], floor(2/3*dim(mRNA_matrix)[1]))
testSmpl.Idx <- setdiff(1:dim(mRNA_matrix)[1], trainSmpl.Idx)
trainSmpl <- mRNA_matrix[trainSmpl.Idx ,]
testSmpl <- mRNA_matrix[testSmpl.Idx ,]

res <- RLassoCox(x=trainSmpl, y=survData[trainSmpl.Idx ,],
                 globalGraph=dGMMirGraph)
lp <- predict(object = res, newx = testSmpl)

cv.res <- cvRLassoCox(x=trainSmpl, y=survData[trainSmpl.Idx ,],
                     globalGraph=dGMMirGraph, nfolds = 5)
cv.lp <- predict(object = cv.res, newx = testSmpl,
                 s = "lambda.min")
```

 cvRLassoCox

Cross-validation for the RLasso-Cox model

Description

Does k-fold cross-validation for the RLasso-Cox model, produces a plot, and returns a value for lambda

Usage

```
cvRLassoCox(x, y, globalGraph = NULL, nfolds = 10, Gamma = 0.3,
            DEBUG = TRUE, standardize = TRUE, ...)
```

Arguments

x	a n x p matrix of gene expression measurements with n samples and p genes.
y	a n x 2 matrix of survival data. The two columns represent disease status 'status' and survival time 'time' respectively.
globalGraph	An igraph R object containing the interaction network.

dGMMirGraph

The KEGG network

Description

The KEGG network constructed by the R package `iSubpathwayMiner`.

Usage

```
data("dGMMirGraph")
```

Format

An `igraph` R object.

Details

There are 7159 nodes and 39930 edges in `dGMMirGraph`. Each node in the graph represents a gene/miRNA/metabolite. The KEGG network is used to evaluate the topological importance of genes by the random walk method.

Examples

```
data(dGMMirGraph)
```

mRNA_matrix

The expression data

Description

An example of GBM expression data. We acknowledge the TCGA Research Network for generating the GBM datasets.

Usage

```
data("mRNA_matrix")
```

Format

The format is: `num [1:314, 1:4853] 0.562167 0.022435 -0.000102 -0.719444 0.620269 ... - attr(*, "dimnames")=List of 2 ..$: chr [1:314] "TCGA-02-0001" "TCGA-02-0003" "TCGA-02-0006" ..$: chr [1:4853] "90993" "4313" "26248" "57680" ...`

Examples

```
data(mRNA_matrix)
```

predict.cvRLassoCox *Make predictions from a cross-validated RLasso-Cox model*

Description

This function makes predictions from a cross-validated RLasso-Cox model, using the optimal value chosen for lambda.

Usage

```
## S3 method for class 'cvRLassoCox'
predict(object, newx, ...)
```

Arguments

object	cross-validated RLasso-Cox model
newx	A matrix with new samples to predict.
...	Arguments to be passed to predict.cv.glmnet in R package glmnet.

Value

Predicted results of new patients in newx.

Examples

```
library("survival")
library("igraph")
library("glmnet")
library("Matrix")

data(dGMMirGraph)
data(mRNA_matrix)
data(survData)

trainSmpl.Idx <- sample(1:dim(mRNA_matrix)[1], floor(2/3*dim(mRNA_matrix)[1]))
testSmpl.Idx <- setdiff(1:dim(mRNA_matrix)[1], trainSmpl.Idx)
trainSmpl <- mRNA_matrix[trainSmpl.Idx ,]
testSmpl <- mRNA_matrix[testSmpl.Idx ,]

cv.res <- cvRLassoCox(x=trainSmpl, y=survData[trainSmpl.Idx ,],
                     globalGraph=dGMMirGraph, nfolds = 5)
lp <- predict(object = cv.res, newx = testSmpl,
              s = "lambda.min")
```

predict.RLassoCox *Make predictions from a RLasso-Cox model*

Description

This function predicts the risk of new samples from a fitted RLasso-Cox model.

Usage

```
## S3 method for class 'RLassoCox'  
predict(object, newx, ...)
```

Arguments

object	Fitted "RLassoCox" model object.
newx	A matrix with new samples to predict.
...	Arguments to be passed to predict.glmnet in R package glmnet.

Value

Predicted results of new patients in newx.

Author(s)

Wei Liu

Examples

```
library("survival")  
library("igraph")  
library("glmnet")  
library("Matrix")  
  
data(dGMMirGraph)  
data(mRNA_matrix)  
data(survData)  
  
trainSmpl.Idx <- sample(1:dim(mRNA_matrix)[1], floor(2/3*dim(mRNA_matrix)[1]))  
testSmpl.Idx <- setdiff(1:dim(mRNA_matrix)[1], trainSmpl.Idx)  
trainSmpl <- mRNA_matrix[trainSmpl.Idx ,]  
testSmpl <- mRNA_matrix[testSmpl.Idx ,]  
  
res <- RLassoCox(x=trainSmpl, y=survData[trainSmpl.Idx ,],  
                  globalGraph=dGMMirGraph)  
lp <- predict(object = res, newx = testSmpl)
```

 RLassoCox

Reweighted Lasso-Cox model

Description

A reweighted Lasso-Cox model for survival prediction and biomarker discovery.

Usage

```
RLassoCox(x, y, globalGraph = NULL, Gamma = 0.3, DEBUG = TRUE,
           standardize = TRUE, ...)
```

Arguments

<code>x</code>	a $n \times p$ matrix of gene expression measurements with n samples and p genes.
<code>y</code>	a $n \times 2$ matrix of survival data. The two columns represent disease status 'status' and survival time 'time' respectively.
<code>globalGraph</code>	An <code>igraph</code> R object containing the interaction network.
<code>Gamma</code>	A numeric value. The restart probability in directed random walk. Default is <code>Gamma = 0.3</code> .
<code>DEBUG</code>	Logical. Should debugging information be shown.
<code>standardize</code>	Logical flag for <code>x</code> standardization, prior to fitting the model. Default is <code>TRUE</code> .
<code>...</code>	Arguments to be passed to <code>glmnet</code> in R package <code>glmnet</code> .

Details

RLassoCox integrates gene interaction information into the Lasso-Cox model for accurate survival prediction and biomarker discovery.

Value

<code>glmnetRes</code>	An object of class "glmnet"
<code>PT</code>	The topological weights of genes

Author(s)

Wei Liu

References

Integration of gene interaction information into a reweighted Lasso-Cox model for accurate survival prediction. To be published.

See Also

[predict](#)

Examples

```
library("survival")
library("igraph")
library("glmnet")
library("Matrix")

data(dGMMirGraph)
data(mRNA_matrix)
data(survData)

trainSmpl.Idx <- sample(1:dim(mRNA_matrix)[1], floor(2/3*dim(mRNA_matrix)[1]))
testSmpl.Idx <- setdiff(1:dim(mRNA_matrix)[1], trainSmpl.Idx)
trainSmpl <- mRNA_matrix[trainSmpl.Idx ,]
testSmpl <- mRNA_matrix[testSmpl.Idx ,]

res <- RLassoCox(x=trainSmpl, y=survData[trainSmpl.Idx ,],
                 globalGraph=dGMMirGraph)
```

rw

Directed Random Walk

Description

The directed random walk algorithm proposed by Liu et al (2013).

Usage

```
rw(W, p0, gamma)
```

Arguments

W	The adjacency matrix of the gene interaction network.
p0	A vector containing the initial weights of genes in the gene interaction network.
gamma	A numeric value. The restart probability in directed random walk.

Details

This function implements the directed random walk algorithm proposed by Liu et al (2013). It evaluates the topological weight of each gene according to its topological importance in the gene interaction network. The genes that close to many other genes that have large weights will receive larger weights. The final weights reflect the topological importances of genes in the gene interaction network.

Value

A matrix containing the topological weights of nodes in igraphM.

Author(s)

Wei Liu <freelw@qq.com>

References

Liu, W., et al., Topologically inferring risk-active pathways toward precise cancer classification by directed random walk. *Bioinformatics*, 2013. 29(17): p. 2169-77.

survData

Survival data

Description

The survival data of patients in mRNA_matrix.

Usage

```
data("survData")
```

Format

A data frame with 314 observations on the following 2 variables.

status a logical vector

time a numeric vector

Examples

```
data(survData)
```

Index

* **datasets**

dGMirGraph, [5](#)

mRNA_matrix, [5](#)

survData, [10](#)

* **package**

RLassoCox-package, [2](#)

cvRLassoCox, [3](#)

dGMirGraph, [5](#)

mRNA_matrix, [5](#)

predict, [8](#)

predict.cvRLassoCox, [6](#)

predict.RLassoCox, [7](#)

RLassoCox, [8](#)

RLassoCox-package, [2](#)

rw, [9](#)

survData, [10](#)