

Package ‘SynExtend’

April 9, 2025

Type Package

Title Tools for Working With Synteny Objects

Version 1.19.10

biocViews Genetics, Clustering, ComparativeGenomics, DataImport

Description Shared order between genomic sequences provide a great deal of information. Synteny objects produced by the R package DECIPHER provides quantitative information about that shared order. SynExtend provides tools for extracting information from Synteny objects.

Depends R (>= 4.4.0), DECIPHER (>= 2.28.0)

Imports methods, Biostrings, S4Vectors, IRanges, utils, stats, parallel, graphics, grDevices, RSQLite, DBI

Suggests BiocStyle, knitr, igraph, markdown, rmarkdown

License GPL-3

ByteCompile true

Encoding UTF-8

NeedsCompilation yes

VignetteBuilder knitr

URL <https://github.com/npcooley/SynExtend>

BugReports <https://github.com/npcooley/SynExtend/issues/new/>

git_url <https://git.bioconductor.org/packages/SynExtend>

git_branch devel

git_last_commit 5c3aa8e

git_last_commit_date 2025-04-04

Repository Bioconductor 3.21

Date/Publication 2025-04-08

Author Nicholas Cooley [aut, cre] (ORCID:
<<https://orcid.org/0000-0002-6029-304X>>),
Aidan Lakshman [aut, ctb] (ORCID:
<<https://orcid.org/0000-0002-9465-6785>>),

Adelle Fernando [ctb],
Erik Wright [aut]

Maintainer Nicholas Cooley <npc19@pitt.edu>

Contents

BlastSeqs	3
BlockExpansion	4
BlockReconciliation	6
BuiltInEnsembles	8
CIDist_NullDist	9
ClusterByK	10
CompetePairs	12
DecisionTree-class	13
dendrapply	15
DisjointSet	17
DPhyloStatistic	18
Endosymbionts_GeneCalls	20
Endosymbionts_LinkedFeatures	21
Endosymbionts_Pairs01	22
Endosymbionts_Pairs02	22
Endosymbionts_Pairs03	23
Endosymbionts_Sets	23
Endosymbionts_Synteny	24
EstimateExoLabel	24
EstimRearrScen	26
EvoWeaver	29
EvoWeaver-GOPreds	31
EvoWeaver-PPPreds	33
EvoWeaver-PPSPreds	35
EvoWeaver-SLPreds	37
EvoWeb	39
ExampleStreptomycesData	40
ExoLabel	40
ExpandDiagonal	46
ExtractBy	48
FastQFromSRR	49
FindSets	50
FitchParsimony	52
Generic	54
gffToDataFrame	54
LinkedPairs	55
MakeBlastDb	57
MoranI	58
NucleotideOverlap	60
PairSummaries	61
PhyloDistance	64

PhyloDistance-CIDist	66
PhyloDistance-JRFDist	67
PhyloDistance-KFDist	69
PhyloDistance-RFDist	70
plot.EvoWeb	71
predict.EvoWeaver	73
PrepareSeqs	77
RandForest	79
SelectByK	82
SequenceSimilarity	84
simMat	85
subset.dendrogram	88
SubSetPairs	89
SummarizePairs	91
SuperTree	93
SuperTreeEx	94
Index	96

BlastSeqs	<i>Run BLAST queries from R</i>
-----------	---------------------------------

Description

Wrapper to run **BLAST** queries using the commandline BLAST tool directly from R. Can operate on an [XStringSet](#) or a FASTA file.

This function requires the BLAST+ commandline tools, which can be downloaded from <https://blast.ncbi.nlm.nih.gov/Blast.c>

Usage

```
BlastSeqs(seqs, BlastDB,
           blastType=c('blastn', 'blastp', 'tblastn', 'blastx', 'tblastx'),
           extraArgs='', verbose=TRUE)
```

Arguments

seqs	Sequence(s) to run BLAST query on. This can be either an XStringSet or a path to a FASTA file.
BlastDB	Character; path to FASTA file in a pre-built BLAST Database. These can be built using either MakeBlastDb from R or the commandline makeblastdb function from BLAST+. For more information on building BLAST DBs, see here .
blastType	Character; type of BLAST query to run. See 'Details' for more information on available types.
extraArgs	Character; additional arguments to be passed to the BLAST query executed on the command line. This should be a single string. (Optional)
verbose	Logical; should output be displayed? (Optional, default TRUE)

Details

BLAST implements multiple types of search. Available types are the following:

- `blastn`: Nucleotide sequences against database of nucleotide sequences
- `blastp`: Protein sequences against database of protein sequences
- `tblastn`: Protein sequences against translated database of nucleotide sequences
- `blastx`: Translated nucleotide sequences against database of protein sequences
- `tblastx`: Translated nucleotide sequences against translated database of nucleotide sequences

Different BLAST queries require different inputs. The function will throw an error if the input data does not match expected input for the requested query type.

Input sequences for `blastn`, `blastx`, and `tblastx` should be nucleotide data.

Input sequences for `blastp` and `tblastn` should be amino acid data.

Database for `blastn`, `tblastn`, `tblastx` should be nucleotide data.

Database for `blastp` and `blastx` should be amino acid data.

Value

Returns a data frame ([data.frame](#)) of results of the BLAST query.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[MakeBlastDb](#)

Examples

```
#
```

BlockExpansion	<i>Attempt to expand blocks of paired features in a PairSummaries object.</i>
----------------	---

Description

Attempt to expand blocks of paired features in a `PairSummaries` object.

Usage

```
BlockExpansion(Pairs,
               GapTolerance = 4L,
               DropSingletons = FALSE,
               Criteria = "PID",
               Floor = 0.5,
               NewPairsOnly = TRUE,
               DBPATH,
               Verbose = FALSE)
```

Arguments

Pairs	An object of class <code>PairSummaries</code> .
GapTolerance	Integer value indicating the diff between feature IDs that can be tolerated to view features as part of the same block. Set by default to 4L, implying that a single feature missing in a run of pairs will not cause the block to be split. Setting to 3L would imply that a diff of 3 between features, or a gap of 2 features, can be viewed as those features being part of the same block.
DropSingletons	Ignore solo pairs when planning expansion routes. Set to FALSE by default.
Criteria	Either "PID" or "Score", indicating which metric to use to keep or reject pairs.
Floor	Lower PID limit for keeping a pair that was evaluated during expansion.
NewPairsOnly	Logical indicating whether or not to return only the pairs that were kept from all expansion attempts, or to return a <code>PairSummaries</code> object with the new pairs folded in.
DBPATH	A file or connection pointing to the DECIPHER database supplied to <code>FindSynteny</code> for the original map construction.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

`BlockExpansion` uses a naive expansion algorithm to attempt to fill in gaps in blocks of paired features and to attempt to expand blocks of paired features.

Value

An object of class `PairSummaries`.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[PairSummaries](#), [NucleotideOverlap](#), [link{SubSetPairs}](#), [FindSynteny](#)

Examples

```
# this function will be deprecated soon,
# please see the new ExpandDiagonal() function.
library(RSQLite)
DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")

data("Endosymbionts_LinkedFeatures", package = "SynExtend")

Pairs <- PairSummaries(SyntenicLinks = Endosymbionts_LinkedFeatures,
                      PIDs = TRUE,
                      Score = TRUE,
                      DBPATH = DBPATH,
                      Verbose = TRUE)

data("Endosymbionts_Pairs01", package = "SynExtend")
Pairs02 <- BlockExpansion(Pairs = Pairs,
                         NewPairsOnly = FALSE,
                         DBPATH = DBPATH,
                         Verbose = TRUE)
```

BlockReconciliation *Rejection scheme for asyntenic predicted pairs*

Description

Take in a `PairSummaries` object and reject predicted pairs that conflict with syntenic blocks either locally or globally.

Usage

```
BlockReconciliation(Pairs,
                   ConservativeRejection = TRUE,
                   Precedent = "Size",
                   PIDThreshold = NULL,
                   SCOREThreshold = NULL,
                   Verbose = FALSE)
```

Arguments

`Pairs` A `PairSummaries` object.

`ConservativeRejection` A logical defaulting to TRUE. By default only pairs that conflict within a syntenic block will be rejected. When FALSE any conflict will cause the rejection of the pair in the smaller block.

Precedent	A character vector of length 1, defaulting to “Size”. Selector for whether function attempts to reconcile with block size as precedent, or mean block PID as precedent. Currently “Metric” will select mean block PID to set block precedent. Blocks of size 1 cannot reject other blocks. The default behavior causes the rejection of any set of predicted pairs that conflict with a larger block of predicted pairs. Switching to “Metric” changes this behavior to any block of size 2 or greater will reject any predicted pair that both conflicts with the current block, and is part of a block with a lower mean PID.
PIDThreshold	Defaults to NULL, a numeric of length 1 can be used to retain pairs that would otherwise be rejected. Pairs that would otherwise be rejected that have a PID \geq PIDThreshold will be retained.
SCOREThreshold	Defaults to NULL, a numeric of length 1 can be used retain pairs that would otherwise be rejected. Pairs that would otherwise be rejected that have a SCORE \geq SCOREThreshold will be retained.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

If a given PairSummaries object contains predicted pairs that conflict, i.e. imply paralogy, or an “incorrect” and a “correct” ortholog prediction, these predictions will be reconciled. The function scrolls through pairs based on the size of the syntenic block that they are part of, from largest to smallest. When ConservativeRejection is TRUE only predicted pairs that exist within the syntenic block “space” will be removed, this option leaves room for conflicting predictions to remain if they are non-local to each other, or are on different indices. When ConservativeRejection is FALSE any pair that conflicts with a larger syntenic block will be rejected. This option forces only 1-1 feature pairings, for features are part of any syntenic block. Predicted pairs that represent a syntenic block size of 1 feature will not reject other pairs. PIDThreshold and SCOREThreshold can be used to retain pairs that would otherwise be rejected based on available assessments of their pairwise alignment.

Value

A data.frame of class “data.frame” and “PairSummaries” of paired genes that are connected by syntenic hits. Contains columns describing the k-mers that link the pair. Columns “p1” and “p2” give the location ids of the the genes in the pair in the form “DatabaseIdentifier_ContigIdentifier_GeneIdentifier”. “ExactMatch” provides an integer representing the exact number of nucleotides contained in the linking k-mers. “TotalKmers” provides an integer describing the number of distinct k-mers linking the pair. “MaxKmer” provides an integer describing the largest k-mer that links the pair. A column titled “Consensus” provides a value between zero and 1 indicating whether the kmers that link a pair of features are in the same position in each feature, with 1 indicating they are in exactly the same position and 0 indicating they are in as different a position as is possible. The “Adjacent” column provides an integer value ranging between 0 and 2 denoting whether a feature pair’s direct neighbors are also paired. Gap filled pairs neither have neighbors, or are included as neighbors. The “TetDist” column provides the euclidean distance between oligonucleotide - of size 4 - frequencies between predicted pairs. “PIDType” provides a character vector with values of “NT” where either of the pair indicates it is not a translatable sequence or “AA” where both sequences are translatable. If users choose to perform pairwise alignments there will be a “PID” column providing a numeric

describing the percent identity between the two sequences. If users choose to predict PIDs using their own, or a provided model, a “PredictedPID” column will be provided.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[FindSynteny](#), [Synteny-class](#), [PairSummaries](#)

Examples

```
# this function will be deprecated soon...

data("Endosymbionts_Pairs02", package = "SynExtend")
Pairs03 <- BlockReconciliation(Pairs = Endosymbionts_Pairs02,
                             ConservativeRejection = FALSE,
                             Verbose = TRUE)
```

BuiltInEnsembles

Pretrained EvoWeaver Ensemble Models

Description

EvoWeaver has best performance with an ensemble method combining individual evidence streams. This data file provides pretrained models for ease of use. Two groups of models are provided: 1. Models trained on the KEGG MODULES dataset 2. Models trained on the CORUM dataset

These models are used internally if the user does not provide their own model, and aren't explicitly designed to be accessed by the user.

See the examples for how to train your own ensemble model.

Usage

```
data("BuiltInEnsembles")
```

Format

The data contain a named list of objects of class `glm`. This list currently has two entries: "KEGG" and "CORUM"

Examples

```
## Training own ensemble method to avoid using built-ins
## defaults to built-ins when an ensemble isn't provided

exData <- get(data("ExampleStreptomycesData"))
ew <- EvoWeaver(exData$Genes[seq_len(50L)], MySpeciesTree=exData$Tree)
datavals <- predict(ew, NoPrediction=TRUE, Verbose=interactive())

# Picking random numbers for demonstration purposes
actual_values <- sample(c(0,1), nrow(datavals), replace=TRUE)
datavals[, 'y'] <- actual_values
myModel <- glm(y~., datavals[, -c(1,2)], family='binomial')

predictionPW <- EvoWeaver(exData$Genes[51:60], MySpeciesTree=exData$Tree)
predict(predictionPW,
        PretrainedModel=myModel, Verbose=interactive())
```

CIDist_NullDist

Simulated Null Distributions for CI Distance

Description

Simulated values of [Clustering Information Distance](#) for random trees with 4 to 200 shared leaves.

Usage

```
data("CIDist_NullDist")
```

Format

A matrix CI_DISTANCE_INTERNAL with 197 columns and 13 rows.

Details

Each column of the matrix corresponds to the distribution of distances between random trees with the given number of leaves. This begins at CI_DISTANCE_INTERNAL[, 1] corresponding to 4 leaves, and ends at CI_DISTANCE_INTERNAL[, 197] corresponding to 200 leaves. Distances begin at 4 leaves since there is only one unrooted tree with 1, 2, or 3 leaves (so the distance between any given tree with less than 4 leaves is always 0).

Each row of the matrix corresponds to statistics for the given simulation set. The first row gives the minimum value, the next 9 give quantiles in c(1%, 5%, 10%, 25%, 50%, 75%, 90%, 95%, 99%), and the last three rows give the max, mean, and sd (respectively).

Source

Datafiles obtained from the [TreeDistData](#) package, published as part of Smith (2020).

References

Smith, Martin R. *Information theoretic generalized Robinson–Foulds metrics for comparing phylogenetic trees*. *Bioinformatics*, 2020. **36**(20):5007-5013.

Examples

```
data(CIDist_NullDist)
```

ClusterByK

Predicted pair trimming using K-means.

Description

A relatively simple k-means clustering approach to drop predicted pairs that belong to clusters with a PID centroid below a specified user threshold.

Usage

```
ClusterByK(SynExtendObject,
           UserConfidence = list("PID" = 0.3),
           ClusterScalar = 4,
           MaxClusters = 15L,
           ColSelect = c("p1featurelength",
                        "p2featurelength",
                        "TotalMatch",
                        "Consensus",
                        "PID",
                        "Score",
                        "Delta_Background"),
           ColNorm = "Score",
           ShowPlot = FALSE,
           Verbose = FALSE)
```

Arguments

- | | |
|-----------------|--|
| SynExtendObject | An object of class <code>PairSummaries</code> . |
| UserConfidence | A named list of length 1 where the name identifies a column of the <code>PairSummaries</code> object, and the value identifies a user confidence. Every k-means cluster with a center value of the column value selected greater than the confidence is retained. |
| ClusterScalar | A numeric value used to scale selection of how many clusters are used in kmeans clustering. A transformed total within-cluster sum of squares value is fit to a right hyperbola, and a scaled half-max value is used to select cluster number. “ClusterScalar” is multiplied by the half-max to adjust cluster number selection. |
| MaxClusters | Integer value indicating the largest number of clusters to test in a series of k-means clustering tests. |

ColSelect	A character vector of column names indicating which columns to use for k-means clustering. When “p1featurelength”, “p2featurelength”, and “TotalMatch” are included together, they are morphed into a value representing the match size proportional to the longer of the two sequences.
ColNorm	A character vector of column names indicating columns the user would like to unit normalize. By default only set to “Score”.
ShowPlot	Logical indicating whether or not to plot the CDFs for the PIDs of all k-means clusters for the determined cluster number.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

ClusterByK uses a naive k-means routine to select for predicted pairs that belong to clusters whose centroids are greater than or equal to the user specified column-value pair. This means that the confidence is not a minimum, and that pairs with values below the user confidence can be retained. The sum of within cluster sum of squares is used to approximate “knee” selection with the “ClusterScalar” value. With a “ClusterScalar” value of 1 the half-max of a right-hyperbola fitted to the sum of within-cluster sum of squares is used to pick the cluster number for evaluation, “ClusterScalar” is multiplied by the half-max to tune cluster number selection. ClusterByK returns the original object with an appended column and new attributes. The new column “ClusterID” is an integer value indicating which k-means cluster a candidate pair belongs to, while the attribute “Retain” is a named logical vector where the names correspond to ClusterIDs, and the logical value indicates whether the cluster center was above the user supplied column-value pair. This function is intended to be used at the genome-to-genome comparison level, and not say, at the level of an all-vs-all comparison of many genomes. It will work well in all-vs-all cases, but it is not optimized for that scale yet.

Value

An object of class `PairSummaries`.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[SummarizePairs](#), [NucleotideOverlap](#), [FindSynteny](#), [ExpandDiagonal](#)

Examples

```
data("Endosymbionts_Pairs01", package = "SynExtend")  
Pairs02 <- ClusterByK(SynExtendObject = Endosymbionts_Pairs01)
```

 CompetePairs

Find the best match pair in cases where ambiguity exists.

Description

A relatively simple routine for identifying a “best” pair in cases where many homologous are identified in a single genome-to-genome comparison. Selection is performed with a single collected measure, and can be performed with or without leveraging context of syntenic blocks.

Usage

```
CompetePairs(SynExtendObject,
             AllowCrossContigConflicts = TRUE,
             By = "PID",
             PollContext = TRUE,
             NormalizeCompetition = TRUE,
             InflationParameter = .975,
             Verbose = FALSE)
```

Arguments

SynExtendObject	An object of class PairSummaries.
AllowCrossContigConflicts	A logical indicating where pair competition should take place between genomes or contigs.
By	A character vector of length 1 indicating which column in the PairSummaries object to compete pairs with.
PollContext	A logical indicating whether to include the context of block membership in the competition.
NormalizeCompetition	A logical indicating whether or not to unit normalize the measure being used for competition.
InflationParameter	A numeric of length 1 specifying an adjustment for how block context should be penalized, greater than 1 or rewarded, less than 1.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

CompetePairs uses a naive competition based approach to select a “true-est” ortholog in cases where many competing potential orthologs are present in a set of predicted pairs. The returned value is the previous object with two new attributes, “RetainByCompetition” is a vector of logicals specifying which pairs are retained post competition. A second new attribute named “Knockout” is a character vector that identifies –by rowname– the row which knocked out a removed pair.

Value

An object of class PairSummaries.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[SummarizePairs](#), [NucleotideOverlap](#), [FindSynteny](#), [ExpandDiagonal](#), [ClusterByK](#)

Examples

```
data("Endosymbionts_Pairs01", package = "SynExtend")

Pairs02 <- CompetePairs(SynExtendObject = Endosymbionts_Pairs01)
```

DecisionTree-class *Decision Trees for Random Forests*

Description

DecisionTree objects comprising random forest models generated with [RandForest](#).

Usage

```
## S3 method for class 'DecisionTree'
as.dendrogram(object, ...)

## S3 method for class 'DecisionTree'
plot(x, plotGain=FALSE, ...)
```

Arguments

object	an object of class DecisionTree to convert to class dendrogram .
x	an object of class DecisionTree to plot.
plotGain	Logical; Determines if the Gini gain (for classification) or decrease in sum of squared error (for regression) should be plotted for each decision point of the tree. If FALSE, only plots the variable threshold for each decision point.
...	For plot, further arguments passed to plot.dendrogram and text . Arguments prefixed with "text." (e.g., text.cex) will be passed to text, and all other arguments are passed to plot.dendrogram. For as.dendrogram, ... is further arguments for consistency with the generic definition.

Details

These methods help work with DecisionTree objects, which are returned as part of [RandForest](#). Coercion to [dendrogram](#) objects creates a 'dendrogram' corresponding to the structure of the decision tree. Each internal node possesses the standard attributes present in a 'dendrogram' object, along with the following extra attributes:

- `variable`: which variable was used to split at this node.
- `thresh`: cutoff for partitioning points; values less than `thresh` are assigned to the left node, and those greater than to the right node.
- `gain`: change in the metric to maximize. For classification trees this is the Gini Gain, and for regression trees this is the decrease in sum of squared error.

Plotting allows for extra arguments to be passed to `plot` and `text`. Arguments prefixed with 'text' are passed to `text`, which controls the labeling of internal nodes. Common arguments used here are `text.cex`, `text.adj`, `text.srt`, and `text.col`. All other arguments are passed to `plot.dendrogram`. For example, `col='blue'` would change the dendrogram color to blue, whereas `text.col='blue'` would change the interior node labels to blue (but not the dendrogram itself).

Value

`as.dendrogram` returns an object of class 'dendrogram'. `plot` returns NULL invisibly.

Warning

These functions can be quite slow for large decision trees. Usage is discouraged for trees with more than 100 internal nodes.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[RandForest](#)

Examples

```
set.seed(199L)
n_samp <- 100L
AA <- rnorm(n_samp, mean=1, sd=5)
BB <- rnorm(n_samp, mean=2, sd=3)
CC <- rgamma(n_samp, shape=1, rate=2)
err <- rnorm(n_samp, sd=0.5)
y <- AA + BB + 2*CC + err

d <- data.frame(AA,BB,CC,y)
train_i <- 1:90
test_i <- 91:100
train_data <- d[train_i,]
test_data <- d[test_i,]
```

```

rf_regr <- RandForest(y~., data=train_data, rf.mode="regression", max_depth=5L)
if(interactive()){
  # Visualize one of the decision trees
  plot(rf_regr[[1]])
}

dend <- as.dendrogram(rf_regr[[1]])
plot(dend)

```

dendrapply

*Apply a Function to All Nodes of a Dendrogram***Description**

Apply function FUN to each node of a dendrogram recursively. When `y <- dendrapply(x, fn)`, then `y` is a dendrogram of the same graph structure as `x` and for each node, `y.node[j] <- FUN(x.node[j], ...)` (where `y.node[j]` is an (invalid!) notation for the `j`-th node of `y`). Also provides flexibility in the order in which nodes are evaluated.

NOTE: This man page is for the `dendrapply` function defined in the **SynExtend** package. See `?stats::dendrapply` for the default method (defined in the **stats** package).

Usage

```

dendrapply(X, FUN, ...,
           how = c("pre.order", "post.order"))

```

Arguments

<code>X</code>	An object of class <code>"dendrogram"</code> .
<code>FUN</code>	An R function to be applied to each dendrogram node, typically working on its <code>attributes</code> alone, returning an altered version of the same node.
<code>...</code>	potential further arguments passed to <code>FUN</code> .
<code>how</code>	Character; one of <code>c("pre.order", "post.order")</code> , or an unambiguous abbreviation. Determines if nodes should be evaluated according to a preorder (default) or postorder traversal. See details for more information.

Details

"pre.order" preserves the functionality of the previous `dendrapply`. For each node `n`, `FUN` is applied first to `n`, then to `n[[1]]` (and any children it may have), then `n[[2]]` and its children, etc. Notably, each node is evaluated *prior to any* of its children (i.e., "top-down").

"post.order" allows for calculations that depend on the children of a given node. For each node `n`, `FUN` is applied first to *all* children of `n`, then is applied to `n` itself. Notably, each node is evaluated *after all* of its children (i.e., "bottom-up").

Value

Usually a dendrogram of the same (graph) structure as *X*. For that, the function must be conceptually of the form `FUN <- function(X) { attributes(X) <- ; X }`, i.e., returning the node with some attributes added or changed.

If the function provided does not return the node, the result is a nested list of the same structure as *X*, or as close as can be achieved with the return values. If the function should only be applied to the leaves of *X*, consider using `rapply` instead.

Warning

`dendrapply` identifies leaf nodes as nodes such that `attr(node, 'leaf') == TRUE`, and internal nodes as nodes such that `attr(node, 'leaf') %in% c(NULL, FALSE)`. If you modify or remove this attribute, `dendrapply` may perform unexpectedly.

Note

The prior implementation of `dendrapply` was recursive and inefficient for dendrograms with many non-leaves. This version is no longer recursive, and thus should no longer cause issues stemming from insufficient C stack size (as mentioned in the 'Warning' in `dendrogram`).

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

`as.dendrogram`, `lapply` for applying a function to each component of a list.

`rapply` is particularly useful for applying a function to the leaves of a dendrogram, and almost always be used when the function does not need to be applied to interior nodes due to significantly better performance.

Examples

```
require(graphics)

## a smallish simple dendrogram
dhc <- as.dendrogram(hc <- hclust(dist(USArrests), "ave"))
(dhc21 <- dhc[[2]][[1]])

## too simple:
dendrapply(dhc21, function(n) utils::str(attributes(n)))

## toy example to set colored leaf labels :
local({
  colLab <-< function(n) {
    if(is.leaf(n)) {
      a <- attributes(n)
      i <- i+1
      attr(n, "nodePar") <- c(a$nodePar, list(lab.col = mycols[i], lab.font = i%3))
    }
  }
}
```

```

      n
    }
    mycols <- grDevices::rainbow(attr(dhc21,"members"))
    i <- 0
  })
dL <- dendrapply(dhc21, collab)
op <- par(mfrow = 2:1)
plot(dhc21)
plot(dL) ## --> colored labels!
par(op)

## Illustrating difference between pre.order and post.order
dend <- as.dendrogram(hclust(dist(seq_len(4L))))

f <- function(x){
  if(!is.null(attr(x, 'leaf'))){
    v <- as.character(attr(x, 'label'))
  } else {
    v <- paste0(attr(x[[1]], 'newattr'), attr(x[[2]], 'newattr'))
  }
  attr(x, 'newattr') <- v
  x
}

# trying with default, note character(0) entries
preorder_try <- dendrapply(dend, f)
dendrapply(preorder_try, \(x){ print(attr(x, 'newattr')); x })

## trying with postorder, note that children nodes will already
## have been populated, so no character(0) entries
postorder_try <- dendrapply(dend, f, how='post.order')
dendrapply(postorder_try, \(x){ print(attr(x, 'newattr')); x })

```

DisjointSet

Return single linkage clusters from PairSummaries objects.

Description

Takes in a PairSummaries object and return a list of identifiers organized into single linkage clusters.

Usage

```
DisjointSet(Pairs,
            Verbose = FALSE)
```

Arguments

Pairs	A PairSummaries object.
Verbose	Logical indicating whether to print progress bars and messages. Defaults to FALSE.

Details

Takes in a PairSummaries object and return a list of identifiers organized into single linkage clusters.

Value

Returns a list of character vectors representing IDs of sequence features, typically genes.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[FindSynteny](#), [Synteny-class](#), [PairSummaries](#), [FindSets](#)

Examples

```
data("Endosymbionts_Pairs03", package = "SynExtend")

Sets <- DisjointSet(Pairs = Endosymbionts_Pairs03,
                   Verbose = TRUE)
```

DPhyloStatistic

D-Statistic for Binary States on a Phylogeny

Description

Calculates if a presence/absence pattern is random, Brownian, or neither for a binary trait with respect to a given phylogeny.

Usage

```
DPhyloStatistic(dend, PAProfile, NumIter = 1000L)
```

Arguments

dend	An object of class dendrogram
PAProfile	A vector representing presence/absence of binary traits. See Details for information on supported input types.
NumIter	Integer; Number of iterations to simulate for random permutation analysis.

Details

This function implements the D-Statistic for binary traits on a phylogeny, as introduced in Fritz and Purvis (2009). The statistic is the following ratio:

$$\frac{D_{obs} - D_b}{D_r - D_b}$$

Here D_{obs} is the D value for the input data, D_b is the value under simulated Brownian evolution, and D_r is the value under random permutation of the input data. The D value measures the sum of sister clade differences in a phylogeny weighted by branch lengths. A score close to 1 indicates phylogenetically random distribution, and a score close to 0 indicates the trait likely evolved under Brownian motion. Scores can fall outside this range; these scores are only intended as benchmark points on the scale. See the Value section or the original paper cited in References for more information.

The input parameter `PAProfile` supports a number of formatting options:

- Character vector, where each element is a label of the dendrogram. Presence in the character vector indicates presence of the trait in the corresponding label.
- Integer vector of length equivalent to the number of leaves, comprised of 0s and 1s. 0 indicates absence in the corresponding leaf, and 1 indicates presence.
- Logical vector of length equivalent to number of leaves. FALSE indicates absence in the corresponding leaf, and TRUE indicates presence.

See Examples for a demonstration of each case.

Value

Returns a numerical value with the following cases:

- Value less than 0: the trait is more phylogenetically concentrated than expected by chance ("extremely clumped")
- Value close to 0: the trait is as phylogenetically concentrated as expected if it had evolved by Brownian motion
- Value close to 1: the trait is as phylogenetically concentrated as expected under a random distribution
- Value greater than 1: the trait is less phylogenetically concentrated than expected under a random distribution ("overdispersed")

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Fritz S.A. and Purvis A. *Selectivity in Mammalian Extinction Risk and Threat Types: a New Measure of Phylogenetic Signal Strength in Binary Traits*. Conservation Biology, 2010. **24**(4):1042-1051.

Examples

```
#####
### Replicating results from Table 1 in original paper ###
#####

# creates a dendrogram with 16 leaves and branch lengths all 1
distMat <- suppressWarnings(matrix(seq_len(17L), nrow=16, ncol=16))
testDend <- as.dendrogram(hclust(as.dist(distMat)))
testDend <- dendrapply(testDend, \(x){
  attr(x, 'height') <- attr(x, 'height') / 2
  return(x)
})
attr(testDend[[1]], 'height') <- attr(testDend[[2]], 'height') <- 3
attr(testDend, 'height') <- 4
plot(testDend)

set.seed(123)

# extremely clumped (should be close to -2.4)
DPhyloStatistic(testDend, as.character(1:8))

# clumped Brownian (should be close to 0)
DPhyloStatistic(testDend, as.character(c(1,2,5,6,10,12,13,14)))

# random (should be close to 1.0)
DPhyloStatistic(testDend, as.character(c(1,4:6,10,13,14,16)))

# overdispersed (should be close to 1.9)
DPhyloStatistic(testDend, as.character(seq(2,16,by=2)))

#####
### Different ways to create PAPprofiles ###
#####

allLabs <- as.character(labels(testDend))

# All these ways create a PAPprofile with
# presence in members 1:4
# and absence in members 5:16

# numeric vector:
c(rep(1,4), rep(0, length(allLabs)-4))

# logical vector:
c(rep(TRUE,4), rep(FALSE, length(allLabs)-4))

# character vector:
allLabs[1:4]
```

Endosymbionts_GeneCalls

Example genecalls

Description

A named list of DataFrames.

Usage

```
data("Endosymbionts_GeneCalls")
```

Format

A named list.

Details

Example genecalls.

Examples

```
data(Endosymbionts_GeneCalls)
```

Endosymbionts_LinkedFeatures

Example syteny links

Description

An object of class LinkedPairs.

Usage

```
data("Endosymbionts_LinkedFeatures")
```

Format

An object of class LinkedPairs.

Details

An object of class LinkedPairs.

Examples

```
data(Endosymbionts_LinkedFeatures)
```

Endosymbionts_Pairs01 Example predicted pairs

Description

An object of class PairSummaries.

Usage

```
data("Endosymbionts_Pairs01")
```

Format

An object of class PairSummaries.

Details

An object of class PairSummaries.

Examples

```
data(Endosymbionts_Pairs01)
```

Endosymbionts_Pairs02 Example predicted pairs

Description

An object of class PairSummaries where blocks have been expanded.

Usage

```
data("Endosymbionts_Pairs02")
```

Format

An object of class PairSummaries.

Details

An object of class PairSummaries.

Examples

```
data(Endosymbionts_Pairs02)
```

Endosymbionts_Pairs03 *Example predicted pairs*

Description

An object of class PairSummaries where blocks have been expanded and competitors have been rejected.

Usage

```
data("Endosymbionts_Pairs03")
```

Format

An object of class PairSummaries.

Details

An object of class PairSummaries.

Examples

```
data(Endosymbionts_Pairs03)
```

Endosymbionts_Sets *A list of disjoint sets.*

Description

A named list of disjoint sets representing hypothetical COGs.

Usage

```
data("Endosymbionts_Sets")
```

Format

A named list of disjoint sets representing hypothetical COGs.

Details

A named list of disjoint sets representing hypothetical COGs.

Examples

```
data(Endosymbionts_Sets)
```

Endosymbionts_Synteny *A synteny object*

Description

An object of class Synteny.

Usage

```
data("Endosymbionts_Synteny")
```

Format

An object of class Synteny.

Details

An object of class Synteny.

Examples

```
data(Endosymbionts_Synteny)
```

EstimateExoLabel *Estimate ExoLabel Disk Consumption*

Description

Estimate the total disk consumption for [ExoLabel](#).

Usage

```
EstimateExoLabel(num_v, avg_degree=2,
                 is_undirected=TRUE,
                 num_edges=num_v*avg_degree,
                 node_name_length=10L)
```

Arguments

num_v	Integer; approximate number of total unique nodes in the network.
avg_degree	Numeric; average degree of nodes in the network (i.e., the average number of neighbors for each node)
is_undirected	Logical; indicates whether edges are undirected (TRUE) or directed (FALSE). Undirected edges consume twice as much disk space internally because they need to be recorded twice.
num_edges	Integer; approximate total number of edges in the network.
node_name_length	Integer; approximate average length of each node name, in characters.

Details

This function provides a rough estimate of the total disk space required to run [ExoLabel](#) for a given input network. Only one of `avg_degree` and `num_edges` must be provided. The function prints out the estimated size of the original edgelist files, the estimated disk space and RAM to be consumed by [ExoLabel](#), and the approximate ratio of disk space relative to the original file.

`node_name_length` specifies the average length of the node names—since the names themselves must be stored on disk, this contributes to the overall size. For relatively short node names (1-16 characters) this has a negligible impact on overall disk consumption, though it may impact the worst-case RAM consumption. Expected RAM consumption is determined by the average prefix length a random pair of vertex labels have in common, and should be closer to the minimum usage in most scenarios (see [ExoLabel](#) for more details).

Value

Invisibly returns a vector of length six, showing the estimated RAM consumption, estimated input edgelist file size, estimated disk consumption using in-place sort (`use_fast_sort=FALSE`), estimated disk consumption using fast sort (`use_fast_sort=TRUE`), estimated final file size, and ratio of the input file size to total [ExoLabel](#) disk usage. All values denote bytes.

Note

Estimating the average node label size is challenging, and unfortunately it does have a relatively large effect on the estimated edgelist file size. This function should be used for **rough** estimations of sizing, not absolute values. Errors in estimation of rough node name size will have a larger impact on edgelist file estimation than on the [ExoLabel](#) disk usage, so users can have higher confidence in estimated [ExoLabel](#) consumption.

Author(s)

Aidan Lakshman <AHL27@pitt.edu>

See Also

[ExoLabel](#)

Examples

```
# 100,000 nodes, average degree 2
EstimateExoLabel(num_v=100000, avg_degree=2)

# 10,000 nodes, 50,000 edges
EstimateExoLabel(num_v=10000, num_edges=50000)
```

EstimRearrScen	<i>Estimate Genome Rearrangement Scenarios with Double Cut and Join Operations</i>
----------------	--

Description

Take in a [Synteny](#) object and return predicted rearrangement events.

Usage

```
EstimRearrScen(SyntenyObject, NumRuns = -1,
               Mean = FALSE, MinBlockLength = -1,
               Verbose = TRUE)
```

Arguments

SyntenyObject	Synteny object, as obtained from running FindSynteny . Expected input is unichromosomal sequences, though multichromosomal sequences are supported.
NumRuns	Numeric; The number of scenarios to simulate. The default value of -1 corresponds to \sqrt{b} scenarios, where b is the number of unique breakpoints in the Synteny object.
Mean	Logical; Indicates whether to return the mean (TRUE) or minimum (FALSE) number of inversions and transpositions found across all runs.
MinBlockLength	Numeric; Minimum size of syntenic blocks to use for analysis. The default value of -1 accepts all blocks. Set to a larger value to ignore sections of short mutations that could be the result of SNPs or other small-scale mutations.
Verbose	Logical; If TRUE, displays a progress bar and prints the time difference upon completion.

Details

EstimRearrScen is an implementation of the Double Cut and Join (DCJ) method for analyzing large scale mutation events.

The DCJ model is commonly used to model genome rearrangement operations. Given a genome, we can create a connected graph encoding the order of conserved genomic regions. Each syntenic region is split into two nodes, with one encoding the beginning and one encoding the end (beginning and end defined relative to the direction of transcription). Each node is then connected to the two nodes it is adjacent to in the genome.

For example, given a genome with 3 syntenic regions $a - b - c$ such that b is transcribed in the opposite direction relative to a, c , our graph would consist of nodes and edges $a1 - a2 - b2 - b1 - c1 - c2$.

Given two genomes, we derive syntenic regions between the two samples and then construct two of these graph structures. A DCJ operation is one that cuts two connections of a common color and creates two new edges. The goal of the DCJ model is to rearrange the graph of the first genome into

the second genome using DCJ operations. The DCJ distance is defined as the minimum number of DCJ operations to transform one graph into another.

It can be easily shown that inversions can be performed with a single DCJ operation, and block interchanges/order rearrangements can be performed with a sequence of two DCJ operations. DCJ distance defines a metric space, and prior work has demonstrated algorithms for fast computation of the DCJ distance.

However, DCJ distance inherently incentivizes inversions over block interchanges due to the former requiring half as many DCJ operations. This is a strong assumption, and there is no evidence to support gene order rearrangements occurring half as often as gene inversions.

This implementation incentivizes minimum number of **events** rather than number of DCJs. As the search space is large and multiple sequences of events can be equally parsimonious, this algorithm computes multiple scenarios with random sequences of operations to try to find the minimum. The Mean parameter controls if the function returns the best found solution (Mean=FALSE) or the mean number of events from all solutions (Mean=TRUE).

Value

An $N \times N$ matrix of lists with the same shape as the input Synteny object. This is wrapped into a GenRearr object for pretty printing.

The diagonal corresponds to total sequence length of the corresponding genome.

In the upper triangle, entry $[i, j]$ corresponds to the percent hits between genome i and genome j . In the lower triangle, entry $[i, j]$ contains a List object with 5 properties:

- \$Inversions and \$Transpositions contain the (Mean/min) number of estimated inversions and transpositions (resp.) between genome i and genome j .
- \$pct_hits contains percent hits between the genomes.
- \$Scenario shows the sequence of events corresponding to the minimum rearrangement scenario found. See below for details.
- \$Key provides a mapping between syntenic blocks and genome positions. See below for details.

The print.GenRearr method prints this data out as a matrix, with the diagonal showing the number of chromosomes and the lower triangle displaying xI, yT , where x, y the number of inversions and transpositions (resp.) between the corresponding entries.

The \$Scenario entry describes a sequences of steps to rearrange one genome into another, as found by this algorithm. The goal of the DCJ model is to rearrange the second genome into the first. Thus, with N syntenic regions total, we can arbitrarily choose the syntenic blocks in genome 1 to be ordered $1, 2, \dots, N$, and then have genome 2 numbers relative to that.

As an example, suppose genome 1 has elements $A B E(r) G$ and genome 2 has elements $E B(r) A(r) G$, with $X(r)$ denoting block X has reversed direction of transcription. We can then arbitrarily assign blocks to numbers such that genome 1 is $(1 2 3 4)$ and genome 2 is $(3 -2 -1 4)$, where a negative indicates reversed direction of transcription relative to the corresponding syntenic block in genome 1.

Each entry in \$Scenario details an operation, the result after that operation, and the number of blocks involved in the operation. If we reversed the middle two entries of genome 2, the entry in \$Scenario would be:

inversion: 3 1 2 4 { 2 }

Here we inverted the whole block (-2 -1) into (1 2). We could then finish the rearrangement by performing a transposition to move block 3 between 2 and 4. The entries of `$Scenario` in this case would be the following:

Original: 3 -2 -1 4

inversion: 3 1 2 4 { 2 }

block interchange: 1 2 3 4 { 3 }

Step 1 is the original state of genome 2, step 2 inverts 2 elements to arrive at (3 1 2 4), and then step 3 moves one element to arrive at (1 2 3 4).

It is important to note that the numbered genomic regions in `$Scenario` are not genes, they are blocks of conserved syntenic regions between the genomes. These blocks may not match up with the original blocks from the `Syteny` object, since some are combined during pre-processing to expedite calculations.

`$Key` is a mapping between these numbered regions and the original genomic regions. This is a 5 column matrix with the following columns (in order):

1. `start1`: Nucleotide position for the first nucleotide in of the syntenic region on genome 1.
2. `start2`: Same as `start1`, but for genome 2
3. `length`: Length of block, in nucleotides
4. `rel_direction_on_2`: 1 if the blocks have the same transcriptional direction on both genomes, and 0 if the direction is reversed in genome 2
5. `index1`: Label of the genetic region used in `$Scenario` output

Author(s)

Aidan Lakshman (<ahl27@pitt.edu>)

References

Friedberg, R., Darling, A. E., & Yancopoulos, S. (2008). Genome rearrangement by the double cut and join operation. *Bioinformatics*, 385-416.

See Also

[FindSyteny](#)

[Syteny](#)

Examples

```
db <- system.file("extdata", "Influenza.sqlite", package="DECIPHER")
syteny <- FindSyteny(db)
syteny

rearrs <- EstimRearrScen(syteny)

rearrs          # view whole object
rearrs[[2,1]]  # view details on Genomes 1 and 2
```

EvoWeaver

*EvoWeaver: Identifying Gene Functional Associations from Coevolutionary Signals***Description**

EvoWeaver is an S3 class with methods for predicting functional association using protein or gene data. EvoWeaver implements multiple algorithms for analyzing coevolutionary signal between genes, which are combined into overall predictions on functional association. For details on predictions, see [predict.EvoWeaver](#).

Usage

```
EvoWeaver(ListOfData, MySpeciesTree=NULL, NoWarn=FALSE)
```

```
## S3 method for class 'EvoWeaver'
SpeciesTree(ew, Verbose=TRUE, Processors=1L)
```

Arguments

ListOfData	A list of gene data, where each entry corresponds to information on a particular gene. List must contain either dendrograms or vectors, and cannot contain a mixture. If list is composed of dendrograms, each dendrogram is a gene tree for the corresponding entry. If list is composed of vectors, vectors should be numeric or character vectors denoting the genomes containing that gene.
MySpeciesTree	An object of class 'dendrogram' representing the overall species tree for the list provided in ListOfData.
NoWarn	Logical; If FALSE, displays warnings corresponding to which algorithms are unavailable for given input data format (see Details for more information).
ew	An object of class EvoWeaver.
Verbose	Logical; If TRUE, displays output when calculating species tree.
Processors	Integer; The number of processors to use. Set to NULL to automatically use the maximum amount of processors.

Details

EvoWeaver expects input data to be a list. All entries must be one of the following cases:

- ListOfData[[i]] = c('ID#1', 'ID#2', ..., 'ID#k')
- ListOfData[[i]] = c('g1_d1_s1_p1', 'g2_d2_s2_p2', ..., 'gk_dk_sk_pk')
- ListOfData[[i]] = dendrogram(...)

In (1), each ID#i corresponds to the unique identifier for genome #i. For entry #j in the list, the presence of 'ID#i' means genome #i has an ortholog for gene/protein #j.

Case (2) is the same as (1), just with the formatting of names slightly different. Each entry is of the form g_d_p, where g is the unique identifier for the genome, d is which chromosome the ortholog

is located, *s* indicates whether the gene is on the forward or reverse strand, and *p* is what position the ortholog appears in on that chromosome. *p* must be a numeric. *s* must be 0 or 1, corresponding to whether the gene is on the forward or reverse strand. Whether 0 denotes forward or reverse is inconsequential as long as the scheme is consistent. *g*, *d* can be any value as long as they don't contain an underscore ('_').

Case (3) expects gene trees for each gene, with labeled leaves corresponding to each source genome. If `ListOfData` is in this format, taking `labels(ListOfData[[i]])` should produce a character vector that matches the format of one of the previous cases.

See the Examples section for illustrative examples.

Whenever possible, provide a full set of dendrogram objects with leaf labels in form (2). This will allow the most algorithms to run. What follows is a more detailed description of which inputs allow which algorithms.

EvoWeaver requires input of scenario (3) to use distance matrix methods, and requires input of scenario (2) (or (3) with leaves labeled according to (2)) for gene organization analyses. Sequence Level methods require dendrograms with sequence information included as the state attribute in each leaf node.

Note that ALL entries must belong to the same category—a combination of character vectors and dendrograms is not allowed.

Prediction of a functional association network is done using `predict(EvoWeaverObject)`. See [predict.EvoWeaver](#) for more information.

The `SpeciesTree` function takes in an object of class `EvoWeaver` and returns a species tree. If the object was not initialized with a species tree, it calculates one using [SuperTree](#). The species tree for a `EvoWeaver` object can be set with `attr(ew, 'speciesTree') <- ...`

Value

Returns a `EvoWeaver` object.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[predict.EvoWeaver](#), [ExampleStreptomycesData](#), [BuiltInEnsembles](#), [SuperTree](#)

Examples

```
# I'm using gene to mean either a gene or protein

## Imagine we have the following 4 genomes:
## (each letter denotes a distinct gene)
##   Genome 1: a b c d
##   Genome 2: d c e
##   Genome 3: b a e
##   Genome 4: a e

## We have 5 total genes: (a,b,c,d,e)
```

```

## a is present in genomes 1, 3, 4
## b is present in genomes 1, 3
## c is present in genomes 1, 2
## d is present in genomes 1, 2
## e is present in genomes 2, 3, 4

## Constructing a EvoWeaver object according to (1):
l <- list()
l[['a']] <- c('1', '3', '4')
l[['b']] <- c('1', '3')
l[['c']] <- c('1', '2')
l[['d']] <- c('1', '2')
l[['e']] <- c('2', '3', '4')

## Each value of the list corresponds to a gene
## The associated vector shows which genomes have that gene
pwCase1 <- EvoWeaver(l)

## Constructing a EvoWeaver object according to (2):
## Here we need to add in the genome, chromosome, direction, and position
## As we only have one chromosome,
## we can just set that to 1 for all.
## Position can be identified with knowledge, or with
## FindGenes(...) from DECIPHER.

## In this toy case, genomes are small so it's simple.
l <- list()
l[['a']] <- c('a_1_0_1', 'c_1_1_2', 'd_1_0_1')
l[['b']] <- c('a_1_1_2', 'c_1_1_1')
l[['c']] <- c('a_1_1_3', 'b_1_0_2')
l[['d']] <- c('a_1_0_4', 'b_1_0_1')
l[['e']] <- c('b_1_0_3', 'c_1_0_3', 'd_1_0_2')

pwCase2 <- EvoWeaver(l)

## For Case 3, we just need dendrogram objects for each
# l[['a']] <- dendrogram(...)
# l[['b']] <- dendrogram(...)
# l[['c']] <- dendrogram(...)
# l[['d']] <- dendrogram(...)
# l[['e']] <- dendrogram(...)

## Leaf labels for these will be the same as the
## entries in Case 1.

```

Description

EvoWeaver incorporates four classes of prediction, each with multiple methods and algorithms. Colocalization (Coloc) methods examine conservation of relative location and relative orientation of genetic regions within the genome.

`predict.EvoWeaver` currently supports three Coloc methods:

- 'GeneDistance'
- 'MoransI'
- 'OrientationMI'

Format

None.

Details

All distance matrix methods require an EvoWeaver object initialized with gene locations using a four number code. See [EvoWeaver](#) for more information on input data types.

The built-in GeneDistance examines relative location of genes within genomes as evidence of interaction. For a given pair of genes, the score is given by $\sum_G e^{1-|dI_G|}$, where G the set of genomes and dI_G the difference in index between the two genes in genome G . Using gene index instead of number of base pairs avoids bias introduced by gene and genome length. If a given gene is found multiple times in the same genome, the maximal score across all possible pairings for that gene is used. The score for a pair of gene groups is the mean score of all gene pairings across the groups.

MoransI measures the extent to which gene distances are preserved across a phylogeny. This function uses the same initial scoring scheme as GeneDistance. The raw scores are passed into MoranI to calculate spatial autocorrelation. "Space" is taken as e^{-C} , where C is the Cophenetic distance matrix calculated from the species tree of the inputs. As such, this method requires a species tree as input, which can be calculated from a set of gene trees using [SuperTree](#).

OrientationMI uses mutual information of the relative orientation of each pair of genes. Conservation of relative orientation between gene pairs has been shown to imply functional association in prior work. This algorithm requires that the EvoWeaver object is initialized with a four number code, with the third number either 0 or 1, denoting whether the gene is on the forward or reverse strand. The mutual information is calculated as:

$$\sum_{x \in X} \sum_{y \in Y} (-1)^{(x \neq y)} P_{(X,Y)}(x, y) \log \left(\frac{P_{(X,Y)}(x, y)}{P_X(x)P_Y(y)} \right)$$

Here $X = Y = \{0, 1\}$, x is the direction of the gene with lower index, y is the direction of the gene with higher index, and $P_{(T)}(t)$ is the probability of $T = t$. Note that this is a weighted MI as introduced by Beckley and Wright (2021). The mutual information is augmented by the addition of a single pseudocount to each value, and normalized by the joint entropy of X, Y . P-values are calculated using Fisher's Exact Test on the contingency table.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Beckley, Andrew and E. S. Wright. *Identification of antibiotic pairs that evade concurrent resistance via a retrospective analysis of antimicrobial susceptibility test results*. *The Lancet Microbe*, 2021. **2**(10): 545-554.

Korbel, J. O., et al., *Analysis of genomic context: prediction of functional associations from conserved bidirectionally transcribed gene pairs*. *Nature Biotechnology*, 2004. **22**(7): 911-917.

Moran, P. A. P., *Notes on Continuous Stochastic Phenomena*. *Biometrika*, 1950. **37**(1): 17-23.

See Also

[EvoWeaver](#)

[predict.EvoWeaver](#)

[EvoWeaver Phylogenetic Profiling Predictors](#)

[EvoWeaver Phylogenetic Structure Predictors](#)

[EvoWeaver Sequence Level Predictors](#)

EvoWeaver-PPPreds

Phylogenetic Profiling Predictions for EvoWeaver

Description

EvoWeaver incorporates four classes of prediction, each with multiple methods and algorithms. Phylogenetic Profiling (PP) methods examine conservation of gain/loss events within orthology groups using phylogenetic profiles constructed from presence/absence patterns.

predict.EvoWeaver currently supports ten PP methods:

- 'ExtantJaccard'
- 'Hamming'
- 'GLMI'
- 'PAPV'
- 'CorrGL'
- 'ProfDCA'
- 'Behdenna'
- 'GLDistance'
- 'PAJaccard'
- 'PAOverlap'

Format

None.

Details

Most PP methods are compatible with a `EvoWeaver` object initialized with any input type. See [EvoWeaver](#) for more information on input data types.

When `Method='Ensemble'` or `Method="PhylogeneticProfiling"`, `EvoWeaver` uses methods `GLMI`, `GLDistance`, `PAJaccard`, and `PAOverlap`.

These methods use presence/absence (P/A) profiles, which are binary vectors such that 1 implies the corresponding genome has that particular gene, and 0 implies the genome does not have that particular gene.

Methods `Hamming` and `ExtantJaccard` use Hamming and Jaccard distance (respectively) of P/A profiles to determine overall score.

`GLMI` uses mutual information of gain/loss (G/L) vectors to determine score, employing a weighting scheme such that concordant gains/losses give positive information, discordant gains/losses give negative information, and events that do not co-occur with a gain/loss in the other gene group give no information.

`PAJaccard` calculates the centered Jaccard index of P/A profiles, where each clade with identical extant patterns is collapsed to a single leaf.

`PAOverlap` calculates the proportion of time in the ancestry that both genes cooccur relative to the total time each individual gene occurs, based on ancestral states inferred with Fitch parsimony.

`PAPV` calculates a p-value for P/A profiles using Fisher's Exact Test. The returned score is provided as `1-p_value` so that larger scores indicate more significance, and smaller scores indicate less significance. This rescaling is consistent with the other similarity metrics in `EvoWeaver`. This can be used with `ExtantJaccard`, `Hamming`, or `GLMI` to weight raw scores by statistical significance.

`ProfDCA` uses the direct coupling analysis algorithm introduced by Weigt et al. (2005) to determine direct information between P/A profiles. This approach has been validated on P/A profiles in Fukunaga and Iwasaki (2022), though the implementation in `EvoWeaver` forsakes the persistent contrastive divergence method in favor of the algorithm from Lokhov et al. (2018) for increased speed and exact solutions. Note that this algorithm is still extremely slow relative to the other methods despite the aforementioned runtime improvements.

`Behdenna` implements the method detailed in Behdenna et al. (2016) to find statistically significant interactions using co-occurrence of gain/loss events mapped to ancestral states on a species tree. This method requires a species tree as input. If the `EvoWeaver` object is initialized with dendrogram objects, `SuperTree` will be used to infer a species tree.

`GLDistance` uses a similar method to `Behdenna`. This method uses Fitch Parsimony to infer where events were gained or lost on a species tree, and then looks for distance between these gain/loss events. Unlike `Behdenna`, this method takes into account the types of events (ex. gain/gain and loss/loss are treated differently than gain/loss). This method requires a species tree as input. If the `EvoWeaver` object is initialized with dendrogram objects, `SuperTree` will be used to infer a species tree.

`CorrGL` infers where events were gained or lost on a species tree as in method `GLDistance`, then uses a Pearson's correlation coefficient weighted by p-value to infer similarity.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

- Behdenna, A., et al., *Testing for Independence between Evolutionary Processes*. Systematic Biology, 2016. **65**(5): p. 812-823.
- Chung, N.C, et al., *Jaccard/Tanimoto similarity test and estimation methods for biological presence-absence data*. BMC Bioinformatics, 2019. **20**(S15).
- Date, S.V. and E.M. Marcotte, *Discovery of uncharacterized cellular systems by genome-wide analysis of functional linkages*. Nature Biotechnology, 2003. **21**(9): p. 1055-1062.
- Fukunaga, T. and W. Iwasaki, *Inverse Potts model improves accuracy of phylogenetic profiling*. Bioinformatics, 2022.
- Lokhov, A.Y., et al., *Optimal structure and parameter learning of Ising models*. Science advances, 2018. **4**(3): p. e1700791.
- Pellegrini, M., et al., *Assigning protein function by comparative genome analysis: Protein phylogenetic profiles*. Proceedings of the National Academy of Sciences, 1999. **96**(8) p. 4285-4288
- Weigt, M., et al., *Identification of direct residue contacts in protein-protein interaction by message passing*. Proceedings of the National Academy of Sciences, 2009. **106**(1): p. 67-72.

See Also

- [EvoWeaver](#)
- [predict.EvoWeaver](#)
- [EvoWeaver Phylogenetic Structure Predictors](#)
- [EvoWeaver Gene Organization Predictors](#)
- [EvoWeaver Sequence Level Predictors](#)

EvoWeaver-PSPreds

Phylogenetic Structure Predictions for EvoWeaver

Description

EvoWeaver incorporates four classes of prediction, each with multiple methods and algorithms. Phylogenetic Structure (PS) methods examine conservation of overall evolutionary rates within orthology groups using distance matrices constructed from each gene tree.

predict.EvoWeaver currently supports three PS methods:

- 'RPMirrorTree'
- 'RPContextTree'
- 'TreeDistance'

Format

None.

Details

All distance matrix methods require a `EvoWeaver` object initialized with dendrogram objects. See [EvoWeaver](#) for more information on input data types.

The `RPMirrorTree` method was introduced by Pazos et al. (2001). This method builds distance matrices using a nucleotide substitution model, and then calculates coevolution between gene families using the Pearson correlation coefficient of the upper triangle of the two corresponding matrices.

Experimental analysis has shown data in the upper triangle is heavily redundant and rapidly overwhelms available system memory. Previous work has incorporated dimensionality reduction such as Singular Value Decomposition (SVD) to reduce the dimensionality of the data, but this prevents parallelization of the data and doesn't solve memory issues (since SVD takes as input the entire matrix with columns corresponding to upper triangle values). `EvoWeaver` instead uses a seeded random projection following Achlioptas (2001) to reduce the dimensionality of the data in a reproducible and parallel-compatible way. We also utilize Spearman's ρ , which outperforms Pearson's r following dimensionality reduction.

Subsequent work by Pazos et al. (2005) and Sato et al. (2005, 2006) found multiple ways to improve predictions from the initial `MirrorTree` method. These methods incorporate additional phylogenetic context, and are thus called `ContextTree` methods. These improvements include correcting for overall evolutionary rate using a species tree and/or using projection vectors. The built-in `RPContextTree` method implements a species tree correction, and weights the resulting score by the normalized Hamming distance of the presence/absence profiles. This can correct for gene trees with low overlap that achieve spuriously high scores via random projection. Additional correction measures are implemented in the `MTCorrection` argument.

The `TreeDistance` method uses phylogenetic tree distance to quantify differences between gene trees. This method implements a number of metrics and groups them together to improve overall runtime. The default tree distance method is normalized Robinson-Foulds distance due to its lower computational complexity. Other methods can be specified using the `TreeMethods` argument, which expects a character vector containing one or more of the following:

- "RF": [Robinson-Foulds Distance](#)
- "CI": [Clustering Information Distance](#)
- "JRF": [Jaccard-Robinson-Foulds Distance](#)
- "Nye": [Nye Similarity](#)
- "KF": [Kuhner-Felsenstein Distance](#)
- "all": All of the above methods

See the links above for more information and references. All of these metrics are accessible using the `PhyloDistance` method. Method "JRF" defaults to a k value of 4, but this can be specified further if necessary using the `JRFk` input parameter. Higher values of k approach the value of Robinson-Foulds distance, but these have a negligible impact on performance so use of the default parameter is encouraged for simplicity. Multiple metrics can be specified.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Achlioptas, Dimitris. *Database-friendly random projections*. Proceedings of the Twentieth ACM SIGMOD-SIGACT-SIGART Symposium on Principles of Database Systems, 2001. p. 274-281.

Pazos, F. and A. Valencia, *Similarity of phylogenetic trees as indicator of protein-protein interaction*. Protein Engineering, Design and Selection, 2001. **14**(9): p. 609-614.

Pazos, F., et al., *Assessing protein co-evolution in the context of the tree of life assists in the prediction of the interactome*. J Mol Biol, 2005. **352**(4): p. 1002-15.

Sato, T., et al., *The inference of protein-protein interactions by co-evolutionary analysis is improved by excluding the information about the phylogenetic relationships*. Bioinformatics, 2005. **21**(17): p. 3482-9.

Sato, T., et al., *Partial correlation coefficient between distance matrices as a new indicator of protein-protein interactions*. Bioinformatics, 2006. **22**(20): p. 2488-92.

See Also

[EvoWeaver](#)

[predict.EvoWeaver](#)

[EvoWeaver Phylogenetic Profiling Predictors](#)

[EvoWeaver Gene Organization Predictors](#)

[EvoWeaver Sequence Level Predictors](#)

[PhyloDistance](#)

EvoWeaver-SLPreds

Sequence Level Predictions for EvoWeaver

Description

EvoWeaver incorporates four classes of prediction, each with multiple methods and algorithms. Sequence Level (SL) methods examine conservation of patterns in sequence data, commonly exhibited due to physical interactions between proteins.

predict.EvoWeaver currently supports three SL methods:

- 'SequenceInfo'
- 'GeneVector'
- 'Ancestral'

Format

None.

Details

Sequence Level methods require a `EvoWeaver` object initialized with dendrogram objects and sequence information stored in the leaves. See [EvoWeaver](#) for more information on input data types.

When `Method='Ensemble'` or `Method="SequenceLevel"`, `EvoWeaver` uses methods `SequenceInfo` and `GeneVector`. The argument `useDNA` switches between interpreting sequences as DNA or AA sequences.

The `SequenceInfo` method looks at mutual information between sites in a multiple sequence alignment (MSA). This approach extends prior work in Martin et al. (2005). Each site from the first gene group is paired with the site from the second gene group that maximizes their mutual information.

The `GeneVector` method uses the natural vector encoding method introduced in Zhao et al. (2022). This encodes each gene sequences as a 92-dimensional vector, with the following entries:

$$N(S) = (n_A, n_C, n_G, n_T, \quad \mu_A, \mu_C, \mu_G, \mu_T, \quad D_2^A, D_2^C, D_2^G, D_2^T, \quad n_{AA}, n_{AC}, \dots, n_{TT},$$

Here n_X is the raw total count of nucleotide X (or di/trinucleotide). For single nucleotides, we also calculate μ_X , the mean location of nucleotide X , and D_2^X , the second moment of the location of nucleotide X . The overall natural vector for a Cluster of Orthologous Genes (COG) is calculated as the normalized mean vector from the natural vectors of all component gene sequences. Interaction scores are computed using Pearson's R between each COG's natural vector. These di/trinucleotide counts are by default excluded, but can be included using the `extended=TRUE` argument. Using the extended counts has shown minimal increased accuracy at the cost of slower runtime in benchmarking.

The `Ancestral` method calculates coevolution by looking at correlation of residue mutations near the leaves of each respective gene tree.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Martin, L. C., Gloor, G. B., Dunn, S. D. & Wahl, L. M. *Using information theory to search for co-evolving residues in proteins*. *Bioinformatics*, 2005. **21**(4116-4124).

Zhao, N., et al., *Protein-protein interaction and non-interaction predictions using gene sequence natural vector*. *Nature Communications Biology*, 2022. **5**(652).

See Also

[EvoWeaver](#)

[predict.EvoWeaver](#)

[EvoWeaver Phylogenetic Profiling Predictors](#)

[EvoWeaver Phylogenetic Structure Predictors](#)

[EvoWeaver Gene Organization Predictors](#)

Description

EvoWeb objects can be returned from [predict.EvoWeaver](#).

This class wraps the [simMat](#) object with some other diagnostic information intended to help interpret the output of [EvoWeaver](#) predictions.

Format

An object of class "EvoWeb", which inherits from "simMat".

Details

[predict.EvoWeaver](#) returns a EvoWeb object, which bundles some methods to make formatting and printing of results slightly nicer. This currently only implements a plot function.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[predict.EvoWeaver](#)

[simMat](#)

[plot.EvoWeb](#)

Examples

```
#####  
## Prediction with built-in model and data  
#####  
  
exData <- get(data("ExampleStreptomycesData"))  
  
# Subset isn't necessary but is faster for a working example  
ew <- EvoWeaver(exData$Genes[1:10])  
  
# default return value is a data.frame (recommended for most users)  
evoweb <- predict(ew, Method='ExtantJaccard', ReturnDataFrame=FALSE)  
  
# print out results as an adjacency matrix  
print(evoweb)  
  
# print out results as a pairwise data.frame  
as.data.frame(evoweb)
```

ExampleStreptomycesData

Example EvoWeaver Input Data from Streptomyces Species

Description

Data from *Streptomyces* species to test [EvoWeaver](#) functionality.

Usage

```
data("ExampleStreptomycesData")
```

Format

The data contain two elements, Genes and Tree. Genes is a list of presence/absence vectors in the input required for [EvoWeaver](#). Tree is a species tree used for additional input.

Details

This dataset contains a number of Clusters of Orthologous Genes (COGs) and a species tree for use with [EvoWeaver](#). This dataset showcases an example using [EvoWeaver](#) with a list of vectors. Entries in each vector are formatted correctly for use with co-localization prediction. Each COG *i* contains entries of the form *a_b_c*, indicating that the gene was found in genome *a* on chromosome *b*, and was at the *c*'th location. The original dataset is comprised of 301 unique genomes.

See Also

[EvoWeaver](#)

Examples

```
exData <- get(data("ExampleStreptomycesData"))
ew <- EvoWeaver(exData$Genes)
# Subset isn't necessary but is faster for a working example
predict(ew, Subset=1:10, MySpeciesTree=exData$Tree)
```

ExoLabel

ExoLabel: Out of Memory Fast Label Propagation

Description

Detects communities in networks with Fast Label Propagation using disk space to drastically reduce memory complexity.

Usage

```
ExoLabel(edgelistfiles,
         outfile=tempfile(tmpdir=tempfiledir),
         mode=c("undirected", "directed"),
         add_self_loops=FALSE,
         attenuation=TRUE,
         ignore_weights=FALSE,
         iterations=0L,
         return_table=FALSE,
         consensus_cluster=FALSE,
         use_fast_sort=TRUE,
         verbose=interactive(),
         sep='\t',
         tempfiledir=tempdir())
```

Arguments

<code>edgelistfiles</code>	Character; vector of files to be processed. Each entry should be a machine-interpretable path to an edgelist file. See Details for expected format.
<code>outfile</code>	Character; File to write final clusters to. Can be set to a vector of filepaths to run multiple clusterings (see Details).
<code>mode</code>	Character; Specifies whether edges should be interpreted as undirected (default) or directed. Can be "undirected", "directed", or an unambiguous abbreviation.
<code>add_self_loops</code>	Logical or Numeric; Determines if a self-loop cutoff should be added to the network. A self-loop cutoff of value w requires that at least one incoming edge has weight w in order to assign the node to that cluster (See "Self-Loops" for more information). If TRUE, adds self-loop cutoffs of weight 1.0 to all vertices. If set to numeric value w , adds self-loop cutoffs of weight w to all nodes. Can also be set to a vector when running multiple clusterings (see Details).
<code>attenuation</code>	Logical or Numeric; Determines if label-hop attenuation should be used. If TRUE, uses attenuation to prevent single clusters from dominating results. Can also be set to a numeric to influence the strength of attenuation (larger values produce larger clusters). See "Algorithm Convergence" for more information on this parameter. Can also be set to a vector when running multiple clusterings (see Details).
<code>ignore_weights</code>	Logical; Determines if weights should be ignored. If TRUE, all edges will be treated as an edge of weight 1. Must be set to TRUE if any of <code>edgelistfiles</code> are two-column tables (start->end only, lacking a weights column).
<code>iterations</code>	Integer; Maximum number of times to process each node. If set to zero or NULL, automatically uses the square root of the max node degree. See "Algorithm Convergence" for more information.
<code>return_table</code>	Logical; Determines how the result of clustering is returned. If FALSE, returns a character vector corresponding to the path of <code>outfile</code> . If TRUE, parses <code>outfile</code> using <code>read.table</code> and returns the result (not recommended for very large graphs).

<code>consensus_cluster</code>	Logical or Numeric; Determines if consensus clustering should be used. If TRUE, runs the clustering algorithm multiple times and forms a consensus clustering based on the agreement of each run. Can be set to a numeric vector to control the number of iterations. See "Consensus Clustering" below for more information.
<code>use_fast_sort</code>	Logical; Determines how files should be sorted. If FALSE, ExoLabel will perform file sorting functions in-place. If TRUE, ExoLabel will perform its file sorting functions using a second temporary file. This is much faster than the in-place sort, but consumes twice the amount of disk space. The relative disk consumption is about the same size as the input graph for <code>use_fast_sort=FALSE</code> , and about double the size of the input graph for <code>use_fast_sort=TRUE</code> (see "Memory Consumption" and the last paragraph of "Warning" below). Set to FALSE if you're worried about disk utilization.
<code>verbose</code>	Logical; Determines if status messages (output, progress, etc.) should be displayed while running. Output messages are reduced if running in non-interactive mode.
<code>sep</code>	Character; expected character that separates entries on a line in each file in <code>edgelistfiles</code> . Defaults to <code>tab</code> , as would be expected in a <code>.tsv</code> formatted file. Set to <code>'</code> , <code>'</code> for a <code>.csv</code> file.
<code>tempfiledir</code>	Character; Vector corresponding to the location where temporary files used during execution should be stored.

Details

ExoLabel identifies communities (clusters) in graph/network structures using a variant of Fast Label Propagation, as proposed by Traag and Subelj (2023).

However, very large graphs require too much RAM for processing on some machines. In a graph containing billions of nodes and edges, loading the entire structure into RAM is rarely feasible. ExoLabel uses disk space for storing representations of graphs. While this is slower than computing on RAM, it allows ExoLabel to scale to graphs of enormous size while only using a comparatively small amount of memory. See "Memory Consumption" for details on the total disk/memory consumption of ExoLabel.

ExoLabel expects a set of edgelist files, provided as a vector of filepaths. Each entry in the file is expected to be in the following:

```
VERTEX1<sep>VERTEX2<sep>WEIGHT<linesep>
```

This line defines a single edge between vertices VERTEX1 and VERTEX2 with weight WEIGHT. VERTEX1 and VERTEX2 are strings corresponding to vertex names, WEIGHT is a numeric value that can be interpreted as a double. The separator `<sep>` corresponds to the argument `sep` (defaulting to `tab` for `.tsv` format), and `linesep` is the newline value `'\n'`.

If `ignore_weight=TRUE`, the file can be formatted as:

```
VERTEX1<sep>VERTEX2<linesep>
```

Note that the `v1 v2 w` format is still accepted for `ignore_weight=FALSE`, but the weights will be ignored.

Value

Returns a list object with the parameters and result of the clustering. If using multiple clusterings, the return value is a list of lists, with each entry corresponding to the single-clustering case. This list has two entries, parameters and results.

parameters is a named vector with the values of add_self_loops and attenuation used for the clustering. If more parameters are added in the future, they'll be included in this vector.

results differs depending on the value of return_table.

If return_table=TRUE, results is a `data.frame` object with two columns. The first column contains the name of each vertex, and the second column contains the cluster it was assigned to.

If return_table=FALSE, results is a character vector of length 1. This vector contains the path to the file where clusters were written to. The file is formatted as a `.tsv`, with each line containing two tab separated columns (vertex name, assigned cluster).

Self-Loops

Label Propagation algorithms are susceptible to a large number of small weights outcompeting small numbers of strong edges. While self-loops can be added to mitigate this problem, they fail to scale to larger networks because noise scales quadratically, whereas self-loops scale linearly. The standard usage of self-loops adds a self-loop edge with fixed weight w to each node, essentially requiring any node's neighboring communities to have at least weight w to propagate. In a setting like orthology detection, spurious similarity scores will eventually outweigh both true similarities and the self-loop edges.

To combat this, we treat self-loop values as a "self-loop cutoff" rather than a fixed value. Self-loop cutoffs are a value w' such that all neighboring communities must have at least one edge of weight w' in order to propagate. With this usage, even if a node has many neighbors in the same community with spurious similarities, it must have at least one neighbor in that community with a strong similarity in order for the node to join that community. This approach scales better with the size of graphs compared to the traditional usage of self-loops.

As an example, consider a node N not yet assigned to a community with 10 neighbors. Neighbors 1-9 are in community 1 with weight 0.1, and neighbor 10 is in community 2 with weight 0.8. Community 1 thus has weight 0.9, and community 2 has weight 0.8. In the context of orthology detection, values below 0.2 are likely to be spurious. With a self-loop of 0.4, N would still be assigned to community 1, despite these being likely spurious. However, with a self-loop cutoff of 0.4, N would be assigned to community 2 because no edge in community 1 is at least 0.4.

Algorithm Convergence

One of the main issues of Label Propagation algorithms is that they can fail to converge. Consider an unweighted directed graph with four nodes connected in a loop. That is, $A \rightarrow B$, $B \rightarrow C$, $C \rightarrow D$, $D \rightarrow A$. If A, C are in cluster 1 and B, D are in cluster 2, this algorithm could keep processing all the nodes in a loop and never converge. To solve this issue, we introduce an additional measure for convergence controlled by iterations. If iterations= x , then we only allow the algorithm to process each node x times. Once a given node has been seen x times, it is no longer updated. This can be manually specified, but defaults to the square root of the largest node indegree.

Additionally, ExoLabel incorporates label hop attenuation to reduce the chance of a single massive cluster dominating results. In short, as a particular label propagates to other nodes, its subsequent

contribution diminishes. The farther a particular label is from its original source, the less its contribution. The degree to which its contribution diminishes scales dynamically based on the proportion of nodes that update on each cycle. Each node's attenuated weight is calculated as $w' = (1 - p^a d)w$, where w the node weight, p the proportion of nodes that changed label in the previous iteration, a the attenuation power, and d the distance from the initial label. Larger values of attenuation create larger clusters, whereas smaller values create smaller clusters. The default value of TRUE (equivalent to 1.0) recovers the original implementation provided in Leung et al. (2009) linked in the References section. Passing a value of 0 (or FALSE) disables attenuation entirely rather than returning all singleton clusters. Note that attenuation can change the sign of edge weights—if negative edge weights are present in the graph, ExoLabel will prevent negative weights from becoming positive via attenuation (e.g., negative weights are always negative, positive weights can be attenuated to either positive or negative values).

Multiple Clusterings

A large portion of the processing time is reading in the graph object. This leads to a lot of duplicated effort when trying to cluster the same network with multiple parameters.

Multiple clusterings on the same network are supported by passing vectors of input to `outfile` and `add_self_loops` or `attenuation`. If the length of `outfile` is greater than 1, `add_self_loops` and `attenuation` can each be set to either a single value or a vector of the same length as `outfile`. For a single value, the same parameter value will be used across all clusterings. For multiple values, the corresponding value will be used in each clustering. See "Examples" for example usage.

Note that the order to process each node is randomly initialized, so multiple runs on the same parameters may produce different results if a random seed is not set.

Consensus Clustering

Consensus clustering can be enabled by setting `consensus_cluster=TRUE`. Consensus clustering runs ExoLabel on the input graph multiple times, transforming weight values according to a sigmoid function. By default, this runs nine times for sigmoids with scale 0.5 and shape `c(0, 0.2, 0.4, 0.6, 0.8, 1.0, 1.33, 1.67, 2.0)` collapsing weights below 0.1 to zero. The resulting clusters form a network such that the edge weight between any two nodes connected in the initial graph is the proportion of clusters they shared over clustering runs. This network is used for a final label propagation run, which identifies the consensus clusters. Users can specify a numeric vector as input to `consensus_cluster`, which will override the default shape parameters and number of iterations.

Warning

While this algorithm can scale to very large graphs, it does have some internal limitations. First, nodes must be comprised of no more than 254 characters. You can increase the size yourself by changing the definition of `MAX_NODE_NAME_SIZE` in `src/OnDiskLP.c`. This limitation is provided to decrease memory overhead and improve runtime, but arbitrary values are possible.

Second, nodes are indexed using 54-bit unsigned integers. This means that the maximum possible number of nodes available is $2^{54}-1$, which is about 1.8 quadrillion. You can decrease the size of `BITS_FOR_WEIGHT` in `src/OnDiskLP.c`, but note that this value determines how many bits to use to represent weights internally, so lower values will lead to less exact weights.

Third, this algorithm uses disk space to store large objects. As such, please ensure you have sufficient disk space for the graph you intend to process. While there are safeguards in the code itself,

unhandleable errors can occur when the OS runs out of space. Use [EstimateExoLabel](#) to estimate the disk consumption of your graph, and see "Memory Consumption" for more details on how the total disk/memory consumption is calculated. Note that using `use_fast_sort=TRUE` will double the maximal disk consumption of the algorithm.

Memory Consumption

Let v be the number of unique nodes, d the average indegree of nodes, and l the average length of node labels. Note that the number of edges e is equivalent to dv .

Specific calculations for memory/disk consumption are detailed below. In summary, the absolute worst case memory consumption is roughly $(24l + 18)v$ bytes, and the maximum disk consumption during computation is $16dv$ bytes (or $32dv$ bytes if `use_fast_sort=TRUE`). The final table returned consumes $(2 + l + \log_{10} v)v$ bytes.

ExoLabel builds a trie to keep track of vertex names. Each internal node of the trie consumes 24 bytes, and each leaf node consumes 18 bytes. The lowest possible RAM consumption of the trie (if every label is length l and shares the same prefix of length $l - 1$) is roughly $40v$ bytes, and the maximum RAM consumption (if no two node labels have any prefix in common) is $(24l + 18)v$ bytes. We can generalize this to estimate the total memory consumption as roughly $(24(l-p)+18)v$, where p is the average length of common prefix between any two node labels.

ExoLabel also uses a number of internal caches to speed up read/writes from files. These caches take around 200MB of RAM in total. Note that this calculation does not include the RAM required for R itself, which is on the order of 300MB on my machine. It also uses an internal queue for processing nodes, which consumes roughly $10v$ bytes, and an internal index of size $8v$ bytes.

As for disk space, ExoLabel transforms the graph into a CSR-compressed network, which is split across three files: a header, a neighbors list, and a weights list. The header file contains $v + 1$ entries of 8 bytes, and the other two files consume a total of 12 bytes per outgoing edge. The number of edges to record is vd . Thus, the total disk consumption in bytes is $8(v + 1) + 12vd \approx 8v + 12dv$. However, the initial reading of the edges requires 16 bytes per edge, resulting in a maximum disk consumption of $16dv$ (since $d > 2$ for most graphs). If `use_fast_sort=TRUE`, this edge reading maximally consumes 32 bytes per edge (a maximum disk consumption of $32dv$).

The final table returned is a tab-separated table containing vertex names and cluster numbers in human-readable format. Each line consumes at most $l + 2 + \log_{10} v$ bytes. In the worst case, the number of clusters is equal to the number of vertices, which have $\log_{10} v$ digits. The average number of digits is close to the number of digits of the largest number due to how number of digits scale with numbers. The extra two bytes are for the tab and newline characters. Thus, the total size of the file is at most $(2 + l + \log_{10} v)v$ bytes. We remove all intermediate files prior to outputting clusters, so in practical cases this should be smaller than intermediate disk consumption.

Author(s)

Aidan Lakshman <AHL27@pitt.edu>

References

- Traag, V.A., and L. Subelj. *Large network community detection by fast label propagation*. Sci. Rep., 2023. **13**(2701). <https://doi.org/10.1038/s41598-023-29610-z>
- Leung, X.Y.I., et al., *Towards real-time community detection in large networks*. Phys. Rev. E, 2009. **79**(066107). <https://doi.org/10.1103/PhysRevE.79.066107>

See Also[EstimateExoLabel](#)**Examples**

```

num_verts <- 20L
num_edges <- 20L
all_verts <- sample(letters, num_verts)
all_edges <- vapply(seq_len(num_edges),
  \{i\} paste(c(sample(all_verts, 2L),
    as.character(round(runif(1,3))),
    collapse='\t'),
    character(1L))
edgefile <- tempfile()
if(file.exists(edgefile)) file.remove(edgefile)
writeLines(all_edges, edgefile)
res <- ExoLabel(edgefile, return_table=TRUE)
print(res)

#####
### Multiple Clustering ###
#####
## Run with multiple add_self_loops values
tfs <- replicate(3, tempfile())
p2 <- ExoLabel(edgefile, tfs,
  add_self_loops=c(0,0.5,1),
  return_table = TRUE)

```

ExpandDiagonal	<i>Attempt to expand blocks of paired features in a PairSummaries object.</i>
----------------	---

Description

Attempt to expand blocks of paired features in a PairSummaries object.

Usage

```

ExpandDiagonal(SynExtendObject,
  DataBase01,
  InheritConfidence = FALSE,
  GapTolerance = 100L,
  DropSingletons = FALSE,
  UserConfidence = list("PID" = 0.3),
  Processors = 1,
  Verbose = FALSE)

```

Arguments

SynExtendObject	An object of class <code>PairSummaries</code> .
DataBase01	A character string pointing to a SQLite database, or a connection to a DECIPHER database.
InheritConfidence	A logical indicating whether or not to inherit the user specified column-value pairs assigned to the input object.
GapTolerance	Integer value indicating the diff between feature IDs that can be tolerated to view features as part of the same block. Set by default to 100L.
DropSingletons	Ignore solo pairs when planning expansion routes. Set to FALSE by default.
UserConfidence	A named list of length 1 where the name identifies a column of the <code>PairSummaries</code> object, and the value identifies a user confidence. To be retained, a pair evaluated for expansion must be above all user specified confidences.
Processors	An integer value indicating how many processors to supply to <code>AlignPairs</code> . Supplying NULL will cause detection and use of all available cores.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

`ExpandDiagonal` uses a naive expansion algorithm to attempt to fill in gaps in blocks of paired features and to attempt to expand blocks of paired features.

Value

An object of class `PairSummaries`.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[PairSummaries](#), [NucleotideOverlap](#), [link{SubSetPairs}](#), [FindSynteny](#)

Examples

```
library(RSQLite)
DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")

tmp01 <- tempfile()
file.copy(from = DBPATH,
          to = tmp01)
DBCONN <- dbConnect(SQLite(), tmp01)
data("Endosymbionts_Pairs01", package = "SynExtend")
```

```

data("Endosymbionts_LinkedFeatures", package = "SynExtend")
# this will add seqs to the DB
PrepareSeqs(SynExtendObject = Endosymbionts_LinkedFeatures,
            DataBase = tmp01,
            Verbose = TRUE)

ExpandedPairs <- ExpandDiagonal(SynExtendObject = Endosymbionts_Pairs01,
                                DataBase01 = DBCONN,
                                Verbose = TRUE)

dbDisconnect(DBCONN)

```

ExtractBy *Extract and organize DNASTringSetss.*

Description

Return organized DNASTringSets based on three currently supported object combinations. First return a single DNASTringSet of feature sequences from a DFrame of gene calls and a DNASTringSet of the source assembly. Second return a list of DNASTringSets of predicted pairs from a PairSummaries object and a character string of the location of a DECIPHER SQLite database. Third return a list of DNASTringSets of predicted single linkage communities from a PairSummaries object, a character string of the location of a DECIPHER SQLite database, and a list of identifiers generated by DisjointSet.

Usage

```

ExtractBy(x,
         y,
         z,
         Verbose = FALSE)

```

Arguments

x	A PairSummaries object, or if y is a DNASTringSet, a DFrame of gene calls such as one generated by gffToDataFrame.
y	A character vector of length 1 indicating the location of a DECIPHER SQLite database. Or, if x is a DFrame, a DNASTringSet of the assembly the gene calls are called from.
z	Optional; a list of identifiers generated by DisjointSet. Or any list built along a similar format with identifiers paired to the PairSummaries object.
Verbose	Logical indicating whether to print progress bars and messages. Defaults to FALSE.

Details

All sequences are forced into the same direction based on the Strand column supplied by either the gene calls DFrame specified by x, or the GeneCalls attribute of the PairSummaries object specified by y.

Value

Return a DNASTringSet, or list of DNASTringSets arranged depending upon the objects supplied. See description.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[FindSynteny](#), [Synteny-class](#), [PairSummaries](#), [DisjointSet](#)

Examples

```
DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")
data("Endosymbionts_Pairs03", package = "SynExtend")
data("Endosymbionts_Sets", package = "SynExtend")

# extract the first 10 disjoint sets
Sets <- ExtractBy(x = Endosymbionts_Pairs03,
                 y = DBPATH,
                 z = Endosymbionts_Sets[1:10],
                 Verbose = TRUE)

# extract just the pairs
Sets <- ExtractBy(x = Endosymbionts_Pairs03,
                 y = DBPATH,
                 Verbose = TRUE)
```

FastQFromSRR

Get Sequencing Data from the SRA

Description

Get sequencing data from the SRA.

Usage

```
FastQFromSRR(SRR,
             ARGS = list("--gzip" = NULL,
                        "--skip-technical" = NULL,
                        "--readids" = NULL,
                        "--read-filter" = "pass",
                        "--dumpbase" = NULL,
```

```

      "--split-3" = NULL,
      "--clip" = NULL),
KEEPFILES = FALSE)

```

Arguments

SRR	A character vector of length 1 representing an SRA Run Accession, such as one that would be passed to the <code>prefetch</code> , <code>fastq-dump</code> , or <code>fasterq-dump</code> functions in the SRAToolkit.
ARGS	A list representing key and value sets used to construct the call to <code>fastq-dump</code> , multi-argument values are passed to <code>paste</code> directly and should be structured accordingly.
KEEPFILES	Logical indicating whether or not keep the downloaded fastq files outside of the R session. If TRUE, downloaded files will be moved to R's working directory with the default names assigned by <code>fastq-dump</code> . If FALSE - the default, they are removed and only the list of <code>QualityScaledDNAStrngSets</code> returned by the function are retained.

Details

`FastQFromSRR` is a barebones wrapper for `fastq-dump`, it is set up for convenience purposes only and does not add any additional functionality. Requires a functioning installation of the SRAToolkit.

Value

A list of `QualityScaledDNAStrngSets`. The composition of this list will be determined by `fastq-dump`'s splitting arguments.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

Examples

```

x <- "ERR10466327"
y <- FastQFromSRR(SRR = x)

```

FindSets

Find all single linkage clusters in an undirected pairs list.

Description

Take in a pair of vectors representing the columns of an undirected pairs list and return the single linkage clusters.

Usage

```
FindSets(p1,  
         p2,  
         Verbose = FALSE)
```

Arguments

p1	Column 1 of a pairs matrix or list.
p2	Column 2 of a pairs matrix or list.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

FindSets uses a version of the union-find algorithm to collect single linkage clusters from a pairs list. Currently meant to be used inside a wrapper function, but left exposed for user convenience.

Value

A two column matrix with the first column being input nodes, and the second the node representing a single linkage cluster.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[PairSummaries](#)

Examples

```
set.seed(1986)  
m <- cbind(as.integer(sample(30, size = 25,  
                           replace = TRUE)),  
           as.integer(sample(35, size = 25,  
                           replace = TRUE)))  
  
Levs <- unique(c(m[, 1],  
                m[, 2]))  
m <- cbind("1" = as.integer(factor(x = m[, 1L],  
                                 levels = Levs)),  
          "2" = as.integer(factor(x = m[, 2L],  
                                 levels = Levs)))  
  
z <- FindSets(p1 = m[, 1],  
             p2 = m[, 2])
```

FitchParsimony

*Calculate ancestral states using Fitch Parsimony***Description**

Ancestral states for binary traits can be inferred from presence/absence patterns at the tips of a dendrogram using Fitch Parsimony. This function works for an arbitrary number of states on bifurcating dendrogram objects.

Usage

```
FitchParsimony(dend, num_traits, traits_list,
               initial_state=rep(0L, num_traits),
               fill_ambiguous=TRUE)
```

Arguments

dend	An object of class 'dendrogram'
num_traits	Integer; The number of traits to inferred.
traits_list	A list of character vectors, where the i'th entry corresponds to the leaf labels that have the trait i.
initial_state	Integer; The state assumed for the root node. Set to NULL to disable autofilling the root state.
fill_ambiguous	Logical; Determines if states that remain ambiguous after completion of the algorithm should be filled in randomly.

Details

Fitch Parsimony allows for fast inference of ancestral states of binary traits. The algorithm proceeds in three steps.

First, traits are inferred upwards based on child nodes. If the child nodes have the same state (1/1 or 0/0), then the parent node is also set to that state. If the states are different, the parent node is set to 2, denoting an ambiguous entry. If one child is ambiguous and the other is not, the parent is set to the non-ambiguous entry.

Second, traits are inferred downward to attempt to fill in ambiguous entries. If a node is not ambiguous but its child is, the child's state is set to the parent state. If specified, the root node's state is set to `initial_state` prior to this step.

Third, traits that remain ambiguous are optionally filled in (only if `fill_ambiguous` is set to TRUE). This proceeds by randomly setting ambiguous traits to either 1 or 0.

The result is stored in the `FitchState` attribute within each node.

Value

A dendrogram with attribute `FitchState` set for each node, where this attribute is a binary vector of length `num_traits`.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Fitch, Walter M. *Toward defining the course of evolution: minimum change for a specific tree topology*. Systematic Biology, 1971. **20**(4): p. 406-416.

Examples

```
d <- as.dendrogram(hclust(dist(USArrests), "ave"))
labs <- labels(d)

# Defining some presence absence patterns
set.seed(123L)
pa_1 <- sample(labs, 15L)
pa_2 <- sample(labs, 20L)

# inferring ancestral states
fpd <- FitchParsimony(d, 2L, list(pa_1, pa_2))

# Checking a state
attr(fpd[[1L]], 'FitchState')

# Visualizing the results for the first pattern
# Tips show P/A patterns, edges show gain/loss (green/red)
fpd <- dendrapply(fpd, \(x){
  ai <- 1L
  s <- attr(x, 'FitchState')
  l <- list()

  if(is.leaf(x)){
    # coloring tips based presence/absence
    l$col <- ifelse(s[ai]==1L, 'green', 'red')
    l$pch <- 19
    attr(x, 'nodePar') <- 1
  } else {
    # coloring edges based on gain/loss
    for(i in seq_along(x)){
      sc <- attr(x[[i]], 'FitchState')
      if(s[ai] != sc[ai]){
        l$col <- ifelse(s[ai] == 1L, 'red', 'green')
      } else {
        l$col <- 'black'
      }
      attr(x[[i]], 'edgePar') <- 1
    }
  }
}

x
}, how='post.order')
plot(fpd, leaflab='none')
```

Generic

Model for predicting PID based on k-mer statistics

Description

Though the function `PairSummaries` provides an argument allowing users to ask for alignments, given the time consuming nature of that process on large data, models are provided for predicting PIDs of pairs based on k-mer statistics without performing alignments.

Usage

```
data("Generic")
```

Format

The format is an object of class "glm".

Details

A model for predicting the PID of a pair of sequences based on the k-mers that were used to link the pair.

Examples

```
data(Generic)
```

`gffToDataFrame`

Generate a DataFrame of gene calls from a gff3 file

Description

Generate a DataFrame of gene calls from a gff3 file

Usage

```
gffToDataFrame(GFF,  
               AdditionalAttrs = NULL,  
               AdditionalTypes = NULL,  
               RawTableOnly = FALSE,  
               Verbose = FALSE)
```

Arguments

GFF	A url or filepath specifying a gff3 file to import
AdditionalAttrs	A vector of character strings to designate the attributes to pull. Default Attributes include: "ID", "Parent", "Name", "gbkey", "gene", "product", "protein_id", "gene_biotype", "transl_table", and "Note".
AdditionalTypes	A vector of character strings to query from the the "Types" column. Default types are limited to "Gene" and "Pseudogene", but any possible entry for "Type" in a gff3 format can be added, such as "rRNA", or "CRISPR_REPEAT".
RawTableOnly	Logical specifying whether to return the raw imported GFF without complex parsing. Remains as a holdover from function construction and debugging. For simple gff3 import see <code>rtracklayer::import</code> .
Verbose	Logical specifying whether to print a progress bar and time difference.

Details

Import a gff file into a rectangular parsable object.

Value

A DataFrame with relevant information extracted from a GFF.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

Examples

```
ImportedGFF <- gffToDataFrame(GFF = system.file("extdata",
                                             "GCF_023585825.1_ASM2358582v1_genomic.gff.gz",
                                             package = "SynExtend"),
                             Verbose = TRUE)
```

LinkedPairs

Tables of where syntenic hits link pairs of genes

Description

Syntenic blocks describe where order is shared between two sequences. These blocks are made up of exact match hits. These hits can be overlaid on the locations of sequence features to clearly illustrate where exact sequence similarity is shared between pairs of sequence features.

Usage

```
## S3 method for class 'LinkedPairs'  
print(x,  
      quote = FALSE,  
      right = TRUE,  
      ...)
```

Arguments

x	An object of class <code>LinkedPairs</code> .
quote	Logical indicating whether to print the output surrounded by quotes.
right	Logical specifying whether to right align strings.
...	Other arguments for <code>print</code> .

Details

Objects of class `LinkedPairs` are stored as square matrices of list elements with dimnames derived from the dimnames of the object of class `"Synteny"` from which it was created. The diagonal of the matrix is only filled if `OutputFormat "Comprehensive"` is selected in `NucleotideOverlap`, in which case it will be filled with the gene locations supplied to `GeneCalls`. The upper triangle is always filled, and contains location information in nucleotide space for all syntenic hits that link features between sequences in the form of an integer matrix with named columns. `"QueryGene"` and `"SubjectGene"` correspond to the integer rownames of the supplied gene calls. `"QueryIndex"` and `"SubjectIndex"` correspond to `"Index1"` and `"Index2"` columns of the source synteny object position. Remaining columns describe the exact positioning and size of extracted hits. The lower triangle is not filled if `OutputFormat "Sparse"` is selected and contains relative displacement positions for the 'left-most' and 'right-most' hit involved in linking the particular features indicated in the related line up the corresponding position in the upper triangle.

The object serves only as a simple package for input data to the `PairSummaries` function, and as such may not be entirely user friendly. However it has been left exposed to the user should they find this data interesting.

Value

An object of class `"LinkedPairs"`.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

`MakeBlastDb`*Create a BLAST Database from R*

Description

Wrapper to create **BLAST** databases for subsequent queries using the commandline BLAST tool directly from R. Can operate on an [XStringSet](#) or a FASTA file.

This function requires the BLAST+ commandline tools, which can be downloaded [here](#).

Usage

```
MakeBlastDb(seqs, dbtype=c('prot', 'nucl'),
            dbname=NULL, dbpath=NULL,
            extraArgs='', createDirectory=FALSE,
            verbose=TRUE)
```

Arguments

<code>seqs</code>	Sequence(s) to create a BLAST database from. This can be either an XStringSet or a path to a FASTA file.
<code>dbtype</code>	Character; Either 'prot' for amino acid input, 'nucl' for nucleotide input, or an unambiguous abbreviation.
<code>dbname</code>	Character; Name of the resulting database. If not provided, defaults to a random string prefixed by <code>blastdb</code> .
<code>dbpath</code>	Character; Path where database should be created. If not provided, defaults to TMPDIR .
<code>extraArgs</code>	Character; Additional arguments to be passed to the query executed on the command line. This should be a single string.
<code>createDirectory</code>	Logical; Determines if a directory should be created for the database if it doesn't already exist. If <code>FALSE</code> , the function will throw an error instead of creating a directory.
<code>verbose</code>	Logical; Determines if status messages should be displayed while running.

Details

`MakeBlastDb` is a barebones wrapper for `makeblastdb` from the BLAST+ commandline tools. It is set up for convenience purposes only and does not add any additional functionality. Requires a functioning installation of the BLAST+ commandline tools.

Value

Returns a length 2 named character vector specifying the name of the BLAST database and the path to it.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[BlastSeqs](#)

Examples

```
#
```

MoranI

Moran's I Spatial Autocorrelation Index

Description

Calculates Moran's I to measure spatial autocorrelation for a set of signals dispersed in space.

Usage

```
MoranI(values,
        weights,
        alternative=c('two.sided', 'less', 'greater'))
```

Arguments

values	Numeric; Vector containing signals for each point in space.
weights	Numeric object of class dist with Size attribute equivalent to the length of values, representing distances between each point in space.
alternative	Character; determines how p-value should be calculated for hypothesis testing against the null of no spatial correlation. Should be one of c("two.sided", "less", "greater"), or an unambiguous abbreviation.

Details

Moran's I is a measure of how much the spatial arrangement of a set of datapoints correlates with the value of each datapoint. The index takes a value in the range $[-1, 1]$, with values close to 1 indicating high correlation between location and value (points have increasingly similar values as they increase in proximity), values close to -1 indicating anticorrelation (points have increasingly different values as they increase in proximity), and values close to 0 indicating no correlation.

The value itself is calculated as:

$$I = \frac{N \sum_i \sum_j w_{ij} (x_i - \bar{x})(x_j - \bar{x})}{W \sum_i (x_i - \bar{x})^2}$$

Here, N is the number of points, w_{ij} is the distance between points i and j , $W = \sum_{i,j} w_{ij}$ (the sum of all the weights), x_i is the value of point i , and \bar{x} is the sample mean of the values.

Moran's I has a closed form calculation for variance and expected value, which are calculated within this function. The full form of the variance is fairly complex, but all the equations are available for reference [here](#).

A p-value is estimated using the expected value and variance using a null hypothesis of no spatial autocorrelation, and the alternative hypothesis specified in the `alternative` argument. Note that if fewer than four datapoints are supplied, the variance of Moran's I is infinite. The function will return a standard deviation of `Inf` and a p-value of 1 in this case.

Value

A `list` object containing the following named values:

- `observed`: The value of Moran's I (numeric in the range $[-1, 1]$).
- `expected`: The expected value of Moran's I for the input data.
- `sd`: The standard deviation of Moran's I for the input data.
- `p.value`: The p-value for the input data, calculated with the alternative hypothesis as specified in `alternative`.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Moran, P. A. P., *Notes on Continuous Stochastic Phenomena*. Biometrika, 1950. **37**(1): 17-23.

Gittleman, J. L. and M. Kot., *Adaptation: Statistics and a Null Model for Estimating Phylogenetic Effects*. Systematic Zoology, 1990. **39**:227-241.

Examples

```
# Make a distance matrix for a set of 50 points
# These are just random numbers in the range [0.1,2]
NUM_POINTS <- 50
distmat <- as.dist(matrix(runif(NUM_POINTS**2, 0.1, 2),
                           ncol=NUM_POINTS))

# Generate some random values for each of the points
vals <- runif(NUM_POINTS, 0, 3)

# Calculate Moran's I
MoranI(vals, distmat, alternative='two.sided')

# effect size should be pretty small
# and p-value close to 0.5
# since this is basically random data
```

NucleotideOverlap *Tabulating Pairs of Genomic Sequences*

Description

A function for concisely tabulating where genomic features are connected by syntenic hits.

Usage

```
NucleotideOverlap(SytenyObject,
                  GeneCalls,
                  LimitIndex = FALSE,
                  AcceptContigNames = TRUE,
                  Verbose = FALSE)
```

Arguments

- | | |
|-------------------|--|
| SytenyObject | An object of class “Syteny” built from the <code>FindSyteny</code> in the package DECIPHER. |
| GeneCalls | A named list of objects of class “DFrame” built from <code>gffToDataFrame</code> , objects of class “GRanges” imported from <code>rtracklayer::import</code> , or objects of class “Genes” created from the DECIPHER function <code>FindGenes</code> . “DFrame”s built by “ <code>gffToDataFrame</code> ” can be used directly, while “GRanges” objects may also be used with limited functionality. Using a “GRanges” object will force all alignments to nucleotide alignments. Objects of class “Genes” generated by <code>FindGenes</code> function equivalently to those produced by <code>gffToDataFrame</code> . Using a “GRanges” object will force <code>LimitIndex</code> to TRUE. |
| LimitIndex | Logical indicating whether to limit which indices in a syteny object to query. FALSE by default, when TRUE only the first sequence in all selected identifiers will be used. <code>LimitIndex</code> can be used to skip analysis of plasmids, or solely query a single chromosome. |
| AcceptContigNames | Match names of contigs between gene calls object and syteny object. Where relevant, the first white space and everything following are removed from contig names. If “TRUE”, <code>NucleotideOverlap</code> assumes that the contigs at each position in the syteny object and “GeneCalls” object are in the same order. Is automatically set to TRUE when “GeneCalls” are of class “GRanges”. |
| Verbose | Logical indicating whether or not to display a progress bar and print the time difference upon completion. |

Details

Builds a matrix of lists that contain information about linked pairs of genomic features.

Value

An object of class “LinkedPairs”. “LinkedPairs” is fundamentally just a list in the form of a matrix. The lower triangle of the matrix is populated with matrices that contain all kmer hits from the “Synteny” object that link features from the “GeneCalls” object. The upper triangle is populated by matrices of the summaries of those hits by feature. The diagonal is populated by named vectors of the lengths of the contigs, much like in the “Synteny” object. The “LinkedPairs” object also contains a “GeneCalls” attribute that contains the user supplied features in a slightly more trimmed down form. This allows users to only need to supply gene calls once and not again in the “PairSummaries” function.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[FindSynteny](#), [Synteny-class](#)

Examples

```
data("Endosymbionts_GeneCalls", package = "SynExtend")
data("Endosymbionts_Synteny", package = "SynExtend")

Links <- NucleotideOverlap(SyntenyObject = Endosymbionts_Synteny,
                           GeneCalls = Endosymbionts_GeneCalls,
                           LimitIndex = FALSE,
                           Verbose = TRUE)
```

PairSummaries

Summarize connected pairs in a LinkedPairs object

Description

Takes in a “LinkedPairs” object and gene calls, and returns a data.frame of paired features.

Usage

```
PairSummaries(SyntenyLinks,
              DBPATH,
              PIDs = FALSE,
              Score = FALSE,
              IgnoreDefaultStringSet = FALSE,
              Verbose = FALSE,
              Model = "Generic",
              DefaultTranslationTable = "11",
              AcceptContigNames = TRUE,
              OffSetsAllowed = NULL,
              Storage = 1,
              ...)
```

Arguments

Syntenylinks	A LinkedPairs object. In previous versions of this function, a GeneCalls object was also required, but this object is now carried forward from NucleotideOverlap inside the LinkedPairs object.
DBPATH	A SQLite connection object or a character string specifying the path to the database file constructed from DECIPHER's Seqs2DB function. This path is always required as "PairsSummaries" always computes the tetramer distance between paired sequences.
PIDs	Logical indicating whether to provide a PID for each pair. If TRUE all pairs will be aligned using DECIPHER's AlignProfiles. This step can be time consuming, especially for large numbers of pairs. Default is FALSE.
Score	Logical indicating whether to provide a length normalized score with DECIPHER's ScoreAlignment function. If TRUE all pairs will be aligned using DECIPHER's AlignProfiles. This step can be time consuming, especially for large numbers of pairs. Default is FALSE.
IgnoreDefaultStringSet	Logical indicating alignment type preferences. If FALSE (the default) pairs that can be aligned in amino acid space will be aligned as an AAStringSet. If TRUE all pairs will be aligned in nucleotide space. For PairSummaries to align the translation of a pair of sequences, both sequences must be tagged as coding in the "GeneCalls" object, and be the correct width for translation.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.
Model	A character string specifying a model to use to predict PIDs without performing an alignment. By default this argument is "Generic" specifying a generic PID prediction model based on PIDs computed from a randomly selected set of genomes. Currently no other models are included. Users may also supply their own model of type "glm" if they so desire in the form of an RData file. This model will need to take in some, or of the columns of statistics per pair that PairSummaries supplies.
DefaultTranslationTable	A character used to set the default translation table for translate. Is passed to getGeneticCode. Used when no translation table is specified in the "GeneCalls" object.
AcceptContigNames	Match names of contigs between gene calls object and syntenylinks object. Where relevant, the first white space and everything following are removed from contig names. If TRUE, PairSummaries assumes that the contigs at each position in the syntenylinks object and "GeneCalls" object are in the same order. Is automatically set to TRUE when "GeneCalls" are of class "GRanges". Is currently TRUE by default.
OffsetsAllowed	Defaults to NULL. Supplying an integer vector will indicate gap sizes to attempt to fill. A value of 2 will attempt to span gaps of size 1. If a vector larger than 1 is provided, i.e. c(2, 3), will attempt to query all gap sizes implied by the vector, in this case gaps of size 1 and 2.

Storage	Numeric indicating the approximate size a user wishes to allow for holding StringSets in memory to extract gene sequences, in “Gigabytes”. The lower Storage is set, the more likely that PairSummaries will need to reaccess StringSets when extracting gene sequences. The higher Storage is set, the more sequences PairSummaries will attempt to hold in memory, avoiding the need to re-access the source database many times. Set to 1 by default, indicating that PairSummaries can store a “Gigabyte” of sequences in memory at a time.
...	Arguments to be passed to AlignProfiles, and DistanceMatrix.

Details

The `LinkedPairs` object generated by `NucleotideOverlap` is a container for raw data that describes possible orthologous relationships, however ultimate assignment of orthology is up to user discretion. `PairSummaries` generates a clear table with relevant statistics for a user to work with as they choose. The option to align all pairs, though onerous can allow users to apply a hard threshold to predictions by PID, while built in models can allow more expedient thresholding from predicted PIDs.

Value

A data.frame of class “data.frame” and “PairSummaries” of paired genes that are connected by syntenic hits. Contains columns describing the k-mers that link the pair. Columns “p1” and “p2” give the location ids of the the genes in the pair in the form “DatabaseIdentifier_ContigIdentifier_GeneIdentifier”. “ExactMatch” provides an integer representing the exact number of nucleotides contained in the linking k-mers. “TotalKmers” provides an integer describing the number of distinct k-mers linking the pair. “MaxKmer” provides an integer describing the largest k-mer that links the pair. A column titled “Consensus” provides a value between zero and 1 indicating whether the kmers that link a pair of features are in the same position in each feature, with 1 indicating they are in exactly the same position and 0 indicating they are in as different a position as is possible. The “Adjacent” column provides an integer value ranging between 0 and 2 denoting whether a feature pair’s direct neighbors are also paired. Gap filled pairs neither have neighbors, or are included as neighbors. The “TetDist” column provides the euclidean distance between oligonucleotide - of size 4 - frequencies between predicted pairs. “PIDType” provides a character vector with values of “NT” where either of the pair indicates it is not a translatable sequence or “AA” where both sequences are translatable. If users choose to perform pairwise alignments there will be a “PID” column providing a numeric describing the percent identity between the two sequences. If users choose to predict PIDs using their own, or a provided model, a “PredictedPID” column will be provided.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[FindSyteny](#), [Syteny-class](#), [NucleotideOverlap](#)

Examples

```
# this function will be deprecated soon,
```

```
# please see the new SummarizePairs() function.
DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")

data("Endosymbionts_LinkedFeatures", package = "SynExtend")

Pairs <- PairSummaries(SytenyLinks = Endosymbionts_LinkedFeatures,
                      PIDs = FALSE,
                      DBPATH = DBPATH,
                      Verbose = TRUE)
```

PhyloDistance

Calculate Distance between Unrooted Phylogenies

Description

Calculates distance between two unrooted phylogenies using a variety of metrics.

Usage

```
PhyloDistance(dend1, dend2,
              Method=c("CI", "RF", "KF", "JRF"),
              RawScore=FALSE, JRFExp=2)
```

Arguments

dend1	An object of class dendrogram, representing an unrooted bifurcating phylogenetic tree.
dend2	An object of class dendrogram, representing an unrooted bifurcating phylogenetic tree.
Method	Character; Method to use for calculating tree distances. The following values are supported: "CI", "RF", "KF", "JRF". See Details for more information.
RawScore	Logical; Determines if the function should return the distance between two trees (FALSE) or the component values used to calculate the distance (TRUE). See the pages specific to each algorithm for more information on what values are reported.
JRFExp	k-value used in calculation of JRF Distance. Unused if Method is not "JRF".

Details

This function implements a variety of tree distances, specified by the value of Method. The following values are supported, along with links to documentation pages for each function:

- "RF": [Robinson-Foulds Distance](#)
- "CI": [Clustering Information Distance](#)
- "JRF": [Jaccard-Robinson-Foulds Distance](#), equivalent to the Nye Distance Metric when JRFExp=1

- "KF": [Kuhner-Felsenstein Distance](#)

Information on each of these algorithms, how scores are calculated, and references to literature can be found at the above links. Method "CI" is selected by default due to recent work showing this method as the most robust tree distance metric under general conditions.

Value

Returns a normalized distance, with 0 indicating identical trees and 1 indicating maximal difference. If the trees have no leaves in common, the function will return 1 if RawScore=FALSE, or $c(0, NA, NA)$ if RawScore=TRUE.

If RawScore=TRUE, returns a vector of the components used to calculate the distance. This is typically a length 3 vector, but specific details can be found on the description for each algorithm linked above.

Note

Note that this function requires the input dendrograms to be labeled alike (ex. leaf labeled abc in dend1 represents the same species as leaf labeled abc in dend2). Labels can easily be modified using [dendrapply](#).

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[Robinson-Foulds Distance](#)

[Clustering Information Distance](#)

[Jaccard-Robinson-Foulds Distance](#)

[Kuhner-Felsenstein Distance](#)

Examples

```
# making some toy dendrograms
set.seed(123)
dm1 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))
dm2 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))

tree1 <- as.dendrogram(hclust(dm1))
tree2 <- as.dendrogram(hclust(dm2))

# Robinson-Foulds Distance
PhyloDistance(tree1, tree2, Method="RF")

# Clustering Information Distance
PhyloDistance(tree1, tree2, Method="CI")

# Kuhner-Felsenstein Distance
PhyloDistance(tree1, tree2, Method="KF")
```

```
# Nye Distance Metric
PhyloDistance(tree1, tree2, Method="JRF", JRFFxp=1)

# Jaccard-Robinson-Foulds Distance
PhyloDistance(tree1, tree2, Method="JRF", JRFFxp=2)
```

PhyloDistance-CIDist *Clustering Information Distance*

Description

Calculate distance between two unrooted phylogenies using mutual clustering information of branch partitions.

Details

This function is called as part of [PhyloDistance](#) and calculates tree distance using the clustering information approach first described in Smith (2020). This function iteratively pairs internal tree branches of a phylogeny based on their similarity, then scores overall similarity as the sum of these measures. The similarity score is then converted to a distance by normalizing by the average entropy of the two trees. This metric has been demonstrated to outperform numerous other metrics in capabilities; see the original publication cited in References for more information.

Users may wish to use the actual similarity values rather than a distance metric; the option to specify `RawScore=TRUE` is provided for this case. Distance is calculated as $\frac{M-S}{M}$, where $M = \frac{1}{2}(H_1 + H_2)$, H_i is the entropy of the i 'th tree, and S is the similarity score between them. As shown in the original publication, this satisfies the necessary requirements to be considered a distance metric. Setting `RawScore=TRUE` will instead return a vector with (S, H_1, H_2, p) , where p is an approximation for the two sided p-value of the result based on random simulations from Smith (2020).

Value

Returns a normalized distance, with 0 indicating identical trees and 1 indicating maximal difference. Note that branch lengths are not considered, so two trees with different branch lengths may return a distance of 0.

If `RawScore=TRUE`, returns a named length 4 vector with the first entry the similarity score, subsequent entries the entropy values for each tree, and the last entry the approximate p-value for the result based on simulations.

If the trees have no leaves in common, the function will return 1 if `RawScore=FALSE`, and `c(0, NA, NA, NA)` if `TRUE`.

Note

Note that this function requires the input dendrograms to be labeled alike (ex. leaf labeled abc in dend1 represents the same species as leaf labeled abc in dend2). Labels can easily be modified using [dendrapply](#).

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Smith, Martin R. *Information theoretic generalized Robinson–Foulds metrics for comparing phylogenetic trees*. *Bioinformatics*, 2020. **36**(20):5007-5013.

Examples

```
# making some toy dendrograms
set.seed(123)
dm1 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))
dm2 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))

tree1 <- as.dendrogram(hclust(dm1))
tree2 <- as.dendrogram(hclust(dm2))

# get RF distance
PhyloDistance(tree1, tree2, Method="CI")

# get similarity score with individual entropies
PhyloDistance(tree1, tree2, Method="CI", RawScore=TRUE)
```

PhyloDistance-JRFDist *Jaccard-Robinson-Foulds Distance and Nye Similarity*

Description

Calculate JRF distance between two unrooted phylogenies. Nye Similarity is a special case of JRF distance, obtained when the JRF exponent k is set to 1.

Details

This function is called as part of [PhyloDistance](#) and calculates the Jaccard-Robinson-Foulds distance between two unrooted phylogenies. Each dendrogram is first pruned to only internal branches implying a partition in the shared leaf set; trivial partitions (where one leaf set contains 1 or 0 leaves) are ignored.

The total score is calculated by pairing branches and scoring their similarity. For a set of two branches A, B that partition the leaves into (A_1, A_2) and (B_1, B_2) (resp.), the distance between the branches is calculated as:

$$2 - 2 \left(\frac{|X \cap Y|}{|X \cup Y|} \right)^k$$

where $X \in (A_1, A_2)$, $Y \in (B_1, B_2)$ are chosen to maximize the score of the pairing, and k the value of `ExpVal`. The sum of these scores for all branches produces the overall distance between the two trees, which is then normalized by the number of branches in each tree.

There are a few special cases to this distance. If `JRFExp=1`, the distance is equivalent to the metric introduced in Nye et al. (2006). As `JRFExp` approaches infinity, the value becomes close to the (non-Generalized) Robinson Foulds Distance.

Value

Returns a normalized distance, with 0 indicating identical trees and 1 indicating maximal difference.

If `RawScore=TRUE`, returns a named length 3 vector with the first entry the summed distance score over the branch pairings, and the subsequent entries the number of partitions for each tree.

If the trees have no leaves in common, the function will return 1 if `RawScore=FALSE`, and `c(0, NA, NA)` if `TRUE`.

Note

Note that this function requires the input dendrograms to be labeled alike (ex. leaf labeled abc in dend1 represents the same species as leaf labeled abc in dend2). Labels can easily be modified using [dendrapply](#).

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Nye, T. M. W., Liò, P., & Gilks, W. R. *A novel algorithm and web-based tool for comparing two alternative phylogenetic trees*. *Bioinformatics*, 2006. **22**(1): 117–119.

Böcker, S., Canzar, S., & Klau, G. W.. *The generalized Robinson-Foulds metric*. *Algorithms in Bioinformatics*, 2013. **8126**: 156–169.

Examples

```
# making some toy dendrograms
set.seed(123)
dm1 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))
dm2 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))

tree1 <- as.dendrogram(hclust(dm1))
tree2 <- as.dendrogram(hclust(dm2))

# Nye Metric
PhyloDistance(tree1, tree2, Method="JRF", JRFExp=1)

# Jaccard-RobinsonFoulds
PhyloDistance(tree1, tree2, Method="JRF", JRFExp=2)

# Good approximation to RF Dist (note RFDist is much faster for this)
PhyloDistance(tree1, tree2, Method="JRF", JRFExp=1000)
PhyloDistance(tree1, tree2, Method="RF")
```

PhyloDistance-KFDist *Kuhner-Felsenstein Distance*

Description

Calculate KF distance between two unrooted phylogenies.

Details

This function is called as part of [PhyloDistance](#) and calculates Kuhner-Felsenstein distance between two unrooted phylogenies. Each dendrogram is first pruned to only internal branches implying a partition in the shared leaf set; trivial partitions (where one leaf set contains 1 or 0 leaves) are ignored. The total score is calculated as the sum of squared differences between lengths of branches implying equivalent partitions. If a particular branch is unique to a given tree, it is treated as having length 0 in the other tree. The final score is normalized by the sum of squared lengths of all internal branches of both trees, resulting in a final distance that ranges from 0 to 1.

Value

Returns a normalized distance, with 0 indicating identical trees and 1 indicating maximal difference. If the trees have no leaves in common, the function will return 1.

Note

Note that this function requires the input dendrograms to be labeled alike (ex. leaf labeled abc in dend1 represents the same species as leaf labeled abc in dend2). Labels can easily be modified using [dendrapply](#).

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

- Robinson, D.F. and Foulds, L.R. *Comparison of phylogenetic trees*. *Mathematical Biosciences*, 1987. **53**(1–2): 131–147.
- Kuhner, M. K. and Felsenstein, J. *Simulation comparison of phylogeny algorithms under equal and unequal evolutionary rates*. *Molecular Biology and Evolution*, 1994. **11**: 459–468.

Examples

```
# making some toy dendrograms
set.seed(123)
dm1 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))
dm2 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))

tree1 <- as.dendrogram(hclust(dm1))
tree2 <- as.dendrogram(hclust(dm2))
```

```
# get KF distance
PhyloDistance(tree1, tree2, Method="KF")
```

PhyloDistance-RFDist *Robinson-Foulds Distance*

Description

Calculate RF distance between two unrooted phylogenies.

Details

This function is called as part of [PhyloDistance](#) and calculates Robinson-Foulds distance between two unrooted phylogenies. Each dendrogram is first pruned to only internal branches implying a partition in the shared leaf set; trivial partitions (where one leaf set contains 1 or 0 leaves) are ignored. The total score is calculated as the number of unique partitions divided by the total number of partitions in both trees. Setting `RawScore=TRUE` will instead return a vector with (P_{shared}, P_1, P_2) , corresponding to the shared partitions and partitions in the first and second trees (respectively).

This algorithm incorporates some optimizations from Pattengale et al. (2007) to improve computation time of the original fast RF algorithm detailed in Day (1985).

Value

Returns a normalized distance, with 0 indicating identical trees and 1 indicating maximal difference. Note that branch lengths are not considered, so two trees with different branch lengths may return a distance of 0.

If `RawScore=TRUE`, returns a named length 3 vector with the first entry the number of unique partitions, and the subsequent entries the number of partitions for each tree.

If the trees have no leaves in common, the function will return 1 if `RawScore=FALSE`, and `c(0, NA, NA)` if `TRUE`.

Note

Note that this function requires the input dendrograms to be labeled alike (ex. leaf labeled abc in dend1 represents the same species as leaf labeled abc in dend2). Labels can easily be modified using [dendrapply](#).

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

- Robinson, D.F. and Foulds, L.R. *Comparison of phylogenetic trees*. *Mathematical Biosciences*, 1987. **53**(1–2): 131–147.
- Day, William H.E. *Optimal algorithms for comparing trees with labeled leaves*. *Journal of classification*, 1985. **2**(1): 7-28.
- Pattengale, N.D., Gottlieb, E.J., and Moret, B.M. *Efficiently computing the Robinson-Foulds metric*. *Journal of computational biology*, 2007. **14**(6): 724-735.

Examples

```
# making some toy dendrograms
set.seed(123)
dm1 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))
dm2 <- as.dist(matrix(runif(64, 0.5, 5), ncol=8))

tree1 <- as.dendrogram(hclust(dm1))
tree2 <- as.dendrogram(hclust(dm2))

# get RF distance
PhyloDistance(tree1, tree2, Method="RF")

# get number of unique splits per tree
PhyloDistance(tree1, tree2, Method="RF", RawScore=TRUE)
```

plot.EvoWeb

Plot predictions in a EvoWeb object

Description

EvoWeb objects can be returned from [predict.EvoWeaver](#).

This function plots the predictions in the object using a force-directed embedding of connections in the adjacency matrix.

This function is being targetting for additional functionality in later releases.

Usage

```
## S3 method for class 'EvoWeb'
plot(x, NumSims=10,
      Gravity=0.05, Coulomb=0.1, Connection=5,
      MoveRate=0.25, Cutoff=0.2, ColorPalette=topo.colors,
      Verbose=TRUE, ...)
```

Arguments

x	A EvoWeb object. See EvoWeb
NumSims	Integer; Number of iterations to run the model for.
Gravity	Numeric; Strength of Gravity force. See 'Details'.
Coulomb	Numeric; Strength of Coulomb force. See 'Details'.
Connection	Numeric; Strength of Connective force. See 'Details'.
MoveRate	Numeric; Controls how far each point moves in each iteration.
Cutoff	Numeric; Cutoff value; if $\text{abs}(\text{val}) < \text{Cutoff}$, that Connection is shrunk to zero.
ColorPalette	Character; Color palette for graphing. Valid inputs are any palette available in <code>palette.pals()</code> . See palette for more info.
Verbose	Logical; Determines if status messages and progress bars should be displayed while running.
...	Additional parameters for consistency with generic.

Details

This function plots the EvoWeb object using a force-directed embedding. This embedding has three force components:

- Gravity Force: Attractive force pulling nodes towards $(0, 0)$
- Coulomb Force: Repulsive force pushing close nodes away from each other
- Connective Force: Tries to push node connections to equal corresponding values in the adjacency matrix

The parameters in the function are sufficient to get an embedding, though users are welcome to try to tune them for a better visualization. This function is meant to aid with visualization of the adjacency matrix, not for concrete analyses of clusters.

The function included in this release is early stage. Next release cycle will update this function with an updated version of this algorithm to improve plotting, visualization, and runtime.

Value

No return value; creates a plot in the graphics window.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[predict.EvoWeaver](#)
[EvoWeb](#)

Examples

```
exData <- get(data("ExampleStreptomycesData"))
ew <- EvoWeaver(exData$Genes)

# Subset isn't necessary but is faster for a working example
# Same w/ method='ExtantJaccard'
evoweb <- predict(ew, Method='ExtantJaccard', Subset=1:50)

plot(evoweb)
```

predict.EvoWeaver *Make predictions with EvoWeaver objects*

Description

This S3 method predicts pairwise functional associations between gene groups encoded in a [EvoWeaver](#) object. This returns an object of type [EvoWeb](#), which is essentially an adjacency matrix with some extra S3 methods to make printing cleaner.

Usage

```
## S3 method for class 'EvoWeaver'
predict(object, Method='Ensemble',
        Subset=NULL, Processors=1L,
        MySpeciesTree=SpeciesTree(object, Verbose=Verbose),
        PretrainedModel="KEGG",
        NoPrediction=FALSE,
        ReturnDataFrame=TRUE,
        Verbose=interactive(),
        CombinePVal=TRUE,
        useDNA=FALSE,...)
```

Arguments

object	A EvoWeaver object
Method	Character; Method(s) to use for prediction. This can be a character vector with multiple entries for predicting using multiple methods. See 'Details' for more information.
Subset	Either a vector or a 2xN matrix representing the subset of data to predict on. If a vector, prediction proceeds for all possible pairs of elements specified in the vector (either by name, for character vector, or by index, for numeric vector). For example, subset=1:3 will predict for pairs (1,2), (1,3), (2,3). If a matrix, subset is interpreted as a matrix of pairs, where each row of the matrix specifies a pair to evaluate. These can also be specified by name (character) or by index (numeric). subset=rbind(c(1,2),c(1,3),c(2,3)) produces equivalent functionality to subset=1:3.

Processors	Integer; Number of cores to use for methods that support multithreaded execution. Setting to NULL or a negative value will use the value of <code>detectCores()</code> , or one core if the number of available cores cannot be determined. See Note for more information.
MySpeciesTree	Object of class dendrogram representing the phylogenetic relationship of all genomes in the dataset. Required for <code>Method=c('RPCContextTree', 'GLDistance', 'CorrGL', 'MoransI', 'Behdenna')</code> . 'Behdenna' requires a rooted, bifurcating tree (other values of <code>Method</code> can handle arbitrary trees). Note that <code>EvoWeaver</code> can automatically infer a species tree if initialized with <code>dendrogram</code> objects.
PretrainedModel	A pretrained model for use with ensemble predictions. The default value is "KEGG", corresponding to a built-in ensemble model trained on the KEGG MODULE database. Alternative values allowed are "CORUM", for a built-in ensemble model trained on the CORUM database, or any user-trained model. See the examples for how to train an ensemble method to pass to <code>PretrainedModel</code> . Has no effect if <code>Method != 'Ensemble'</code> .
NoPrediction	Logical; determines if data should be returned prior to making prediction for <code>Method='Ensemble'</code> . If TRUE, this will instead return a data.frame object with predictions from each algorithm for each pair. This dataframe is typically used to train an ensemble model. If FALSE, <code>EvoWeaver</code> will return predictions for each pair (using user model if provided or a built-in otherwise).
ReturnDataFrame	Logical; Determines if the function should return a <code>data.frame</code> object or a list of <code>EvoWeb</code> objects. Setting this parameter to FALSE is not recommended.
Verbose	Logical; Determines if status messages and progress bars should be displayed while running.
CombinePVal	Logical; Determines if scores and p-values should be combined or returned as separate values.
useDNA	Logical; Determines whether to interpret sequences as DNA or AA (only used for Sequence Level methods, see Details).
...	Additional parameters for other predictors and consistency with generic.

Details

`predict.EvoWeaver` wraps several methods to create an easy interface for multiple prediction types. `Method='Ensemble'` is the default value, but each of the component analyses can also be accessed. Common arguments to `Method` include:

- 'Ensemble': Ensemble prediction combining individual coevolutionary predictors. See Note below.
- 'PhylogeneticProfiling': All [Phylogenetic Profiling Algorithms](#) used in the `EvoWeaver` manuscript.
- 'PhylogeneticStructure': All [EvoWeaver Phylogenetic Structure Methods](#)

- 'GeneOrganization': All [EvoWeaver Gene Organization Methods](#)
- 'SequenceLevel': All [EvoWeaver Sequence Level Methods](#) used in the EvoWeaver manuscript.

Additional information and references for each prediction algorithm can be found at the following pages:

- [EvoWeaver Phylogenetic Profiling Methods](#)
- [EvoWeaver Phylogenetic Structure Methods](#)
- [EvoWeaver Gene Organization Methods](#)
- [EvoWeaver Sequence Level Methods](#)

The standard return type is a `data.frame` object with one column per predictor and an additional two columns specifying the genes in each pair. If `ReturnDataFrame=FALSE`, this returns a `EvoWeb` object. See [EvoWeb](#) for more information. Use of this parameter is discouraged.

By default, EvoWeaver weights scores by their p-value to correct for spurious correlations. The returned scores are $\text{raw_score} \times (1 - \text{p_value})$. If `CombinePVal=FALSE`, EvoWeaver will instead return the raw score and the p-value separately. The resulting `data.frame` will have one column for the raw score (denoted `METHOD.score`) and one column for the p-value (denoted `METHOD.pval`). **Note: p-values are recorded as (1-p)**. Not all methods support returning p-values separately from the score; in this case, only a `METHOD.score` column will be returned.

Different methods require different types of input. The constructor [EvoWeaver](#) will notify the user which methods are runnable with the given data. Method Ensemble automatically selects the methods that can be run with the given input data.

See [EvoWeaver](#) for more information on input data types.

Complete listing of all supported methods (asterisk denotes a method used in Ensemble, if possible):

- * 'GLMI': MI of G/L profiles
- * 'GLDistance': Score-based method based on distance between inferred ancestral Gain/Loss events
- * 'PAJaccard': Centered Jaccard distance of P/A profiles with conserved clades collapsed
- * 'PAOverlap': Conservation of ancestral states based on P/A profiles
- * 'RPMirrorTree': MirrorTree using Random Projection for dimensionality reduction
- * 'RPContextTree': MirrorTree with Random Projection correcting for species tree and P/A conservation
- * 'GeneDistance': Co-localization analysis
- * 'MoransI': Co-localization analysis using [Moran's I](#) for phylogenetic correction and significance
- * 'OrientationMI': Mutual Information of Gene Relative Orientation
- * 'GeneVector': Correlation of distribution of sequence level residues following Zhao et al. (2022)
- * 'SequenceInfo': Mutual information of sites in multiple sequence alignment
- 'ExtantJaccard': Jaccard Index of Presence/Absence (P/A) profiles at extant leaves
- 'Hamming': Hamming similarity of P/A profiles

- 'PAPV': 1-p_value of P/A profiles
- 'ProfDCA': Direct Coupling Analysis of P/A profiles
- 'Behdenna': Analysis of Gain/Loss events following Behdenna et al. (2016)
- 'CorrGL': Correlation of ancestral Gain/Loss events

Value

If ReturnDataFrame=TRUE, returns a data.frame object where each row corresponds to a single prediction for a pair of gene groups. The first two columns contain the gene group identifiers for each pair, and the remaining columns contain each prediction.

If ReturnDataFrame=FALSE, the return type is a list of EvoWeb objects. See [EvoWeb](#) for more info.

Note

If NumCores is set to NULL, EvoWeaver will use one less core than is detected, or one core if detectCores() cannot detect the number of available cores. This is because of a potential issue where the R session can consume all available cores and then lose the ability to fork processes, with the only solution to restart the entire R session.

If ReturnDataFrame=FALSE and CombinePVal=FALSE, the resulting EvoWeb objects will contain values of type 'complex'. For each value, the real part denotes the raw score, and the imaginary part denotes 1-p, with p the p-value.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[EvoWeaver](#)

[EvoWeb](#)

[EvoWeaver Phylogenetic Profiling Predictors](#)

[EvoWeaver Phylogenetic Structure Predictors](#)

[EvoWeaver Gene Organization Predictors](#)

[EvoWeaver Sequence Level Predictors](#)

Examples

```
#####
## Prediction with built-in model and data
#####

set.seed(555L)
exData <- get(data("ExampleStreptomycesData"))
ew <- EvoWeaver(exData$Genes[1:50], MySpeciesTree=exData$Tree)

# Subset isn't necessary but is faster for a working example
evoweb1 <- predict(ew, Subset=1:2)
```

```

# print out results as an adjacency matrix
if(interactive()) print(evoweb1)

#####
## Training own ensemble model
#####

datavals <- evoweb1[,-c(1,2,10)]
actual_values <- sample(c(0,1), nrow(datavals), replace=TRUE)
# This example just picks random numbers
# ***Do not do this for your own models***

# Make sure the actual values correspond to the right pairs!
datavals[, 'y'] <- actual_values
myModel <- glm(y~., datavals[,-c(1,2)], family='binomial')

testEvoWeaverObject <- EvoWeaver(exData$Genes[51:60], MySpeciesTree=exData$Tree)
evoweb2 <- predict(testEvoWeaverObject,
                  PretrainedModel=myModel)

# Print result as a data.frame of pairwise scores
if(interactive()) print(evoweb2)

```

PrepareSeqs

Add feature sequences to Decipher databases.

Description

Given a SynExtend object with a GeneCalls attribute, and a DECIPHER database, add sequence tables named 'AAs' and 'NTs' to the database. The new tables contain all translatable sequences indicated by the gene calls, and all nucleotide feature sequences.

Usage

```

PrepareSeqs(SynExtendObject,
            DataBase01,
            DefaultTranslationTable = "11",
            Identifiers = NULL,
            Verbose = FALSE)

```

Arguments

SynExtendObject

An object of class PairSummaries or of LinkedPairs. Object must have a GeneCalls attribute.

DataBase01

A character string pointing to a SQLite database, or a connection to a DECIPHER database.

DefaultTranslationTable	A character vector of length 1 identifying the translation table to use if one is not supplied in the GeneCalls attribute.
Identifiers	By default NULL, but can be used to supply a vector of character identifiers for returning a subset of prepared sequences.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

PrepareSeqs adds two tables to a DECIPHER database. One named 'AAs' that contains all translatable features, i.e. features with a coding length divisible by 3 and designated as coding. And another named 'NTs' which contains all features.

Value

An integer count of the number of feature sets added to the DECIPHER database.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[SummarizePairs](#), [NucleotideOverlap](#), [FindSynteny](#)

Examples

```
DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")
tmp01 <- tempfile()
data("Endosymbionts_LinkedFeatures", package = "SynExtend")

file.copy(from = DBPATH,
          to = tmp01)
# this will add seqs to the DB
PrepareSeqs(SynExtendObject = Endosymbionts_LinkedFeatures,
            DataBase = tmp01,
            Verbose = TRUE)
file.info(DBPATH)$size
file.info(tmp01)$size
```

Description

RandForest implements a version of Breiman's random forest algorithm for classification and regression.

Usage

```
RandForest(formula, data, subset, verbose=interactive(),
            weights, na.action,
            method='rf.fit',
            rf.mode=c('auto', 'classification', 'regression'),
            contrasts=NULL, ...)

## S3 method for class 'RandForest'
predict(object, newdata=NULL,
        na.action=na.pass, ...)

## Called internally by `RandForest`
RandForest.fit(x, y=NULL,
              verbose=interactive(), ntree=10,
              mtry=floor(sqrt(ncol(x))),
              weights=NULL, replace=TRUE,
              sampsize=if(replace) nrow(x) else ceiling(0.632*nrow(x)),
              nodesize=1L, max_depth=NULL,
              method=NULL,
              terms=NULL,...)
```

Arguments

formula	an object of class " formula " (or one that can be coerced to that class): a symbolic description of the model to be fitted. See lm for more details.
data	An optional data frame, list, or environment (or object coercible by as.data.frame to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which RandForest is called.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
weights	an optional vector of weights to be used in the fitting process. Should be NULL or a numeric vector.
na.action	a function which indicates what should happen when the data contain NAs. Currently experimental.
method	currently unused.

<code>rf.mode</code>	one of "auto", "classification", "regression" (or an unambiguous abbreviation), specifying the type of trees to build. If <code>rf.mode="auto"</code> , the mode is inferred based on the type of the response variable.
<code>contrasts</code>	currently experimental; see <code>lm</code> .
<code>...</code>	further arguments passed to <code>RandForest.fit</code> .
<code>object</code>	an object of class 'RandForest' for prediction.
<code>newdata</code>	new data to predict on, typically provided as a <code>data.frame</code> object.
<code>verbose</code>	Logical; Determines if status messages should be displayed while running.
<code>ntree</code>	number of decision trees to grow.
<code>mtry</code>	number of variables to try at each split.
<code>replace</code>	logical; should data be sampled with replacement during training?
<code>sampsiz</code>	number of datapoints to sample for training each component decision tree.
<code>nodesize</code>	number of datapoints to stop classification (see "Details")
<code>max_depth</code>	maximum depth of component decision trees.
<code>x</code>	used internally by <code>RandForest.fit</code>
<code>y</code>	used internally by <code>RandForest.fit</code>
<code>terms</code>	used internally by <code>RandForest.fit</code>

Details

`RandForest` implements a version of Breiman's original algorithm to train a random forest model for classification or regression. Random forests are comprised of a set of decision trees, each of which is trained on a subset of the available data. These trees are individually worse predictors than a single decision tree trained on the entire dataset. However, averaging predictions across the ensemble of trees forms a model that is often more accurate than single decision trees while being less susceptible to overfitting.

Random forests can either be trained for classification or regression. Classification forests are comprised of trees that assign inputs to a specific class. The output prediction is a vector comprised of the proportion of trees in the forest that assigned the datapoint to each available class. Regression forests are comprised of trees that assign each datapoint to a single continuous value, and the output prediction is comprised of the mean prediction across all component trees. When `rf.mode="auto"`, the random forest will be trained in classification mode for response of type "factor", and in regression mode for response of type "numeric".

Several parameters exist to tune the behavior of random forests. The `ntree` argument controls how many decision trees are trained. At each decision point, the decision trees consider a random subset of available variables—the number of variables to sample is controlled by `mtry`. Each decision tree only sees a subset of available data to reduce its risk of overfitting. This subset is comprised of `sampsiz` datapoints, which are sampled with or without replacement according to the `replace` argument.

Finally, the default behavior is to grow decision trees until they have fully classified all the data they see for training. However, this may lead to overfitting. Decision trees can be limited to smaller sizes by specifying the `max_depth` or `nodesize` arguments. `max_depth` refers to the depth of the decision tree. Setting this value to `n` means that every path from the root node to a leaf node will be

at most length `n`. `nodesize` can be used to instead stop growing trees based on the size of the data to be partitioned at each decision tree node. If `nodesize=n`, then if a decision point receives less than `n` samples, it will stop trying to further split the data.

Classification forests are trained by maximizing the Gini Gain at each interior node. Split points are determined with exhaustive search for small data sizes, or simulated annealing for larger sizes. Regression forests are trained by maximizing the decrease in sum of squared error (SSE) if all points in each partition are assigned their mean output value. Nodes stop classification when either no partition improves the maximization metric (Gini Gain or decrease in SSE) or when the criteria specified by `nodesize / max_depth` are met.

Some of the arguments provided are for consistency with the base `lm` function. Use caution changing any values referred to as "Experimental" above. NA values may cause unintended behavior.

Value

An object of class 'RandForest', which itself contains a number of objects of class 'DecisionTree' which can be used for prediction with `predict.RandForest`

Note

Generating a single decision tree model is possible by setting `ntree=1` and `sampsiz=nrow(data)`. 'DecisionTree' objects do not currently support prediction.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Breiman, L. (2001), *Random Forests*, Machine Learning 45(1), 5-32.

See Also

[DecisionTree class](#)

Examples

```
set.seed(199L)
n_samp <- 100L
AA <- rnorm(n_samp, mean=1, sd=5)
BB <- rnorm(n_samp, mean=2, sd=3)
CC <- rgamma(n_samp, shape=1, rate=2)
err <- rnorm(n_samp, sd=0.5)
y <- AA + BB + 2*CC + err

d <- data.frame(AA,BB,CC,y)
train_i <- 1:90
test_i <- 91:100
train_data <- d[train_i,]
test_data <- d[test_i,]
```

```

rf_regr <- RandomForest(y~., data=train_data, rf.mode="regression", max_depth=5L)
if(interactive()){
  # Visualize one of the decision trees
  plot(rf_regr[[1]])
}

## classification
y1 <- y < -5
y2 <- y < 0 & y >= -5
y3 <- y < 5 & y >= 0
y4 <- y >= 5
y_cl <- rep(0L, length(y))
y[y1] <- 1L
y[y2] <- 2L
y[y3] <- 3L
y[y4] <- 4L
d$y <- as.factor(y)
train_data <- d[train_i,]
test_data <- d[test_i,]

rf_classif <- RandomForest(y~., data=train_data, rf.mode="classification", max_depth=5L)
if(interactive()){
  # Visualize one of the decision trees for classification
  plot(rf_classif[[1]])
}

```

SelectByK

Predicted pair trimming using K-means.

Description

A relatively simple k-means clustering approach to drop predicted pairs that belong to clusters with a PID centroid below a specified user threshold.

Usage

```

SelectByK(Pairs,
          UserConfidence = 0.5,
          ClusterScalar = 1,
          MaxClusters = 15L,
          ReturnAllCommunities = FALSE,
          Verbose = FALSE,
          ShowPlot = FALSE,
          RetainHighest = TRUE)

```

Arguments

Pairs An object of class PairSummaries.

UserConfidence	A numeric value greater than 0 and less than 1 that represents a minimum PID centroid that users believe represents a TRUE predicted pair.
ClusterScalar	A numeric value used to scale selection of how many clusters are used in kmeans clustering. Total within-cluster sum of squares are fit to a right hyperbola, and the half-max is used to select cluster number. "ClusterScalar" is multiplied by the half-max to adjust cluster number selection.
MaxClusters	Integer value indicating the largest number of clusters to test in a series of k-means clustering tests.
ReturnAllCommunities	A logical value, if "TRUE", function returns of a list where the second position is a list of "PairSummaries" tables for each k-means cluster. By default is "FALSE", returning only a "PairSummaries" object of the retained predicted pairs.
ShowPlot	Logical indicating whether or not to plot the CDFs for the PIDs of all k-means clusters for the determined cluster number.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.
RetainHighest	Logical indicating whether to retain the cluster with the highest PID centroid in the case where the PID is below the specified user confidence.

Details

SelectByK uses a naive k-means routine to select for predicted pairs that belong to clusters whose centroids are greater than or equal to the user specified PID confidence. This means that the confidence is not a minimum, and that pairs with PIDs below the user confidence can be retained. The sum of within cluster sum of squares is used to approximate "knee" selection with the user supplied "ClusterScalar" value. By default, with a "ClusterScalar" value of 1 the half-max of a right-hyperbola fitted to the sum of within-cluster sum of squares is used to pick the cluster number for evaluation, "ClusterScalar" is multiplied by the half-max to tune cluster number selection. This function is intended to be used at the genome-to-genome comparison level, and not say, at the level of an all-vs-all comparison of many genomes.

Value

An object of class `PairSummaries`.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[PairSummaries](#), [NucleotideOverlap](#), [link{SubSetPairs}](#), [FindSynteny](#)

Examples

```
# this function will be deprecated soon,
# please see the new ClusterByK() function.

DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")

data("Endosymbionts_LinkedFeatures", package = "SynExtend")

Pairs <- PairSummaries(SyntenyLinks = Endosymbionts_LinkedFeatures,
                      PIDs = TRUE,
                      Score = TRUE,
                      DBPATH = DBPATH,
                      Verbose = TRUE)

Pairs02 <- SelectByK(Pairs = Pairs)
```

SequenceSimilarity	<i>Return a numeric value that represents the similarity between two aligned sequences as determined by a provided substitution matrix.</i>
--------------------	---

Description

Takes in a DNASTringSet or AAStringSet representing a pairwise alignment and a substitution matrix such as those present in PFASUM, and return a numeric value representing sequence similarity as defined by the substitution matrix.

Usage

```
SequenceSimilarity(Seqs,
                  SubMat,
                  penalizeGapLetter = TRUE,
                  includeTerminalGaps = TRUE,
                  allowNegative = TRUE)
```

Arguments

Seqs	A DNASTringSet or AAStringSet of length 2.
SubMat	A named matrix representing a substitution matrix. If left "NULL" and "Seqs" is a AAStringSet, the 40th "PFASUM" matrix is used. If left "NULL" and "Seqs" is a DNASTringSet, a matrix with only the diagonal filled with "1"'s is used.
penalizeGapLetter	A logical indicating whether or not to penalize Gap-Letter matches. Defaults to "TRUE".
includeTerminalGaps	A logical indicating whether or not to penalize terminal matches. Defaults to "TRUE".

`allowNegative` A logical indicating whether or not allow negative scores. Defaults to “TRUE”. If “FALSE” scores that are returned as less than zero are converted to zero.

Details

Takes in a `DNAStrngSet` or `AAStringSet` representing a pairwise alignment and a substitution matrix such as those present in `PFASUM`, and return a numeric value representing sequence similarity as defined by the substitution matrix.

Value

Returns a single numeric.

Author(s)

Erik Wright <ESWRIGHT@pitt.edu> Nicholas Cooley <npc19@pitt.edu>

See Also

[AlignSeqs](#), [AlignProfiles](#), [AlignTranslation](#), [DistanceMatrix](#)

Examples

```
db <- system.file("extdata", "Bacteria_175seqs.sqlite", package = "DECIPHER")
dna <- SearchDB(db, remove = "all")
alignedDNA <- AlignSeqs(dna[1:2])

DNAPlaceholder <- diag(15)
dimnames(DNAPlaceholder) <- list(DNA_ALPHABET[1:15],
                                 DNA_ALPHABET[1:15])

SequenceSimilarity(Seqs = alignedDNA,
                   SubMat = DNAPlaceholder,
                   includeTerminalGaps = TRUE,
                   penalizeGapLetter = TRUE,
                   allowNegative = TRUE)
```

simMat

Similarity Matrices

Description

The `simMat` object is an internally utilized class that provides similar functionality to the `dist` object, but with matrix-like accessors.

Like `dist`, this object stores values as a vector, reducing memory by making use of assumed symmetry. `simMat` currently only supports numeric data types.

Usage

```
## Create a blank sym object
simMat(VALUE, nelelem, NAMES=NULL, DIAG=FALSE)

## S3 method for class 'vector'
as.simMat(x, NAMES=NULL, DIAG=TRUE, ...)

## S3 method for class 'matrix'
as.simMat(x, ...)

## S3 method for class 'simMat'
print(x, ...)

## S3 method for class 'simMat'
as.matrix(x, ...)

## S3 method for class 'simMat'
as.data.frame(x, ...)

## S3 method for class 'simMat'
Diag(x, ...)

## S3 replacement method for class 'simMat'
Diag(x) <- value
```

Arguments

VALUE	Numeric (or NA_real_) indicating placeholder values. A vector of values can be provided for this function if desired.
nelelem	Integer; number of elements represented in the matrix. This corresponds to the number of rows and columns of the object, so setting nelelem=10 would produce a 10x10 matrix.
NAMES	Character (Optional); names for each row/column. If provided, this should be a character vector of length equal to nelelem.
DIAG	Logical; Determines if the diagonal is included in the data. If FALSE, the constructor generates 1s for the diagonal.
x	For print and Diag, the "simMat" object to print. For as.vector or as.matrix, the vector or matrix (respectively). Note that as.matrix expects a symmetric matrix—providing a non-symmetric matrix will take only the upper triangle and produce a warning.
value	Numeric; value(s) to replace diagonal with.
...	Additional parameters provided for consistency with generic.

Details

The simMat object has a very similar format to dist objects, but with a few notable changes:

- simMat objects have streamlined print and show methods to make displaying large matrices better. print accepts an additional argument n corresponding to the maximum number of rows/columns to print before truncating.
- simMat objects support matrix-style get/set operations like s[1,] or s[1,3:5]
- simMat objects allow any values on the diagonal, rather than just zeros as in dist objects.
- simMat objects support conversion to matrices and data.frame objects
- simMat objects implement get/set Diag() methods. Note usage of capitalized Diag; this is to avoid conflicts and weirdness with using base diag.

See the examples for details on using these features.

The number of elements printed when calling print or show on a simMat object is determined by the "SynExtend.simMat" option.

Value

simMat and as.simMat return an object of class "simMat". Internally, the object stores the upper triangle of the matrix similar to how dist stores objects.

The object has the following attributes (besides "class" equal to "simMat"):

nrow	the number of rows in the matrix implied by the vector
NAMES	the names of the rows/columns

as.matrix(s) returns the equivalent matrix to a "simMat" object.

as.data.frame(s) returns a data.frame object corresponding to pairwise similarities.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

Examples

```
## Creating a blank simMat object initialized to zeros
s <- simMat(0, nelem=20)
s

## Print out 5 rows instead of 10
print(s, n=5)

## Create a simMat object with 5 entries from a vector
dimn <- 5
vec <- 1:(dimn*(dimn-1) / 2)
s1 <- as.simMat(vec, DIAG=FALSE)
s1

## Here we include the diagonal
vec <- 1:(dimn*(dimn+1) / 2)
s2 <- as.simMat(vec, DIAG=TRUE)
s2
```

```
## Subsetting
s2[1,]
s2[1,3:4]
# all entries except first row
s2[-1,]
# all combos not including 1
s2[-1,-1]

## Replace values (automatically recycled)
s2[1,] <- 10
s2

## Get/set diagonal
Diag(s1)
Diag(s1) <- 5
s1
```

subset.dendrogram *Subsetting dendrogram objects*

Description

Subsets dendrogram objects based on leaf labels. Subsetting can either be by leaves to keep, or leaves to remove.

NOTE: This man page is specifically for `subset.dendrogram`, see `?base::subset` for the generic subset function defined for vectors, matrices, and data frames.

Usage

```
## S3 method for class 'dendrogram'
subset(x, subset, invert=FALSE, ...)
```

Arguments

<code>x</code>	An object of class 'dendrogram'
<code>subset</code>	Character; A vector of labels to keep (see <code>invert</code>).
<code>invert</code>	Logical; If TRUE, subsets to the leaves <i>not</i> in <code>subset</code> .
<code>...</code>	Additional arguments for consistency with generic.

Value

An object of class 'dendrogram' corresponding to the subset of the tree.

Note

If none of the labels specified in the `subset` argument appear in the tree (or if all do when `invert=TRUE`), a warning is thrown and an empty object of class 'dendrogram' is returned.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

See Also

[subset](#)

Examples

```
d <- as.dendrogram(hclust(dist(USArrests), "ave"))

# Show original dendrogram
plot(d)

# Subset to first 10 labels
d1 <- subset(d, labels(d)[1:10])
plot(d1)

# Subset d1 to all except the first 2 labels
d2 <- subset(d1, labels(d1)[1:2], invert=TRUE)
plot(d2)
```

SubSetPairs

Subset a "PairSummaries" object.

Description

For a given object of class "PairSummaries", pairs based on either competing predictions, user thresholds on prediction statistics, or both.

Usage

```
SubSetPairs(CurrentPairs,
            UserThresholds,
            RejectCompetitors = TRUE,
            RejectionCriteria = "PID",
            WinnersOnly = TRUE,
            Verbose = FALSE)
```

Arguments

CurrentPairs An object of class "PairSummaries". Can also take in a generic "data.frame", as long as the feature naming scheme is the same as that followed by all SynExtend functions.

UserThresholds A named vector where values indicate a threshold for statistics to be above, and names designate which statistic to threshold on.

RejectCompetitors	A logical that defaults to “TRUE”. Allowing users to choose to remove competing predictions. When set to “FALSE”, no competitor rejection is performed. When “TRUE” all competing pairs with the exception of the best pair as determined by “RejectionCriteria” are rejected. Can additionally be set to a numeric or integer, in which case only competing predictions below that value are dropped.
RejectionCriteria	A character indicating which column value competitor rejection should reference. Defaults to “PID”.
WinnersOnly	A logical indicating whether or not to return just the pairs that are selected. Defaults to “TRUE” to return a subset object of class “PairSummaries”. When “FALSE”, function returns a list of two “PairSummaries” objects, one of the selected pairs, and the second of the rejected pairs.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.

Details

SubSetPairs uses a naive competitor rejection algorithm to remove predicted pairs when nodes are predicted to be paired to multiple nodes within the same index.

Value

An object of class “PairSummaries”, or a list of two “PairSummaries” objects.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[PairSummaries NucleotideOverlap](#)

Examples

```
# expected to be deprecated soon...
data("Endosymbionts_Pairs03", package = "SynExtend")
# remove competitors under default conditions
Pairs2 <- SubSetPairs(CurrentPairs = Endosymbionts_Pairs03,
                      Verbose = TRUE)

THRESH <- c(0.5, 21)
names(THRESH) <- c("Consensus", "TotalMatch")
# remove pairs only based on user defined thresholds
Pairs3 <- SubSetPairs(CurrentPairs = Endosymbionts_Pairs03,
                      UserThresholds = THRESH,
                      RejectCompetitors = FALSE,
                      Verbose = TRUE)
```

SummarizePairs	<i>Provide summaries of hypothetical orthologs.</i>
----------------	---

Description

Given `LinkedPairs` object and a DECIPHER database, return a data.frame of summarized genomic feature pairs. `SummarizePairs` will collect all the linked genomic features in the supplied `LinkedPairs-class` object and return descriptions of the alignments of those features.

Usage

```
SummarizePairs(SynExtendObject,
               DataBase01,
               IncludeIndexSearch = TRUE,
               AlignmentFun = "AlignPairs",
               RetainAnchors = TRUE,
               DefaultTranslationTable = "11",
               KmerSize = 5,
               IgnoreDefaultStringSet = FALSE,
               Verbose = FALSE,
               ShowPlot = FALSE,
               Processors = 1,
               Storage = 2,
               IndexParams = list("K" = 5),
               SearchParams = list("perPatternLimit" = 1),
               ...)
```

Arguments

<code>SynExtendObject</code>	An object of class <code>LinkedPairs-class</code> .
<code>DataBase01</code>	A character string pointing to a SQLite database, or a connection to a DECIPHER database.
<code>IncludeIndexSearch</code>	A logical determining whether to include <code>SearchIndex</code> results in the initial inference.
<code>AlignmentFun</code>	A character string specifying a link{DECIPHER} alignment function. Currently only supports <code>AlignProfiles</code> and <code>AlignPairs</code> .
<code>RetainAnchors</code>	An argument that only affects <code>AlignPairs</code> ; provide the kmer hits supplied by <code>FindSynteny</code> as alignment anchors.
<code>DefaultTranslationTable</code>	A character vector of length 1 identifying the translation table to use if one is not supplied in the <code>GeneCalls</code> attribute.
<code>KmerSize</code>	An integer specifying what Kmer size to collect Kmer distance between sequences at.

IgnoreDefaultStringSet	Translate all sequences in nucleotide space.
Verbose	Logical indicating whether or not to display a progress bar and print the time difference upon completion.
ShowPlot	Logical indicating whether or not to provide a plot of features collected by the function. Currently not implemented.
Processors	An integer value indicating how many processors to supply to AlignPairs . Supplying NULL will cause detection and use of all available cores.
Storage	A soft memory limit for how much sequence data from the database to retain in memory while running. In Gb.
IndexParams	Arguments to be passed to IndexSeqs .
SearchParams	Arguments to be passed to SearchIndex .
...	Additional arguments to pass to interior functions. Currently not implemented.

Details

SummarizePairs collects features describing each linked feature pair. These include an alignment PID, an alignment Score, a Kmer distance, a consensus score for the linking hits –or whether or not linking hits are in similar places in each feature– and a few other features.

Value

An object of class PairSummaries.

Author(s)

Nicholas Cooley <npc19@pitt.edu>

See Also

[PrepareSeqs](#), [NucleotideOverlap](#), [FindSynteny](#), [LinkedPairs-class](#)

Examples

```
library(RSQLite)
DBPATH <- system.file("extdata",
                      "Endosymbionts_v05a.sqlite",
                      package = "SynExtend")

tmp01 <- tempfile()
file.copy(from = DBPATH,
          to = tmp01)

data("Endosymbionts_LinkedFeatures", package = "SynExtend")
PrepareSeqs(SynExtendObject = Endosymbionts_LinkedFeatures,
            DataBase = tmp01,
            Verbose = TRUE)

DBCONN <- dbConnect(SQLite(), tmp01)
data("Endosymbionts_LinkedFeatures", package = "SynExtend")
SummarizedPairs <- SummarizePairs(SynExtendObject = Endosymbionts_LinkedFeatures,
                                DataBase01 = DBCONN,
```

```
dbDisconnect(DBCONN)          Verbose = TRUE)
```

SuperTree

Create a Species Tree from Gene Trees

Description

Given a set of unrooted gene trees, creates a species tree. While this function also works for rooted gene trees, the resulting root may not be accurately placed.

Usage

```
SuperTree(myDendList, NAMEFUN=NULL, Verbose=TRUE, Processors=1)
```

Arguments

<code>myDendList</code>	List of dendrogram objects, where each entry is an unrooted gene tree.
<code>NAMEFUN</code>	Optional function to apply to each leaf to convert gene tree leaf labels into species names. This function should take as input a character vector and return a character vector of the same size. By default equals <code>NULL</code> , indicating that gene tree leaves are already labeled with species identifiers. See details for more information.
<code>Verbose</code>	Logical; Determines if status messages and progress bars should be displayed while running.
<code>Processors</code>	Integer; Number of processors to use for calculating the final species tree.

Details

This implementation follows the ASTRID algorithm for estimating a species tree from a set of unrooted gene trees. Input gene trees are not required to have identical species sets, as the algorithm can handle missing entries in gene trees. The algorithm essentially works by averaging the Cophenetic distance matrices of all gene trees, then constructing a neighbor-joining tree from the resulting distance matrix. See the original paper linked in the references section for more information.

If two species never appear together in a gene tree, their distance cannot be estimated in the algorithm and will thus be missing. SuperTree handles this by imputing the value using the distances available with data-interpolating empirical orthogonal functions (DINEOF). This approach has relatively high accuracy even up to high levels of missingness. Eigenvector calculation speed is improved using a Lanczos algorithm for matrix compression.

SuperTree allows an optional argument called NAMEFUN to apply a renaming step to leaf labels. Gene trees as constructed by other functions in SynExtend (ex. [DisjointSet](#)) often include other information aside from species name when labeling genes, but SuperTree requires that leaf nodes of the gene tree are labeled with just an identifier corresponding to which species/genome each leaf is from. Duplicate values are allowed. See the examples section for more details on what this looks like and how to handle it.

Value

A [dendrogram](#) object corresponding to the species tree constructed from input gene trees.

Author(s)

Aidan Lakshman <ahl27@pitt.edu>

References

Vachaspati, P., Warnow, T. *ASTRID: Accurate Species TREes from Internode Distances*. BMC Genomics, 2015. **16** (Suppl 10): S3.

Taylor, M.H., Losch, M., Wenzel, M. and Schröter, J. *On the sensitivity of field reconstruction and prediction using empirical orthogonal functions derived from gappy data*. Journal of Climate, 2013. **26**(22): 9194-9205.

See Also

[TreeLine](#), [SuperTreeEx](#)

Examples

```
# Loads a list of dendrograms
# each is a gene tree from Streptomyces genomes
data("SuperTreeEx", package="SynExtend")

# Notice that the labels of the tree are in #_#_# format
# See the man page for SuperTreeEx for more info
labs <- labels(exData[[1]])
if(interactive()) print(labs)

# The first number corresponds to the species,
# so we need to trim the rest in each leaf label
namefun <- function(x) gsub("([0-9A-Za-z]*)_.*", "\\1", x)
namefun(labs) # trims to just first number

# This function replaces gene identifiers with species identifiers
# we pass it to NAMEFUN
# Note NAMEFUN should take in a character vector and return a character vector
tree <- SuperTree(exData, NAMEFUN=namefun)
```

SuperTreeEx

Example Dendrograms

Description

A set of four dendrograms for use in [SuperTree](#) examples.

Usage

```
data("SuperTreeEx")
```

Format

A list with four elements, where each is a object of type `dendrogram` corresponding to a gene tree constructed from a set of 301 *Streptomyces* genomes. Each leaf node is labeled in the form A_B_C, where A is a number identifying the genome, B is a number identifying the contig, and C is a number identifying the gene. Altogether, each label uniquely identifies a gene.

Examples

```
data(SuperTreeEx, package="SynExtend")
```

Index

- * **GeneCalls**
 - gffToDataFrame, 54
- * **datasets**
 - BuiltInEnsembles, 8
 - CIDist_NullDist, 9
 - Endosymbionts_GeneCalls, 21
 - Endosymbionts_LinkedFeatures, 21
 - Endosymbionts_Pairs01, 22
 - Endosymbionts_Pairs02, 22
 - Endosymbionts_Pairs03, 23
 - Endosymbionts_Sets, 23
 - Endosymbionts_SyntenY, 24
 - ExampleStreptomycesData, 40
 - Generic, 54
 - SuperTreeEx, 94
- [.LinkedPairs (LinkedPairs), 55
- 'DecisionTree', 81

- AlignPairs, 47, 91, 92
- AlignProfiles, 85, 91
- AlignSeqs, 85
- AlignTranslation, 85
- Ancestral.EvoWeaver
 - (EvoWeaver-SLPreds), 37
- as.data.frame, 79
- as.data.frame.simMat (simMat), 85
- as.dendrogram, 16
- as.dendrogram.DecisionTree
 - (DecisionTree-class), 13
- as.matrix.simMat (simMat), 85
- as.simMat (simMat), 85
- attributes, 15

- Behdenna.EvoWeaver (EvoWeaver-PPPreds), 33
- BlastSeqs, 3, 58
- BlockExpansion, 4
- BlockReconciliation, 6
- BuiltInEnsembles, 8, 30

- CIDist (PhyloDistance-CIDist), 66
- CIDist_NullDist, 9
- ClusterByK, 10, 13
- Clustering Information Distance, 9, 36, 64, 65
- CompetePairs, 12
- CorrGL.EvoWeaver (EvoWeaver-PPPreds), 33

- data.frame, 4, 43, 74
- DecisionTree class, 81
- DecisionTree-class, 13
- dendrapply, 15, 65, 66, 68–70
- dendrogram, 13–16, 18, 74, 94, 95
- Diag (simMat), 85
- Diag<- (simMat), 85
- DisjointSet, 17, 49, 93
- dist, 58, 85
- DistanceMatrix, 85
- DPhyloStatistic, 18

- Endosymbionts_GeneCalls, 20
- Endosymbionts_LinkedFeatures, 21
- Endosymbionts_Pairs01, 22
- Endosymbionts_Pairs02, 22
- Endosymbionts_Pairs03, 23
- Endosymbionts_Sets, 23
- Endosymbionts_SyntenY, 24
- EstimateExoLabel, 24, 45, 46
- EstimateRearrangementScenarios
 - (EstimRearrScen), 26
- EstimRearrScen, 26
- EvoWeaver, 29, 32–40, 73, 75, 76
- EvoWeaver Gene Organization Methods, 75
- EvoWeaver Gene Organization Predictors, 35, 37, 38, 76
- EvoWeaver Phylogenetic Profiling Methods, 75
- EvoWeaver Phylogenetic Profiling Predictors, 33, 37, 38, 76

- EvoWeaver Phylogenetic Structure Methods, [74](#), [75](#)
- EvoWeaver Phylogenetic Structure Predictors, [33](#), [35](#), [38](#), [76](#)
- EvoWeaver Sequence Level Methods, [75](#)
- EvoWeaver Sequence Level Predictors, [33](#), [35](#), [37](#), [76](#)
- EvoWeaver-class (EvoWeaver), [29](#)
- EvoWeaver-GOPreds, [31](#)
- EvoWeaver-PPPreds, [33](#)
- EvoWeaver-PSPreds, [35](#)
- EvoWeaver-SLPreds, [37](#)
- EvoWeaver-utils (EvoWeaver), [29](#)
- EvoWeb, [39](#), [72](#), [73](#), [75](#), [76](#)
- ExampleStreptomycesData, [30](#), [40](#)
- ExoLabel, [24](#), [25](#), [40](#)
- ExpandDiagonal, [11](#), [13](#), [46](#)
- ExtantJaccard.EvoWeaver (EvoWeaver-PPPreds), [33](#)
- ExtractBy, [48](#)
- FastQFromSRR, [49](#)
- FindSets, [18](#), [50](#)
- FindSynteny, [5](#), [8](#), [11](#), [13](#), [18](#), [26](#), [28](#), [47](#), [49](#), [61](#), [63](#), [78](#), [83](#), [91](#), [92](#)
- FitchParsimony, [52](#)
- formula, [79](#)
- GeneDistance.EvoWeaver (EvoWeaver-GOPreds), [31](#)
- Generic, [54](#)
- GeneVector.EvoWeaver (EvoWeaver-SLPreds), [37](#)
- gffToDataFrame, [54](#)
- GLDistance.EvoWeaver (EvoWeaver-PPPreds), [33](#)
- glm, [8](#)
- GLMI.EvoWeaver (EvoWeaver-PPPreds), [33](#)
- Hamming.EvoWeaver (EvoWeaver-PPPreds), [33](#)
- IndexSeqs, [92](#)
- Jaccard-Robinson-Foulds Distance, [36](#), [64](#), [65](#)
- JRFDist (PhyloDistance-JRFDist), [67](#)
- KFDist (PhyloDistance-KFDist), [69](#)
- Kuhner-Felsenstein Distance, [36](#), [65](#)
- lapply, [16](#)
- LinkedPairs, [55](#)
- LinkedPairs-class (LinkedPairs), [55](#)
- list, [59](#)
- lm, [79–81](#)
- MakeBlastDb, [3](#), [4](#), [57](#)
- Moran's I, [75](#)
- MoranI, [32](#), [58](#)
- MoransI.EvoWeaver (EvoWeaver-GOPreds), [31](#)
- NucleotideOverlap, [5](#), [11](#), [13](#), [47](#), [60](#), [63](#), [78](#), [83](#), [90](#), [92](#)
- Nye Similarity, [36](#)
- OrientationMI.EvoWeaver (EvoWeaver-GOPreds), [31](#)
- PairSummaries, [5](#), [8](#), [18](#), [47](#), [49](#), [51](#), [61](#), [83](#), [90](#)
- PAJaccard.EvoWeaver (EvoWeaver-PPPreds), [33](#)
- palette, [72](#)
- PAOverlap.EvoWeaver (EvoWeaver-PPPreds), [33](#)
- PhyloDistance, [36](#), [37](#), [64](#), [66](#), [67](#), [69](#), [70](#)
- PhyloDistance-CI (PhyloDistance-CIDist), [66](#)
- PhyloDistance-CIDist, [66](#)
- PhyloDistance-JRF (PhyloDistance-JRFDist), [67](#)
- PhyloDistance-JRFDist, [67](#)
- PhyloDistance-KF (PhyloDistance-KFDist), [69](#)
- PhyloDistance-KFDist, [69](#)
- PhyloDistance-RF (PhyloDistance-RFDist), [70](#)
- PhyloDistance-RFDist, [70](#)
- Phylogenetic Profiling Algorithms, [74](#)
- plot.DecisionTree (DecisionTree-class), [13](#)
- plot.dendrogram, [13](#)
- plot.EvoWeb, [39](#), [71](#)
- predict.EvoWeaver, [29](#), [30](#), [33](#), [35](#), [37–39](#), [71](#), [72](#), [73](#)
- predict.RandForest, [81](#)
- predict.RandForest (RandForest), [79](#)
- PrepareSeqs, [77](#), [92](#)
- print.LinkedPairs (LinkedPairs), [55](#)

`print.simMat (simMat)`, 85
`ProfDCA.EvoWeaver (EvoWeaver-PPPreds)`,
33

`RandForest`, 13, 14, 79
`rapply`, 16
`read.table`, 41
`RFDist (PhyloDistance-RFDist)`, 70
Robinson-Foulds Distance, 36, 64, 65
`RPContextTree.EvoWeaver`
(`EvoWeaver-PSPreds`), 35
`RPMirrorTree.EvoWeaver`
(`EvoWeaver-PSPreds`), 35

`SearchIndex`, 91, 92
`SelectByK`, 82
`SequenceInfo.EvoWeaver`
(`EvoWeaver-SLPreds`), 37
`SequenceSimilarity`, 84
`simMat`, 39, 85
`simMat-class (simMat)`, 85
`SpeciesTree (EvoWeaver)`, 29
`subset`, 89
`subset.dendrogram`, 88
`SubSetPairs`, 89
`SummarizePairs`, 11, 13, 78, 91
`SuperTree`, 30, 32, 34, 93, 94
`SuperTreeEx`, 94, 94
`Synteny`, 26, 28

`text`, 13
`TMPDIR`, 57
`TreeDistance.EvoWeaver`
(`EvoWeaver-PSPreds`), 35
`TreeLine`, 94

`XStringSet`, 3, 57