

# Package ‘curatedTCGAData’

October 7, 2025

**Type** Package

**Title** Curated Data from The Cancer Genome Atlas (TCGA) as  
MultiAssayExperiment Objects

**Version** 1.31.2

**Description** This package provides publicly available data from The Cancer Genome Atlas (TCGA) as MultiAssayExperiment objects. MultiAssayExperiment integrates multiple assays (e.g., RNA-seq, copy number, mutation, microRNA, protein, and others) with clinical / pathological data. It also links assay barcodes with patient identifiers, enabling harmonized subsetting of rows (features) and columns (patients / samples) across the entire multi-omics experiment.

**License** Artistic-2.0

**BugReports** <https://github.com/waldrnlab/curatedTCGAData/issues>

**Depends** R (>= 4.5.0), MultiAssayExperiment

**Imports** AnnotationHub, ExperimentHub, HDF5Array, methods, S4Vectors,  
stats, SummarizedExperiment, utils

**Suggests** BiocStyle, knitr, RaggedExperiment, readr, rmarkdown,  
TCGAutils, testthat

**VignetteBuilder** knitr

**biocViews** Homo\_sapiens\_Data, ReproducibleResearch, CancerData,  
ExperimentHub

**Encoding** UTF-8

**RoxygenNote** 7.3.2

**Date** 2024-11-13

**git\_url** <https://git.bioconductor.org/packages/curatedTCGAData>

**git\_branch** devel

**git\_last\_commit** 00a83d5

**git\_last\_commit\_date** 2025-07-21

**Repository** Bioconductor 3.22

**Date/Publication** 2025-10-07

**Author** Marcel Ramos [aut, cre] (ORCID:

<<https://orcid.org/0000-0002-3242-0582>>),

Levi Waldron [ctb],

Lucas Schiffer [ctb],

Ludwig Geistlinger [ctb],

Valerie Obenchain [ctb],

Martin Morgan [ctb]

**Maintainer** Marcel Ramos <marcel.ramos@roswellpark.org>

## Contents

|                                   |     |
|-----------------------------------|-----|
| curatedTCGAData-package . . . . . | 4   |
| ACC . . . . .                     | 5   |
| ACC-v2.0.1 . . . . .              | 8   |
| ACC-v2.1.0 . . . . .              | 11  |
| BLCA . . . . .                    | 14  |
| BLCA-v2.0.1 . . . . .             | 18  |
| BLCA-v2.1.0 . . . . .             | 21  |
| BRCA . . . . .                    | 24  |
| BRCA-v2.0.1 . . . . .             | 27  |
| BRCA-v2.1.0 . . . . .             | 30  |
| CESC . . . . .                    | 33  |
| CESC-v2.0.1 . . . . .             | 38  |
| CESC-v2.1.0 . . . . .             | 43  |
| CHOL . . . . .                    | 49  |
| CHOL-v2.0.1 . . . . .             | 51  |
| CHOL-v2.1.0 . . . . .             | 54  |
| COAD . . . . .                    | 57  |
| COAD-v2.0.1 . . . . .             | 59  |
| COAD-v2.1.0 . . . . .             | 62  |
| curatedTCGAData . . . . .         | 64  |
| DLBC . . . . .                    | 67  |
| DLBC-v2.0.1 . . . . .             | 69  |
| DLBC-v2.1.0 . . . . .             | 72  |
| ESCA . . . . .                    | 74  |
| ESCA-v2.0.1 . . . . .             | 77  |
| ESCA-v2.1.0 . . . . .             | 80  |
| GBM . . . . .                     | 84  |
| GBM-v2.0.1 . . . . .              | 87  |
| GBM-v2.1.0 . . . . .              | 89  |
| HNSC . . . . .                    | 92  |
| HNSC-v2.0.1 . . . . .             | 96  |
| HNSC-v2.1.0 . . . . .             | 99  |
| KICH . . . . .                    | 102 |
| KICH-v2.0.1 . . . . .             | 105 |
| KICH-v2.1.0 . . . . .             | 108 |
| KIRC . . . . .                    | 111 |
| KIRC-v2.0.1 . . . . .             | 114 |
| KIRC-v2.1.0 . . . . .             | 118 |
| KIRP . . . . .                    | 121 |
| KIRP-v2.0.1 . . . . .             | 124 |

|                       |     |
|-----------------------|-----|
| KIRP-v2.1.0 . . . . . | 127 |
| LAML . . . . .        | 131 |
| LAML-v2.0.1 . . . . . | 133 |
| LAML-v2.1.0 . . . . . | 135 |
| LGG . . . . .         | 138 |
| LGG-v2.0.1 . . . . .  | 141 |
| LGG-v2.1.0 . . . . .  | 143 |
| LIHC . . . . .        | 146 |
| LIHC-v2.0.1 . . . . . | 149 |
| LIHC-v2.1.0 . . . . . | 152 |
| LUAD . . . . .        | 155 |
| LUAD-v2.0.1 . . . . . | 158 |
| LUAD-v2.1.0 . . . . . | 161 |
| LUSC . . . . .        | 164 |
| LUSC-v2.0.1 . . . . . | 168 |
| LUSC-v2.1.0 . . . . . | 171 |
| MESO . . . . .        | 175 |
| MESO-v2.0.1 . . . . . | 177 |
| MESO-v2.1.0 . . . . . | 180 |
| OV . . . . .          | 183 |
| OV-v2.0.1 . . . . .   | 186 |
| OV-v2.1.0 . . . . .   | 189 |
| OV-v2.1.1 . . . . .   | 192 |
| PAAD . . . . .        | 194 |
| PAAD-v2.0.1 . . . . . | 197 |
| PAAD-v2.1.0 . . . . . | 200 |
| PCPG . . . . .        | 203 |
| PCPG-v2.0.1 . . . . . | 206 |
| PCPG-v2.1.0 . . . . . | 209 |
| PRAD . . . . .        | 212 |
| PRAD-v2.0.1 . . . . . | 215 |
| PRAD-v2.1.0 . . . . . | 218 |
| READ . . . . .        | 221 |
| READ-v2.0.1 . . . . . | 224 |
| READ-v2.1.0 . . . . . | 227 |
| SARC . . . . .        | 230 |
| SARC-v2.0.1 . . . . . | 233 |
| SARC-v2.1.0 . . . . . | 235 |
| SKCM . . . . .        | 238 |
| SKCM-v2.0.1 . . . . . | 241 |
| SKCM-v2.1.0 . . . . . | 243 |
| SKCM-v2.1.1 . . . . . | 246 |
| STAD . . . . .        | 248 |
| STAD-v2.0.1 . . . . . | 251 |
| STAD-v2.1.0 . . . . . | 254 |
| TGCT . . . . .        | 257 |
| TGCT-v2.0.1 . . . . . | 260 |
| TGCT-v2.1.0 . . . . . | 263 |
| THCA . . . . .        | 266 |
| THCA-v2.0.1 . . . . . | 269 |
| THCA-v2.1.0 . . . . . | 272 |
| THYM . . . . .        | 275 |

|                       |     |
|-----------------------|-----|
| THYM-v2.0.1 . . . . . | 277 |
| THYM-v2.1.0 . . . . . | 280 |
| UCEC . . . . .        | 282 |
| UCEC-v2.0.1 . . . . . | 284 |
| UCEC-v2.1.0 . . . . . | 287 |
| UCS . . . . .         | 289 |
| UCS-v2.0.1 . . . . .  | 292 |
| UCS-v2.1.0 . . . . .  | 294 |
| UVM . . . . .         | 297 |
| UVM-v2.0.1 . . . . .  | 300 |
| UVM-v2.1.0 . . . . .  | 302 |

|              |            |
|--------------|------------|
| <b>Index</b> | <b>306</b> |
|--------------|------------|

---

curatedTCGAData-package

*curatedTCGAData-package*

---

## Description

The curatedTCGAData package provides a convenient and user-friendly interface for The Cancer Genome Atlas data from the Firehose GDAC Pipeline. Please note that `_most_` of the data from the GDAC Firehose pipeline uses the ‘hg19’ reference genome (except for a few cancers; refer to <https://confluence.broadinstitute.org/display/GDAC/FAQ>).

It is highly recommended to use the ‘TCGAutils’ companion package. It provides convenience functions for manipulating curatedTCGAData objects. See package for more details (<http://bioconductor.org/packages/TCGAutils>).

## diseaseCodes

The following are the TCGA disease codes and full names as posted on the official website (<https://gdc.cancer.gov/resources-tcga-users/tcga-code-tables/tcga-study-abbreviations>).

| Study Abbreviation |      | Study Name                                                       |
|--------------------|------|------------------------------------------------------------------|
| -----              |      |                                                                  |
| 1                  | ACC  | Adrenocortical Carcinoma                                         |
| 2                  | BLCA | Bladder Urothelial Carcinoma                                     |
| 3                  | BRCA | Breast Invasive Carcinoma                                        |
| 4                  | CESC | Cervical Squamous Cell Carcinoma And Endocervical Adenocarcinoma |
| 5                  | CHOL | Cholangiocarcinoma                                               |
| 6                  | CNTL | Controls                                                         |
| 7                  | COAD | Colon Adenocarcinoma                                             |
| 8                  | DLBC | Lymphoid Neoplasm Diffuse Large B-cell Lymphoma                  |
| 9                  | ESCA | Esophageal Carcinoma                                             |
| 10                 | GBM  | Glioblastoma Multiforme                                          |
| 11                 | HNSC | Head And Neck Squamous Cell Carcinoma                            |
| 12                 | KICH | Kidney Chromophobe                                               |
| 13                 | KIRC | Kidney Renal Clear Cell Carcinoma                                |
| 14                 | KIRP | Kidney Renal Papillary Cell Carcinoma                            |
| 15                 | LAML | Acute Myeloid Leukemia                                           |

|    |      |                                      |
|----|------|--------------------------------------|
| 16 | LGG  | Brain Lower Grade Glioma             |
| 17 | LIHC | Liver Hepatocellular Carcinoma       |
| 18 | LUAD | Lung Adenocarcinoma                  |
| 19 | LUSC | Lung Squamous Cell Carcinoma         |
| 20 | MESO | Mesothelioma                         |
| 21 | OV   | Ovarian Serous Cystadenocarcinoma    |
| 22 | PAAD | Pancreatic Adenocarcinoma            |
| 23 | PCPG | Pheochromocytoma And Paraganglioma   |
| 24 | PRAD | Prostate Adenocarcinoma              |
| 25 | READ | Rectum Adenocarcinoma                |
| 26 | SARC | Sarcoma                              |
| 27 | SKCM | Skin Cutaneous Melanoma              |
| 28 | STAD | Stomach Adenocarcinoma               |
| 29 | TGCT | Testicular Germ Cell Tumors          |
| 30 | THCA | Thyroid Carcinoma                    |
| 31 | THYM | Thymoma                              |
| 32 | UCEC | Uterine Corpus Endometrial Carcinoma |
| 33 | UCS  | Uterine Carcinosarcoma               |
| 34 | UVM  | Uveal Melanoma                       |

### Author(s)

**Maintainer:** Marcel Ramos <marcel.ramos@roswellpark.org> ([ORCID](#))

Other contributors:

- Levi Waldron <lwaldron.research@gmail.com> [contributor]
- Lucas Schiffer <schiffer.lucas@gmail.com> [contributor]
- Ludwig Geistlinger <ludwig.geistlinger@sph.cuny.edu> [contributor]
- Valerie Obenchain <valerie.obenchain@roswellpark.org> [contributor]
- Martin Morgan <martin.morgan@roswellpark.org> [contributor]

### See Also

Useful links:

- Report bugs at <https://github.com/waldronlab/curatedTCGADData/issues>

### Examples

```
help(package = "curatedTCGADData")
```

---

ACC

*Adrenocortical carcinoma*

---

### Description

A document describing the TCGA cancer code

**Details**

```

> experiments( ACC )
ExperimentList class object of length 10:
 [1] ACC_CNASNP-20160128: RaggedExperiment with 79861 rows and 180 columns
 [2] ACC_CNVSNP-20160128: RaggedExperiment with 21052 rows and 180 columns
 [3] ACC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 90 columns
 [4] ACC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 42 rows and 90 columns
 [5] ACC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 90 columns
 [6] ACC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 80 columns
 [7] ACC_Mutation-20160128: RaggedExperiment with 20166 rows and 90 columns
 [8] ACC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 79 columns
 [9] ACC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 46 columns
[10] ACC_Methylation-20160128: SummarizedExperiment with 485577 rows and 80 columns

> rownames( ACC )
CharacterList of length 10
[["ACC_CNASNP-20160128"]] character(0)
[["ACC_CNVSNP-20160128"]] character(0)
[["ACC_GISTIC_AllByGene-20160128"]] ACAP3 ACTRT2 ... WASIR1|ENSG00000185203.7
[["ACC_GISTIC_Peaks-20160128"]] chr1:8403012-8925111 ...
[["ACC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["ACC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["ACC_Mutation-20160128"]] character(0)
[["ACC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["ACC_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
[["ACC_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( ACC )
CharacterList of length 10
[["ACC_CNASNP-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_CNVSNP-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_AllByGene-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_Peaks-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_ThresholdedByGene-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_miRNASeqGene-20160128"]] TCGA-OR-A5J1-01A-11R-A29W-13 ...
[["ACC_Mutation-20160128"]] TCGA-OR-A5J1-01A-11D-A29I-10 ...
[["ACC_RNASeq2GeneNorm-20160128"]] TCGA-OR-A5J1-01A-11R-A29S-07 ...
[["ACC_RPPAArray-20160128"]] TCGA-OR-A5J2-01A-21-A39K-20 ...
[["ACC_Methylation-20160128"]] TCGA-OR-A5J1-01A-11D-A29J-05 ...

```

Sizes of each ExperimentList element:

|   |                                       | assay size.Mb |
|---|---------------------------------------|---------------|
| 1 | ACC_CNASNP-20160128                   | 2.2 Mb        |
| 2 | ACC_CNVSNP-20160128                   | 0.6 Mb        |
| 3 | ACC_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4 | ACC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5 | ACC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6 | ACC_miRNASeqGene-20160128             | 0.1 Mb        |
| 7 | ACC_Mutation-20160128                 | 12.6 Mb       |
| 8 | ACC_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9 | ACC_RPPAArray-20160128                | 0 Mb          |

10 ACC\_Methylation-20160128 75 Mb

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

58 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 34.00 | 34.00  | 1.51   | 1.34    | 3.03    |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 14.00 | 35.50   | 48.50  | 47.16 | 60.00   | 83.00 |

vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 58 | 34 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 399.0   | 551.5  | 854.6 | 1202.2  | 2405.0 | 58   |

days\_to\_last\_followup:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 383.0 | 917.8   | 1453.5 | 1781.6 | 2339.2  | 4673.0 | 34   |

tumor\_tissue\_site:

|         |
|---------|
| adrenal |
| 92      |

pathologic\_stage:

| stage i | stage ii | stage iii | stage iv | NA's |
|---------|----------|-----------|----------|------|
| 9       | 44       | 19        | 18       | 2    |

pathology\_T\_stage:

| t1 | t2 | t3 | t4 | NA's |
|----|----|----|----|------|
| 9  | 49 | 11 | 21 | 2    |

pathology\_N\_stage:

| n0 | n1 | NA's |
|----|----|------|
| 80 | 10 | 2    |

gender:

|        |      |
|--------|------|
| female | male |
|--------|------|

6032

date\_of\_initial\_pathologic\_diagnosis:  
Min. 1st Qu. Median Mean 3rd Qu. Max.  
1997 2005 2008 2007 2011 2012

radiation\_therapy:  
no yes NA's  
71 18 3

histological\_type:  
adrenocortical carcinoma- myxoid type  
1  
adrenocortical carcinoma- oncocytic type  
4  
adrenocortical carcinoma- usual type  
87

residual\_tumor:  
r0 r1 r2 rx NA's  
64 7 12 6 3

number\_of\_lymph\_nodes:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
0.000 0.000 0.000 2.548 0.500 52.000 61

race:  
asian black or african american white  
2 1 78  
NA's  
11

ethnicity:  
hispanic or latino not hispanic or latino NA's  
8 40 44

Including an additional 806 columns

See Also

[ACC-v2.0.1](#)

|            |                          |
|------------|--------------------------|
| ACC-v2.0.1 | Adrenocortical carcinoma |
|------------|--------------------------|

Description

A document describing the TCGA cancer code

**Details**

```

> experiments( ACC )
ExperimentList class object of length 11:
 [1] ACC_CNASNP-20160128: RaggedExperiment with 79861 rows and 180 columns
 [2] ACC_CNVSNP-20160128: RaggedExperiment with 21052 rows and 180 columns
 [3] ACC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 90 columns
 [4] ACC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 42 rows and 90 columns
 [5] ACC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 90 columns
 [6] ACC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 80 columns
 [7] ACC_Mutation-20160128: RaggedExperiment with 20166 rows and 90 columns
 [8] ACC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 79 columns
 [9] ACC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 79 columns
[10] ACC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 46 columns
[11] ACC_Methylation-20160128: SummarizedExperiment with 485577 rows and 80 columns

> rownames( ACC )
CharacterList of length 11
[["ACC_CNASNP-20160128"]] character(0)
[["ACC_CNVSNP-20160128"]] character(0)
[["ACC_GISTIC_AllByGene-20160128"]] character(0)
[["ACC_GISTIC_Peaks-20160128"]] 19 1 20 21 22 2 24 ... 41 42 14 15 16 43 44
[["ACC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["ACC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["ACC_Mutation-20160128"]] character(0)
[["ACC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["ACC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["ACC_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
...
<1 more element>

> colnames( ACC )
CharacterList of length 11
[["ACC_CNASNP-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_CNVSNP-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_AllByGene-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_Peaks-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_ThresholdedByGene-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_miRNASeqGene-20160128"]] TCGA-OR-A5J1-01A-11R-A29W-13 ...
[["ACC_Mutation-20160128"]] TCGA-OR-A5J1-01A-11D-A29I-10 ...
[["ACC_RNASeq2Gene-20160128"]] TCGA-OR-A5J1-01A-11R-A29S-07 ...
[["ACC_RNASeq2GeneNorm-20160128"]] TCGA-OR-A5J1-01A-11R-A29S-07 ...
[["ACC_RPPAArray-20160128"]] TCGA-OR-A5J2-01A-21-A39K-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|   |                               | assay size.Mb |
|---|-------------------------------|---------------|
| 1 | ACC_CNASNP-20160128           | 2.2 Mb        |
| 2 | ACC_CNVSNP-20160128           | 0.6 Mb        |
| 3 | ACC_GISTIC_AllByGene-20160128 | 20.5 Mb       |
| 4 | ACC_GISTIC_Peaks-20160128     | 0.1 Mb        |

```

5 ACC_GISTIC_ThresholdedByGene-20160128 20.4 Mb
6          ACC_miRNASeqGene-20160128  0.8 Mb
7          ACC_Mutation-20160128  12.6 Mb
8          ACC_RNASeq2Gene-20160128  14.9 Mb
9          ACC_RNASeq2GeneNorm-20160128  14.9 Mb
10         ACC_RPPAArray-20160128  0.1 Mb
11         ACC_Methylation-20160128  75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

58 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
34.00  34.00   1.51   1.34   3.03

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:

```

```

  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
14.00  35.50   48.50   47.16  60.00   83.00

```

```

vital_status:

```

```

0  1
58 34

```

```

days_to_death:

```

```

  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.0   399.0   551.5   854.6 1202.2  2405.0    58

```

```

days_to_last_followup:

```

```

  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
383.0   917.8  1453.5  1781.6  2339.2  4673.0    34

```

```

tumor_tissue_site:

```

```

adrenal
  92

```

```

pathologic_stage:

```

```

 stage i stage ii stage iii stage iv   NA's
      9      44      19      18      2

```

```

pathology_T_stage:

```

```

 t1  t2  t3  t4 NA's
  9  49  11  21   2

```

pathology\_N\_stage:

| n0 | n1 | NA's |
|----|----|------|
| 80 | 10 | 2    |

gender:

| female | male |
|--------|------|
| 60     | 32   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1997 | 2005    | 2008   | 2007 | 2011    | 2012 |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 71 | 18  | 3    |

histological\_type:

| adrenocortical carcinoma- myxoid type    |
|------------------------------------------|
| 1                                        |
| adrenocortical carcinoma- oncocytic type |
| 4                                        |
| adrenocortical carcinoma- usual type     |
| 87                                       |

residual\_tumor:

| r0 | r1 | r2 | rx | NA's |
|----|----|----|----|------|
| 64 | 7  | 12 | 6  | 3    |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 2.548 | 0.500   | 52.000 | 61   |

race:

| asian | black or african american | white |
|-------|---------------------------|-------|
| 2     | 1                         | 78    |
| NA's  |                           |       |
| 11    |                           |       |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 8                  | 40                     | 44   |

Including an additional 806 columns

---

ACC-v2.1.0

*Adrenocortical carcinoma*

---

## Description

A document describing the TCGA cancer code

**Details**

```

> experiments( ACC )
ExperimentList class object of length 11:
 [1] ACC_CNASNP-20160128: RaggedExperiment with 79861 rows and 180 columns
 [2] ACC_CNVSNP-20160128: RaggedExperiment with 21052 rows and 180 columns
 [3] ACC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 90 columns
 [4] ACC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 42 rows and 90 columns
 [5] ACC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 90 columns
 [6] ACC_Mutation-20160128: RaggedExperiment with 20166 rows and 90 columns
 [7] ACC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 79 columns
 [8] ACC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 46 columns
 [9] ACC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 80 columns
[10] ACC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 17716 rows and 79 columns
[11] ACC_Methylation-20160128: SummarizedExperiment with 485577 rows and 80 columns

> rownames( ACC )
CharacterList of length 11
[["ACC_CNASNP-20160128"]] character(0)
[["ACC_CNVSNP-20160128"]] character(0)
[["ACC_GISTIC_AllByGene-20160128"]] character(0)
[["ACC_GISTIC_Peaks-20160128"]] 19 1 20 21 22 2 24 ... 41 42 14 15 16 43 44
[["ACC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["ACC_Mutation-20160128"]] character(0)
[["ACC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["ACC_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
[["ACC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["ACC_RNASeq2GeneNorm-20160128"]] A1BG A2BP1 A2LD1 ... ZZEF1 ZZZ3 psiTPTE22
...
<1 more element>

> colnames( ACC )
CharacterList of length 11
[["ACC_CNASNP-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_CNVSNP-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_AllByGene-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_Peaks-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_GISTIC_ThresholdedByGene-20160128"]] TCGA-OR-A5J1-01A-11D-A29H-01 ...
[["ACC_Mutation-20160128"]] TCGA-OR-A5J1-01A-11D-A29I-10 ...
[["ACC_RNASeq2Gene-20160128"]] TCGA-OR-A5J1-01A-11R-A29S-07 ...
[["ACC_RPPAArray-20160128"]] TCGA-OR-A5J2-01A-21-A39K-20 ...
[["ACC_miRNASeqGene-20160128"]] TCGA-OR-A5J1-01A-11R-A29W-13 ...
[["ACC_RNASeq2GeneNorm-20160128"]] TCGA-OR-A5J1-01 ... TCGA-PK-A5HB-01
...
<1 more element>

```

Sizes of each ExperimentList element:

|   |                               | assay size.Mb |
|---|-------------------------------|---------------|
| 1 | ACC_CNASNP-20160128           | 2.2 Mb        |
| 2 | ACC_CNVSNP-20160128           | 0.6 Mb        |
| 3 | ACC_GISTIC_AllByGene-20160128 | 20.5 Mb       |
| 4 | ACC_GISTIC_Peaks-20160128     | 0.1 Mb        |

```

5 ACC_GISTIC_ThresholdedByGene-20160128 20.4 Mb
6           ACC_Mutation-20160128 12.6 Mb
7           ACC_RNASeq2Gene-20160128 14.9 Mb
8           ACC_RPPAArray-20160128 0.1 Mb
9           ACC_miRNASeqGene-20160128 0.8 Mb
10          ACC_RNASeq2GeneNorm-20160128 12.9 Mb
11          ACC_Methylation-20160128 75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

58 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 34      34    1.51    1.34    3.03

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:

```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 14.00 | 35.50   | 48.50  | 47.16 | 60.00   | 83.00 |

```

vital_status:

```

```

0 1
58 34

```

```

days_to_death:

```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 399.0   | 551.5  | 854.6 | 1202.2  | 2405.0 | 58   |

```

days_to_last_followup:

```

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 383.0 | 917.8   | 1453.5 | 1781.6 | 2339.2  | 4673.0 | 34   |

```

tumor_tissue_site:

```

```

adrenal
92

```

```

pathologic_stage:

```

| stage i | stage ii | stage iii | stage iv | NA's |
|---------|----------|-----------|----------|------|
| 9       | 44       | 19        | 18       | 2    |

```

pathology_T_stage:

```

| t1 | t2 | t3 | t4 | NA's |
|----|----|----|----|------|
| 9  | 49 | 11 | 21 | 2    |

pathology\_N\_stage:

| n0 | n1 | NA's |
|----|----|------|
| 80 | 10 | 2    |

gender:

| female | male |
|--------|------|
| 60     | 32   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1997 | 2005    | 2008   | 2007 | 2011    | 2012 |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 71 | 18  | 3    |

histological\_type:

|                                          |    |
|------------------------------------------|----|
| adrenocortical carcinoma- myxoid type    | 1  |
| adrenocortical carcinoma- oncocytic type | 4  |
| adrenocortical carcinoma- usual type     | 87 |

residual\_tumor:

| r0 | r1 | r2 | rx | NA's |
|----|----|----|----|------|
| 64 | 7  | 12 | 6  | 3    |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 2.548 | 0.500   | 52.000 | 61   |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 2     | 1                         | 78    |
| NA's  |                           |       |
| 11    |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 8                  | 40                     | 44   |

Including an additional 806 columns

---

BLCA

*Bladder Urothelial Carcinoma*

---

## Description

A document describing the TCGA cancer code

**Details**

```

> experiments( BLCA )
ExperimentList class object of length 12:
 [1] BLCA_CNASeq-20160128: RaggedExperiment with 35692 rows and 232 columns
 [2] BLCA_CNASNP-20160128: RaggedExperiment with 479978 rows and 806 columns
 [3] BLCA_CNVSNP-20160128: RaggedExperiment with 104349 rows and 797 columns
 [4] BLCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 408 columns
 [5] BLCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 71 rows and 408 columns
 [6] BLCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 408 columns
 [7] BLCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 429 columns
 [8] BLCA_Mutation-20160128: RaggedExperiment with 39312 rows and 130 columns
 [9] BLCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 427 columns
[10] BLCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 67 columns
[11] BLCA_RPPAArray-20160128: SummarizedExperiment with 208 rows and 344 columns
[12] BLCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 434 columns

> rownames( BLCA )
CharacterList of length 12
[["BLCA_CNASeq-20160128"]] character(0)
[["BLCA_CNASNP-20160128"]] character(0)
[["BLCA_CNVSNP-20160128"]] character(0)
[["BLCA_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["BLCA_GISTIC_Peaks-20160128"]] chr1:26963410-27155421 ...
[["BLCA_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["BLCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["BLCA_Mutation-20160128"]] character(0)
[["BLCA_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["BLCA_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

> colnames( BLCA )
CharacterList of length 12
[["BLCA_CNASeq-20160128"]] TCGA-BL-A0C8-01A-11D-A10R-02 ...
[["BLCA_CNASNP-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_CNVSNP-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_AllByGene-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_Peaks-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_miRNASeqGene-20160128"]] TCGA-2F-A9KO-01A-11R-A38M-13 ...
[["BLCA_Mutation-20160128"]] TCGA-BL-A0C8-01A-11D-A10S-08 ...
[["BLCA_RNASeq2GeneNorm-20160128"]] TCGA-2F-A9KO-01A-11R-A38B-07 ...
[["BLCA_RNASeqGene-20160128"]] TCGA-BL-A0C8-01A-11R-A10U-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|   |                      | assay size.Mb |
|---|----------------------|---------------|
| 1 | BLCA_CNASeq-20160128 | 1 Mb          |
| 2 | BLCA_CNASNP-20160128 | 13.1 Mb       |
| 3 | BLCA_CNVSNP-20160128 | 3 Mb          |

```

4          BLCA_GISTIC_AllByGene-20160128  4.9 Mb
5          BLCA_GISTIC_Peaks-20160128    0.1 Mb
6 BLCA_GISTIC_ThresholdedByGene-20160128  4.9 Mb
7          BLCA_miRNASeqGene-20160128    0.1 Mb
8          BLCA_Mutation-20160128  56.1 Mb
9          BLCA_RNASeq2GeneNorm-20160128  1.3 Mb
10         BLCA_RNASeqGene-20160128    1.3 Mb
11         BLCA_RPPAArray-20160128      0 Mb
12         BLCA_Methylation-20160128  75.1 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

232 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
180.000 180.000   1.125   0.992   1.332

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 34.00  60.00   69.00   68.08  76.00   90.00     1

```

```

vital_status:
 0    1
230 182

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  19.0   235.8   410.5   552.8  654.5  3183.0   232

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 -64.0   398.2   639.0  1016.7  1458.8  5050.0   182

```

```

tumor_tissue_site:
bladder
  412

```

```

pathologic_stage:
  stage i stage ii stage iii stage iv   NA's
      2      131      141      136      2

```

pathology\_M\_stage:

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 196 | 11 | 202 | 3    |

gender:

| female | male |
|--------|------|
| 108    | 304  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1999 | 2009    | 2011   | 2010 | 2012    | 2013 | 18   |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 366 | 20  | 26   |

karnofsky\_performance\_score:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 30.00 | 80.00   | 90.00  | 83.09 | 90.00   | 100.00 | 276  |

histological\_type:

|                                                     |     |
|-----------------------------------------------------|-----|
| muscle invasive urothelial carcinoma (pt2 or above) | 409 |
| NA's                                                | 3   |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.15 | 20.00   | 30.00  | 39.04 | 50.00   | 730.00 | 188  |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 2.088 | 2.000   | 97.000 | 115  |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 44    | 23                        | 327   |
| NA's  |                           |       |
| 18    |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 9                  | 371                    | 32   |

Including an additional 1695 columns

## See Also

[BLCA-v2.0.1](#)

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( BLCA )
ExperimentList class object of length 13:
 [1] BLCA_CNASeq-20160128: RaggedExperiment with 35692 rows and 232 columns
 [2] BLCA_CNASNP-20160128: RaggedExperiment with 479978 rows and 806 columns
 [3] BLCA_CNVSNP-20160128: RaggedExperiment with 104349 rows and 797 columns
 [4] BLCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 408 columns
 [5] BLCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 71 rows and 408 columns
 [6] BLCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 408 columns
 [7] BLCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 429 columns
 [8] BLCA_Mutation-20160128: RaggedExperiment with 39312 rows and 130 columns
 [9] BLCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 427 columns
[10] BLCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 427 columns
[11] BLCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 67 columns
[12] BLCA_RPPAArray-20160128: SummarizedExperiment with 208 rows and 344 columns
[13] BLCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 434 columns

> rownames( BLCA )
CharacterList of length 13
[["BLCA_CNASeq-20160128"]] character(0)
[["BLCA_CNASNP-20160128"]] character(0)
[["BLCA_CNVSNP-20160128"]] character(0)
[["BLCA_GISTIC_AllByGene-20160128"]] character(0)
[["BLCA_GISTIC_Peaks-20160128"]] 38 1 2 3 39 4 40 41 ... 69 70 34 35 36 37 71
[["BLCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["BLCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["BLCA_Mutation-20160128"]] character(0)
[["BLCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["BLCA_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<3 more elements>

> colnames( BLCA )
CharacterList of length 13
[["BLCA_CNASeq-20160128"]] TCGA-BL-A0C8-01A-11D-A10R-02 ...
[["BLCA_CNASNP-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_CNVSNP-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_AllByGene-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_Peaks-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_miRNASeqGene-20160128"]] TCGA-2F-A9KO-01A-11R-A38M-13 ...
[["BLCA_Mutation-20160128"]] TCGA-BL-A0C8-01A-11D-A10S-08 ...
[["BLCA_RNASeq2Gene-20160128"]] TCGA-2F-A9KO-01A-11R-A38B-07 ...
```

```
[[ "BLCA_RNASeq2GeneNorm-20160128" ]] TCGA-2F-A9K0-01A-11R-A38B-07 ...
...
<3 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | BLCA_CNASeq-20160128                   | 1 Mb          |
| 2  | BLCA_CNASNP-20160128                   | 13.1 Mb       |
| 3  | BLCA_CNVSNP-20160128                   | 3 Mb          |
| 4  | BLCA_GISTIC_AllByGene-20160128         | 80.7 Mb       |
| 5  | BLCA_GISTIC_Peaks-20160128             | 0.4 Mb        |
| 6  | BLCA_GISTIC_ThresholdedByGene-20160128 | 80.5 Mb       |
| 7  | BLCA_miRNASeqGene-20160128             | 3.6 Mb        |
| 8  | BLCA_Mutation-20160128                 | 56.1 Mb       |
| 9  | BLCA_RNASeq2Gene-20160128              | 69.4 Mb       |
| 10 | BLCA_RNASeq2GeneNorm-20160128          | 69.4 Mb       |
| 11 | BLCA_RNASeqGene-20160128               | 13 Mb         |
| 12 | BLCA_RPPAArray-20160128                | 0.6 Mb        |
| 13 | BLCA_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
232 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
180.000 180.000  1.125   0.992   1.332
```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 34.00 | 60.00   | 69.00  | 68.08 | 76.00   | 90.00 | 1    |

vital\_status:

|     |     |
|-----|-----|
| 0   | 1   |
| 230 | 182 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 19.0 | 235.8   | 410.5  | 552.8 | 654.5   | 3183.0 | 232  |

days\_to\_last\_followup:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| -64.0 | 398.2   | 639.0  | 1016.7 | 1458.8  | 5050.0 | 182  |

tumor\_tissue\_site:  
 bladder  
 412

pathologic\_stage:  
 stage i stage ii stage iii stage iv NA's  
 2 131 141 136 2

pathology\_M\_stage:  
 m0 m1 mx NA's  
 196 11 202 3

gender:  
 female male  
 108 304

date\_of\_initial\_pathologic\_diagnosis:  
 Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
 1999 2009 2011 2010 2012 2013 18

radiation\_therapy:  
 no yes NA's  
 366 20 26

karnofsky\_performance\_score:  
 Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
 30.00 80.00 90.00 83.09 90.00 100.00 276

histological\_type:  
 muscle invasive urothelial carcinoma (pt2 or above)  
 409  
 NA's  
 3

number\_pack\_years\_smoked:  
 Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
 0.15 20.00 30.00 39.04 50.00 730.00 188

number\_of\_lymph\_nodes:  
 Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
 0.000 0.000 0.000 2.088 2.000 97.000 115

race:  
 asian black or african american white  
 44 23 327  
 NA's  
 18

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 9                  | 371                    | 32   |

Including an additional 1695 columns

---

BLCA-v2.1.0

*Bladder Urothelial Carcinoma*


---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( BLCA )
ExperimentList class object of length 13:
 [1] BLCA_CNASeq-20160128: RaggedExperiment with 35692 rows and 232 columns
 [2] BLCA_CNASNP-20160128: RaggedExperiment with 479978 rows and 806 columns
 [3] BLCA_CNVSNP-20160128: RaggedExperiment with 104349 rows and 797 columns
 [4] BLCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 408 columns
 [5] BLCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 71 rows and 408 columns
 [6] BLCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 408 columns
 [7] BLCA_Mutation-20160128: RaggedExperiment with 39312 rows and 130 columns
 [8] BLCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 427 columns
 [9] BLCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 67 columns
[10] BLCA_RPPAArray-20160128: SummarizedExperiment with 208 rows and 344 columns
[11] BLCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 429 columns
[12] BLCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18205 rows and 427 columns
[13] BLCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 434 columns

> rownames( BLCA )
CharacterList of length 13
[["BLCA_CNASeq-20160128"]] character(0)
[["BLCA_CNASNP-20160128"]] character(0)
[["BLCA_CNVSNP-20160128"]] character(0)
[["BLCA_GISTIC_AllByGene-20160128"]] character(0)
[["BLCA_GISTIC_Peaks-20160128"]] 38 1 2 3 39 4 40 41 ... 69 70 34 35 36 37 71
[["BLCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["BLCA_Mutation-20160128"]] character(0)
[["BLCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["BLCA_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["BLCA_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<3 more elements>

> colnames( BLCA )
CharacterList of length 13
[["BLCA_CNASeq-20160128"]] TCGA-BL-A0C8-01A-11D-A10R-02 ...
[["BLCA_CNASNP-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_CNVSNP-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_AllByGene-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
```

```

[["BLCA_GISTIC_Peaks-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-2F-A9KO-01A-11D-A38F-01 ...
[["BLCA_Mutation-20160128"]] TCGA-BL-A0C8-01A-11D-A10S-08 ...
[["BLCA_RNASeq2Gene-20160128"]] TCGA-2F-A9KO-01A-11R-A38B-07 ...
[["BLCA_RNASeqGene-20160128"]] TCGA-BL-A0C8-01A-11R-A10U-07 ...
[["BLCA_RPPAArray-20160128"]] TCGA-2F-A9KO-01A-21-A459-20 ...
...
<3 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | BLCA_CNASeq-20160128                   | 1 Mb          |
| 2  | BLCA_CNASNP-20160128                   | 13.1 Mb       |
| 3  | BLCA_CNVSNP-20160128                   | 3 Mb          |
| 4  | BLCA_GISTIC_AllByGene-20160128         | 80.7 Mb       |
| 5  | BLCA_GISTIC_Peaks-20160128             | 0.4 Mb        |
| 6  | BLCA_GISTIC_ThresholdedByGene-20160128 | 80.5 Mb       |
| 7  | BLCA_Mutation-20160128                 | 56.1 Mb       |
| 8  | BLCA_RNASeq2Gene-20160128              | 69.4 Mb       |
| 9  | BLCA_RNASeqGene-20160128               | 13 Mb         |
| 10 | BLCA_RPPAArray-20160128                | 0.6 Mb        |
| 11 | BLCA_miRNASeqGene-20160128             | 3.6 Mb        |
| 12 | BLCA_RNASeq2GeneNorm-20160128          | 61.6 Mb       |
| 13 | BLCA_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      232 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 180      180      1.12      0.992      1.33

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 34.00  60.00  69.00  68.08  76.00  90.00     1

```

```

vital_status:
 0      1
230 182

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's

```

|      |       |       |       |       |        |     |
|------|-------|-------|-------|-------|--------|-----|
| 19.0 | 235.8 | 410.5 | 552.8 | 654.5 | 3183.0 | 232 |
|------|-------|-------|-------|-------|--------|-----|

days\_to\_last\_followup:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| -64.0 | 398.2   | 639.0  | 1016.7 | 1458.8  | 5050.0 | 182  |

tumor\_tissue\_site:

|         |     |
|---------|-----|
| bladder | 412 |
|---------|-----|

pathologic\_stage:

| stage i | stage ii | stage iii | stage iv | NA's |
|---------|----------|-----------|----------|------|
| 2       | 131      | 141       | 136      | 2    |

pathology\_M\_stage:

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 196 | 11 | 202 | 3    |

gender:

|        |      |
|--------|------|
| female | male |
| 108    | 304  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1999 | 2009    | 2011   | 2010 | 2012    | 2013 | 18   |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 366 | 20  | 26   |

karnofsky\_performance\_score:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 30.00 | 80.00   | 90.00  | 83.09 | 90.00   | 100.00 | 276  |

histological\_type:

|                                                     |     |
|-----------------------------------------------------|-----|
| muscle invasive urothelial carcinoma (pt2 or above) | 409 |
| NA's                                                | 3   |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.15 | 20.00   | 30.00  | 39.04 | 50.00   | 730.00 | 188  |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 2.088 | 2.000   | 97.000 | 115  |

race:

|                                 |       |
|---------------------------------|-------|
| asian black or african american | white |
|---------------------------------|-------|

|      |    |     |
|------|----|-----|
| 44   | 23 | 327 |
| NA's |    |     |
| 18   |    |     |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 9                  | 371                    | 32   |

Including an additional 1695 columns

---

BRCA

*Breast invasive carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( BRCA )
ExperimentList class object of length 14:
 [1] BRCA_CNASeq-20160128: RaggedExperiment with 5298 rows and 38 columns
 [2] BRCA_CNASNP-20160128: RaggedExperiment with 1132786 rows and 2209 columns
 [3] BRCA_CNVSNP-20160128: RaggedExperiment with 284458 rows and 2199 columns
 [4] BRCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 1080 columns
 [5] BRCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 70 rows and 1080 columns
 [6] BRCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 1080 columns
 [7] BRCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 849 columns
 [8] BRCA_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 590 columns
 [9] BRCA_Mutation-20160128: RaggedExperiment with 90490 rows and 993 columns
[10] BRCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 1212 columns
[11] BRCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 878 columns
[12] BRCA_RPPAArray-20160128: SummarizedExperiment with 226 rows and 937 columns
[13] BRCA_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 343 columns
[14] BRCA_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 885 columns

> rownames( BRCA )
CharacterList of length 14
[["BRCA_CNASeq-20160128"]] character(0)
[["BRCA_CNASNP-20160128"]] character(0)
[["BRCA_CNVSNP-20160128"]] character(0)
[["BRCA_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["BRCA_GISTIC_Peaks-20160128"]] chr1:12675879-21133098 ...
[["BRCA_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["BRCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["BRCA_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["BRCA_Mutation-20160128"]] character(0)
[["BRCA_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<4 more elements>
```

```
> colnames( BRCA )
CharacterList of length 14
[["BRCA_CNASeq-20160128"]] TCGA-A2-A0EU-01A-22D-A060-02 ...
[["BRCA_CNASNP-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_CNVSNP-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_GISTIC_AllByGene-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_GISTIC_Peaks-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_miRNASeqGene-20160128"]] TCGA-3C-AAAU-01A-11R-A41G-13 ...
[["BRCA_mRNAArray-20160128"]] TCGA-A1-A0SD-01A-11R-A115-07 ...
[["BRCA_Mutation-20160128"]] TCGA-A1-A0SB-01A-11D-A142-09 ...
[["BRCA_RNASeq2GeneNorm-20160128"]] TCGA-3C-AAAU-01A-11R-A41B-07 ...
...
<4 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | BRCA_CNASeq-20160128                   | 0.2 Mb        |
| 2  | BRCA_CNASNP-20160128                   | 30.9 Mb       |
| 3  | BRCA_CNVSNP-20160128                   | 8.2 Mb        |
| 4  | BRCA_GISTIC_AllByGene-20160128         | 5 Mb          |
| 5  | BRCA_GISTIC_Peaks-20160128             | 0.2 Mb        |
| 6  | BRCA_GISTIC_ThresholdedByGene-20160128 | 5 Mb          |
| 7  | BRCA_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | BRCA_mRNAArray-20160128                | 1.2 Mb        |
| 9  | BRCA_Mutation-20160128                 | 67.4 Mb       |
| 10 | BRCA_RNASeq2GeneNorm-20160128          | 1.4 Mb        |
| 11 | BRCA_RNASeqGene-20160128               | 1.4 Mb        |
| 12 | BRCA_RPPAArray-20160128                | 0.1 Mb        |
| 13 | BRCA_Methylation_methyl27-20160128     | 4.9 Mb        |
| 14 | BRCA_Methylation_methyl450-20160128    | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```

947 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
151.00 151.00   3.48   2.83   4.50
```

-----  
Available sample meta-data:  
-----

```
years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  26.0   49.0   59.0   58.6   68.0   90.0    16
```

vital\_status:

|     |     |      |
|-----|-----|------|
| 0   | 1   | NA's |
| 945 | 152 | 1    |

days\_to\_death:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 116.0 | 700.5   | 1272.0 | 1644.7 | 2367.0  | 7455.0 | 947  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| -7   | 440     | 761    | 1183 | 1572    | 8605 | 153  |

tumor\_tissue\_site:

|        |      |
|--------|------|
| breast | NA's |
| 1097   | 1    |

pathology\_M\_stage:

| cm0 (i+) | m0  | m1 | mx  | NA's |
|----------|-----|----|-----|------|
| 6        | 906 | 22 | 163 | 1    |

gender:

|        |      |      |
|--------|------|------|
| female | male | NA's |
| 1085   | 12   | 1    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1988 | 2007    | 2009   | 2008 | 2010    | 2013 | 3    |

days\_to\_last\_known\_alive:

|     |      |      |
|-----|------|------|
| 735 | 2576 | NA's |
| 1   | 1    | 1096 |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 446 | 556 | 96   |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 2.363 | 2.000   | 35.000 | 169  |

race:

|                                  |       |
|----------------------------------|-------|
| american indian or alaska native | asian |
| 1                                | 61    |
| black or african american        | white |
| 183                              | 757   |
| NA's                             |       |
| 96                               |       |

```

ethnicity:
  hispanic or latino not hispanic or latino      NA's
              39                      884          175

```

Including an additional 2667 columns

## See Also

[BRCA-v2.0.1](#)

---

|             |                                  |
|-------------|----------------------------------|
| BRCA-v2.0.1 | <i>Breast invasive carcinoma</i> |
|-------------|----------------------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( BRCA )
ExperimentList class object of length 15:
 [1] BRCA_CNASeq-20160128: RaggedExperiment with 5298 rows and 38 columns
 [2] BRCA_CNASNP-20160128: RaggedExperiment with 1132786 rows and 2209 columns
 [3] BRCA_CNVSNP-20160128: RaggedExperiment with 284458 rows and 2199 columns
 [4] BRCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 1080 columns
 [5] BRCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 70 rows and 1080 columns
 [6] BRCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 1080 columns
 [7] BRCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 849 columns
 [8] BRCA_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 590 columns
 [9] BRCA_Mutation-20160128: RaggedExperiment with 90490 rows and 993 columns
[10] BRCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 1212 columns
[11] BRCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 1212 columns
[12] BRCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 878 columns
[13] BRCA_RPPAArray-20160128: SummarizedExperiment with 226 rows and 937 columns
[14] BRCA_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 343 columns
[15] BRCA_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 885 columns

> rownames( BRCA )
CharacterList of length 15
[["BRCA_CNASeq-20160128"]] character(0)
[["BRCA_CNASNP-20160128"]] character(0)
[["BRCA_CNVSNP-20160128"]] character(0)
[["BRCA_GISTIC_AllByGene-20160128"]] character(0)
[["BRCA_GISTIC_Peaks-20160128"]] 29 30 1 2 31 3 32 4 ... 66 27 67 28 68 69 70
[["BRCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["BRCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["BRCA_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["BRCA_Mutation-20160128"]] character(0)
[["BRCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...

```

<5 more elements>

```
> colnames( BRCA )
```

CharacterList of length 15

```
[[ "BRCA_CNASeq-20160128" ]] TCGA-A2-A0EU-01A-22D-A060-02 ...
[[ "BRCA_CNASNP-20160128" ]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[[ "BRCA_CNVSNP-20160128" ]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[[ "BRCA_GISTIC_AllByGene-20160128" ]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[[ "BRCA_GISTIC_Peaks-20160128" ]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[[ "BRCA_GISTIC_ThresholdedByGene-20160128" ]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[[ "BRCA_miRNASeqGene-20160128" ]] TCGA-3C-AAAU-01A-11R-A41G-13 ...
[[ "BRCA_mRNAArray-20160128" ]] TCGA-A1-A0SD-01A-11R-A115-07 ...
[[ "BRCA_Mutation-20160128" ]] TCGA-A1-A0SB-01A-11D-A142-09 ...
[[ "BRCA_RNASeq2Gene-20160128" ]] TCGA-3C-AAAU-01A-11R-A41B-07 ...
```

...

<5 more elements>

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | BRCA_CNASeq-20160128                   | 0.2 Mb   |
| 2  | BRCA_CNASNP-20160128                   | 30.9 Mb  |
| 3  | BRCA_CNVSNP-20160128                   | 8.2 Mb   |
| 4  | BRCA_GISTIC_AllByGene-20160128         | 207.9 Mb |
| 5  | BRCA_GISTIC_Peaks-20160128             | 0.8 Mb   |
| 6  | BRCA_GISTIC_ThresholdedByGene-20160128 | 207.7 Mb |
| 7  | BRCA_miRNASeqGene-20160128             | 7.1 Mb   |
| 8  | BRCA_mRNAArray-20160128                | 82.5 Mb  |
| 9  | BRCA_Mutation-20160128                 | 67.4 Mb  |
| 10 | BRCA_RNASeq2Gene-20160128              | 192.3 Mb |
| 11 | BRCA_RNASeq2GeneNorm-20160128          | 192.3 Mb |
| 12 | BRCA_RNASeqGene-20160128               | 140 Mb   |
| 13 | BRCA_RPPAArray-20160128                | 1.8 Mb   |
| 14 | BRCA_Methylation_methyl27-20160128     | 4.9 Mb   |
| 15 | BRCA_Methylation_methyl450-20160128    | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

947 observations deleted due to missingness

| n      | events | median | 0.95LCL | 0.95UCL |
|--------|--------|--------|---------|---------|
| 151.00 | 151.00 | 3.48   | 2.83    | 4.50    |

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  26.0   49.0   59.0   58.6   68.0   90.0    16

```

```

vital_status:
  0     1 NA's
 945 152    1

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 116.0   700.5 1272.0 1644.7 2367.0 7455.0   947

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   -7    440     761   1183   1572   8605   153

```

```

tumor_tissue_site:
breast  NA's
 1097     1

```

```

pathology_M_stage:
cm0 (i+)    m0      m1      mx      NA's
   6      906     22     163      1

```

```

gender:
female  male  NA's
 1085    12    1

```

```

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 1988   2007   2009   2008   2010   2013     3

```

```

days_to_last_known_alive:
 735 2576 NA's
  1    1 1096

```

```

radiation_therapy:
  no  yes NA's
 446 556  96

```

```

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 0.000   0.000   1.000   2.363   2.000  35.000   169

```

```

race:
american indian or alaska native      asian
                                   1      61
black or african american            white

```

```

      183
    NA's
     96

ethnicity:
  hispanic or latino not hispanic or latino   NA's
        39                                884       175

Including an additional 2667 columns
```

BRCA-v2.1.0 *Breast invasive carcinoma*

### Description

A document describing the TCGA cancer code

## Details

```
> experiments( BRCA )
ExperimentList class object of length 15:
 [1] BRCA_CNASeq-20160128: RaggedExperiment with 5298 rows and 38 columns
 [2] BRCA_CNASNP-20160128: RaggedExperiment with 1132786 rows and 2209 columns
 [3] BRCA_CNVSNP-20160128: RaggedExperiment with 284458 rows and 2199 columns
 [4] BRCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 1080 columns
 [5] BRCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 70 rows and 1080 columns
 [6] BRCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 1080 columns
 [7] BRCA_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 590 columns
 [8] BRCA_Mutation-20160128: RaggedExperiment with 90490 rows and 993 columns
 [9] BRCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 1212 columns
[10] BRCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 878 columns
[11] BRCA_RPPAArray-20160128: SummarizedExperiment with 226 rows and 937 columns
[12] BRCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 849 columns
[13] BRCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18300 rows and 1212 columns
[14] BRCA_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 343 columns
[15] BRCA_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 885 columns

> rownames( BRCA )
CharacterList of length 15
[["BRCA_CNASeq-20160128"]] character(0)
[["BRCA_CNASNP-20160128"]] character(0)
[["BRCA_CNVSNP-20160128"]] character(0)
[["BRCA_GISTIC_AllByGene-20160128"]] character(0)
[["BRCA_GISTIC_Peaks-20160128"]] 29 30 1 2 31 3 32 4 ... 66 27 67 28 68 69 70
[["BRCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["BRCA_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["BRCA_Mutation-20160128"]] character(0)
[["BRCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["BRCA_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<5 more elements>
```

```
> colnames( BRCA )
CharacterList of length 15
[["BRCA_CNASeq-20160128"]] TCGA-A2-A0EU-01A-22D-A060-02 ...
[["BRCA_CNASNP-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_CNVSNP-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_GISTIC_AllByGene-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_GISTIC_Peaks-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-3C-AAAU-01A-11D-A41E-01 ...
[["BRCA_mRNAArray-20160128"]] TCGA-A1-A0SD-01A-11R-A115-07 ...
[["BRCA_Mutation-20160128"]] TCGA-A1-A0SB-01A-11D-A142-09 ...
[["BRCA_RNASeq2Gene-20160128"]] TCGA-3C-AAAU-01A-11R-A41B-07 ...
[["BRCA_RNASeqGene-20160128"]] TCGA-A1-A0SB-01A-11R-A144-07 ...
...
<5 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | BRCA_CNASeq-20160128                   | 0.2 Mb   |
| 2  | BRCA_CNASNP-20160128                   | 30.9 Mb  |
| 3  | BRCA_CNVSNP-20160128                   | 8.2 Mb   |
| 4  | BRCA_GISTIC_AllByGene-20160128         | 207.9 Mb |
| 5  | BRCA_GISTIC_Peaks-20160128             | 0.8 Mb   |
| 6  | BRCA_GISTIC_ThresholdedByGene-20160128 | 207.7 Mb |
| 7  | BRCA_mRNAArray-20160128                | 82.5 Mb  |
| 8  | BRCA_Mutation-20160128                 | 67.4 Mb  |
| 9  | BRCA_RNASeq2Gene-20160128              | 192.3 Mb |
| 10 | BRCA_RNASeqGene-20160128               | 140 Mb   |
| 11 | BRCA_RPPAArray-20160128                | 1.8 Mb   |
| 12 | BRCA_miRNASeqGene-20160128             | 7.1 Mb   |
| 13 | BRCA_RNASeq2GeneNorm-20160128          | 171.7 Mb |
| 14 | BRCA_Methylation_methyl27-20160128     | 4.9 Mb   |
| 15 | BRCA_Methylation_methyl450-20160128    | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
947 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 151 151 3.48 2.83 4.5
```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 26.0 | 49.0    | 59.0   | 58.6 | 68.0    | 90.0 | 16   |

vital\_status:

| 0   | 1   | NA's |
|-----|-----|------|
| 945 | 152 | 1    |

days\_to\_death:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 116.0 | 700.5   | 1272.0 | 1644.7 | 2367.0  | 7455.0 | 947  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| -7   | 440     | 761    | 1183 | 1572    | 8605 | 153  |

tumor\_tissue\_site:

| breast | NA's |
|--------|------|
| 1097   | 1    |

  

pathology\_M\_stage:

| cm0 (i+) | m0  | m1 | mx  | NA's |
|----------|-----|----|-----|------|
| 6        | 906 | 22 | 163 | 1    |

gender:

| female | male | NA's |
|--------|------|------|
| 1085   | 12   | 1    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1988 | 2007    | 2009   | 2008 | 2010    | 2013 | 3    |

days\_to\_last\_known\_alive:

| 735 | 2576 | NA's |
|-----|------|------|
| 1   | 1    | 1096 |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 446 | 556 | 96   |

  

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 2.363 | 2.000   | 35.000 | 169  |

race:

| american indian or alaska native | asian |
|----------------------------------|-------|
| 1                                | 61    |
| black or african american        | white |
| 183                              | 757   |

NA's  
96

ethnicity:

hispanic or latino not hispanic or latino  
39 884

NA's  
175

Including an additional 2667 columns

---

CESC

*Cervical squamous cell carcinoma and endocervical adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( CESC )
ExperimentList class object of length 11:
 [1] CESC_CNASeq-20160128: RaggedExperiment with 7834 rows and 100 columns
 [2] CESC_CNASNP-20160128: RaggedExperiment with 267855 rows and 586 columns
 [3] CESC_CNVSNP-20160128: RaggedExperiment with 59450 rows and 586 columns
 [4] CESC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 295 columns
 [5] CESC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 60 rows and 295 columns
 [6] CESC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 295 columns
 [7] CESC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 312 columns
 [8] CESC_Mutation-20160128: RaggedExperiment with 46547 rows and 194 columns
 [9] CESC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 309 columns
[10] CESC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 173 columns
[11] CESC_Methylation-20160128: SummarizedExperiment with 485577 rows and 312 columns

> rownames( CESC )
CharacterList of length 11
[["CESC_CNASeq-20160128"]] character(0)
[["CESC_CNASNP-20160128"]] character(0)
[["CESC_CNVSNP-20160128"]] character(0)
[["CESC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["CESC_GISTIC_Peaks-20160128"]] chr1:1-28840301 ... chr22:48668582-51304566
[["CESC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["CESC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["CESC_Mutation-20160128"]] character(0)
[["CESC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["CESC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( CESC )
CharacterList of length 11
[["CESC_CNASeq-20160128"]] TCGA-C5-A1BQ-01C-11D-A20X-26 ...
[["CESC_CNASNP-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
```

```

[["CESC_CNVSNP-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_AllByGene-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_Peaks-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_miRNASeqGene-20160128"]] TCGA-2W-A8YY-01A-11R-A37P-13 ...
[["CESC_Mutation-20160128"]] TCGA-BI-A0VR-01A-11D-A10S-08 ...
[["CESC_RNASeq2GeneNorm-20160128"]] TCGA-2W-A8YY-01A-11R-A37O-07 ...
[["CESC_RPPAArray-20160128"]] TCGA-2W-A8YY-01A-21-A40H-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | CESC_CNASeq-20160128                   | 0.3 Mb        |
| 2  | CESC_CNASNP-20160128                   | 7.3 Mb        |
| 3  | CESC_CNVSNP-20160128                   | 1.8 Mb        |
| 4  | CESC_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | CESC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | CESC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | CESC_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | CESC_Mutation-20160128                 | 32.9 Mb       |
| 9  | CESC_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 10 | CESC_RPPAArray-20160128                | 0 Mb          |
| 11 | CESC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

235 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
72.00  72.00   1.70   1.39   2.29

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 20.0 | 38.0    | 46.0   | 48.2 | 56.0    | 88.0 | 2    |

vital\_status:

```

  0  1
235 72

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

|      |       |       |       |        |        |     |
|------|-------|-------|-------|--------|--------|-----|
| 14.0 | 349.5 | 620.0 | 881.3 | 1069.5 | 4086.0 | 235 |
|------|-------|-------|-------|--------|--------|-----|

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 374     | 688    | 1071 | 1362    | 6408 | 72   |

tumor\_tissue\_site:

cervical

307

pathology\_N\_stage:

| n0  | n1 | nx | NA's |
|-----|----|----|------|
| 135 | 60 | 67 | 45   |

pathology\_M\_stage:

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 116 | 10 | 131 | 50   |

gender:

female

307

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1994 | 2006    | 2010   | 2008 | 2012    | 2013 | 2    |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 55 | 129 | 123  |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.20 | 6.50    | 15.00  | 17.38 | 25.00   | 57.00 | 214  |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 1.044 | 1.000   | 16.000 | 148  |

ethnicity:

| hispanic | or latino | not hispanic | or latino | NA's |
|----------|-----------|--------------|-----------|------|
| 24       |           | 171          |           | 112  |

weight\_kg\_at\_diagnosis:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 31.00 | 58.25   | 70.50  | 73.04 | 83.75   | 210.00 | 29   |

tumor\_status:

| tumor free | with tumor | NA's |
|------------|------------|------|
| 201        | 80         | 26   |

tobacco\_smoking\_year\_stopped:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1949 | 1995    | 2003   | 2000 | 2010    | 2013 | 264  |

tobacco\_smoking\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.20 | 6.50    | 15.00  | 17.38 | 25.00   | 57.00 | 214  |

tobacco\_smoking\_history:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 1.000 | 1.000   | 1.000  | 1.829 | 2.000   | 5.000 | 44   |

agebegansmokinginyears:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 11.00 | 16.00   | 18.00  | 21.14 | 24.00   | 44.00 | 222  |

radiation\_therapy\_status:

| completed | as planned | treatment not completed | NA's |
|-----------|------------|-------------------------|------|
| 29        |            | 3                       | 275  |

pregnancies\_count\_total:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 0.00 | 2.00    | 3.00   | 3.61 | 5.00    | 15.00 | 40   |

pregnancies\_count\_stillbirth:

| 0   | 1 | 3 | NA's |
|-----|---|---|------|
| 106 | 5 | 1 | 195  |

pregnancy\_spontaneous\_abortion\_count:

| Min.   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|--------|---------|--------|--------|---------|--------|------|
| 0.0000 | 0.0000  | 0.0000 | 0.5442 | 1.0000  | 6.0000 | 160  |

pregnancies\_count\_live\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 1.250   | 2.000  | 2.844 | 4.000   | 11.000 | 45   |

pregnancy\_therapeutic\_abortion\_count:

| Min.   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|--------|---------|--------|--------|---------|---------|------|
| 0.0000 | 0.0000  | 0.0000 | 0.8525 | 1.0000  | 13.0000 | 185  |

pregnancies\_count\_ectopic:

| 0   | 1  | 2 | NA's |
|-----|----|---|------|
| 104 | 11 | 1 | 191  |

lymph\_node\_location:

lymph\_node\_location\_positive\_pathology\_name|lymph\_node\_location\_positive\_pathology\_text

## menopause\_status:

|                                                                                              |     |
|----------------------------------------------------------------------------------------------|-----|
| indeterminate (neither pre or postmenopausal)                                                | 3   |
| peri (6-12 months since last menstrual period)                                               | 25  |
| post (prior bilateral ovariectomy or >12 mo since lmp with no prior hysterectomy)            | 84  |
| pre (<6 months since lmp and no prior bilateral ovariectomy and not on estrogen replacement) | 125 |
| NA's                                                                                         | 70  |

## lymphovascular\_involvement:

| absent | present | NA's |
|--------|---------|------|
| 72     | 80      | 155  |

## lymph\_nodes\_examined\_he\_count:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 1.044 | 1.000   | 16.000 | 148  |

## lymph\_nodes\_examined:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 2.00 | 13.00   | 21.00  | 22.28 | 29.00   | 63.00 | 127  |

## keratinization\_squamous\_cell:

|                                          |     |
|------------------------------------------|-----|
| keratinizing squamous cell carcinoma     | 55  |
| non-keratinizing squamous cell carcinoma | 120 |
| NA's                                     | 132 |

## initial\_pathologic\_dx\_year:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1994 | 2006    | 2010   | 2008 | 2012    | 2013 | 2    |

## hysterectomy\_type:

|                                                         |     |
|---------------------------------------------------------|-----|
| hysterectomy_performed_type hysterectomy_performed_text | 307 |
|---------------------------------------------------------|-----|

## history\_hormonal\_contraceptives\_use:

| current user | former user | never used | NA's |
|--------------|-------------|------------|------|
| 15           | 54          | 90         | 148  |

## height\_cm\_at\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 132  | 157     | 160    | 161  | 165     | 183  | 43   |

## corpus\_involvement:

| absent | present | NA's |
|--------|---------|------|
| 99     | 19      | 189  |

|                        |           |        |             |         |               |      |
|------------------------|-----------|--------|-------------|---------|---------------|------|
| chemo_concurrent_type: |           |        |             |         |               |      |
| carboplatin            | cisplatin |        | other       |         | NA's          |      |
| 7                      | 104       |        | 2           |         | 194           |      |
| cervix_suv_results:    |           |        |             |         |               |      |
| Min.                   | 1st Qu.   | Median | Mean        | 3rd Qu. | Max.          | NA's |
| 0.00                   | 8.70      | 12.00  | 13.22       | 16.92   | 28.80         | 290  |
| cause_of_death:        |           |        |             |         |               |      |
| cardiopulmonary arrest |           |        | lung cancer |         | renal failure |      |
|                        |           | 1      |             | 1       |               | 1    |
|                        |           | NA's   |             |         |               |      |
|                        |           | 304    |             |         |               |      |
| age_at_diagnosis:      |           |        |             |         |               |      |
| Min.                   | 1st Qu.   | Median | Mean        | 3rd Qu. | Max.          |      |
| 20.00                  | 38.00     | 46.00  | 48.27       | 56.50   | 88.00         |      |

Including an additional 1330 columns

See Also

[CESC-v2.0.1](#)

---

|             |                                                                         |
|-------------|-------------------------------------------------------------------------|
| CESC-v2.0.1 | <i>Cervical squamous cell carcinoma and endocervical adenocarcinoma</i> |
|-------------|-------------------------------------------------------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( CESC )
ExperimentList class object of length 12:
 [1] CESC_CNASeq-20160128: RaggedExperiment with 7834 rows and 100 columns
 [2] CESC_CNASNP-20160128: RaggedExperiment with 267855 rows and 586 columns
 [3] CESC_CNVSNP-20160128: RaggedExperiment with 59450 rows and 586 columns
 [4] CESC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 295 columns
 [5] CESC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 60 rows and 295 columns
 [6] CESC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 295 columns
 [7] CESC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 312 columns
 [8] CESC_Mutation-20160128: RaggedExperiment with 46547 rows and 194 columns
 [9] CESC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 309 columns
 [10] CESC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 309 columns
 [11] CESC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 173 columns
 [12] CESC_Methylation-20160128: SummarizedExperiment with 485577 rows and 312 columns

> rownames( CESC )
CharacterList of length 12
```

```

[["CESC_CNASeq-20160128"]] character(0)
[["CESC_CNASNP-20160128"]] character(0)
[["CESC_CNVSNP-20160128"]] character(0)
[["CESC_GISTIC_AllByGene-20160128"]] character(0)
[["CESC_GISTIC_Peaks-20160128"]] 27 1 28 2 3 29 4 30 ... 23 58 59 24 60 25 61
[["CESC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["CESC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["CESC_Mutation-20160128"]] character(0)
[["CESC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["CESC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

```

```

> colnames( CESC )
CharacterList of length 12
[["CESC_CNASeq-20160128"]] TCGA-C5-A1BQ-01C-11D-A20X-26 ...
[["CESC_CNASNP-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_CNVSNP-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_AllByGene-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_Peaks-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_miRNASeqGene-20160128"]] TCGA-2W-A8YY-01A-11R-A37P-13 ...
[["CESC_Mutation-20160128"]] TCGA-BI-A0VR-01A-11D-A10S-08 ...
[["CESC_RNASeq2Gene-20160128"]] TCGA-2W-A8YY-01A-11R-A37O-07 ...
[["CESC_RNASeq2GeneNorm-20160128"]] TCGA-2W-A8YY-01A-11R-A37O-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | CESC_CNASeq-20160128                   | 0.3 Mb        |
| 2  | CESC_CNASNP-20160128                   | 7.3 Mb        |
| 3  | CESC_CNVSNP-20160128                   | 1.8 Mb        |
| 4  | CESC_GISTIC_AllByGene-20160128         | 59.3 Mb       |
| 5  | CESC_GISTIC_Peaks-20160128             | 0.3 Mb        |
| 6  | CESC_GISTIC_ThresholdedByGene-20160128 | 59.1 Mb       |
| 7  | CESC_miRNASeqGene-20160128             | 2.7 Mb        |
| 8  | CESC_Mutation-20160128                 | 32.9 Mb       |
| 9  | CESC_RNASeq2Gene-20160128              | 50.9 Mb       |
| 10 | CESC_RNASeq2GeneNorm-20160128          | 50.9 Mb       |
| 11 | CESC_RPPAArray-20160128                | 0.3 Mb        |
| 12 | CESC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

235 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 72.00 | 72.00  | 1.70   | 1.39    | 2.29    |

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 20.0 | 38.0    | 46.0   | 48.2 | 56.0    | 88.0 | 2    |

vital\_status:

| 0   | 1  |
|-----|----|
| 235 | 72 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 14.0 | 349.5   | 620.0  | 881.3 | 1069.5  | 4086.0 | 235  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 374     | 688    | 1071 | 1362    | 6408 | 72   |

tumor\_tissue\_site:

| cervical |
|----------|
| 307      |

pathology\_N\_stage:

| n0  | n1 | nx | NA's |
|-----|----|----|------|
| 135 | 60 | 67 | 45   |

pathology\_M\_stage:

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 116 | 10 | 131 | 50   |

gender:

| female |
|--------|
| 307    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1994 | 2006    | 2010   | 2008 | 2012    | 2013 | 2    |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 55 | 129 | 123  |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

|      |      |       |       |       |       |     |
|------|------|-------|-------|-------|-------|-----|
| 0.20 | 6.50 | 15.00 | 17.38 | 25.00 | 57.00 | 214 |
|------|------|-------|-------|-------|-------|-----|

number\_of\_lymph\_nodes:

|       |         |        |       |         |        |      |
|-------|---------|--------|-------|---------|--------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 0.000 | 0.000   | 0.000  | 1.044 | 1.000   | 16.000 | 148  |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 24                 | 171                    | 112  |

weight\_kg\_at\_diagnosis:

|       |         |        |       |         |        |      |
|-------|---------|--------|-------|---------|--------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 31.00 | 58.25   | 70.50  | 73.04 | 83.75   | 210.00 | 29   |

tumor\_status:

|                       |      |
|-----------------------|------|
| tumor free with tumor | NA's |
| 201                   | 80   |
|                       | 26   |

tobacco\_smoking\_year\_stopped:

|      |         |        |      |         |      |      |
|------|---------|--------|------|---------|------|------|
| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
| 1949 | 1995    | 2003   | 2000 | 2010    | 2013 | 264  |

tobacco\_smoking\_pack\_years\_smoked:

|      |         |        |       |         |       |      |
|------|---------|--------|-------|---------|-------|------|
| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
| 0.20 | 6.50    | 15.00  | 17.38 | 25.00   | 57.00 | 214  |

tobacco\_smoking\_history:

|       |         |        |       |         |       |      |
|-------|---------|--------|-------|---------|-------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
| 1.000 | 1.000   | 1.000  | 1.829 | 2.000   | 5.000 | 44   |

agebeganmokinginyears:

|       |         |        |       |         |       |      |
|-------|---------|--------|-------|---------|-------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
| 11.00 | 16.00   | 18.00  | 21.14 | 24.00   | 44.00 | 222  |

radiation\_therapy\_status:

|                      |                         |      |
|----------------------|-------------------------|------|
| completed as planned | treatment not completed | NA's |
| 29                   | 3                       | 275  |

pregnancies\_count\_total:

|      |         |        |      |         |       |      |
|------|---------|--------|------|---------|-------|------|
| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
| 0.00 | 2.00    | 3.00   | 3.61 | 5.00    | 15.00 | 40   |

pregnancies\_count\_stillbirth:

|     |   |   |      |
|-----|---|---|------|
| 0   | 1 | 3 | NA's |
| 106 | 5 | 1 | 195  |

pregnancy\_spontaneous\_abortion\_count:

|        |         |        |        |         |        |      |
|--------|---------|--------|--------|---------|--------|------|
| Min.   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
| 0.0000 | 0.0000  | 0.0000 | 0.5442 | 1.0000  | 6.0000 | 160  |

## pregnancies\_count\_live\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 1.250   | 2.000  | 2.844 | 4.000   | 11.000 | 45   |

## pregnancy\_therapeutic\_abortion\_count:

| Min.   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|--------|---------|--------|--------|---------|---------|------|
| 0.0000 | 0.0000  | 0.0000 | 0.8525 | 1.0000  | 13.0000 | 185  |

## pregnancies\_count\_ectopic:

| 0   | 1  | 2 | NA's |
|-----|----|---|------|
| 104 | 11 | 1 | 191  |

## lymph\_node\_location:

| lymph_node_location_positive_pathology_name lymph_node_location_positive_pathology_text |
|-----------------------------------------------------------------------------------------|
| 307                                                                                     |

## menopause\_status:

|                                                                                              |     |
|----------------------------------------------------------------------------------------------|-----|
| indeterminate (neither pre or postmenopausal)                                                | 3   |
| peri (6-12 months since last menstrual period)                                               | 25  |
| post (prior bilateral ovariectomy or >12 mo since lmp with no prior hysterectomy)            | 84  |
| pre (<6 months since lmp and no prior bilateral ovariectomy and not on estrogen replacement) | 125 |
| NA's                                                                                         | 70  |

## lymphovascular\_involvement:

| absent | present | NA's |
|--------|---------|------|
| 72     | 80      | 155  |

## lymph\_nodes\_examined\_he\_count:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 1.044 | 1.000   | 16.000 | 148  |

## lymph\_nodes\_examined:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 2.00 | 13.00   | 21.00  | 22.28 | 29.00   | 63.00 | 127  |

## keratinization\_squamous\_cell:

|                                          |     |
|------------------------------------------|-----|
| keratinizing squamous cell carcinoma     | 55  |
| non-keratinizing squamous cell carcinoma | 120 |
| NA's                                     | 132 |

## initial\_pathologic\_dx\_year:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

```

1994      2006      2010      2008      2012      2013      2
hysterectomy_type:
hysterectomy_performed_type|hysterectomy_performed_text
307

history_hormonal_contraceptives_use:
current user  former user  never used      NA's
15           54          90          148

height_cm_at_diagnosis:
Min. 1st Qu.  Median      Mean 3rd Qu.  Max.      NA's
132    157    160      161    165    183      43

corpus_involvement:
absent present  NA's
99      19     189

chemo_concurrent_type:
carboplatin  cisplatin      other      NA's
7           104          2          194

cervix_suv_results:
Min. 1st Qu.  Median      Mean 3rd Qu.  Max.      NA's
0.00    8.70   12.00    13.22   16.92   28.80    290

cause_of_death:
cardiopulmonary arrest      lung cancer      renal failure
1                          1                          1
NA's
304

age_at_diagnosis:
Min. 1st Qu.  Median      Mean 3rd Qu.  Max.
20.00   38.00   46.00    48.27   56.50   88.00

```

Including an additional 1330 columns

---

CESC-v2.1.0

*Cervical squamous cell carcinoma and endocervical adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( CESC )
ExperimentList class object of length 12:
[1] CESC_CNASeq-20160128: RaggedExperiment with 7834 rows and 100 columns

```

```

[2] CESC_CNASNP-20160128: RaggedExperiment with 267855 rows and 586 columns
[3] CESC_CNVSNP-20160128: RaggedExperiment with 59450 rows and 586 columns
[4] CESC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 295 columns
[5] CESC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 60 rows and 295 columns
[6] CESC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 295 columns
[7] CESC_Mutation-20160128: RaggedExperiment with 46547 rows and 194 columns
[8] CESC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 309 columns
[9] CESC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 173 columns
[10] CESC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 312 columns
[11] CESC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18162 rows and 309 columns
[12] CESC_Methylation-20160128: SummarizedExperiment with 485577 rows and 312 columns

```

```

> rownames( CESC )
CharacterList of length 12
[["CESC_CNASNP-20160128"]] character(0)
[["CESC_CNVSNP-20160128"]] character(0)
[["CESC_GISTIC_AllByGene-20160128"]] character(0)
[["CESC_GISTIC_Peaks-20160128"]] 27 1 28 2 3 29 4 30 ... 23 58 59 24 60 25 61
[["CESC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["CESC_Mutation-20160128"]] character(0)
[["CESC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["CESC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["CESC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
...
<2 more elements>

```

```

> colnames( CESC )
CharacterList of length 12
[["CESC_CNASNP-20160128"]] TCGA-C5-A1BQ-01C-11D-A20X-26 ...
[["CESC_CNVSNP-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_AllByGene-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_Peaks-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2W-A8YY-01A-11D-A37M-01 ...
[["CESC_Mutation-20160128"]] TCGA-BI-A0VR-01A-11D-A10S-08 ...
[["CESC_RNASeq2Gene-20160128"]] TCGA-2W-A8YY-01A-11R-A370-07 ...
[["CESC_RPPAArray-20160128"]] TCGA-2W-A8YY-01A-21-A40H-20 ...
[["CESC_miRNASeqGene-20160128"]] TCGA-2W-A8YY-01A-11R-A37P-13 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|   |                                        | assay size.Mb |
|---|----------------------------------------|---------------|
| 1 | CESC_CNASNP-20160128                   | 0.3 Mb        |
| 2 | CESC_CNVSNP-20160128                   | 7.3 Mb        |
| 3 | CESC_CNVSNP-20160128                   | 1.8 Mb        |
| 4 | CESC_GISTIC_AllByGene-20160128         | 59.3 Mb       |
| 5 | CESC_GISTIC_Peaks-20160128             | 0.3 Mb        |
| 6 | CESC_GISTIC_ThresholdedByGene-20160128 | 59.1 Mb       |
| 7 | CESC_Mutation-20160128                 | 32.9 Mb       |

```

8          CESC_RNASeq2Gene-20160128 50.9 Mb
9          CESC_RPPAArray-20160128  0.3 Mb
10         CESC_miRNASeqGene-20160128 2.7 Mb
11         CESC_RNASeq2GeneNorm-20160128 45.1 Mb
12         CESC_Methylation-20160128  75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      235 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 72      72      1.7      1.39      2.29

```

```

-----
Available sample meta-data:
-----

```

```
years_to_birth:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 20.0 | 38.0    | 46.0   | 48.2 | 56.0    | 88.0 | 2    |

```
vital_status:
```

```

  0    1
235  72

```

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 14.0 | 349.5   | 620.0  | 881.3 | 1069.5  | 4086.0 | 235  |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 374     | 688    | 1071 | 1362    | 6408 | 72   |

```
tumor_tissue_site:
```

```

cervical
  307

```

```
pathology_N_stage:
```

| n0  | n1 | nx | NA's |
|-----|----|----|------|
| 135 | 60 | 67 | 45   |

```
pathology_M_stage:
```

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 116 | 10 | 131 | 50   |

```
gender:
```

female  
307

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1994 | 2006    | 2010   | 2008 | 2012    | 2013 | 2    |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 55 | 129 | 123  |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.20 | 6.50    | 15.00  | 17.38 | 25.00   | 57.00 | 214  |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 1.044 | 1.000   | 16.000 | 148  |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 24                 | 171                    | 112  |

weight\_kg\_at\_diagnosis:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 31.00 | 58.25   | 70.50  | 73.04 | 83.75   | 210.00 | 29   |

tumor\_status:

| tumor free | with tumor | NA's |
|------------|------------|------|
| 201        | 80         | 26   |

tobacco\_smoking\_year\_stopped:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1949 | 1995    | 2003   | 2000 | 2010    | 2013 | 264  |

tobacco\_smoking\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.20 | 6.50    | 15.00  | 17.38 | 25.00   | 57.00 | 214  |

tobacco\_smoking\_history:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 1.000 | 1.000   | 1.000  | 1.829 | 2.000   | 5.000 | 44   |

agebegan smoking in years:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 11.00 | 16.00   | 18.00  | 21.14 | 24.00   | 44.00 | 222  |

radiation\_therapy\_status:

| completed as planned | treatment not completed | NA's |
|----------------------|-------------------------|------|
|                      |                         |      |

|                                                                                         |         |        |                                                                                              |         |         |      |
|-----------------------------------------------------------------------------------------|---------|--------|----------------------------------------------------------------------------------------------|---------|---------|------|
|                                                                                         | 29      |        | 3                                                                                            |         | 275     |      |
| pregnancies_count_total:                                                                |         |        |                                                                                              |         |         |      |
| Min.                                                                                    | 1st Qu. | Median | Mean                                                                                         | 3rd Qu. | Max.    | NA's |
| 0.00                                                                                    | 2.00    | 3.00   | 3.61                                                                                         | 5.00    | 15.00   | 40   |
| pregnancies_count_stillbirth:                                                           |         |        |                                                                                              |         |         |      |
| 0                                                                                       | 1       | 3      | NA's                                                                                         |         |         |      |
| 106                                                                                     | 5       | 1      | 195                                                                                          |         |         |      |
| pregnancy_spontaneous_abortion_count:                                                   |         |        |                                                                                              |         |         |      |
| Min.                                                                                    | 1st Qu. | Median | Mean                                                                                         | 3rd Qu. | Max.    | NA's |
| 0.0000                                                                                  | 0.0000  | 0.0000 | 0.5442                                                                                       | 1.0000  | 6.0000  | 160  |
| pregnancies_count_live_birth:                                                           |         |        |                                                                                              |         |         |      |
| Min.                                                                                    | 1st Qu. | Median | Mean                                                                                         | 3rd Qu. | Max.    | NA's |
| 0.000                                                                                   | 1.250   | 2.000  | 2.844                                                                                        | 4.000   | 11.000  | 45   |
| pregnancy_therapeutic_abortion_count:                                                   |         |        |                                                                                              |         |         |      |
| Min.                                                                                    | 1st Qu. | Median | Mean                                                                                         | 3rd Qu. | Max.    | NA's |
| 0.0000                                                                                  | 0.0000  | 0.0000 | 0.8525                                                                                       | 1.0000  | 13.0000 | 185  |
| pregnancies_count_ectopic:                                                              |         |        |                                                                                              |         |         |      |
| 0                                                                                       | 1       | 2      | NA's                                                                                         |         |         |      |
| 104                                                                                     | 11      | 1      | 191                                                                                          |         |         |      |
| lymph_node_location:                                                                    |         |        |                                                                                              |         |         |      |
| lymph_node_location_positive_pathology_name lymph_node_location_positive_pathology_text |         |        |                                                                                              |         |         | 307  |
| menopause_status:                                                                       |         |        |                                                                                              |         |         |      |
|                                                                                         |         |        | indeterminate (neither pre or postmenopausal)                                                |         |         | 3    |
|                                                                                         |         |        | peri (6-12 months since last menstrual period)                                               |         |         | 25   |
|                                                                                         |         |        | post (prior bilateral ovariectomy or >12 mo since lmp with no prior hysterectomy)            |         |         | 84   |
|                                                                                         |         |        | pre (<6 months since lmp and no prior bilateral ovariectomy and not on estrogen replacement) |         |         | 125  |
|                                                                                         |         |        |                                                                                              |         |         | NA's |
|                                                                                         |         |        |                                                                                              |         |         | 70   |
| lymphovascular_involvement:                                                             |         |        |                                                                                              |         |         |      |
| absent                                                                                  | present | NA's   |                                                                                              |         |         |      |
| 72                                                                                      | 80      | 155    |                                                                                              |         |         |      |
| lymph_nodes_examined_he_count:                                                          |         |        |                                                                                              |         |         |      |
| Min.                                                                                    | 1st Qu. | Median | Mean                                                                                         | 3rd Qu. | Max.    | NA's |
| 0.000                                                                                   | 0.000   | 0.000  | 1.044                                                                                        | 1.000   | 16.000  | 148  |

lymph\_nodes\_examined:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 2.00 | 13.00   | 21.00  | 22.28 | 29.00   | 63.00 | 127  |

keratinization\_squamous\_cell:

keratinizing squamous cell carcinoma  
55

non-keratinizing squamous cell carcinoma

120

NA's

132

initial\_pathologic\_dx\_year:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1994 | 2006    | 2010   | 2008 | 2012    | 2013 | 2    |

hysterectomy\_type:

hysterectomy\_performed\_type|hysterectomy\_performed\_text  
307

history\_hormonal\_contraceptives\_use:

| current user | former user | never used | NA's |
|--------------|-------------|------------|------|
| 15           | 54          | 90         | 148  |

height\_cm\_at\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 132  | 157     | 160    | 161  | 165     | 183  | 43   |

corpus\_involvement:

| absent | present | NA's |
|--------|---------|------|
| 99     | 19      | 189  |

chemo\_concurrent\_type:

| carboplatin | cisplatin | other | NA's |
|-------------|-----------|-------|------|
| 7           | 104       | 2     | 194  |

cervix\_suv\_results:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.00 | 8.70    | 12.00  | 13.22 | 16.92   | 28.80 | 290  |

cause\_of\_death:

| cardiopulmonary arrest | lung cancer | renal failure |
|------------------------|-------------|---------------|
| 1                      | 1           | 1             |
| NA's                   |             |               |
| 304                    |             |               |

age\_at\_diagnosis:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 20.00 | 38.00   | 46.00  | 48.27 | 56.50   | 88.00 |

Including an additional 1330 columns

CHOL

*Cholangiocarcinoma***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( CHOL )
ExperimentList class object of length 10:
 [1] CHOL_CNASNP-20160128: RaggedExperiment with 39698 rows and 85 columns
 [2] CHOL_CNVSNP-20160128: RaggedExperiment with 7570 rows and 85 columns
 [3] CHOL_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 36 columns
 [4] CHOL_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 19 rows and 36 columns
 [5] CHOL_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 36 columns
 [6] CHOL_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 45 columns
 [7] CHOL_Mutation-20160128: RaggedExperiment with 6755 rows and 35 columns
 [8] CHOL_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 45 columns
 [9] CHOL_RPPAArray-20160128: SummarizedExperiment with 192 rows and 30 columns
[10] CHOL_Methylation-20160128: SummarizedExperiment with 485577 rows and 45 columns

> rownames( CHOL )
CharacterList of length 10
[["CHOL_CNASNP-20160128"]] character(0)
[["CHOL_CNVSNP-20160128"]] character(0)
[["CHOL_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["CHOL_GISTIC_Peaks-20160128"]] chr1:7829287-29140747 ... chr16:1-90354753
[["CHOL_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["CHOL_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["CHOL_Mutation-20160128"]] character(0)
[["CHOL_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["CHOL_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["CHOL_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( CHOL )
CharacterList of length 10
[["CHOL_CNASNP-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_CNVSNP-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_AllByGene-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_Peaks-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_ThresholdedByGene-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_miRNASeqGene-20160128"]] TCGA-3X-AAV9-01A-72R-A41D-13 ...
[["CHOL_Mutation-20160128"]] TCGA-3X-AAV9-01A-72D-A417-09 ...
[["CHOL_RNASeq2GeneNorm-20160128"]] TCGA-3X-AAV9-01A-72R-A41I-07 ...
[["CHOL_RPPAArray-20160128"]] TCGA-3X-AAV9-01A-81-A45N-20 ...
[["CHOL_Methylation-20160128"]] TCGA-3X-AAV9-01A-72D-A418-05 ...
```

Sizes of each ExperimentList element:

assay size.Mb

|    |                                        |        |
|----|----------------------------------------|--------|
| 1  | CHOL_CNASNP-20160128                   | 1.1 Mb |
| 2  | CHOL_CNVSNP-20160128                   | 0.2 Mb |
| 3  | CHOL_GISTIC_AllByGene-20160128         | 4.9 Mb |
| 4  | CHOL_GISTIC_Peaks-20160128             | 0 Mb   |
| 5  | CHOL_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb |
| 6  | CHOL_miRNASeqGene-20160128             | 0.1 Mb |
| 7  | CHOL_Mutation-20160128                 | 4.6 Mb |
| 8  | CHOL_RNASeq2GeneNorm-20160128          | 1.3 Mb |
| 9  | CHOL_RPPAArray-20160128                | 0 Mb   |
| 10 | CHOL_Methylation-20160128              | 75 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

18 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
18.000 18.000 1.370 0.742 2.532

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 29.00 | 56.50   | 66.50  | 63.03 | 72.00   | 82.00 |

vital\_status:

0 1  
18 18

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 21.0 | 195.2   | 500.0  | 592.9 | 731.0   | 1939.0 | 18   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 10.0 | 539.8   | 942.5  | 936.6 | 1394.0  | 1976.0 | 18   |

tumor\_tissue\_site:

bile duct  
36

pathology\_T\_stage:

| t1 | t2 | t2a | t2b | t3 |
|----|----|-----|-----|----|
| 19 | 6  | 2   | 4   | 5  |

|                                       |         |                                     |      |         |      |
|---------------------------------------|---------|-------------------------------------|------|---------|------|
| pathology_N_stage:                    |         |                                     |      |         |      |
| n0                                    | n1      | nx                                  |      |         |      |
| 26                                    | 5       | 5                                   |      |         |      |
| pathology_M_stage:                    |         |                                     |      |         |      |
| m0                                    | m1      | mx                                  |      |         |      |
| 28                                    | 5       | 3                                   |      |         |      |
| gender:                               |         |                                     |      |         |      |
| female                                |         | male                                |      |         |      |
| 20                                    |         | 16                                  |      |         |      |
| date_of_initial_pathologic_diagnosis: |         |                                     |      |         |      |
| Min.                                  | 1st Qu. | Median                              | Mean | 3rd Qu. | Max. |
| 2005                                  | 2010    | 2011                                | 2010 | 2012    | 2013 |
| radiation_therapy:                    |         |                                     |      |         |      |
| no NA's                               |         |                                     |      |         |      |
| 35                                    |         | 1                                   |      |         |      |
| histological_type:                    |         |                                     |      |         |      |
| cholangiocarcinoma; distal            |         | cholangiocarcinoma; hilar/perihilar |      |         |      |
|                                       |         | 2                                   |      | 4       |      |
| cholangiocarcinoma; intrahepatic      |         |                                     |      |         |      |
|                                       |         | 30                                  |      |         |      |
| residual_tumor:                       |         |                                     |      |         |      |
| r0                                    | r1      | rx                                  |      |         |      |
| 28                                    | 5       | 3                                   |      |         |      |
| race:                                 |         |                                     |      |         |      |
|                                       |         | asian black or african american     |      | white   |      |
|                                       |         | 3                                   |      | 2       |      |
|                                       |         |                                     |      | 31      |      |
| ethnicity:                            |         |                                     |      |         |      |
| hispanic or latino                    |         | not hispanic or latino              |      | NA's    |      |
| 2                                     |         | 33                                  |      | 1       |      |
| Including an additional 622 columns   |         |                                     |      |         |      |

See Also

[CHOL-v2.0.1](#)

---

|             |                    |
|-------------|--------------------|
| CHOL-v2.0.1 | Cholangiocarcinoma |
|-------------|--------------------|

---

Description

A document describing the TCGA cancer code

**Details**

```

> experiments( CHOL )
ExperimentList class object of length 11:
 [1] CHOL_CNASNP-20160128: RaggedExperiment with 39698 rows and 85 columns
 [2] CHOL_CNVSNP-20160128: RaggedExperiment with 7570 rows and 85 columns
 [3] CHOL_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 36 columns
 [4] CHOL_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 19 rows and 36 columns
 [5] CHOL_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 36 columns
 [6] CHOL_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 45 columns
 [7] CHOL_Mutation-20160128: RaggedExperiment with 6755 rows and 35 columns
 [8] CHOL_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 45 columns
 [9] CHOL_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 45 columns
[10] CHOL_RPPAArray-20160128: SummarizedExperiment with 192 rows and 30 columns
[11] CHOL_Methylation-20160128: SummarizedExperiment with 485577 rows and 45 columns

> rownames( CHOL )
CharacterList of length 11
[["CHOL_CNASNP-20160128"]] character(0)
[["CHOL_CNVSNP-20160128"]] character(0)
[["CHOL_GISTIC_AllByGene-20160128"]] character(0)
[["CHOL_GISTIC_Peaks-20160128"]] 4 1 5 6 7 8 9 10 ... 13 3 14 15 18 16 17 20
[["CHOL_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["CHOL_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["CHOL_Mutation-20160128"]] character(0)
[["CHOL_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["CHOL_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["CHOL_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( CHOL )
CharacterList of length 11
[["CHOL_CNASNP-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_CNVSNP-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_AllByGene-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_Peaks-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_ThresholdedByGene-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_miRNASeqGene-20160128"]] TCGA-3X-AAV9-01A-72R-A41D-13 ...
[["CHOL_Mutation-20160128"]] TCGA-3X-AAV9-01A-72D-A417-09 ...
[["CHOL_RNASeq2Gene-20160128"]] TCGA-3X-AAV9-01A-72R-A41I-07 ...
[["CHOL_RNASeq2GeneNorm-20160128"]] TCGA-3X-AAV9-01A-72R-A41I-07 ...
[["CHOL_RPPAArray-20160128"]] TCGA-3X-AAV9-01A-81-A45N-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|   |                                | assay size.Mb |
|---|--------------------------------|---------------|
| 1 | CHOL_CNASNP-20160128           | 1.1 Mb        |
| 2 | CHOL_CNVSNP-20160128           | 0.2 Mb        |
| 3 | CHOL_GISTIC_AllByGene-20160128 | 10.2 Mb       |
| 4 | CHOL_GISTIC_Peaks-20160128     | 0 Mb          |

```

5  CHOL_GISTIC_ThresholdedByGene-20160128 10.1 Mb
6      CHOL_miRNASeqGene-20160128 0.5 Mb
7      CHOL_Mutation-20160128 4.6 Mb
8      CHOL_RNASeq2Gene-20160128 9.6 Mb
9      CHOL_RNASeq2GeneNorm-20160128 9.6 Mb
10     CHOL_RPPAArray-20160128 0.1 Mb
11     CHOL_Methylation-20160128 75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

18 observations deleted due to missingness
n   events median 0.95LCL 0.95UCL
18.000 18.000  1.370  0.742  2.532

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:

```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 29.00 | 56.50   | 66.50  | 63.03 | 72.00   | 82.00 |

```

vital_status:

```

```

0 1
18 18

```

```

days_to_death:

```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 21.0 | 195.2   | 500.0  | 592.9 | 731.0   | 1939.0 | 18   |

```

days_to_last_followup:

```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 10.0 | 539.8   | 942.5  | 936.6 | 1394.0  | 1976.0 | 18   |

```

tumor_tissue_site:

```

```

bile duct
36

```

```

pathology_T_stage:

```

| t1 | t2 | t2a | t2b | t3 |
|----|----|-----|-----|----|
| 19 | 6  | 2   | 4   | 5  |

```

pathology_N_stage:

```

```

n0 n1 nx
26 5 5

```

pathology\_M\_stage:

m0 m1 mx

28 5 3

gender:

female male

20 16

date\_of\_initial\_pathologic\_diagnosis:

Min. 1st Qu. Median Mean 3rd Qu. Max.

2005 2010 2011 2010 2012 2013

radiation\_therapy:

no NA's

35 1

histological\_type:

cholangiocarcinoma; distal cholangiocarcinoma; hilar/perihilar

2

4

cholangiocarcinoma; intrahepatic

30

residual\_tumor:

r0 r1 rx

28 5 3

race:

asian black or african american

3

2

white

31

ethnicity:

hispanic or latino not hispanic or latino

2

33

NA's

1

Including an additional 622 columns

---

CHOL-v2.1.0

*Cholangiocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( CHOL )
```

ExperimentList class object of length 11:

[1] CHOL\_CNASNP-20160128: RaggedExperiment with 39698 rows and 85 columns

[2] CHOL\_CNVSNP-20160128: RaggedExperiment with 7570 rows and 85 columns

[3] CHOL\_GISTIC\_AllByGene-20160128: SummarizedExperiment with 24776 rows and 36 columns

```
[4] CHOL_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 19 rows and 36 columns
[5] CHOL_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 36 columns
[6] CHOL_Mutation-20160128: RaggedExperiment with 6755 rows and 35 columns
[7] CHOL_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 45 columns
[8] CHOL_RPPAArray-20160128: SummarizedExperiment with 192 rows and 30 columns
[9] CHOL_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 45 columns
[10] CHOL_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18002 rows and 45 columns
[11] CHOL_Methylation-20160128: SummarizedExperiment with 485577 rows and 45 columns
```

```
> rownames( CHOL )
CharacterList of length 11
[["CHOL_CNASNP-20160128"]] character(0)
[["CHOL_CNVSNP-20160128"]] character(0)
[["CHOL_GISTIC_AllByGene-20160128"]] character(0)
[["CHOL_GISTIC_Peaks-20160128"]] 4 1 5 6 7 8 9 10 ... 13 3 14 15 18 16 17 20
[["CHOL_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["CHOL_Mutation-20160128"]] character(0)
[["CHOL_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["CHOL_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["CHOL_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["CHOL_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<1 more element>
```

```
> colnames( CHOL )
CharacterList of length 11
[["CHOL_CNASNP-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_CNVSNP-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_AllByGene-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_Peaks-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_GISTIC_ThresholdedByGene-20160128"]] TCGA-3X-AAV9-01A-72D-A416-01 ...
[["CHOL_Mutation-20160128"]] TCGA-3X-AAV9-01A-72D-A417-09 ...
[["CHOL_RNASeq2Gene-20160128"]] TCGA-3X-AAV9-01A-72R-A41I-07 ...
[["CHOL_RPPAArray-20160128"]] TCGA-3X-AAV9-01A-81-A45N-20 ...
[["CHOL_miRNASeqGene-20160128"]] TCGA-3X-AAV9-01A-72R-A41D-13 ...
[["CHOL_RNASeq2GeneNorm-20160128"]] TCGA-3X-AAV9-01 ... TCGA-ZU-A8S4-01
...
<1 more element>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | CHOL_CNASNP-20160128                   | 1.1 Mb        |
| 2  | CHOL_CNVSNP-20160128                   | 0.2 Mb        |
| 3  | CHOL_GISTIC_AllByGene-20160128         | 10.2 Mb       |
| 4  | CHOL_GISTIC_Peaks-20160128             | 0 Mb          |
| 5  | CHOL_GISTIC_ThresholdedByGene-20160128 | 10.1 Mb       |
| 6  | CHOL_Mutation-20160128                 | 4.6 Mb        |
| 7  | CHOL_RNASeq2Gene-20160128              | 9.6 Mb        |
| 8  | CHOL_RPPAArray-20160128                | 0.1 Mb        |
| 9  | CHOL_miRNASeqGene-20160128             | 0.5 Mb        |
| 10 | CHOL_RNASeq2GeneNorm-20160128          | 8.4 Mb        |

11 CHOL\_Methylation-20160128 75 Mb

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

18 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
[1,] 18 18 1.37 0.742 2.53

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 29.00 | 56.50   | 66.50  | 63.03 | 72.00   | 82.00 |

vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 18 | 18 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 21.0 | 195.2   | 500.0  | 592.9 | 731.0   | 1939.0 | 18   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 10.0 | 539.8   | 942.5  | 936.6 | 1394.0  | 1976.0 | 18   |

tumor\_tissue\_site:

|           |
|-----------|
| bile duct |
| 36        |

pathology\_T\_stage:

| t1 | t2 | t2a | t2b | t3 |
|----|----|-----|-----|----|
| 19 | 6  | 2   | 4   | 5  |

pathology\_N\_stage:

|    |    |    |
|----|----|----|
| n0 | n1 | nx |
| 26 | 5  | 5  |

pathology\_M\_stage:

|    |    |    |
|----|----|----|
| m0 | m1 | mx |
| 28 | 5  | 3  |

gender:

```
female    male
      20      16
```

```
date_of_initial_pathologic_diagnosis:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
      2005   2010   2011     2010   2012   2013
```

```
radiation_therapy:
      no NA's
      35      1
```

```
histological_type:
      cholangiocarcinoma; distal cholangiocarcinoma; hilar/perihilar
                                2                                4
      cholangiocarcinoma; intrahepatic
                                30
```

```
residual_tumor:
r0 r1 rx
28 5 3
```

```
race:
              asian black or african american              white
                3                      2                      31
```

```
ethnicity:
      hispanic or latino not hispanic or latino      NA's
                2                      33                      1
```

Including an additional 622 columns

---

COAD

*Colon adenocarcinoma*


---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( COAD )
ExperimentList class object of length 14:
 [1] COAD_CNASeq-20160128: RaggedExperiment with 40530 rows and 136 columns
 [2] COAD_CNASNP-20160128: RaggedExperiment with 459490 rows and 914 columns
 [3] COAD_CNVSNP-20160128: RaggedExperiment with 90534 rows and 914 columns
 [4] COAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 449 columns
 [5] COAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 66 rows and 449 columns
 [6] COAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 449 columns
 [7] COAD_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 221 columns
 [8] COAD_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 172 columns
 [9] COAD_Mutation-20160128: RaggedExperiment with 62530 rows and 154 columns
```

```
[10] COAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 191 columns
[11] COAD_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 10 columns
[12] COAD_RPPAArray-20160128: SummarizedExperiment with 208 rows and 360 columns
[13] COAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 202 columns
[14] COAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 333 columns
```

```
> rownames( COAD )
CharacterList of length 14
[["COAD_CNASeq-20160128"]] character(0)
[["COAD_CNASNP-20160128"]] character(0)
[["COAD_CNVSNP-20160128"]] character(0)
[["COAD_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["COAD_GISTIC_Peaks-20160128"]] chr1:26527443-27650365 ...
[["COAD_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["COAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["COAD_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["COAD_Mutation-20160128"]] character(0)
[["COAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<4 more elements>

> colnames( COAD )
CharacterList of length 14
[["COAD_CNASeq-20160128"]] TCGA-A6-2671-01A-01D-1405-02 ...
[["COAD_CNASNP-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_CNVSNP-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_AllByGene-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_Peaks-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_miRNASeqGene-20160128"]] TCGA-A6-2675-01A-02T-1722-13 ...
[["COAD_mRNAArray-20160128"]] TCGA-A6-2671-11A-01R-1758-07 ...
[["COAD_Mutation-20160128"]] TCGA-A6-2672-01A-01W-0833-10 ...
[["COAD_RNASeq2GeneNorm-20160128"]] TCGA-A6-2671-01A-01R-1410-07 ...
...
<4 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | COAD_CNASeq-20160128                   | 1.1 Mb        |
| 2  | COAD_CNASNP-20160128                   | 12.5 Mb       |
| 3  | COAD_CNVSNP-20160128                   | 2.7 Mb        |
| 4  | COAD_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | COAD_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | COAD_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | COAD_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | COAD_mRNAArray-20160128                | 1.1 Mb        |
| 9  | COAD_Mutation-20160128                 | 23.6 Mb       |
| 10 | COAD_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 11 | COAD_RNASeqGene-20160128               | 1.3 Mb        |
| 12 | COAD_RPPAArray-20160128                | 0 Mb          |
| 13 | COAD_Methylation_methyl27-20160128     | 4.9 Mb        |

14 COAD\_Methylation\_methyl450-20160128 75 Mb

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 31.00 | 58.00   | 68.00  | 66.95 | 77.00   | 90.00 | 2    |

tumor\_tissue\_site:

| colon | NA's |
|-------|------|
| 456   | 1    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1998 | 2007    | 2009   | 2008 | 2010    | 2013 |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 378 | 9   | 70   |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 2.058 | 2.000   | 50.000 | 25   |

race:

|                                  |     |       |     |
|----------------------------------|-----|-------|-----|
| american indian or alaska native | 1   | asian | 11  |
| black or african american        | 59  | white | 213 |
| NA's                             | 173 |       |     |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 4                  | 270                    | 183  |

Including an additional 2604 columns

## See Also

[COAD-v2.0.1](#)

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( COAD )
ExperimentList class object of length 16:
 [1] COAD_CNASeq-20160128: RaggedExperiment with 40530 rows and 136 columns
 [2] COAD_CNASNP-20160128: RaggedExperiment with 459490 rows and 914 columns
 [3] COAD_CNVSNP-20160128: RaggedExperiment with 90534 rows and 914 columns
 [4] COAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 449 columns
 [5] COAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 66 rows and 449 columns
 [6] COAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 449 columns
 [7] COAD_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 221 columns
 [8] COAD_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 172 columns
 [9] COAD_Mutation-20160128: RaggedExperiment with 62530 rows and 154 columns
[10] COAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 326 columns
[11] COAD_RNASeq2GeneNorm_illumina-20160128: SummarizedExperiment with 20501 rows and 191 columns
[12] COAD_RNASeq2GeneNorm_illumina-20160128: SummarizedExperiment with 20501 rows and 326 columns
[13] COAD_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 10 columns
[14] COAD_RPPAArray-20160128: SummarizedExperiment with 208 rows and 360 columns
[15] COAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 202 columns
[16] COAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 333 columns

> rownames( COAD )
CharacterList of length 16
[["COAD_CNASeq-20160128"]] character(0)
[["COAD_CNASNP-20160128"]] character(0)
[["COAD_CNVSNP-20160128"]] character(0)
[["COAD_GISTIC_AllByGene-20160128"]] character(0)
[["COAD_GISTIC_Peaks-20160128"]] 23 24 25 26 27 1 28 ... 18 19 20 21 22 65 66
[["COAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["COAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["COAD_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["COAD_Mutation-20160128"]] character(0)
[["COAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<6 more elements>

> colnames( COAD )
CharacterList of length 16
[["COAD_CNASeq-20160128"]] TCGA-A6-2671-01A-01D-1405-02 ...
[["COAD_CNASNP-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_CNVSNP-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_AllByGene-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_Peaks-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_miRNASeqGene-20160128"]] TCGA-A6-2675-01A-02T-1722-13 ...
[["COAD_mRNAArray-20160128"]] TCGA-A6-2671-11A-01R-1758-07 ...
[["COAD_Mutation-20160128"]] TCGA-A6-2672-01A-01W-0833-10 ...
[["COAD_RNASeq2Gene-20160128"]] TCGA-3L-AA1B-01A-11R-A37K-07 ...
...
```

<6 more elements>

Sizes of each ExperimentList element:

|    |                                              | assay size.Mb |
|----|----------------------------------------------|---------------|
| 1  | COAD_CNASeq-20160128                         | 1.1 Mb        |
| 2  | COAD_CNASNP-20160128                         | 12.5 Mb       |
| 3  | COAD_CNVSNP-20160128                         | 2.7 Mb        |
| 4  | COAD_GISTIC_AllByGene-20160128               | 88.5 Mb       |
| 5  | COAD_GISTIC_Peaks-20160128                   | 0.4 Mb        |
| 6  | COAD_GISTIC_ThresholdedByGene-20160128       | 88.3 Mb       |
| 7  | COAD_miRNASeqGene-20160128                   | 1.3 Mb        |
| 8  | COAD_mRNAArray-20160128                      | 25.6 Mb       |
| 9  | COAD_Mutation-20160128                       | 23.6 Mb       |
| 10 | COAD_RNASeq2Gene-20160128                    | 53.6 Mb       |
| 11 | COAD_RNASeq2GeneNorm_illumina-20160128       | 32.5 Mb       |
| 12 | COAD_RNASeq2GeneNorm_illumina-hiseq-20160128 | 53.6 Mb       |
| 13 | COAD_RNASeqGene-20160128                     | 4.1 Mb        |
| 14 | COAD_RPPAArray-20160128                      | 0.7 Mb        |
| 15 | COAD_Methylation_methyl27-20160128           | 4.9 Mb        |
| 16 | COAD_Methylation_methyl450-20160128          | 75 Mb         |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 31.00 | 58.00   | 68.00  | 66.95 | 77.00   | 90.00 | 2    |

tumor\_tissue\_site:

colon NA's

|     |   |
|-----|---|
| 456 | 1 |
|-----|---|

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1998 | 2007    | 2009   | 2008 | 2010    | 2013 |

radiation\_therapy:

no yes NA's

|     |   |    |
|-----|---|----|
| 378 | 9 | 70 |
|-----|---|----|

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 0.000  | 2.058 | 2.000   | 50.000 | 25   |

race:

|                                  |     |                        |     |
|----------------------------------|-----|------------------------|-----|
| american indian or alaska native | 1   | asian                  | 11  |
| black or african american        | 59  | white                  | 213 |
| NA's                             | 173 |                        |     |
| ethnicity:                       |     |                        |     |
| hispanic or latino               | 4   | not hispanic or latino | 270 |
|                                  |     | NA's                   | 183 |

Including an additional 2604 columns

COAD-v2.1.0

*Colon adenocarcinoma*

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( COAD )
ExperimentList class object of length 17:
 [1] COAD_CNASeq-20160128: RaggedExperiment with 40530 rows and 136 columns
 [2] COAD_CNASNP-20160128: RaggedExperiment with 459490 rows and 914 columns
 [3] COAD_CNVSNP-20160128: RaggedExperiment with 90534 rows and 914 columns
 [4] COAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 449 columns
 [5] COAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 66 rows and 449 columns
 [6] COAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 449 columns
 [7] COAD_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 172 columns
 [8] COAD_Mutation-20160128: RaggedExperiment with 62530 rows and 154 columns
 [9] COAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 326 columns
[10] COAD_RNASeq2GeneNorm_illumina-20160128: SummarizedExperiment with 20501 rows and 191 columns
[11] COAD_RNASeq2GeneNorm_illumina-hiseq-20160128: SummarizedExperiment with 20501 rows and 326 columns
[12] COAD_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 10 columns
[13] COAD_RPPAArray-20160128: SummarizedExperiment with 208 rows and 360 columns
[14] COAD_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 221 columns
[15] COAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18025 rows and 498 columns
[16] COAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 202 columns
[17] COAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 333 columns

> rownames( COAD )
CharacterList of length 17
[["COAD_CNASeq-20160128"]] character(0)
[["COAD_CNASNP-20160128"]] character(0)
[["COAD_CNVSNP-20160128"]] character(0)
[["COAD_GISTIC_AllByGene-20160128"]] character(0)
[["COAD_GISTIC_Peaks-20160128"]] 23 24 25 26 27 1 28 ... 18 19 20 21 22 65 66
[["COAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["COAD_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
```

```

[["COAD_Mutation-20160128"]] character(0)
[["COAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["COAD_RNASeq2GeneNorm_illumina-20160128"]] A1BG A1CF ... psiTPTE22 tAKR
...
<7 more elements>

> colnames( COAD )
CharacterList of length 17
[["COAD_CNASeq-20160128"]] TCGA-A6-2671-01A-01D-1405-02 ...
[["COAD_CNASNP-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_CNVSNP-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_AllByGene-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_Peaks-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-3L-AA1B-01A-11D-A36W-01 ...
[["COAD_mRNAArray-20160128"]] TCGA-A6-2671-11A-01R-1758-07 ...
[["COAD_Mutation-20160128"]] TCGA-A6-2672-01A-01W-0833-10 ...
[["COAD_RNASeq2Gene-20160128"]] TCGA-3L-AA1B-01A-11R-A37K-07 ...
[["COAD_RNASeq2GeneNorm_illumina-20160128"]] TCGA-A6-2671-01A-01R-1410-07...
...
<7 more elements>

```

Sizes of each ExperimentList element:

|    |                                              | assay size.Mb |
|----|----------------------------------------------|---------------|
| 1  | COAD_CNASeq-20160128                         | 1.1 Mb        |
| 2  | COAD_CNASNP-20160128                         | 12.5 Mb       |
| 3  | COAD_CNVSNP-20160128                         | 2.7 Mb        |
| 4  | COAD_GISTIC_AllByGene-20160128               | 88.5 Mb       |
| 5  | COAD_GISTIC_Peaks-20160128                   | 0.4 Mb        |
| 6  | COAD_GISTIC_ThresholdedByGene-20160128       | 88.3 Mb       |
| 7  | COAD_mRNAArray-20160128                      | 25.6 Mb       |
| 8  | COAD_Mutation-20160128                       | 23.6 Mb       |
| 9  | COAD_RNASeq2Gene-20160128                    | 53.6 Mb       |
| 10 | COAD_RNASeq2GeneNorm_illumina-20160128       | 32.5 Mb       |
| 11 | COAD_RNASeq2GeneNorm_illumina-hiseq-20160128 | 53.6 Mb       |
| 12 | COAD_RNASeqGene-20160128                     | 4.1 Mb        |
| 13 | COAD_RPPAArray-20160128                      | 0.7 Mb        |
| 14 | COAD_miRNASeqGene-20160128                   | 1.3 Mb        |
| 15 | COAD_RNASeq2GeneNorm-20160128                | 70.8 Mb       |
| 16 | COAD_Methylation_methyl27-20160128           | 4.9 Mb        |
| 17 | COAD_Methylation_methyl450-20160128          | 75 Mb         |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 31.00 | 58.00   | 68.00  | 66.95 | 77.00   | 90.00 | 2    |

tumor\_tissue\_site:

```
colon NA's
456    1
```

```
date_of_initial_pathologic_diagnosis:
  Min. 1st Qu. Median      Mean 3rd Qu.      Max.
  1998   2007   2009   2008   2010   2013
```

```
radiation_therapy:
  no  yes NA's
378   9   70
```

```
number_of_lymph_nodes:
  Min. 1st Qu. Median      Mean 3rd Qu.      Max.      NA's
  0.000  0.000  0.000  2.058  2.000  50.000        25
```

```
race:
american indian or alaska native          asian
                                1              11
      black or african american          white
                                59             213
                                NA's
                                173
```

```
ethnicity:
  hispanic or latino not hispanic or latino      NA's
                                4              270      183
```

Including an additional 2604 columns

---

curatedTCGAData

*Create a MultiAssayExperiment from specific assays and cohorts*

---

## Description

curatedTCGAData assembles data on-the-fly from ExperimentHub to provide cohesive [MultiAssayExperiment](#) container objects. All the user has to do is to provide TCGA disease code(s) and assay types. It is highly recommended to use the companion package TCGAutils, developed to work with TCGA data specifically from curatedTCGAData and some flat files.

## Usage

```
curatedTCGAData(
  diseaseCode = "*",
  assays = "*",
  version,
  dry.run = TRUE,
  verbose = TRUE,
```

```
    ...  
  )
```

### Arguments

|             |                                                                                                                                                                                                                                                             |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| diseaseCode | character() A vector of TCGA cancer cohort codes (e.g., COAD)                                                                                                                                                                                               |
| assays      | character() A vector of TCGA assays, glob matches allowed; see below for more details                                                                                                                                                                       |
| version     | character(1) One of 1.1.38, 2.0.1, 2.1.0, or 2.1.1 indicating the data version to obtain from ExperimentHub. Version 2.1.1 includes various improvements as well as the addition of the RNASeq2Gene assay and subtype updates. See version section details. |
| dry.run     | logical(1) Whether to return the dataset names before actual download (default TRUE)                                                                                                                                                                        |
| verbose     | logical(1) Whether to show the dataset currently being (down)loaded (default TRUE)                                                                                                                                                                          |
| ...         | Additional arguments passed on to the <a href="#">ExperimentHub</a> constructor                                                                                                                                                                             |

### Details

This function will check against available resources in ExperimentHub. Only the latest runDate ("2016-01-28") is supported. Use the `dry.run = FALSE` to download remote datasets and build an integrative [MultiAssayExperiment](#) object. For a list of 'diseaseCodes', see the [curatedTCGAData-package](#) help page.

### Value

a [MultiAssayExperiment](#) of the specified assays and cancer codes or informative data.frame of resources when `dry.run` is TRUE

### Available Assays

Below is a list of partial ExperimentList assay names and their respective description. These assays can be entered as part of the assays argument in the main function. Partial glob matches are allowed such as: 'CN\*' for "CNASeq", "CNASNP", "CNVSNP" assays. Credit: Ludwig G.

| ExperimentList data types | Description                                                        |
|---------------------------|--------------------------------------------------------------------|
| -----                     |                                                                    |
| SummarizedExperiment*     |                                                                    |
| RNASeqGene                | Gene expression values                                             |
| RNASeq2Gene               | RSEM TPM gene expression values                                    |
| RNASeq2GeneNorm           | Upper quartile log2 normalized RSEM TPM gene expression values     |
| miRNAArray                | Probe-level miRNA expression values                                |
| miRNASeqGene              | Gene-level log2 RPM miRNA expression values                        |
| mRNAArray                 | Unified gene-level mRNA expression values                          |
| mRNAArray_huex            | Gene-level mRNA expression values from Affymetrix Human Exon Array |
| mRNAArray_TX_g4502a       | Gene-level mRNA expression values from Agilent 244K Array          |
| mRNAArray_TX_ht_hg_u133a  | Gene-level mRNA expression values from Affymetrix                  |

|                                                                                        |                                                                                  |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
|                                                                                        | Human Genome U133 Array                                                          |
| GISTIC_AllByGene                                                                       | Gene-level GISTIC2 copy number values                                            |
| GISTIC_ThresholdedByGene                                                               | Gene-level GISTIC2 thresholded discrete copy number values                       |
| RPPAArray                                                                              | Reverse Phase Protein Array normalized protein expression values                 |
| RangedSummarizedExperiment                                                             |                                                                                  |
| GISTIC_Peaks                                                                           | GISTIC2 thresholded discrete copy number values in recurrent peak regions        |
| SummarizedExperiment with HDF5Array DelayedMatrix                                      |                                                                                  |
| Methylation_methyl27                                                                   | Probe-level methylation beta values from Illumina HumanMethylation 27K BeadChip  |
| Methylation_methyl450                                                                  | Probe-level methylation beta values from Infinium HumanMethylation 450K BeadChip |
| RaggedExperiment                                                                       |                                                                                  |
| CNASNP                                                                                 | Segmented somatic Copy Number Alteration calls from SNP array                    |
| CNVSNP                                                                                 | Segmented germline Copy Number Variant calls from SNP Array                      |
| CNASeq                                                                                 | Segmented somatic Copy Number Alteration calls from low pass DNA Sequencing      |
| Mutation*                                                                              | Somatic mutations calls                                                          |
| CNACGH_CGH_hg_244a                                                                     | Segmented somatic Copy Number Alteration calls from CGH Agilent Microarray 244A  |
| CNACGH_CGH_hg_415k_g4124a                                                              | Segmented somatic Copy Number Alteration calls from CGH Agilent Microarray 415K  |
| * All can be converted to RangedSummarizedExperiment (except RPPAArray) with TCGAutils |                                                                                  |

## version

Version 2.1.1 provides a couple of corrections to the colData for ovarian cancer (OV) and skin cancer (SKCM). In these new data, the cancer subtype variables are fully available. One get obtain the mapping of columns to subtypes in the colData with the getSubtypeMap function in TCGAutils.

Version 2.1.0 provides gene-level log2 RPM miRNA expression values for miRNASeqGene data log2 normalized RSEM for RNASeq2GeneNorm assays. Previously, the data provided were read counts and normalized counts, respectively. See issue [#53 on GitHub](#) for additional details.

The new version 2.0.1 includes various improvements including an additional assay that provides RNASeq2Gene data as RSEM TPM gene expression values (issue #38). Additional changes include genomic information for RaggedExperiment type data objects where '37' is now 'GRCh37' as reported in issue #40. Datasets (e.g., OV, GBM) that contain multiple assays that could be merged are now provided as merged assays (issue #27). We corrected an issue where mRNAArray assays were returning DataFrames instead of matrix type data (issue #31). Version 1.1.38 provides the original run of curatedTCGAData and is provided due to legacy reasons.

## See Also

curatedTCGAData-package

## Examples

```
curatedTCGAData(
```

```
diseaseCode = c("GBM", "ACC"), assays = "CNASNP", version = "2.0.1"
)

curatedTCGAData("BRCA", "GISTIC*", "2.0.1")
```

DLBC

*Lymphoid Neoplasm Diffuse Large B-cell Lymphoma*

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( DLBC )
ExperimentList class object of length 10:
 [1] DLBC_CNASNP-20160128: RaggedExperiment with 44725 rows and 94 columns
 [2] DLBC_CNVSNP-20160128: RaggedExperiment with 9343 rows and 94 columns
 [3] DLBC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 48 columns
 [4] DLBC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 39 rows and 48 columns
 [5] DLBC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 48 columns
 [6] DLBC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 47 columns
 [7] DLBC_Mutation-20160128: RaggedExperiment with 16918 rows and 48 columns
 [8] DLBC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 48 columns
 [9] DLBC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 33 columns
[10] DLBC_Methylation-20160128: SummarizedExperiment with 485577 rows and 48 columns

> rownames( DLBC )
CharacterList of length 10
[["DLBC_CNASNP-20160128"]] character(0)
[["DLBC_CNVSNP-20160128"]] character(0)
[["DLBC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["DLBC_GISTIC_Peaks-20160128"]] chr1:1-48649489 ... chr22:41635693-51304566
[["DLBC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["DLBC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["DLBC_Mutation-20160128"]] character(0)
[["DLBC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["DLBC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["DLBC_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( DLBC )
CharacterList of length 10
[["DLBC_CNASNP-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_CNVSNP-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_AllByGene-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_Peaks-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_ThresholdedByGene-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_miRNASeqGene-20160128"]] TCGA-FA-8693-01A-11R-2401-13 ...
[["DLBC_Mutation-20160128"]] TCGA-FA-8693-01A-11D-2397-10 ...
[["DLBC_RNASeq2GeneNorm-20160128"]] TCGA-FA-8693-01A-11R-2404-07 ...
```

```

[["DLBC_RPPAArray-20160128"]] TCGA-FA-8693-01A-21-A45K-20 ...
[["DLBC_Methylation-20160128"]] TCGA-FA-8693-01A-11D-2399-05 ...

```

Sizes of each ExperimentList element:

|    |                                        | assay | size.Mb |
|----|----------------------------------------|-------|---------|
| 1  | DLBC_CNASNP-20160128                   |       | 1.2 Mb  |
| 2  | DLBC_CNVSNP-20160128                   |       | 0.3 Mb  |
| 3  | DLBC_GISTIC_AllByGene-20160128         |       | 4.9 Mb  |
| 4  | DLBC_GISTIC_Peaks-20160128             |       | 0 Mb    |
| 5  | DLBC_GISTIC_ThresholdedByGene-20160128 |       | 4.9 Mb  |
| 6  | DLBC_miRNASeqGene-20160128             |       | 0.1 Mb  |
| 7  | DLBC_Mutation-20160128                 |       | 12.6 Mb |
| 8  | DLBC_RNASeq2GeneNorm-20160128          |       | 1.3 Mb  |
| 9  | DLBC_RPPAArray-20160128                |       | 0 Mb    |
| 10 | DLBC_Methylation-20160128              |       | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

39 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
9.000 9.000 1.630 0.858 NA

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 23.00 | 46.00   | 57.50  | 56.27 | 67.00   | 82.00 |

vital\_status:

```

0 1
39 9

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 58   | 313     | 595    | 1505 | 1252    | 6425 | 39   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 616     | 946    | 1328 | 1581    | 5980 | 9    |

gender:

```

female male

```

26 22

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1987 | 2009    | 2011   | 2009 | 2012    | 2013 |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 40 | 7   | 1    |

histological\_type:

|                                                                                   |    |
|-----------------------------------------------------------------------------------|----|
| diffuse large b-cell lymphoma (dlbcl) nos (any anatomic site nodal or extranodal) | 41 |
| primary dlbcl of the cns                                                          | 3  |
| primary mediastinal (thymic) dlbcl                                                | 4  |

race:

|                                 |       |
|---------------------------------|-------|
| asian black or african american | white |
| 18                              | 1     |
|                                 | 29    |

ethnicity:

|                    |                        |
|--------------------|------------------------|
| hispanic or latino | not hispanic or latino |
| 12                 | 36                     |

Including an additional 607 columns

## See Also

[DLBC-v2.0.1](#)

---

DLBC-v2.0.1

*Lymphoid Neoplasm Diffuse Large B-cell Lymphoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( DLBC )
```

ExperimentList class object of length 11:

```
[1] DLBC_CNASNP-20160128: RaggedExperiment with 44725 rows and 94 columns
[2] DLBC_CNVSNP-20160128: RaggedExperiment with 9343 rows and 94 columns
[3] DLBC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 48 columns
[4] DLBC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 39 rows and 48 columns
[5] DLBC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 48 columns
[6] DLBC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 47 columns
[7] DLBC_Mutation-20160128: RaggedExperiment with 16918 rows and 48 columns
[8] DLBC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 48 columns
```

```
[9] DLBC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 48 columns
[10] DLBC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 33 columns
[11] DLBC_Methylation-20160128: SummarizedExperiment with 485577 rows and 48 columns
```

```
> rownames( DLBC )
CharacterList of length 11
[["DLBC_CNASNP-20160128"]] character(0)
[["DLBC_CNVSNP-20160128"]] character(0)
[["DLBC_GISTIC_AllByGene-20160128"]] character(0)
[["DLBC_GISTIC_Peaks-20160128"]] 15 17 16 1 2 18 19 ... 36 37 12 38 39 13 40
[["DLBC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["DLBC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["DLBC_Mutation-20160128"]] character(0)
[["DLBC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["DLBC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["DLBC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>
```

```
> colnames( DLBC )
CharacterList of length 11
[["DLBC_CNASNP-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_CNVSNP-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_AllByGene-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_Peaks-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_ThresholdedByGene-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_miRNASeqGene-20160128"]] TCGA-FA-8693-01A-11R-2401-13 ...
[["DLBC_Mutation-20160128"]] TCGA-FA-8693-01A-11D-2397-10 ...
[["DLBC_RNASeq2Gene-20160128"]] TCGA-FA-8693-01A-11R-2404-07 ...
[["DLBC_RNASeq2GeneNorm-20160128"]] TCGA-FA-8693-01A-11R-2404-07 ...
[["DLBC_RPPAArray-20160128"]] TCGA-FA-8693-01A-21-A45K-20 ...
...
<1 more element>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | DLBC_CNASNP-20160128                   | 1.2 Mb        |
| 2  | DLBC_CNVSNP-20160128                   | 0.3 Mb        |
| 3  | DLBC_GISTIC_AllByGene-20160128         | 12.5 Mb       |
| 4  | DLBC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | DLBC_GISTIC_ThresholdedByGene-20160128 | 12.4 Mb       |
| 6  | DLBC_miRNASeqGene-20160128             | 0.5 Mb        |
| 7  | DLBC_Mutation-20160128                 | 12.6 Mb       |
| 8  | DLBC_RNASeq2Gene-20160128              | 10.1 Mb       |
| 9  | DLBC_RNASeq2GeneNorm-20160128          | 10.1 Mb       |
| 10 | DLBC_RPPAArray-20160128                | 0.1 Mb        |
| 11 | DLBC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

39 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 9.000 | 9.000  | 1.630  | 0.858   | NA      |

```
-----
Available sample meta-data:
-----
```

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 23.00 | 46.00   | 57.50  | 56.27 | 67.00   | 82.00 |

vital\_status:

| 0  | 1 |
|----|---|
| 39 | 9 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 58   | 313     | 595    | 1505 | 1252    | 6425 | 39   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 616     | 946    | 1328 | 1581    | 5980 | 9    |

gender:

| female | male |
|--------|------|
| 26     | 22   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1987 | 2009    | 2011   | 2009 | 2012    | 2013 |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 40 | 7   | 1    |

histological\_type:

|                                                                                   |    |
|-----------------------------------------------------------------------------------|----|
| diffuse large b-cell lymphoma (dlbcl) nos (any anatomic site nodal or extranodal) | 41 |
| primary dlbcl of the cns                                                          | 3  |
| primary mediastinal (thymic) dlbcl                                                | 4  |

race:

|                                 |       |
|---------------------------------|-------|
| asian black or african american | white |
|---------------------------------|-------|

18

1

29

ethnicity:

hispanic or latino not hispanic or latino

12

36

Including an additional 607 columns

DLBC-v2.1.0

*Lymphoid Neoplasm Diffuse Large B-cell Lymphoma***Description**

A document describing the TCGA cancer code

**Details**

```

> experiments( DLBC )
ExperimentList class object of length 11:
 [1] DLBC_CNASNP-20160128: RaggedExperiment with 44725 rows and 94 columns
 [2] DLBC_CNVSNP-20160128: RaggedExperiment with 9343 rows and 94 columns
 [3] DLBC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 48 columns
 [4] DLBC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 39 rows and 48 columns
 [5] DLBC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 48 columns
 [6] DLBC_Mutation-20160128: RaggedExperiment with 16918 rows and 48 columns
 [7] DLBC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 48 columns
 [8] DLBC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 33 columns
 [9] DLBC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 47 columns
[10] DLBC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 17665 rows and 48 columns
[11] DLBC_Methylation-20160128: SummarizedExperiment with 485577 rows and 48 columns

> rownames( DLBC )
CharacterList of length 11
[["DLBC_CNASNP-20160128"]] character(0)
[["DLBC_CNVSNP-20160128"]] character(0)
[["DLBC_GISTIC_AllByGene-20160128"]] character(0)
[["DLBC_GISTIC_Peaks-20160128"]] 15 17 16 1 2 18 19 ... 36 37 12 38 39 13 40
[["DLBC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["DLBC_Mutation-20160128"]] character(0)
[["DLBC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["DLBC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["DLBC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["DLBC_RNASeq2GeneNorm-20160128"]] A1BG A2LD1 A2ML1 ... ZZE1 ZZZ3 psiTPTE22
...
<1 more element>

> colnames( DLBC )
CharacterList of length 11
[["DLBC_CNASNP-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_CNVSNP-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_AllByGene-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...

```

```

[["DLBC_GISTIC_Peaks-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_GISTIC_ThresholdedByGene-20160128"]] TCGA-FA-8693-01A-11D-2389-01 ...
[["DLBC_Mutation-20160128"]] TCGA-FA-8693-01A-11D-2397-10 ...
[["DLBC_RNASeq2Gene-20160128"]] TCGA-FA-8693-01A-11R-2404-07 ...
[["DLBC_RPPAArray-20160128"]] TCGA-FA-8693-01A-21-A45K-20 ...
[["DLBC_miRNASeqGene-20160128"]] TCGA-FA-8693-01A-11R-2401-13 ...
[["DLBC_RNASeq2GeneNorm-20160128"]] TCGA-FA-8693-01 ... TCGA-VB-A8QN-01
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | DLBC_CNASNP-20160128                   | 1.2 Mb        |
| 2  | DLBC_CNVSNP-20160128                   | 0.3 Mb        |
| 3  | DLBC_GISTIC_AllByGene-20160128         | 12.5 Mb       |
| 4  | DLBC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | DLBC_GISTIC_ThresholdedByGene-20160128 | 12.4 Mb       |
| 6  | DLBC_Mutation-20160128                 | 12.6 Mb       |
| 7  | DLBC_RNASeq2Gene-20160128              | 10.1 Mb       |
| 8  | DLBC_RPPAArray-20160128                | 0.1 Mb        |
| 9  | DLBC_miRNASeqGene-20160128             | 0.5 Mb        |
| 10 | DLBC_RNASeq2GeneNorm-20160128          | 8.7 Mb        |
| 11 | DLBC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

39 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 9      9  1.63  0.858      NA

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 23.00 | 46.00   | 57.50  | 56.27 | 67.00   | 82.00 |

vital\_status:

```

0 1
39 9

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 58   | 313     | 595    | 1505 | 1252    | 6425 | 39   |

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
    0     616     946    1328    1581    5980     9

gender:
female  male
   26    22

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
 1987    2009    2011    2009    2012    2013

radiation_therapy:
no  yes NA's
40   7   1

histological_type:
diffuse large b-cell lymphoma (dlbcl) nos (any anatomic site nodal or extranodal)
                                                                                     41
                                                                 primary dlbcl of the cns
                                                                                                     3
                                                                 primary mediastinal (thymic) dlbcl
                                                                                                     4

race:
                                asian black or african american                                white
                                18                                1                                29

ethnicity:
  hispanic or latino not hispanic or latino
                                12                                36

Including an additional 607 columns

```

---

ESCA

*Esophageal carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( ESCA )
ExperimentList class object of length 12:
 [1] ESCA_CNASeq-20160128: RaggedExperiment with 17059 rows and 104 columns
 [2] ESCA_CNASNP-20160128: RaggedExperiment with 203186 rows and 373 columns
 [3] ESCA_CNVSNP-20160128: RaggedExperiment with 60803 rows and 373 columns
 [4] ESCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns

```

```
[5] ESCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 77 rows and 184 columns
[6] ESCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
[7] ESCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 198 columns
[8] ESCA_Mutation-20160128: RaggedExperiment with 58602 rows and 185 columns
[9] ESCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 196 columns
[10] ESCA_RNASeqGene-20160128: SummarizedExperiment with 26120 rows and 198 columns
[11] ESCA_RPPAArray-20160128: SummarizedExperiment with 192 rows and 126 columns
[12] ESCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 202 columns
```

```
> rownames( ESCA )
CharacterList of length 12
[["ESCA_CNASeq-20160128"]] character(0)
[["ESCA_CNASNP-20160128"]] character(0)
[["ESCA_CNVSNP-20160128"]] character(0)
[["ESCA_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["ESCA_GISTIC_Peaks-20160128"]] chr1:23960869-31653987 ... chr22:1-18218209
[["ESCA_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["ESCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["ESCA_Mutation-20160128"]] character(0)
[["ESCA_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["ESCA_RNASeqGene-20160128"]] AADACL3 AADACL4 AB007962 ... VCY XKRY ZFY
...
<2 more elements>
```

```
> colnames( ESCA )
CharacterList of length 12
[["ESCA_CNASeq-20160128"]] TCGA-IG-A3I8-01A-11D-A248-26 ...
[["ESCA_CNASNP-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_CNVSNP-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_GISTIC_AllByGene-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_GISTIC_Peaks-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_miRNASeqGene-20160128"]] TCGA-2H-A9GF-01A-11R-A37J-13 ...
[["ESCA_Mutation-20160128"]] TCGA-2H-A9GF-01A-11D-A37C-09 ...
[["ESCA_RNASeq2GeneNorm-20160128"]] TCGA-2H-A9GF-01A-11R-A37I-31 ...
[["ESCA_RNASeqGene-20160128"]] TCGA-2H-A9GF-01A-11R-A37I-31 ...
...
<2 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | ESCA_CNASeq-20160128                   | 0.5 Mb        |
| 2  | ESCA_CNASNP-20160128                   | 5.5 Mb        |
| 3  | ESCA_CNVSNP-20160128                   | 1.7 Mb        |
| 4  | ESCA_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | ESCA_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | ESCA_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | ESCA_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | ESCA_Mutation-20160128                 | 45 Mb         |
| 9  | ESCA_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 10 | ESCA_RNASeqGene-20160128               | 1.7 Mb        |

```

11          ESCA_RPPAArray-20160128      0 Mb
12          ESCA_Methylation-20160128    75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

    108 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
77.000  77.000   0.962   0.677   1.353

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
 27.00  54.00  61.00  62.46  72.00  90.00

```

```

vital_status:
  0    1
108  77

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   9.0  180.0  351.0  495.2  650.0 2532.0    108

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   4.0  336.5  402.5  570.1  696.8 3714.0    77

```

```

tumor_tissue_site:
esophagus
    185

```

```

pathology_M_stage:
  m0  m1  m1a  mx NA's
136   4   5  18  22

```

```

gender:
female  male
   27   158

```

```

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's

```

```

1998    2007    2011    2009    2012    2013    7

radiation_therapy:
  no  yes NA's
124  43   18

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
20.00  60.00   80.00   73.82  90.00  100.00   117

histological_type:
  esophagus adenocarcinoma, nos esophagus squamous cell carcinoma
                                89                                96

number_pack_years_smoked:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  1.00   17.62   30.00   34.48  47.25  102.00    87

residual_tumor:
  r0  r1  r2  rx NA's
137  13   2   7  26

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.000   0.000   1.000   2.526   4.000  21.000    50

race:
                                asian black or african american
                                46                                5
                                NA's
                                20
                                white
                                114

ethnicity:
  hispanic or latino not hispanic or latino
                                6                                88
                                NA's
                                91

```

Including an additional 940 columns

## See Also

[ESCA-v2.0.1](#)

---

ESCA-v2.0.1

*Esophageal carcinoma*

---

## Description

A document describing the TCGA cancer code



```

3          ESCA_CNVSNP-20160128  1.7 Mb
4      ESCA_GISTIC_AllByGene-20160128 38.3 Mb
5          ESCA_GISTIC_Peaks-20160128  0.2 Mb
6  ESCA_GISTIC_ThresholdedByGene-20160128 38.1 Mb
7          ESCA_miRNASeqGene-20160128  1.8 Mb
8          ESCA_Mutation-20160128    45 Mb
9          ESCA_RNASeq2Gene-20160128 33.2 Mb
10         ESCA_RNASeq2GeneNorm-20160128 33.2 Mb
11         ESCA_RNASeqGene-20160128 42.8 Mb
12         ESCA_RPPAArray-20160128  0.2 Mb
13         ESCA_Methylation-20160128   75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

108 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
77.000  77.000   0.962   0.677   1.353

```

```

-----
Available sample meta-data:
-----

```

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 27.00 | 54.00   | 61.00  | 62.46 | 72.00   | 90.00 |

vital\_status:

| 0   | 1  |
|-----|----|
| 108 | 77 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 180.0   | 351.0  | 495.2 | 650.0   | 2532.0 | 108  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 336.5   | 402.5  | 570.1 | 696.8   | 3714.0 | 77   |

tumor\_tissue\_site:

|           |
|-----------|
| esophagus |
| 185       |

pathology\_M\_stage:

|     |    |     |    |      |
|-----|----|-----|----|------|
| m0  | m1 | m1a | mx | NA's |
| 136 | 4  | 5   | 18 | 22   |

gender:

|        |      |
|--------|------|
| female | male |
| 27     | 158  |

date\_of\_initial\_pathologic\_diagnosis:

|      |         |        |      |         |      |      |
|------|---------|--------|------|---------|------|------|
| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
| 1998 | 2007    | 2011   | 2009 | 2012    | 2013 | 7    |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 124 | 43  | 18   |

karnofsky\_performance\_score:

|       |         |        |       |         |        |      |
|-------|---------|--------|-------|---------|--------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 20.00 | 60.00   | 80.00  | 73.82 | 90.00   | 100.00 | 117  |

histological\_type:

|                               |                                   |
|-------------------------------|-----------------------------------|
| esophagus adenocarcinoma, nos | esophagus squamous cell carcinoma |
| 89                            | 96                                |

number\_pack\_years\_smoked:

|      |         |        |       |         |        |      |
|------|---------|--------|-------|---------|--------|------|
| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 1.00 | 17.62   | 30.00  | 34.48 | 47.25   | 102.00 | 87   |

residual\_tumor:

|     |    |    |    |      |
|-----|----|----|----|------|
| r0  | r1 | r2 | rx | NA's |
| 137 | 13 | 2  | 7  | 26   |

number\_of\_lymph\_nodes:

|       |         |        |       |         |        |      |
|-------|---------|--------|-------|---------|--------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 0.000 | 0.000   | 1.000  | 2.526 | 4.000   | 21.000 | 50   |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 46    | 5                         | 114   |
| NA's  |                           |       |
| 20    |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 6                  | 88                     | 91   |

Including an additional 940 columns

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( ESCA )
ExperimentList class object of length 13:
 [1] ESCA_CNASeq-20160128: RaggedExperiment with 17059 rows and 104 columns
 [2] ESCA_CNASNP-20160128: RaggedExperiment with 203186 rows and 373 columns
 [3] ESCA_CNVSNP-20160128: RaggedExperiment with 60803 rows and 373 columns
 [4] ESCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [5] ESCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 77 rows and 184 columns
 [6] ESCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [7] ESCA_Mutation-20160128: RaggedExperiment with 58602 rows and 185 columns
 [8] ESCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 196 columns
 [9] ESCA_RNASeqGene-20160128: SummarizedExperiment with 26120 rows and 198 columns
[10] ESCA_RPPAArray-20160128: SummarizedExperiment with 192 rows and 126 columns
[11] ESCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 198 columns
[12] ESCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18730 rows and 196 columns
[13] ESCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 202 columns

> rownames( ESCA )
CharacterList of length 13
[["ESCA_CNASeq-20160128"]] character(0)
[["ESCA_CNASNP-20160128"]] character(0)
[["ESCA_CNVSNP-20160128"]] character(0)
[["ESCA_GISTIC_AllByGene-20160128"]] character(0)
[["ESCA_GISTIC_Peaks-20160128"]] 31 1 32 2 3 33 4 34 ... 73 74 29 75 76 77 78
[["ESCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["ESCA_Mutation-20160128"]] character(0)
[["ESCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["ESCA_RNASeqGene-20160128"]] AADACL3 AADACL4 AB007962 ... VCY XKRY ZFY
[["ESCA_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<3 more elements>

> colnames( ESCA )
CharacterList of length 13
[["ESCA_CNASeq-20160128"]] TCGA-IG-A3I8-01A-11D-A248-26 ...
[["ESCA_CNASNP-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_CNVSNP-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_GISTIC_AllByGene-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_GISTIC_Peaks-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-2H-A9GF-01A-11D-A37B-01 ...
[["ESCA_Mutation-20160128"]] TCGA-2H-A9GF-01A-11D-A37C-09 ...
[["ESCA_RNASeq2Gene-20160128"]] TCGA-2H-A9GF-01A-11R-A37I-31 ...
[["ESCA_RNASeqGene-20160128"]] TCGA-2H-A9GF-01A-11R-A37I-31 ...
[["ESCA_RPPAArray-20160128"]] TCGA-2H-A9GF-01A-21-A41Y-20 ...
...
<3 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay                | size.Mb |
|----|----------------------------------------|----------------------|---------|
| 1  |                                        | ESCA_CNASeq-20160128 | 0.5 Mb  |
| 2  |                                        | ESCA_CNASNP-20160128 | 5.5 Mb  |
| 3  |                                        | ESCA_CNVSNP-20160128 | 1.7 Mb  |
| 4  | ESCA_GISTIC_AllByGene-20160128         |                      | 38.3 Mb |
| 5  | ESCA_GISTIC_Peaks-20160128             |                      | 0.2 Mb  |
| 6  | ESCA_GISTIC_ThresholdedByGene-20160128 |                      | 38.1 Mb |
| 7  | ESCA_Mutation-20160128                 |                      | 45 Mb   |
| 8  | ESCA_RNASeq2Gene-20160128              |                      | 33.2 Mb |
| 9  | ESCA_RNASeqGene-20160128               |                      | 42.8 Mb |
| 10 | ESCA_RPPAArray-20160128                |                      | 0.2 Mb  |
| 11 | ESCA_miRNASeqGene-20160128             |                      | 1.8 Mb  |
| 12 | ESCA_RNASeq2GeneNorm-20160128          |                      | 30.4 Mb |
| 13 | ESCA_Methylation-20160128              |                      | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

108 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
[1,] 77 77 0.962 0.677 1.35

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 27.00 | 54.00   | 61.00  | 62.46 | 72.00   | 90.00 |

vital\_status:

| 0   | 1  |
|-----|----|
| 108 | 77 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 180.0   | 351.0  | 495.2 | 650.0   | 2532.0 | 108  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 336.5   | 402.5  | 570.1 | 696.8   | 3714.0 | 77   |

tumor\_tissue\_site:

esophagus  
185

## pathology\_M\_stage:

| m0  | m1 | m1a | mx | NA's |
|-----|----|-----|----|------|
| 136 | 4  | 5   | 18 | 22   |

## gender:

| female | male |
|--------|------|
| 27     | 158  |

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1998 | 2007    | 2011   | 2009 | 2012    | 2013 | 7    |

## radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 124 | 43  | 18   |

## karnofsky\_performance\_score:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 20.00 | 60.00   | 80.00  | 73.82 | 90.00   | 100.00 | 117  |

## histological\_type:

| esophagus adenocarcinoma, nos | esophagus squamous cell carcinoma |
|-------------------------------|-----------------------------------|
| 89                            | 96                                |

## number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 1.00 | 17.62   | 30.00  | 34.48 | 47.25   | 102.00 | 87   |

## residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 137 | 13 | 2  | 7  | 26   |

## number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 2.526 | 4.000   | 21.000 | 50   |

## race:

| asian | black or african american | white |
|-------|---------------------------|-------|
| 46    | 5                         | 114   |
| NA's  |                           |       |
| 20    |                           |       |

## ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 6                  | 88                     | 91   |

Including an additional 940 columns

GBM

*Glioblastoma multiforme***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( GBM )
ExperimentList class object of length 18:
[1] GBM_CNACGH_CGH_hg_244a-20160128: RaggedExperiment with 81512 rows and 438 columns
[2] GBM_CNACGH_CGH_hg_415k_g4124a-20160128: RaggedExperiment with 57975 rows and 338 columns
[3] GBM_CNASNP-20160128: RaggedExperiment with 602338 rows and 1104 columns
[4] GBM_CNVSNP-20160128: RaggedExperiment with 146852 rows and 1104 columns
[5] GBM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 577 columns
[6] GBM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 68 rows and 577 columns
[7] GBM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 577 columns
[8] GBM_miRNAArray-20160128: SummarizedExperiment with 534 rows and 565 columns
[9] GBM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 0 columns
[10] GBM_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 431 columns
[11] GBM_mRNAArray_TX_g4502a_1-20160128: SummarizedExperiment with 17814 rows and 401 columns
[12] GBM_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 101 columns
[13] GBM_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 528 columns
[14] GBM_Mutation-20160128: RaggedExperiment with 22073 rows and 290 columns
[15] GBM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 166 columns
[16] GBM_RPPAArray-20160128: SummarizedExperiment with 208 rows and 244 columns
[17] GBM_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 285 columns
[18] GBM_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 154 columns

> rownames( GBM )
CharacterList of length 18
[["GBM_CNACGH_CGH_hg_244a-20160128"]] character(0)
[["GBM_CNACGH_CGH_hg_415k_g4124a-20160128"]] character(0)
[["GBM_CNASNP-20160128"]] character(0)
[["GBM_CNVSNP-20160128"]] character(0)
[["GBM_GISTIC_AllByGene-20160128"]] ACAP3 ACTRT2 ... WASIR1|ENSG00000185203.7
[["GBM_GISTIC_Peaks-20160128"]] chr1:3394251-6475685 ...
[["GBM_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["GBM_miRNAArray-20160128"]] ebv-miR-BART1-3p ... kshv-miR-K12-9*
[["GBM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["GBM_mRNAArray_huex-20160128"]] C9orf152 ELM02 RPS11 ... SLC39A6 CTSC AQP7
...
<8 more elements>

> colnames( GBM )
CharacterList of length 18
[["GBM_CNACGH_CGH_hg_244a-20160128"]] TCGA-02-0001-01C-01D-0185-02 ...
[["GBM_CNACGH_CGH_hg_415k_g4124a-20160128"]] TCGA-02-2466-01A-01D-0787-02 ...
[["GBM_CNASNP-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_CNVSNP-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
```

```

[["GBM_GISTIC_AllByGene-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_Peaks-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_ThresholdedByGene-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_miRNAArray-20160128"]] TCGA-02-0001-01C-01T-0179-07 ...
[["GBM_miRNASeqGene-20160128"]] character(0)
[["GBM_mRNAArray_huex-20160128"]] TCGA-02-0001-01C-01R-0178-03 ...
...
<8 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | GBM_CNACGH_CGH_hg_244a-20160128        | 2.3 Mb        |
| 2  | GBM_CNACGH_CGH_hg_415k_g4124a-20160128 | 1.7 Mb        |
| 3  | GBM_CNASNP-20160128                    | 16.4 Mb       |
| 4  | GBM_CNVSNP-20160128                    | 4.2 Mb        |
| 5  | GBM_GISTIC_AllByGene-20160128          | 4.9 Mb        |
| 6  | GBM_GISTIC_Peaks-20160128              | 0.1 Mb        |
| 7  | GBM_GISTIC_ThresholdedByGene-20160128  | 4.9 Mb        |
| 8  | GBM_miRNAArray-20160128                | 0.1 Mb        |
| 9  | GBM_miRNASeqGene-20160128              | 0.1 Mb        |
| 10 | GBM_mRNAArray_huex-20160128            | 1.2 Mb        |
| 11 | GBM_mRNAArray_TX_g4502a_1-20160128     | 1.1 Mb        |
| 12 | GBM_mRNAArray_TX_g4502a-20160128       | 1.1 Mb        |
| 13 | GBM_mRNAArray_TX_ht_hg_u133a-20160128  | 0.8 Mb        |
| 14 | GBM_Mutation-20160128                  | 31 Mb         |
| 15 | GBM_RNASeq2GeneNorm-20160128           | 1.3 Mb        |
| 16 | GBM_RPPAArray-20160128                 | 0 Mb          |
| 17 | GBM_Methylation_methyl27-20160128      | 4.9 Mb        |
| 18 | GBM_Methylation_methyl450-20160128     | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

109 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
490.000 490.000  1.047   0.981   1.156

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 10.00  50.00   59.00   57.82  68.00   89.00     4

```

vital\_status:

```

    0    1 NA's
104 491    4

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   3.0   170.5   382.0   504.5   609.2  3881.0   109

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0   156.2   261.0   479.4   628.0  2818.0   497

tumor_tissue_site:
brain NA's
 595    4

gender:
female  male  NA's
  230   365    4

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 1989   2002   2006   2005   2009   2013    4

radiation_therapy:
no  yes NA's
 78 489  32

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.00   70.00   80.00   77.04   80.00  100.00   157

histological_type:
glioblastoma multiforme (gbm)          treated primary gbm
                                31                                20
untreated primary (de novo) gbm          NA's
                                544                                4

race:
                                asian black or african american          white
                                13                                51          506
                                NA's
                                29

ethnicity:
hispanic or latino not hispanic or latino          NA's
                                13                                489          97

```

Including an additional 4368 columns

### See Also

[GBM-v2.0.1](#)

GBM-v2.0.1

*Glioblastoma multiforme***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( GBM )
ExperimentList class object of length 18:
[1] GBM_CNACGH_CGH_hg_244a-20160128: RaggedExperiment with 81512 rows and 438 columns
[2] GBM_CNACGH_CGH_hg_415k_g4124a-20160128: RaggedExperiment with 57975 rows and 338 columns
[3] GBM_CNASNP-20160128: RaggedExperiment with 602338 rows and 1104 columns
[4] GBM_CNVSNP-20160128: RaggedExperiment with 146852 rows and 1104 columns
[5] GBM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 577 columns
[6] GBM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 68 rows and 577 columns
[7] GBM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 577 columns
[8] GBM_miRNAArray-20160128: SummarizedExperiment with 534 rows and 565 columns
[9] GBM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 0 columns
[10] GBM_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 431 columns
[11] GBM_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 502 columns
[12] GBM_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 528 columns
[13] GBM_Mutation-20160128: RaggedExperiment with 22073 rows and 290 columns
[14] GBM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 166 columns
[15] GBM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 166 columns
[16] GBM_RPPAArray-20160128: SummarizedExperiment with 208 rows and 244 columns
[17] GBM_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 285 columns
[18] GBM_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 154 columns

> rownames( GBM )
CharacterList of length 18
[["GBM_CNACGH_CGH_hg_244a-20160128"]] character(0)
[["GBM_CNACGH_CGH_hg_415k_g4124a-20160128"]] character(0)
[["GBM_CNASNP-20160128"]] character(0)
[["GBM_CNVSNP-20160128"]] character(0)
[["GBM_GISTIC_AllByGene-20160128"]] character(0)
[["GBM_GISTIC_Peaks-20160128"]] 25 26 1 27 28 2 29 3 ... 65 22 23 66 67 24 68
[["GBM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["GBM_miRNAArray-20160128"]] ebv-miR-BART1-3p ... kshv-miR-K12-9*
[["GBM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["GBM_mRNAArray_huex-20160128"]] C9orf152 ELM02 RPS11 ... SLC39A6 CTSC AQP7
...
<8 more elements>

> colnames( GBM )
CharacterList of length 18
[["GBM_CNACGH_CGH_hg_244a-20160128"]] TCGA-02-0001-01C-01D-0185-02 ...
[["GBM_CNACGH_CGH_hg_415k_g4124a-20160128"]] TCGA-02-2466-01A-01D-0787-02 ...
[["GBM_CNASNP-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_CNVSNP-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
```

```

[["GBM_GISTIC_AllByGene-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_Peaks-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_ThresholdedByGene-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_miRNAArray-20160128"]] TCGA-02-0001-01C-01T-0179-07 ...
[["GBM_miRNASeqGene-20160128"]] character(0)
[["GBM_mRNAArray_huex-20160128"]] TCGA-02-0001-01C-01R-0178-03 ...
...
<8 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | GBM_CNACGH_CGH_hg_244a-20160128        | 2.3 Mb   |
| 2  | GBM_CNACGH_CGH_hg_415k_g4124a-20160128 | 1.7 Mb   |
| 3  | GBM_CNASNP-20160128                    | 16.4 Mb  |
| 4  | GBM_CNVSNP-20160128                    | 4.2 Mb   |
| 5  | GBM_GISTIC_AllByGene-20160128          | 112.7 Mb |
| 6  | GBM_GISTIC_Peaks-20160128              | 0.5 Mb   |
| 7  | GBM_GISTIC_ThresholdedByGene-20160128  | 112.5 Mb |
| 8  | GBM_miRNAArray-20160128                | 2.5 Mb   |
| 9  | GBM_miRNASeqGene-20160128              | 0.2 Mb   |
| 10 | GBM_mRNAArray_huex-20160128            | 63.7 Mb  |
| 11 | GBM_mRNAArray_TX_g4502a-20160128       | 70.5 Mb  |
| 12 | GBM_mRNAArray_TX_ht_hg_u133a-20160128  | 50.1 Mb  |
| 13 | GBM_Mutation-20160128                  | 31 Mb    |
| 14 | GBM_RNASeq2Gene-20160128               | 28.5 Mb  |
| 15 | GBM_RNASeq2GeneNorm-20160128           | 28.5 Mb  |
| 16 | GBM_RPPAArray-20160128                 | 0.5 Mb   |
| 17 | GBM_Methylation_methyl27-20160128      | 4.9 Mb   |
| 18 | GBM_Methylation_methyl450-20160128     | 75 Mb    |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

109 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
490.000 490.000  1.047   0.981   1.156

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
 10.00   50.00   59.00   57.82  68.00   89.00     4

```

vital\_status:

```

0      1 NA's
104 491    4

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   3.0   170.5   382.0   504.5   609.2   3881.0   109

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0   156.2   261.0   479.4   628.0   2818.0   497

tumor_tissue_site:
brain NA's
 595    4

gender:
female  male  NA's
  230   365    4

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 1989   2002   2006   2005   2009   2013    4

radiation_therapy:
no  yes NA's
 78 489  32

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.00   70.00   80.00   77.04   80.00   100.00   157

histological_type:
glioblastoma multiforme (gbm)          treated primary gbm
                                31                                20
untreated primary (de novo) gbm          NA's
                                544                                4

race:
                                asian black or african american          white
                                13                                51          506
                                NA's
                                29

ethnicity:
hispanic or latino not hispanic or latino          NA's
                                13                                489          97

```

Including an additional 4368 columns

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( GBM )
ExperimentList class object of length 18:
[1] GBM_CNACGH_CGH_hg_244a-20160128: RaggedExperiment with 81512 rows and 438 columns
[2] GBM_CNACGH_CGH_hg_415k_g4124a-20160128: RaggedExperiment with 57975 rows and 338 columns
[3] GBM_CNASNP-20160128: RaggedExperiment with 602338 rows and 1104 columns
[4] GBM_CNVSNP-20160128: RaggedExperiment with 146852 rows and 1104 columns
[5] GBM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 577 columns
[6] GBM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 68 rows and 577 columns
[7] GBM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 577 columns
[8] GBM_miRNAArray-20160128: SummarizedExperiment with 534 rows and 565 columns
[9] GBM_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 431 columns
[10] GBM_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 502 columns
[11] GBM_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 528 columns
[12] GBM_Mutation-20160128: RaggedExperiment with 22073 rows and 290 columns
[13] GBM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 166 columns
[14] GBM_RPPAArray-20160128: SummarizedExperiment with 208 rows and 244 columns
[15] GBM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 0 columns
[16] GBM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18199 rows and 166 columns
[17] GBM_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 285 columns
[18] GBM_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 154 columns

> rownames( GBM )
CharacterList of length 18
[["GBM_CNACGH_CGH_hg_244a-20160128"]] character(0)
[["GBM_CNACGH_CGH_hg_415k_g4124a-20160128"]] character(0)
[["GBM_CNASNP-20160128"]] character(0)
[["GBM_CNVSNP-20160128"]] character(0)
[["GBM_GISTIC_AllByGene-20160128"]] character(0)
[["GBM_GISTIC_Peaks-20160128"]] 25 26 1 27 28 2 29 3 ... 65 22 23 66 67 24 68
[["GBM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["GBM_miRNAArray-20160128"]] ebv-miR-BART1-3p ... kshv-miR-K12-9*
[["GBM_mRNAArray_huex-20160128"]] C9orf152 ELM02 RPS11 ... SLC39A6 CTSC AQP7
[["GBM_mRNAArray_TX_g4502a-20160128"]] 15E1.2 2'-PDE ... tcag7.23 tcag7.350
...
<8 more elements>

> colnames( GBM )
CharacterList of length 18
[["GBM_CNACGH_CGH_hg_244a-20160128"]] TCGA-02-0001-01C-01D-0185-02 ...
[["GBM_CNACGH_CGH_hg_415k_g4124a-20160128"]] TCGA-02-2466-01A-01D-0787-02 ...
[["GBM_CNASNP-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_CNVSNP-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_AllByGene-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_Peaks-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_GISTIC_ThresholdedByGene-20160128"]] TCGA-02-0001-01C-01D-0182-01 ...
[["GBM_miRNAArray-20160128"]] TCGA-02-0001-01C-01T-0179-07 ...
[["GBM_mRNAArray_huex-20160128"]] TCGA-02-0001-01C-01R-0178-03 ...
```

```
[[ "GBM_mRNAArray_TX_g4502a-20160128" ]] TCGA-02-0001-01C-01R-0179-07 ...
...
<8 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | GBM_CNACGH_CGH_hg_244a-20160128        | 2.3 Mb   |
| 2  | GBM_CNACGH_CGH_hg_415k_g4124a-20160128 | 1.7 Mb   |
| 3  | GBM_CNASNP-20160128                    | 16.4 Mb  |
| 4  | GBM_CNVSNP-20160128                    | 4.2 Mb   |
| 5  | GBM_GISTIC_AllByGene-20160128          | 112.7 Mb |
| 6  | GBM_GISTIC_Peaks-20160128              | 0.5 Mb   |
| 7  | GBM_GISTIC_ThresholdedByGene-20160128  | 112.5 Mb |
| 8  | GBM_miRNAArray-20160128                | 2.5 Mb   |
| 9  | GBM_mRNAArray_huex-20160128            | 63.7 Mb  |
| 10 | GBM_mRNAArray_TX_g4502a-20160128       | 70.5 Mb  |
| 11 | GBM_mRNAArray_TX_ht_hg_u133a-20160128  | 50.1 Mb  |
| 12 | GBM_Mutation-20160128                  | 31 Mb    |
| 13 | GBM_RNASeq2Gene-20160128               | 28.5 Mb  |
| 14 | GBM_RPPAArray-20160128                 | 0.5 Mb   |
| 15 | GBM_miRNASeqGene-20160128              | 0.2 Mb   |
| 16 | GBM_RNASeq2GeneNorm-20160128           | 25.3 Mb  |
| 17 | GBM_Methylation_methyl27-20160128      | 4.9 Mb   |
| 18 | GBM_Methylation_methyl450-20160128     | 75 Mb    |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
109 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 490    490   1.05   0.981   1.16
```

-----  
Available sample meta-data:  
-----

```
years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 10.00  50.00   59.00   57.82  68.00   89.00     4
```

```
vital_status:
  0    1 NA's
104 491    4
```

```
days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
```

```

3.0    170.5    382.0    504.5    609.2    3881.0    109

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.0   156.2   261.0   479.4   628.0  2818.0   497

tumor_tissue_site:
brain NA's
 595    4

gender:
female  male  NA's
 230    365    4

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
 1989   2002   2006   2005   2009   2013    4

radiation_therapy:
no  yes NA's
78 489  32

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.00   70.00   80.00   77.04   80.00  100.00   157

histological_type:
glioblastoma multiforme (gbm)          treated primary gbm
                        31                      20
untreated primary (de novo) gbm          NA's
                        544                     4

race:
                        asian black or african american          white
                        13                      51                    506
                        NA's
                        29

ethnicity:
hispanic or latino not hispanic or latino          NA's
                        13                      489                    97

Including an additional 4368 columns

```

HNSC

*Head and Neck squamous cell carcinoma***Description**

A document describing the TCGA cancer code

**Details**

```

> experiments( HNSC )
ExperimentList class object of length 12:
 [1] HNSC_CNASeq-20160128: RaggedExperiment with 32905 rows and 225 columns
 [2] HNSC_CNASNP-20160128: RaggedExperiment with 499142 rows and 1090 columns
 [3] HNSC_CNVSNP-20160128: RaggedExperiment with 110289 rows and 1089 columns
 [4] HNSC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 522 columns
 [5] HNSC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 72 rows and 522 columns
 [6] HNSC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 522 columns
 [7] HNSC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 532 columns
 [8] HNSC_Mutation-20160128: RaggedExperiment with 51799 rows and 279 columns
 [9] HNSC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 566 columns
[10] HNSC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 294 columns
[11] HNSC_RPPAArray-20160128: SummarizedExperiment with 160 rows and 212 columns
[12] HNSC_Methylation-20160128: SummarizedExperiment with 485577 rows and 580 columns

> rownames( HNSC )
CharacterList of length 12
[["HNSC_CNASeq-20160128"]] character(0)
[["HNSC_CNASNP-20160128"]] character(0)
[["HNSC_CNVSNP-20160128"]] character(0)
[["HNSC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["HNSC_GISTIC_Peaks-20160128"]] chr1:1-27864255 ... chr21:41298805-43485528
[["HNSC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["HNSC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["HNSC_Mutation-20160128"]] character(0)
[["HNSC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["HNSC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

> colnames( HNSC )
CharacterList of length 12
[["HNSC_CNASeq-20160128"]] TCGA-BA-4074-01A-01D-1431-02 ...
[["HNSC_CNASNP-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_CNVSNP-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_AllByGene-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_Peaks-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_ThresholdedByGene-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_miRNASeqGene-20160128"]] TCGA-4P-AA8J-01A-11R-A39B-13 ...
[["HNSC_Mutation-20160128"]] TCGA-BA-4074-01A-01D-1434-08 ...
[["HNSC_RNASeq2GeneNorm-20160128"]] TCGA-4P-AA8J-01A-11R-A39I-07 ...
[["HNSC_RNASeqGene-20160128"]] TCGA-BA-4074-01A-01R-1436-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|   |                      | assay size.Mb |
|---|----------------------|---------------|
| 1 | HNSC_CNASeq-20160128 | 1 Mb          |
| 2 | HNSC_CNASNP-20160128 | 13.6 Mb       |
| 3 | HNSC_CNVSNP-20160128 | 3.3 Mb        |

```

4      HNSC_GISTIC_AllByGene-20160128  4.9 Mb
5      HNSC_GISTIC_Peaks-20160128    0.1 Mb
6 HNSC_GISTIC_ThresholdedByGene-20160128  4.9 Mb
7      HNSC_miRNASeqGene-20160128    0.1 Mb
8      HNSC_Mutation-20160128      68.9 Mb
9      HNSC_RNASeq2GeneNorm-20160128  1.3 Mb
10     HNSC_RNASeqGene-20160128     1.3 Mb
11     HNSC_RPPAArray-20160128       0 Mb
12     HNSC_Methylation-20160128    75.1 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

305 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
223.00  223.00   1.18   1.06   1.35

```

```

-----
Available sample meta-data:
-----

```

```
years_to_birth:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 19.00 | 53.00   | 61.00  | 60.91 | 69.00   | 89.00 | 1    |

```
vital_status:
```

```

0  1
304 224

```

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 2.0  | 260.0   | 430.0  | 740.0 | 814.5   | 6417.0 | 305  |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 11.0 | 529.5   | 851.0  | 1042.9 | 1404.0  | 5480.0 | 225  |

```
tumor_tissue_site:
```

```

head and neck
528

```

```
pathology_M_stage:
```

| m0  | m1 | mx | NA's |
|-----|----|----|------|
| 191 | 1  | 65 | 271  |

gender:

|        |      |
|--------|------|
| female | male |
| 142    | 386  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2007    | 2010   | 2008 | 2011    | 2013 | 1    |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 98.0 | 483.0   | 848.5  | 1226.9 | 1647.5  | 3930.0 | 506  |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 163 | 303 | 62   |

histological\_type:

|                                                           |     |
|-----------------------------------------------------------|-----|
| head & neck squamous cell carcinoma                       | 517 |
| head & neck squamous cell carcinoma basaloid type         | 10  |
| head & neck squamous cell carcinoma, spindle cell variant | 1   |

number\_pack\_years\_smoked:

| Min.    | 1st Qu.  | Median   | Mean     | 3rd Qu.  | Max.      | NA's |
|---------|----------|----------|----------|----------|-----------|------|
| 0.01685 | 25.00000 | 40.00000 | 45.75496 | 60.00000 | 300.00000 | 230  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1936 | 1959    | 1968   | 1967 | 1975    | 2001 | 246  |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 2.186 | 3.000   | 44.000 | 115  |

race:

|                                  |    |       |     |
|----------------------------------|----|-------|-----|
| american indian or alaska native | 2  | asian | 11  |
| black or african american        | 48 | white | 452 |
| NA's                             | 15 |       |     |

ethnicity:

|                    |    |                        |     |      |    |
|--------------------|----|------------------------|-----|------|----|
| hispanic or latino | 26 | not hispanic or latino | 465 | NA's | 37 |
|--------------------|----|------------------------|-----|------|----|

Including an additional 1426 columns

**See Also**

[HNSC-v2.0.1](#)

---

HNSC-v2.0.1

*Head and Neck squamous cell carcinoma*


---

**Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( HNSC )
ExperimentList class object of length 13:
 [1] HNSC_CNASeq-20160128: RaggedExperiment with 32905 rows and 225 columns
 [2] HNSC_CNASNP-20160128: RaggedExperiment with 499142 rows and 1090 columns
 [3] HNSC_CNVSNP-20160128: RaggedExperiment with 110289 rows and 1089 columns
 [4] HNSC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 522 columns
 [5] HNSC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 72 rows and 522 columns
 [6] HNSC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 522 columns
 [7] HNSC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 532 columns
 [8] HNSC_Mutation-20160128: RaggedExperiment with 51799 rows and 279 columns
 [9] HNSC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 566 columns
[10] HNSC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 566 columns
[11] HNSC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 294 columns
[12] HNSC_RPPAArray-20160128: SummarizedExperiment with 160 rows and 212 columns
[13] HNSC_Methylation-20160128: SummarizedExperiment with 485577 rows and 580 columns

> rownames( HNSC )
CharacterList of length 13
[["HNSC_CNASeq-20160128"]] character(0)
[["HNSC_CNASNP-20160128"]] character(0)
[["HNSC_CNVSNP-20160128"]] character(0)
[["HNSC_GISTIC_AllByGene-20160128"]] character(0)
[["HNSC_GISTIC_Peaks-20160128"]] 29 30 31 1 32 33 2 ... 25 26 70 71 72 27 73
[["HNSC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["HNSC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["HNSC_Mutation-20160128"]] character(0)
[["HNSC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["HNSC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<3 more elements>

> colnames( HNSC )
CharacterList of length 13
[["HNSC_CNASeq-20160128"]] TCGA-BA-4074-01A-01D-1431-02 ...
[["HNSC_CNASNP-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_CNVSNP-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_AllByGene-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_Peaks-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
```

```

[["HNSC_GISTIC_ThresholdedByGene-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_miRNASeqGene-20160128"]] TCGA-4P-AA8J-01A-11R-A39B-13 ...
[["HNSC_Mutation-20160128"]] TCGA-BA-4074-01A-01D-1434-08 ...
[["HNSC_RNASeq2Gene-20160128"]] TCGA-4P-AA8J-01A-11R-A39I-07 ...
[["HNSC_RNASeq2GeneNorm-20160128"]] TCGA-4P-AA8J-01A-11R-A39I-07 ...
...
<3 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | HNSC_CNASeq-20160128                   | 1 Mb     |
| 2  | HNSC_CNASNP-20160128                   | 13.6 Mb  |
| 3  | HNSC_CNVSNP-20160128                   | 3.3 Mb   |
| 4  | HNSC_GISTIC_AllByGene-20160128         | 102.3 Mb |
| 5  | HNSC_GISTIC_Peaks-20160128             | 0.5 Mb   |
| 6  | HNSC_GISTIC_ThresholdedByGene-20160128 | 102.1 Mb |
| 7  | HNSC_miRNASeqGene-20160128             | 4.5 Mb   |
| 8  | HNSC_Mutation-20160128                 | 68.9 Mb  |
| 9  | HNSC_RNASeq2Gene-20160128              | 91.2 Mb  |
| 10 | HNSC_RNASeq2GeneNorm-20160128          | 91.2 Mb  |
| 11 | HNSC_RNASeqGene-20160128               | 48.6 Mb  |
| 12 | HNSC_RPPAArray-20160128                | 0.3 Mb   |
| 13 | HNSC_Methylation-20160128              | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      305 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
223.00  223.00   1.18   1.06   1.35

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 19.00 | 53.00   | 61.00  | 60.91 | 69.00   | 89.00 | 1    |

vital\_status:

```

  0  1
304 224

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 2.0  | 260.0   | 430.0  | 740.0 | 814.5   | 6417.0 | 305  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 11.0 | 529.5   | 851.0  | 1042.9 | 1404.0  | 5480.0 | 225  |

tumor\_tissue\_site:

|               |     |
|---------------|-----|
| head and neck | 528 |
|---------------|-----|

pathology\_M\_stage:

| m0  | m1 | mx | NA's |
|-----|----|----|------|
| 191 | 1  | 65 | 271  |

gender:

| female | male |
|--------|------|
| 142    | 386  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2007    | 2010   | 2008 | 2011    | 2013 | 1    |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 98.0 | 483.0   | 848.5  | 1226.9 | 1647.5  | 3930.0 | 506  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 163 | 303 | 62   |

histological\_type:

|                                                           |     |
|-----------------------------------------------------------|-----|
| head & neck squamous cell carcinoma                       | 517 |
| head & neck squamous cell carcinoma basaloid type         | 10  |
| head & neck squamous cell carcinoma, spindle cell variant | 1   |

number\_pack\_years\_smoked:

| Min.    | 1st Qu.  | Median   | Mean     | 3rd Qu.  | Max.      | NA's |
|---------|----------|----------|----------|----------|-----------|------|
| 0.01685 | 25.00000 | 40.00000 | 45.75496 | 60.00000 | 300.00000 | 230  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1936 | 1959    | 1968   | 1967 | 1975    | 2001 | 246  |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 2.186 | 3.000   | 44.000 | 115  |

```

race:
american indian or alaska native                asian
                2                                11
        black or african american                white
                48                                452
                NA's
                15

ethnicity:
        hispanic or latino not hispanic or latino    NA's
                26                                465                37

```

Including an additional 1426 columns

---

HNSC-v2.1.0

*Head and Neck squamous cell carcinoma*


---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( HNSC )
ExperimentList class object of length 13:
 [1] HNSC_CNASeq-20160128: RaggedExperiment with 32905 rows and 225 columns
 [2] HNSC_CNASNP-20160128: RaggedExperiment with 499142 rows and 1090 columns
 [3] HNSC_CNVSNP-20160128: RaggedExperiment with 110289 rows and 1089 columns
 [4] HNSC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 522 columns
 [5] HNSC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 72 rows and 522 columns
 [6] HNSC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 522 columns
 [7] HNSC_Mutation-20160128: RaggedExperiment with 51799 rows and 279 columns
 [8] HNSC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 566 columns
 [9] HNSC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 294 columns
[10] HNSC_RPPAArray-20160128: SummarizedExperiment with 160 rows and 212 columns
[11] HNSC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 532 columns
[12] HNSC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18361 rows and 566 columns
[13] HNSC_Methylation-20160128: SummarizedExperiment with 485577 rows and 580 columns

> rownames( HNSC )
CharacterList of length 13
[["HNSC_CNASeq-20160128"]] character(0)
[["HNSC_CNASNP-20160128"]] character(0)
[["HNSC_CNVSNP-20160128"]] character(0)
[["HNSC_GISTIC_AllByGene-20160128"]] character(0)
[["HNSC_GISTIC_Peaks-20160128"]] 29 30 31 1 32 33 2 ... 25 26 70 71 72 27 73
[["HNSC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["HNSC_Mutation-20160128"]] character(0)
[["HNSC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["HNSC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["HNSC_RPPAArray-20160128"]] 14-3-3_epsilon 4E-BP1 ... p90RSK_pT359_S363

```

```

...
<3 more elements>

> colnames( HNSC )
CharacterList of length 13
[["HNSC_CNASeq-20160128"]] TCGA-BA-4074-01A-01D-1431-02 ...
[["HNSC_CNASNP-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_CNVSNP-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_AllByGene-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_Peaks-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_GISTIC_ThresholdedByGene-20160128"]] TCGA-4P-AA8J-01A-11D-A390-01 ...
[["HNSC_Mutation-20160128"]] TCGA-BA-4074-01A-01D-1434-08 ...
[["HNSC_RNASeq2Gene-20160128"]] TCGA-4P-AA8J-01A-11R-A39I-07 ...
[["HNSC_RNASeqGene-20160128"]] TCGA-BA-4074-01A-01R-1436-07 ...
[["HNSC_RPPAArray-20160128"]] TCGA-BA-4074-01A-21-2072-20 ...
...
<3 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | HNSC_CNASeq-20160128                   | 1 Mb     |
| 2  | HNSC_CNASNP-20160128                   | 13.6 Mb  |
| 3  | HNSC_CNVSNP-20160128                   | 3.3 Mb   |
| 4  | HNSC_GISTIC_AllByGene-20160128         | 102.3 Mb |
| 5  | HNSC_GISTIC_Peaks-20160128             | 0.5 Mb   |
| 6  | HNSC_GISTIC_ThresholdedByGene-20160128 | 102.1 Mb |
| 7  | HNSC_Mutation-20160128                 | 68.9 Mb  |
| 8  | HNSC_RNASeq2Gene-20160128              | 91.2 Mb  |
| 9  | HNSC_RNASeqGene-20160128               | 48.6 Mb  |
| 10 | HNSC_RPPAArray-20160128                | 0.3 Mb   |
| 11 | HNSC_miRNASeqGene-20160128             | 4.5 Mb   |
| 12 | HNSC_RNASeq2GeneNorm-20160128          | 81.6 Mb  |
| 13 | HNSC_Methylation-20160128              | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      305 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 223      223   1.18   1.06   1.35

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 19.00 | 53.00   | 61.00  | 60.91 | 69.00   | 89.00 | 1    |

vital\_status:

|   |   |
|---|---|
| 0 | 1 |
|---|---|

|     |     |
|-----|-----|
| 304 | 224 |
|-----|-----|

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 2.0  | 260.0   | 430.0  | 740.0 | 814.5   | 6417.0 | 305  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 11.0 | 529.5   | 851.0  | 1042.9 | 1404.0  | 5480.0 | 225  |

tumor\_tissue\_site:

head and neck

528

pathology\_M\_stage:

| m0  | m1 | mx | NA's |
|-----|----|----|------|
| 191 | 1  | 65 | 271  |

gender:

female male

|     |     |
|-----|-----|
| 142 | 386 |
|-----|-----|

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2007    | 2010   | 2008 | 2011    | 2013 | 1    |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 98.0 | 483.0   | 848.5  | 1226.9 | 1647.5  | 3930.0 | 506  |

radiation\_therapy:

no yes NA's

|     |     |    |
|-----|-----|----|
| 163 | 303 | 62 |
|-----|-----|----|

histological\_type:

head &amp; neck squamous cell carcinoma

517

head &amp; neck squamous cell carcinoma basaloid type

10

head &amp; neck squamous cell carcinoma, spindle cell variant

1

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

```
0.01685 25.00000 40.00000 45.75496 60.00000 300.00000 230
```

```
year_of_tobacco_smoking_onset:
```

```
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
1936 1959 1968 1967 1975 2001 246
```

```
number_of_lymph_nodes:
```

```
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
0.000 0.000 1.000 2.186 3.000 44.000 115
```

```
race:
```

```
american indian or alaska native      asian
                                2      11
black or african american             white
                                48     452
                                NA's
                                15
```

```
ethnicity:
```

```
hispanic or latino not hispanic or latino      NA's
                                26             465
                                37
```

```
Including an additional 1426 columns
```

---

KICH

---

*Kidney Chromophobe*


---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( KICH )
ExperimentList class object of length 10:
[1] KICH_CNASNP-20160128: RaggedExperiment with 57729 rows and 132 columns
[2] KICH_CNVSNP-20160128: RaggedExperiment with 10164 rows and 132 columns
[3] KICH_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 66 columns
[4] KICH_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 2 rows and 66 columns
[5] KICH_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 66 columns
[6] KICH_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 91 columns
[7] KICH_Mutation-20160128: RaggedExperiment with 7559 rows and 66 columns
[8] KICH_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 91 columns
[9] KICH_RPPAArray-20160128: SummarizedExperiment with 193 rows and 63 columns
[10] KICH_Methylation-20160128: SummarizedExperiment with 485577 rows and 66 columns

> rownames( KICH )
CharacterList of length 10
[["KICH_CNASNP-20160128"]] character(0)
[["KICH_CNVSNP-20160128"]] character(0)
[["KICH_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
```

```

[["KICH_GISTIC_Peaks-20160128"]] chr8:116272008-117149163 chr15:1-66482794
[["KICH_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["KICH_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KICH_Mutation-20160128"]] character(0)
[["KICH_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 TAKR
[["KICH_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["KICH_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

```

```

> colnames( KICH )
CharacterList of length 10
[["KICH_CNASNP-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_CNVSNP-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_AllByGene-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_Peaks-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_ThresholdedByGene-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_miRNASeqGene-20160128"]] TCGA-KL-8323-01A-21R-2314-13 ...
[["KICH_Mutation-20160128"]] TCGA-KL-8323-01A-21D-2310-10 ...
[["KICH_RNASeq2GeneNorm-20160128"]] TCGA-KL-8323-01A-21R-2315-07 ...
[["KICH_RPPAArray-20160128"]] TCGA-KL-8324-01A-21-A421-20 ...
[["KICH_Methylation-20160128"]] TCGA-KL-8323-01A-21D-2312-05 ...

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | KICH_CNASNP-20160128                   | 1.6 Mb        |
| 2  | KICH_CNVSNP-20160128                   | 0.3 Mb        |
| 3  | KICH_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | KICH_GISTIC_Peaks-20160128             | 0 Mb          |
| 5  | KICH_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | KICH_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | KICH_Mutation-20160128                 | 2.6 Mb        |
| 8  | KICH_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9  | KICH_RPPAArray-20160128                | 0 Mb          |
| 10 | KICH_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

57 observations deleted due to missingness
  n events median 0.95LCL 0.95UCL
9.00  9.00  2.34  1.99    NA

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 17.00 | 42.00   | 50.00  | 51.52 | 61.75   | 86.00 |

vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 56 | 10 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 325  | 725     | 855    | 1001 | 1158    | 2172 | 57   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 30   | 1366    | 2713   | 2320 | 3138    | 4676 | 10   |

tumor\_tissue\_site:

|        |
|--------|
| kidney |
| 66     |

pathologic\_stage:

| stage i | stage ii | stage iii | stage iv |
|---------|----------|-----------|----------|
| 21      | 25       | 14        | 6        |

pathology\_N\_stage:

| n0 | n1 | n2 | nx |
|----|----|----|----|
| 40 | 3  | 2  | 21 |

pathology\_M\_stage:

| m0 | m1 | mx | NA's |
|----|----|----|------|
| 34 | 2  | 9  | 21   |

gender:

| female | male |
|--------|------|
| 27     | 39   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2000 | 2004    | 2005   | 2005 | 2007    | 2011 |

radiation\_therapy:

|    |
|----|
| no |
| 66 |

karnofsky\_performance\_score:

| 90 | 100 | NA's |
|----|-----|------|
| 3  | 10  | 53   |

histological\_type:

|                    |
|--------------------|
| kidney chromophobe |
| 66                 |

```
number_pack_years_smoked:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1.00    8.00   24.00   25.09  31.00   75.00    55

year_of_tobacco_smoking_onset:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1949   1964   1974   1974   1984   1997    58

race:
      asian black or african american      white
      2              4              58
      NA's
      2

ethnicity:
  hispanic or latino not hispanic or latino      NA's
      4              32              30
```

Including an additional 718 columns

See Also

[KICH-v2.0.1](#)

---

|             |                           |
|-------------|---------------------------|
| KICH-v2.0.1 | <i>Kidney Chromophobe</i> |
|-------------|---------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( KICH )
ExperimentList class object of length 11:
 [1] KICH_CNASNP-20160128: RaggedExperiment with 57729 rows and 132 columns
 [2] KICH_CNVSNP-20160128: RaggedExperiment with 10164 rows and 132 columns
 [3] KICH_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 66 columns
 [4] KICH_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 2 rows and 66 columns
 [5] KICH_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 66 columns
 [6] KICH_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 91 columns
 [7] KICH_Mutation-20160128: RaggedExperiment with 7559 rows and 66 columns
 [8] KICH_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 91 columns
 [9] KICH_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 91 columns
[10] KICH_RPPAArray-20160128: SummarizedExperiment with 193 rows and 63 columns
[11] KICH_Methylation-20160128: SummarizedExperiment with 485577 rows and 66 columns

> rownames( KICH )
CharacterList of length 11
[["KICH_CNASNP-20160128"]] character(0)
[["KICH_CNVSNP-20160128"]] character(0)
```

```

[["KICH_GISTIC_AllByGene-20160128"]] character(0)
[["KICH_GISTIC_Peaks-20160128"]] 1 2
[["KICH_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["KICH_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KICH_Mutation-20160128"]] character(0)
[["KICH_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["KICH_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["KICH_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

```

```

> colnames( KICH )
CharacterList of length 11
[["KICH_CNASNP-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_CNVSNP-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_AllByGene-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_Peaks-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_ThresholdedByGene-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_miRNASeqGene-20160128"]] TCGA-KL-8323-01A-21R-2314-13 ...
[["KICH_Mutation-20160128"]] TCGA-KL-8323-01A-21D-2310-10 ...
[["KICH_RNASeq2Gene-20160128"]] TCGA-KL-8323-01A-21R-2315-07 ...
[["KICH_RNASeq2GeneNorm-20160128"]] TCGA-KL-8323-01A-21R-2315-07 ...
[["KICH_RPPAArray-20160128"]] TCGA-KL-8324-01A-21-A421-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | KICH_CNASNP-20160128                   | 1.6 Mb        |
| 2  | KICH_CNVSNP-20160128                   | 0.3 Mb        |
| 3  | KICH_GISTIC_AllByGene-20160128         | 15.9 Mb       |
| 4  | KICH_GISTIC_Peaks-20160128             | 0 Mb          |
| 5  | KICH_GISTIC_ThresholdedByGene-20160128 | 15.8 Mb       |
| 6  | KICH_miRNASeqGene-20160128             | 0.9 Mb        |
| 7  | KICH_Mutation-20160128                 | 2.6 Mb        |
| 8  | KICH_RNASeq2Gene-20160128              | 16.8 Mb       |
| 9  | KICH_RNASeq2GeneNorm-20160128          | 16.8 Mb       |
| 10 | KICH_RPPAArray-20160128                | 0.1 Mb        |
| 11 | KICH_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

57 observations deleted due to missingness
  n  events  median 0.95LCL 0.95UCL
9.00   9.00   2.34   1.99    NA

```

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 17.00 | 42.00   | 50.00  | 51.52 | 61.75   | 86.00 |

vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 56 | 10 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 325  | 725     | 855    | 1001 | 1158    | 2172 | 57   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 30   | 1366    | 2713   | 2320 | 3138    | 4676 | 10   |

tumor\_tissue\_site:

|        |
|--------|
| kidney |
| 66     |

pathologic\_stage:

| stage i | stage ii | stage iii | stage iv |
|---------|----------|-----------|----------|
| 21      | 25       | 14        | 6        |

pathology\_N\_stage:

| n0 | n1 | n2 | nx |
|----|----|----|----|
| 40 | 3  | 2  | 21 |

pathology\_M\_stage:

| m0 | m1 | mx | NA's |
|----|----|----|------|
| 34 | 2  | 9  | 21   |

gender:

| female | male |
|--------|------|
| 27     | 39   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2000 | 2004    | 2005   | 2005 | 2007    | 2011 |

radiation\_therapy:

|    |
|----|
| no |
| 66 |

karnofsky\_performance\_score:

|    |     |      |
|----|-----|------|
| 90 | 100 | NA's |
|----|-----|------|

3 10 53

histological\_type:  
kidney chromophobe  
66

number\_pack\_years\_smoked:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
1.00 8.00 24.00 25.09 31.00 75.00 55

year\_of\_tobacco\_smoking\_onset:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
1949 1964 1974 1974 1984 1997 58

race:  
asian black or african american white  
2 4 58  
NA's  
2

ethnicity:  
hispanic or latino not hispanic or latino NA's  
4 32 30

Including an additional 718 columns

---

KICH-v2.1.0

*Kidney Chromophobe*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( KICH )
ExperimentList class object of length 11:
 [1] KICH_CNASNP-20160128: RaggedExperiment with 57729 rows and 132 columns
 [2] KICH_CNVSNP-20160128: RaggedExperiment with 10164 rows and 132 columns
 [3] KICH_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 66 columns
 [4] KICH_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 2 rows and 66 columns
 [5] KICH_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 66 columns
 [6] KICH_Mutation-20160128: RaggedExperiment with 7559 rows and 66 columns
 [7] KICH_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 91 columns
 [8] KICH_RPPAArray-20160128: SummarizedExperiment with 193 rows and 63 columns
 [9] KICH_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 91 columns
[10] KICH_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18122 rows and 91 columns
[11] KICH_Methylation-20160128: SummarizedExperiment with 485577 rows and 66 columns

> rownames( KICH )
CharacterList of length 11
```

```

[["KICH_CNASNP-20160128"]] character(0)
[["KICH_CNVSNP-20160128"]] character(0)
[["KICH_GISTIC_AllByGene-20160128"]] character(0)
[["KICH_GISTIC_Peaks-20160128"]] 1 2
[["KICH_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["KICH_Mutation-20160128"]] character(0)
[["KICH_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["KICH_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["KICH_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KICH_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<1 more element>

```

```

> colnames( KICH )
CharacterList of length 11
[["KICH_CNASNP-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_CNVSNP-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_AllByGene-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_Peaks-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_GISTIC_ThresholdedByGene-20160128"]] TCGA-KL-8323-01A-21D-2308-01 ...
[["KICH_Mutation-20160128"]] TCGA-KL-8323-01A-21D-2310-10 ...
[["KICH_RNASeq2Gene-20160128"]] TCGA-KL-8323-01A-21R-2315-07 ...
[["KICH_RPPAArray-20160128"]] TCGA-KL-8324-01A-21-A421-20 ...
[["KICH_miRNASeqGene-20160128"]] TCGA-KL-8323-01A-21R-2314-13 ...
[["KICH_RNASeq2GeneNorm-20160128"]] TCGA-KL-8323-01 ... TCGA-KO-8417-01
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | KICH_CNASNP-20160128                   | 1.6 Mb        |
| 2  | KICH_CNVSNP-20160128                   | 0.3 Mb        |
| 3  | KICH_GISTIC_AllByGene-20160128         | 15.9 Mb       |
| 4  | KICH_GISTIC_Peaks-20160128             | 0 Mb          |
| 5  | KICH_GISTIC_ThresholdedByGene-20160128 | 15.8 Mb       |
| 6  | KICH_Mutation-20160128                 | 2.6 Mb        |
| 7  | KICH_RNASeq2Gene-20160128              | 16.8 Mb       |
| 8  | KICH_RPPAArray-20160128                | 0.1 Mb        |
| 9  | KICH_miRNASeqGene-20160128             | 0.9 Mb        |
| 10 | KICH_RNASeq2GeneNorm-20160128          | 14.8 Mb       |
| 11 | KICH_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

57 observations deleted due to missingness
n events median 0.95LCL 0.95UCL

```

```
[1,] 9      9    2.34    1.99      NA
```

```
-----
Available sample meta-data:
-----
```

```
years_to_birth:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 17.00 | 42.00   | 50.00  | 51.52 | 61.75   | 86.00 |

```
vital_status:
```

```
0 1
56 10
```

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 325  | 725     | 855    | 1001 | 1158    | 2172 | 57   |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 30   | 1366    | 2713   | 2320 | 3138    | 4676 | 10   |

```
tumor_tissue_site:
```

```
kidney
66
```

```
pathologic_stage:
```

| stage i | stage ii | stage iii | stage iv |
|---------|----------|-----------|----------|
| 21      | 25       | 14        | 6        |

```
pathology_N_stage:
```

```
n0 n1 n2 nx
40 3 2 21
```

```
pathology_M_stage:
```

| m0 | m1 | mx | NA's |
|----|----|----|------|
| 34 | 2  | 9  | 21   |

```
gender:
```

```
female male
27 39
```

```
date_of_initial_pathologic_diagnosis:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2000 | 2004    | 2005   | 2005 | 2007    | 2011 |

```
radiation_therapy:
```

```
no
66
```

karnofsky\_performance\_score:

```
90 100 NA's
3  10  53
```

histological\_type:

```
kidney chromophobe
66
```

number\_pack\_years\_smoked:

```
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
1.00  8.00  24.00  25.09  31.00  75.00  55
```

year\_of\_tobacco\_smoking\_onset:

```
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
1949  1964  1974  1974  1984  1997  58
```

race:

```
asian black or african american white
2      4      58
NA's
2
```

ethnicity:

```
hispanic or latino not hispanic or latino NA's
4      32      30
```

Including an additional 718 columns

---

KIRC

*Kidney renal clear cell carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( KIRC )
ExperimentList class object of length 13:
[1] KIRC_CNASNP-20160128: RaggedExperiment with 488691 rows and 1059 columns
[2] KIRC_CNVSNP-20160128: RaggedExperiment with 85036 rows and 1059 columns
[3] KIRC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 528 columns
[4] KIRC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 26 rows and 528 columns
[5] KIRC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 528 columns
[6] KIRC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 326 columns
[7] KIRC_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 72 columns
[8] KIRC_Mutation-20160128: RaggedExperiment with 26369 rows and 437 columns
[9] KIRC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 606 columns
[10] KIRC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 537 columns
[11] KIRC_RPPAArray-20160128: SummarizedExperiment with 217 rows and 478 columns
[12] KIRC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 418 columns
```

[13] KIRC\_Methylation\_methyl450-20160128: SummarizedExperiment with 485577 rows and 480 columns

```
> rownames( KIRC )
CharacterList of length 13
[["KIRC_CNASNP-20160128"]] character(0)
[["KIRC_CNVSNP-20160128"]] character(0)
[["KIRC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["KIRC_GISTIC_Peaks-20160128"]] chr1:1-31345223 ... chr14:56181301-107349540
[["KIRC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["KIRC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KIRC_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["KIRC_Mutation-20160128"]] character(0)
[["KIRC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["KIRC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<3 more elements>
```

```
> colnames( KIRC )
CharacterList of length 13
[["KIRC_CNASNP-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_CNVSNP-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_AllByGene-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_Peaks-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_ThresholdedByGene-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_miRNASeqGene-20160128"]] TCGA-3Z-A93Z-01A-11R-A37P-13 ...
[["KIRC_mRNAArray-20160128"]] TCGA-A3-3306-01A-01R-0864-07 ...
[["KIRC_Mutation-20160128"]] TCGA-A3-3308-01A-01D-0966-08 ...
[["KIRC_RNASeq2GeneNorm-20160128"]] TCGA-3Z-A93Z-01A-11R-A370-07 ...
[["KIRC_RNASeqGene-20160128"]] TCGA-A3-3306-01A-01R-0864-07 ...
...
<3 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | KIRC_CNASNP-20160128                   | 13.4 Mb       |
| 2  | KIRC_CNVSNP-20160128                   | 2.6 Mb        |
| 3  | KIRC_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | KIRC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | KIRC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | KIRC_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | KIRC_mRNAArray-20160128                | 1.1 Mb        |
| 8  | KIRC_Mutation-20160128                 | 8.2 Mb        |
| 9  | KIRC_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 10 | KIRC_RNASeqGene-20160128               | 1.3 Mb        |
| 11 | KIRC_RPPAArray-20160128                | 0.1 Mb        |
| 12 | KIRC_Methylation_methyl27-20160128     | 4.9 Mb        |
| 13 | KIRC_Methylation_methyl450-20160128    | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
360 observations deleted due to missingness
```

```
      n  events  median 0.95LCL 0.95UCL
177.00  177.00   2.24   1.77   2.61
```

```
-----
Available sample meta-data:
-----
```

```
years_to_birth:
```

```
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
26.00   52.00   61.00   60.57  70.00   90.00     1
```

```
vital_status:
```

```
      0      1
360 177
```

```
days_to_death:
```

```
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
      2.0   333.0   819.0   961.2 1432.0 3615.0   360
```

```
days_to_last_followup:
```

```
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
      0.0   710.5 1454.5 1536.9 2172.0 4537.0   177
```

```
tumor_tissue_site:
```

```
kidney
537
```

```
pathologic_stage:
```

```
      stage i stage ii stage iii stage iv   NA's
      269      57      125      84      2
```

```
pathology_N_stage:
```

```
      n0  n1  nx
240  17 280
```

```
pathology_M_stage:
```

```
      m0  m1  mx NA's
426   79  30   2
```

```
gender:
```

```
female  male
191     346
```

```
date_of_initial_pathologic_diagnosis:
```

```
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
```

|                                |         |                    |                        |           |        |      |  |
|--------------------------------|---------|--------------------|------------------------|-----------|--------|------|--|
| 1998                           | 2004    | 2006               | 2006                   | 2007      | 2013   |      |  |
| days_to_last_known_alive:      |         |                    |                        |           |        |      |  |
| Min.                           | 1st Qu. | Median             | Mean                   | 3rd Qu.   | Max.   | NA's |  |
| 0                              | 191     | 1172               | 1117                   | 1887      | 2799   | 510  |  |
| radiation_therapy:             |         |                    |                        |           |        |      |  |
| no                             | yes     | NA's               |                        |           |        |      |  |
| 142                            | 2       | 393                |                        |           |        |      |  |
| karnofsky_performance_score:   |         |                    |                        |           |        |      |  |
| Min.                           | 1st Qu. | Median             | Mean                   | 3rd Qu.   | Max.   | NA's |  |
| 0.00                           | 90.00   | 90.00              | 85.56                  | 100.00    | 100.00 | 483  |  |
| histological_type:             |         |                    |                        |           |        |      |  |
| kidney                         | clear   | cell               | renal                  | carcinoma |        |      |  |
|                                |         |                    |                        | 537       |        |      |  |
| number_pack_years_smoked:      |         |                    |                        |           |        |      |  |
| Min.                           | 1st Qu. | Median             | Mean                   | 3rd Qu.   | Max.   | NA's |  |
| 7.00                           | 14.00   | 30.00              | 28.33                  | 40.00     | 65.00  | 516  |  |
| year_of_tobacco_smoking_onset: |         |                    |                        |           |        |      |  |
| Min.                           | 1st Qu. | Median             | Mean                   | 3rd Qu.   | Max.   | NA's |  |
| 1946                           | 1966    | 1978               | 1979                   | 1996      | 2001   | 525  |  |
| race:                          |         |                    |                        |           |        |      |  |
|                                |         | asian              | black or african       | american  |        |      |  |
|                                |         | 8                  |                        |           |        | 56   |  |
|                                |         | NA's               |                        |           |        |      |  |
|                                |         | 7                  |                        |           |        |      |  |
| ethnicity:                     |         |                    |                        |           |        |      |  |
|                                |         | hispanic or latino | not hispanic or latino |           |        |      |  |
|                                |         | 26                 | 359                    |           |        |      |  |

Including an additional 2250 columns

See Also

[KIRC-v2.0.1](#)

|             |                                   |
|-------------|-----------------------------------|
| KIRC-v2.0.1 | Kidney renal clear cell carcinoma |
|-------------|-----------------------------------|

Description

A document describing the TCGA cancer code

**Details**

```

> experiments( KIRC )
ExperimentList class object of length 14:
 [1] KIRC_CNASNP-20160128: RaggedExperiment with 488691 rows and 1059 columns
 [2] KIRC_CNVSNP-20160128: RaggedExperiment with 85036 rows and 1059 columns
 [3] KIRC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 528 columns
 [4] KIRC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 26 rows and 528 columns
 [5] KIRC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 528 columns
 [6] KIRC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 326 columns
 [7] KIRC_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 72 columns
 [8] KIRC_Mutation-20160128: RaggedExperiment with 26369 rows and 437 columns
 [9] KIRC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 606 columns
[10] KIRC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 606 columns
[11] KIRC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 537 columns
[12] KIRC_RPPAArray-20160128: SummarizedExperiment with 217 rows and 478 columns
[13] KIRC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 418 columns
[14] KIRC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 480 columns

> rownames( KIRC )
CharacterList of length 14
[["KIRC_CNASNP-20160128"]] character(0)
[["KIRC_CNVSNP-20160128"]] character(0)
[["KIRC_GISTIC_AllByGene-20160128"]] character(0)
[["KIRC_GISTIC_Peaks-20160128"]] 11 12 1 2 13 14 15 16 ... 7 25 26 8 27 28 29
[["KIRC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["KIRC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KIRC_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["KIRC_Mutation-20160128"]] character(0)
[["KIRC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["KIRC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<4 more elements>

> colnames( KIRC )
CharacterList of length 14
[["KIRC_CNASNP-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_CNVSNP-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_AllByGene-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_Peaks-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_ThresholdedByGene-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_miRNASeqGene-20160128"]] TCGA-3Z-A93Z-01A-11R-A37P-13 ...
[["KIRC_mRNAArray-20160128"]] TCGA-A3-3306-01A-01R-0864-07 ...
[["KIRC_Mutation-20160128"]] TCGA-A3-3308-01A-01D-0966-08 ...
[["KIRC_RNASeq2Gene-20160128"]] TCGA-3Z-A93Z-01A-11R-A370-07 ...
[["KIRC_RNASeq2GeneNorm-20160128"]] TCGA-3Z-A93Z-01A-11R-A370-07 ...
...
<4 more elements>

Sizes of each ExperimentList element:

              assay  size.Mb
1          KIRC_CNASNP-20160128 13.4 Mb

```

|    |                                        |          |
|----|----------------------------------------|----------|
| 2  | KIRC_CNVSNP-20160128                   | 2.6 Mb   |
| 3  | KIRC_GISTIC_AllByGene-20160128         | 103.4 Mb |
| 4  | KIRC_GISTIC_Peaks-20160128             | 0.2 Mb   |
| 5  | KIRC_GISTIC_ThresholdedByGene-20160128 | 103.2 Mb |
| 6  | KIRC_miRNASeqGene-20160128             | 2.8 Mb   |
| 7  | KIRC_mRNAArray-20160128                | 12 Mb    |
| 8  | KIRC_Mutation-20160128                 | 8.2 Mb   |
| 9  | KIRC_RNASeq2Gene-20160128              | 97.4 Mb  |
| 10 | KIRC_RNASeq2GeneNorm-20160128          | 97.4 Mb  |
| 11 | KIRC_RNASeqGene-20160128               | 86.6 Mb  |
| 12 | KIRC_RPPAArray-20160128                | 0.9 Mb   |
| 13 | KIRC_Methylation_methyl27-20160128     | 4.9 Mb   |
| 14 | KIRC_Methylation_methyl450-20160128    | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

360 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
177.00 177.00 2.24 1.77 2.61

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 26.00 | 52.00   | 61.00  | 60.57 | 70.00   | 90.00 | 1    |

vital\_status:

|     |     |
|-----|-----|
| 0   | 1   |
| 360 | 177 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 2.0  | 333.0   | 819.0  | 961.2 | 1432.0  | 3615.0 | 360  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 0.0  | 710.5   | 1454.5 | 1536.9 | 2172.0  | 4537.0 | 177  |

tumor\_tissue\_site:

|        |
|--------|
| kidney |
| 537    |

pathologic\_stage:

|         |          |           |          |      |
|---------|----------|-----------|----------|------|
| stage i | stage ii | stage iii | stage iv | NA's |
|---------|----------|-----------|----------|------|

269            57            125            84            2

pathology\_N\_stage:

  n0  n1  nx  
240  17 280

pathology\_M\_stage:

  m0  m1  mx  NA's  
426   79   30   2

gender:

female  male  
  191   346

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1998 | 2004    | 2006   | 2006 | 2007    | 2013 |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 191     | 1172   | 1117 | 1887    | 2799 | 510  |

radiation\_therapy:

  no  yes  NA's  
142   2  393

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 90.00   | 90.00  | 85.56 | 100.00  | 100.00 | 483  |

histological\_type:

kidney clear cell renal carcinoma  
                                    537

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 7.00 | 14.00   | 30.00  | 28.33 | 40.00   | 65.00 | 516  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1946 | 1966    | 1978   | 1979 | 1996    | 2001 | 525  |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 8     | 56                        | 466   |
| NA's  |                           |       |
| 7     |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 26                 | 359                    | 152  |

Including an additional 2250 columns

---

KIRC-v2.1.0

*Kidney renal clear cell carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( KIRC )
ExperimentList class object of length 14:
 [1] KIRC_CNASNP-20160128: RaggedExperiment with 488691 rows and 1059 columns
 [2] KIRC_CNVSNP-20160128: RaggedExperiment with 85036 rows and 1059 columns
 [3] KIRC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 528 columns
 [4] KIRC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 26 rows and 528 columns
 [5] KIRC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 528 columns
 [6] KIRC_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 72 columns
 [7] KIRC_Mutation-20160128: RaggedExperiment with 26369 rows and 437 columns
 [8] KIRC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 606 columns
 [9] KIRC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 537 columns
[10] KIRC_RPPAArray-20160128: SummarizedExperiment with 217 rows and 478 columns
[11] KIRC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 326 columns
[12] KIRC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18292 rows and 606 columns
[13] KIRC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 418 columns
[14] KIRC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 480 columns

> rownames( KIRC )
CharacterList of length 14
[["KIRC_CNASNP-20160128"]] character(0)
[["KIRC_CNVSNP-20160128"]] character(0)
[["KIRC_GISTIC_AllByGene-20160128"]] character(0)
[["KIRC_GISTIC_Peaks-20160128"]] 11 12 1 2 13 14 15 16 ... 7 25 26 8 27 28 29
[["KIRC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["KIRC_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["KIRC_Mutation-20160128"]] character(0)
[["KIRC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 TAKR
[["KIRC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 TAKR
[["KIRC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<4 more elements>

> colnames( KIRC )
CharacterList of length 14
[["KIRC_CNASNP-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_CNVSNP-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_AllByGene-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_Peaks-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
[["KIRC_GISTIC_ThresholdedByGene-20160128"]] TCGA-3Z-A93Z-01A-11D-A36W-01 ...
```

```

[["KIRC_mRNAArray-20160128"]] TCGA-A3-3306-01A-01R-0864-07 ...
[["KIRC_Mutation-20160128"]] TCGA-A3-3308-01A-01D-0966-08 ...
[["KIRC_RNASeq2Gene-20160128"]] TCGA-3Z-A93Z-01A-11R-A370-07 ...
[["KIRC_RNASeqGene-20160128"]] TCGA-A3-3306-01A-01R-0864-07 ...
[["KIRC_RPPAArray-20160128"]] TCGA-3Z-A93Z-01A-21-A45H-20 ...
...
<4 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | KIRC_CNASNP-20160128                   | 13.4 Mb  |
| 2  | KIRC_CNVSNP-20160128                   | 2.6 Mb   |
| 3  | KIRC_GISTIC_AllByGene-20160128         | 103.4 Mb |
| 4  | KIRC_GISTIC_Peaks-20160128             | 0.2 Mb   |
| 5  | KIRC_GISTIC_ThresholdedByGene-20160128 | 103.2 Mb |
| 6  | KIRC_mRNAArray-20160128                | 12 Mb    |
| 7  | KIRC_Mutation-20160128                 | 8.2 Mb   |
| 8  | KIRC_RNASeq2Gene-20160128              | 97.4 Mb  |
| 9  | KIRC_RNASeqGene-20160128               | 86.6 Mb  |
| 10 | KIRC_RPPAArray-20160128                | 0.9 Mb   |
| 11 | KIRC_miRNASeqGene-20160128             | 2.8 Mb   |
| 12 | KIRC_RNASeq2GeneNorm-20160128          | 86.9 Mb  |
| 13 | KIRC_Methylation_methyl27-20160128     | 4.9 Mb   |
| 14 | KIRC_Methylation_methyl450-20160128    | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      360 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 177    177    2.24    1.77    2.61

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 26.00  52.00   61.00   60.57  70.00   90.00     1

```

```

vital_status:
  0    1
360 177

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's

```

|     |       |       |       |        |        |     |
|-----|-------|-------|-------|--------|--------|-----|
| 2.0 | 333.0 | 819.0 | 961.2 | 1432.0 | 3615.0 | 360 |
|-----|-------|-------|-------|--------|--------|-----|

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 0.0  | 710.5   | 1454.5 | 1536.9 | 2172.0  | 4537.0 | 177  |

tumor\_tissue\_site:

kidney

537

pathologic\_stage:

| stage i | stage ii | stage iii | stage iv | NA's |
|---------|----------|-----------|----------|------|
| 269     | 57       | 125       | 84       | 2    |

pathology\_N\_stage:

| n0  | n1 | nx  |
|-----|----|-----|
| 240 | 17 | 280 |

pathology\_M\_stage:

| m0  | m1 | mx | NA's |
|-----|----|----|------|
| 426 | 79 | 30 | 2    |

gender:

| female | male |
|--------|------|
| 191    | 346  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1998 | 2004    | 2006   | 2006 | 2007    | 2013 |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 191     | 1172   | 1117 | 1887    | 2799 | 510  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 142 | 2   | 393  |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 90.00   | 90.00  | 85.56 | 100.00  | 100.00 | 483  |

histological\_type:

kidney clear cell renal carcinoma

537

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 7.00 | 14.00   | 30.00  | 28.33 | 40.00   | 65.00 | 516  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1946 | 1966    | 1978   | 1979 | 1996    | 2001 | 525  |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 8     | 56                        | 466   |
| NA's  |                           |       |
| 7     |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 26                 | 359                    | 152  |

Including an additional 2250 columns

---

KIRP

*Kidney renal papillary cell carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( KIRP )
ExperimentList class object of length 13:
 [1] KIRP_CNASNP-20160128: RaggedExperiment with 300681 rows and 593 columns
 [2] KIRP_CNVSNP-20160128: RaggedExperiment with 46914 rows and 590 columns
 [3] KIRP_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 288 columns
 [4] KIRP_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 28 rows and 288 columns
 [5] KIRP_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 288 columns
 [6] KIRP_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 326 columns
 [7] KIRP_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 16 columns
 [8] KIRP_Mutation-20160128: RaggedExperiment with 15585 rows and 161 columns
 [9] KIRP_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 323 columns
[10] KIRP_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 14 columns
[11] KIRP_RPPAArray-20160128: SummarizedExperiment with 195 rows and 216 columns
[12] KIRP_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 21 columns
[13] KIRP_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 321 columns

> rownames( KIRP )
CharacterList of length 13
[["KIRP_CNASNP-20160128"]] character(0)
[["KIRP_CNVSNP-20160128"]] character(0)
[["KIRP_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["KIRP_GISTIC_Peaks-20160128"]] chr1:1-29472434 ... chr22:29969457-30128393
[["KIRP_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["KIRP_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KIRP_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["KIRP_Mutation-20160128"]] character(0)
[["KIRP_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
```

```
[[ "KIRP_RNASeqGene-20160128" ]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<3 more elements>
```

```
> colnames( KIRP )
CharacterList of length 13
[[ "KIRP_CNASNP-20160128" ]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[[ "KIRP_CNVSNP-20160128" ]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[[ "KIRP_GISTIC_AllByGene-20160128" ]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[[ "KIRP_GISTIC_Peaks-20160128" ]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[[ "KIRP_GISTIC_ThresholdedByGene-20160128" ]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[[ "KIRP_miRNASeqGene-20160128" ]] TCGA-2K-A9WE-01A-11R-A38N-13 ...
[[ "KIRP_mRNAArray-20160128" ]] TCGA-AL-3466-01A-01R-1193-07 ...
[[ "KIRP_Mutation-20160128" ]] TCGA-A4-7286-01A-11D-2136-08 ...
[[ "KIRP_RNASeq2GeneNorm-20160128" ]] TCGA-2K-A9WE-01A-11R-A38C-07 ...
[[ "KIRP_RNASeqGene-20160128" ]] TCGA-AL-3466-01A-02R-1351-07 ...
...
<3 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | KIRP_CNASNP-20160128                   | 8.2 Mb        |
| 2  | KIRP_CNVSNP-20160128                   | 1.4 Mb        |
| 3  | KIRP_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | KIRP_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | KIRP_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | KIRP_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | KIRP_mRNAArray-20160128                | 1.1 Mb        |
| 8  | KIRP_Mutation-20160128                 | 10.6 Mb       |
| 9  | KIRP_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 10 | KIRP_RNASeqGene-20160128               | 1.3 Mb        |
| 11 | KIRP_RPPAArray-20160128                | 0 Mb          |
| 12 | KIRP_Methylation_methyl27-20160128     | 4.9 Mb        |
| 13 | KIRP_Methylation_methyl450-20160128    | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
247 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
44.00  44.00   1.76   1.35   3.60
```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  28.00   53.25   61.50   61.52   71.00   88.00     5

vital_status:
  0    1
247  44

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 122.0   341.2   641.0   989.8  1498.5  2941.0   247

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0   438.2   774.5  1070.2  1513.0  5925.0    45

tumor_tissue_site:
kidney
  291

pathologic_stage:
  stage i stage ii stage iii stage iv    NA's
    173     21     52     15     30

pathology_N_stage:
  n0  n1  n2  nx NA's
  50  24   4  212   1

pathology_M_stage:
  m0  m1  mx NA's
  95   9  172  15

gender:
female  male
   77   214

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1996   2008   2011   2010   2012   2013    25

days_to_last_known_alive:
  34 NA's
   1 290

radiation_therapy:
  no  yes NA's
 209   1   81

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.00   90.00   90.00   87.66  100.00  100.00   214

```

```
histological_type:
kidney papillary renal cell carcinoma
291

number_pack_years_smoked:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  3.00  15.00   24.50   31.73  41.25  185.00   215

year_of_tobacco_smoking_onset:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1941   1961   1970   1972   1984   2010   235

race:
american indian or alaska native                asian
                        2                        6
black or african american                        white
                        61                       207
                        NA's
                        15

ethnicity:
  hispanic or latino not hispanic or latino      NA's
                        12                       243                       36
```

Including an additional 1686 columns

See Also

[KIRP-v2.0.1](#)

---

|             |                                              |
|-------------|----------------------------------------------|
| KIRP-v2.0.1 | <i>Kidney renal papillary cell carcinoma</i> |
|-------------|----------------------------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( KIRP )
ExperimentList class object of length 14:
[1] KIRP_CNASNP-20160128: RaggedExperiment with 300681 rows and 593 columns
[2] KIRP_CNVSNP-20160128: RaggedExperiment with 46914 rows and 590 columns
[3] KIRP_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 288 columns
[4] KIRP_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 28 rows and 288 columns
[5] KIRP_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 288 columns
[6] KIRP_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 326 columns
[7] KIRP_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 16 columns
[8] KIRP_Mutation-20160128: RaggedExperiment with 15585 rows and 161 columns
[9] KIRP_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 323 columns
```

```
[10] KIRP_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 323 columns
[11] KIRP_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 14 columns
[12] KIRP_RPPAArray-20160128: SummarizedExperiment with 195 rows and 216 columns
[13] KIRP_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 21 columns
[14] KIRP_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 321 columns
```

```
> rownames( KIRP )
CharacterList of length 14
[["KIRP_CNASNP-20160128"]] character(0)
[["KIRP_CNVSNP-20160128"]] character(0)
[["KIRP_GISTIC_AllByGene-20160128"]] character(0)
[["KIRP_GISTIC_Peaks-20160128"]] 8 9 1 10 2 11 12 3 ... 22 24 25 7 26 27 28
[["KIRP_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["KIRP_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["KIRP_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["KIRP_Mutation-20160128"]] character(0)
[["KIRP_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["KIRP_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<4 more elements>
```

```
> colnames( KIRP )
CharacterList of length 14
[["KIRP_CNASNP-20160128"]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[["KIRP_CNVSNP-20160128"]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[["KIRP_GISTIC_AllByGene-20160128"]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[["KIRP_GISTIC_Peaks-20160128"]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[["KIRP_GISTIC_ThresholdedByGene-20160128"]] TCGA-2K-A9WE-01A-11D-A381-01 ...
[["KIRP_miRNASeqGene-20160128"]] TCGA-2K-A9WE-01A-11R-A38N-13 ...
[["KIRP_mRNAArray-20160128"]] TCGA-AL-3466-01A-01R-1193-07 ...
[["KIRP_Mutation-20160128"]] TCGA-A4-7286-01A-11D-2136-08 ...
[["KIRP_RNASeq2Gene-20160128"]] TCGA-2K-A9WE-01A-11R-A38C-07 ...
[["KIRP_RNASeq2GeneNorm-20160128"]] TCGA-2K-A9WE-01A-11R-A38C-07 ...
...
<4 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | KIRP_CNASNP-20160128                   | 8.2 Mb        |
| 2  | KIRP_CNVSNP-20160128                   | 1.4 Mb        |
| 3  | KIRP_GISTIC_AllByGene-20160128         | 58 Mb         |
| 4  | KIRP_GISTIC_Peaks-20160128             | 0.2 Mb        |
| 5  | KIRP_GISTIC_ThresholdedByGene-20160128 | 57.8 Mb       |
| 6  | KIRP_miRNASeqGene-20160128             | 2.8 Mb        |
| 7  | KIRP_mRNAArray-20160128                | 4.4 Mb        |
| 8  | KIRP_Mutation-20160128                 | 10.6 Mb       |
| 9  | KIRP_RNASeq2Gene-20160128              | 53.1 Mb       |
| 10 | KIRP_RNASeq2GeneNorm-20160128          | 53.1 Mb       |
| 11 | KIRP_RNASeqGene-20160128               | 4.7 Mb        |
| 12 | KIRP_RPPAArray-20160128                | 0.4 Mb        |
| 13 | KIRP_Methylation_methyl27-20160128     | 4.9 Mb        |

14 KIRP\_Methylation\_methyl450-20160128 75 Mb

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

247 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 44.00 | 44.00  | 1.76   | 1.35    | 3.60    |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 28.00 | 53.25   | 61.50  | 61.52 | 71.00   | 88.00 | 5    |

vital\_status:

| 0   | 1  |
|-----|----|
| 247 | 44 |

days\_to\_death:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 122.0 | 341.2   | 641.0  | 989.8 | 1498.5  | 2941.0 | 247  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 0.0  | 438.2   | 774.5  | 1070.2 | 1513.0  | 5925.0 | 45   |

tumor\_tissue\_site:

|        |
|--------|
| kidney |
| 291    |

pathologic\_stage:

| stage i | stage ii | stage iii | stage iv | NA's |
|---------|----------|-----------|----------|------|
| 173     | 21       | 52        | 15       | 30   |

pathology\_N\_stage:

| n0 | n1 | n2 | nx  | NA's |
|----|----|----|-----|------|
| 50 | 24 | 4  | 212 | 1    |

pathology\_M\_stage:

| m0 | m1 | mx  | NA's |
|----|----|-----|------|
| 95 | 9  | 172 | 15   |

gender:

female    male  
77       214

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1996 | 2008    | 2011   | 2010 | 2012    | 2013 | 25   |

days\_to\_last\_known\_alive:

34 NA's  
1    290

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 209 | 1   | 81   |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 90.00   | 90.00  | 87.66 | 100.00  | 100.00 | 214  |

histological\_type:

kidney papillary renal cell carcinoma  
291

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 3.00 | 15.00   | 24.50  | 31.73 | 41.25   | 185.00 | 215  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1941 | 1961    | 1970   | 1972 | 1984    | 2010 | 235  |

race:

|                                  |    |       |     |
|----------------------------------|----|-------|-----|
| american indian or alaska native | 2  | asian | 6   |
| black or african american        | 61 | white | 207 |
| NA's                             | 15 |       |     |

ethnicity:

|                    |    |                        |     |      |    |
|--------------------|----|------------------------|-----|------|----|
| hispanic or latino | 12 | not hispanic or latino | 243 | NA's | 36 |
|--------------------|----|------------------------|-----|------|----|

Including an additional 1686 columns

---

KIRP-v2.1.0

*Kidney renal papillary cell carcinoma*

---

## Description

A document describing the TCGA cancer code



```

2           KIRP_CNVSNP-20160128  1.4 Mb
3       KIRP_GISTIC_AllByGene-20160128  58 Mb
4           KIRP_GISTIC_Peaks-20160128  0.2 Mb
5 KIRP_GISTIC_ThresholdedByGene-20160128 57.8 Mb
6           KIRP_mRNAArray-20160128  4.4 Mb
7           KIRP_Mutation-20160128 10.6 Mb
8       KIRP_RNASeq2Gene-20160128 53.1 Mb
9       KIRP_RNASeqGene-20160128  4.7 Mb
10          KIRP_RPPAArray-20160128  0.4 Mb
11          KIRP_miRNASeqGene-20160128  2.8 Mb
12          KIRP_RNASeq2GeneNorm-20160128 46.8 Mb
13 KIRP_Methylation_methyl27-20160128  4.9 Mb
14 KIRP_Methylation_methyl450-20160128  75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

247 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 44      44   1.76    1.35    3.6

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 28.00  53.25   61.50   61.52  71.00   88.00     5

```

```

vital_status:
  0    1
247  44

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 122.0  341.2   641.0   989.8 1498.5 2941.0   247

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.0  438.2   774.5 1070.2 1513.0 5925.0    45

```

```

tumor_tissue_site:
kidney
291

```

```

pathologic_stage:
  stage i  stage ii stage iii  stage iv    NA's

```

173            21            52            15            30

pathology\_N\_stage:

| n0 | n1 | n2 | nx  | NA's |
|----|----|----|-----|------|
| 50 | 24 | 4  | 212 | 1    |

pathology\_M\_stage:

| m0 | m1 | mx  | NA's |
|----|----|-----|------|
| 95 | 9  | 172 | 15   |

gender:

| female | male |
|--------|------|
| 77     | 214  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1996 | 2008    | 2011   | 2010 | 2012    | 2013 | 25   |

days\_to\_last\_known\_alive:

| 34 | NA's |
|----|------|
| 1  | 290  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 209 | 1   | 81   |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 90.00   | 90.00  | 87.66 | 100.00  | 100.00 | 214  |

histological\_type:

| kidney papillary renal cell carcinoma |
|---------------------------------------|
| 291                                   |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 3.00 | 15.00   | 24.50  | 31.73 | 41.25   | 185.00 | 215  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1941 | 1961    | 1970   | 1972 | 1984    | 2010 | 235  |

race:

| american indian or alaska native | asian |
|----------------------------------|-------|
| 2                                | 6     |
| black or african american        | white |
| 61                               | 207   |
| NA's                             |       |
| 15                               |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 12                 | 243                    | 36   |

Including an additional 1686 columns

LAML

*Acute Myeloid Leukemia*

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LAML )
ExperimentList class object of length 10:
 [1] LAML_CNASNP-20160128: RaggedExperiment with 874897 rows and 392 columns
 [2] LAML_CNVSNP-20160128: RaggedExperiment with 28324 rows and 380 columns
 [3] LAML_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 191 columns
 [4] LAML_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 16 rows and 191 columns
 [5] LAML_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 191 columns
 [6] LAML_Mutation-20160128: RaggedExperiment with 2585 rows and 197 columns
 [7] LAML_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 173 columns
 [8] LAML_RNASeqGene-20160128: SummarizedExperiment with 19990 rows and 179 columns
 [9] LAML_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 194 columns
[10] LAML_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 194 columns

> rownames( LAML )
CharacterList of length 10
[["LAML_CNASNP-20160128"]] character(0)
[["LAML_CNVSNP-20160128"]] character(0)
[["LAML_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["LAML_GISTIC_Peaks-20160128"]] chr1:47516423-47533836 ...
[["LAML_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["LAML_Mutation-20160128"]] character(0)
[["LAML_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["LAML_RNASeqGene-20160128"]] AADACL3 AADACL4 ABCA4 ... XGPY2 XKRY2 ZFY
[["LAML_Methylation_methyl27-20160128"]] cg00000292 cg000002426 ... cg27665659
[["LAML_Methylation_methyl450-20160128"]] cg00000029 cg00000108 ... rs9839873

> colnames( LAML )
CharacterList of length 10
[["LAML_CNASNP-20160128"]] TCGA-AB-2802-03A-01D-0756-21 ...
[["LAML_CNVSNP-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_AllByGene-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_Peaks-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_ThresholdedByGene-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_Mutation-20160128"]] TCGA-AB-2802-03B-01W-0728-08 ...
[["LAML_RNASeq2GeneNorm-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_RNASeqGene-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_Methylation_methyl27-20160128"]] TCGA-AB-2802-03A-01D-0741-05 ...
```

```
[[ "LAML_Methylation_methyl450-20160128" ]] TCGA-AB-2802-03A-01D-0741-05 ...
```

Sizes of each ExperimentList element:

|    |  | assay                                  | size.Mb |
|----|--|----------------------------------------|---------|
| 1  |  | LAML_CNASNP-20160128                   | 23.5 Mb |
| 2  |  | LAML_CNVSNP-20160128                   | 0.9 Mb  |
| 3  |  | LAML_GISTIC_AllByGene-20160128         | 4.9 Mb  |
| 4  |  | LAML_GISTIC_Peaks-20160128             | 0 Mb    |
| 5  |  | LAML_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb  |
| 6  |  | LAML_Mutation-20160128                 | 2.8 Mb  |
| 7  |  | LAML_RNASeq2GeneNorm-20160128          | 1.3 Mb  |
| 8  |  | LAML_RNASeqGene-20160128               | 1.3 Mb  |
| 9  |  | LAML_Methylation_methyl27-20160128     | 4.9 Mb  |
| 10 |  | LAML_Methylation_methyl450-20160128    | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
80 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
120.000 120.000 0.748 0.586 0.918
```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 18.00 | 44.75   | 57.00  | 55.02 | 67.00   | 88.00 |

vital\_status:

|    |     |
|----|-----|
| 0  | 1   |
| 67 | 133 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 91.5    | 273.0  | 355.7 | 489.0   | 1706.0 | 80   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 296.2   | 699.0  | 913.5 | 1506.8  | 2861.0 | 132  |

tumor\_tissue\_site:

|             |      |
|-------------|------|
| bone marrow | NA's |
| 199         | 1    |

gender:

|        |      |
|--------|------|
| female | male |
| 91     | 109  |

date\_of\_initial\_pathologic\_diagnosis:

|      |         |        |      |         |      |
|------|---------|--------|------|---------|------|
| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
| 2001 | 2004    | 2006   | 2006 | 2008    | 2010 |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 2     | 15                        | 181   |
| NA's  |                           |       |
| 2     |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 3                  | 194                    | 3    |

Including an additional 478 columns

## See Also

[LAML-v2.0.1](#)

---

LAML-v2.0.1

*Acute Myeloid Leukemia*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LAML )
ExperimentList class object of length 11:
 [1] LAML_CNASNP-20160128: RaggedExperiment with 874897 rows and 392 columns
 [2] LAML_CNVSNP-20160128: RaggedExperiment with 28324 rows and 380 columns
 [3] LAML_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 191 columns
 [4] LAML_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 16 rows and 191 columns
 [5] LAML_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 191 columns
 [6] LAML_Mutation-20160128: RaggedExperiment with 2585 rows and 197 columns
 [7] LAML_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 173 columns
 [8] LAML_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 173 columns
 [9] LAML_RNASeqGene-20160128: SummarizedExperiment with 19990 rows and 179 columns
[10] LAML_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 194 columns
[11] LAML_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 194 columns

> rownames( LAML )
CharacterList of length 11
[["LAML_CNASNP-20160128"]] character(0)
[["LAML_CNVSNP-20160128"]] character(0)
```

```

[["LAML_GISTIC_AllByGene-20160128"]] character(0)
[["LAML_GISTIC_Peaks-20160128"]] 1 5 6 7 8 9 2 10 11 12 13 14 15 3 16 4
[["LAML_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LAML_Mutation-20160128"]] character(0)
[["LAML_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LAML_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["LAML_RNASeqGene-20160128"]] AADACL3 AADACL4 ABCA4 ... XGPY2 XKRY2 ZFY
[["LAML_Methylation_methyl27-20160128"]] cg00000292 cg000002426 ... cg27665659
...
<1 more element>

```

```

> colnames( LAML )
CharacterList of length 11
[["LAML_CNASNP-20160128"]] TCGA-AB-2802-03A-01D-0756-21 ...
[["LAML_CNVSNP-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_AllByGene-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_Peaks-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_ThresholdedByGene-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_Mutation-20160128"]] TCGA-AB-2802-03B-01W-0728-08 ...
[["LAML_RNASeq2Gene-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_RNASeq2GeneNorm-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_RNASeqGene-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_Methylation_methyl27-20160128"]] TCGA-AB-2802-03A-01D-0741-05 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | LAML_CNASNP-20160128                   | 23.5 Mb       |
| 2  | LAML_CNVSNP-20160128                   | 0.9 Mb        |
| 3  | LAML_GISTIC_AllByGene-20160128         | 39.5 Mb       |
| 4  | LAML_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | LAML_GISTIC_ThresholdedByGene-20160128 | 39.5 Mb       |
| 6  | LAML_Mutation-20160128                 | 2.8 Mb        |
| 7  | LAML_RNASeq2Gene-20160128              | 29.6 Mb       |
| 8  | LAML_RNASeq2GeneNorm-20160128          | 29.6 Mb       |
| 9  | LAML_RNASeqGene-20160128               | 29.8 Mb       |
| 10 | LAML_Methylation_methyl27-20160128     | 4.9 Mb        |
| 11 | LAML_Methylation_methyl450-20160128    | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      80 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
120.000 120.000   0.748   0.586   0.918

```

```
-----
Available sample meta-data:
-----
```

```
years_to_birth:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 18.00 | 44.75   | 57.00  | 55.02 | 67.00   | 88.00 |

```
vital_status:
```

|    |     |
|----|-----|
| 0  | 1   |
| 67 | 133 |

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 91.5    | 273.0  | 355.7 | 489.0   | 1706.0 | 80   |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 296.2   | 699.0  | 913.5 | 1506.8  | 2861.0 | 132  |

```
tumor_tissue_site:
```

|             |      |
|-------------|------|
| bone marrow | NA's |
| 199         | 1    |

```
gender:
```

|        |      |
|--------|------|
| female | male |
| 91     | 109  |

```
date_of_initial_pathologic_diagnosis:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2001 | 2004    | 2006   | 2006 | 2008    | 2010 |

```
race:
```

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 2     | 15                        | 181   |
| NA's  |                           |       |
| 2     |                           |       |

```
ethnicity:
```

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 3                  | 194                    | 3    |

```
Including an additional 478 columns
```

## Description

A document describing the TCGA cancer code

**Details**

```

> experiments( LAML )
ExperimentList class object of length 11:
 [1] LAML_CNASNP-20160128: RaggedExperiment with 874897 rows and 392 columns
 [2] LAML_CNVSNP-20160128: RaggedExperiment with 28324 rows and 380 columns
 [3] LAML_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 191 columns
 [4] LAML_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 16 rows and 191 columns
 [5] LAML_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 191 columns
 [6] LAML_Mutation-20160128: RaggedExperiment with 2585 rows and 197 columns
 [7] LAML_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 173 columns
 [8] LAML_RNASeqGene-20160128: SummarizedExperiment with 19990 rows and 179 columns
 [9] LAML_RNASeq2GeneNorm-20160128: SummarizedExperiment with 17258 rows and 173 columns
[10] LAML_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 194 columns
[11] LAML_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 194 columns

> rownames( LAML )
CharacterList of length 11
[["LAML_CNASNP-20160128"]] character(0)
[["LAML_CNVSNP-20160128"]] character(0)
[["LAML_GISTIC_AllByGene-20160128"]] character(0)
[["LAML_GISTIC_Peaks-20160128"]] 1 5 6 7 8 9 2 10 11 12 13 14 15 3 16 4
[["LAML_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LAML_Mutation-20160128"]] character(0)
[["LAML_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LAML_RNASeqGene-20160128"]] AADACL3 AADACL4 ABCA4 ... XGPY2 XKRY2 ZFY
[["LAML_RNASeq2GeneNorm-20160128"]] A1BG A2LD1 A2ML1 ... ZZZ3 psiTPTE22 tAKR
[["LAML_Methylation_methyl27-20160128"]] cg00000292 cg000002426 ... cg27665659
...
<1 more element>

> colnames( LAML )
CharacterList of length 11
[["LAML_CNASNP-20160128"]] TCGA-AB-2802-03A-01D-0756-21 ...
[["LAML_CNVSNP-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_AllByGene-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_Peaks-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_GISTIC_ThresholdedByGene-20160128"]] TCGA-AB-2803-03A-01D-0756-21 ...
[["LAML_Mutation-20160128"]] TCGA-AB-2802-03B-01W-0728-08 ...
[["LAML_RNASeq2Gene-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_RNASeqGene-20160128"]] TCGA-AB-2803-03A-01T-0734-13 ...
[["LAML_RNASeq2GeneNorm-20160128"]] TCGA-AB-2803-03 ... TCGA-AB-3012-03
[["LAML_Methylation_methyl27-20160128"]] TCGA-AB-2802-03A-01D-0741-05 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|   |                                | assay size.Mb |
|---|--------------------------------|---------------|
| 1 | LAML_CNASNP-20160128           | 23.5 Mb       |
| 2 | LAML_CNVSNP-20160128           | 0.9 Mb        |
| 3 | LAML_GISTIC_AllByGene-20160128 | 39.5 Mb       |
| 4 | LAML_GISTIC_Peaks-20160128     | 0.1 Mb        |

```

5  LAML_GISTIC_ThresholdedByGene-20160128 39.5 Mb
6          LAML_Mutation-20160128 2.8 Mb
7          LAML_RNASeq2Gene-20160128 29.6 Mb
8          LAML_RNASeqGene-20160128 29.8 Mb
9          LAML_RNASeq2GeneNorm-20160128 24.9 Mb
10 LAML_Methylation_methyl27-20160128 4.9 Mb
11 LAML_Methylation_methyl450-20160128 75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      80 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 120    120 0.748 0.586 0.918

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:

```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 18.00 | 44.75   | 57.00  | 55.02 | 67.00   | 88.00 |

```

vital_status:

```

| 0  | 1   |
|----|-----|
| 67 | 133 |

```

days_to_death:

```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 91.5    | 273.0  | 355.7 | 489.0   | 1706.0 | 80   |

```

days_to_last_followup:

```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 296.2   | 699.0  | 913.5 | 1506.8  | 2861.0 | 132  |

```

tumor_tissue_site:

```

| bone marrow | NA's |
|-------------|------|
| 199         | 1    |

```

gender:

```

| female | male |
|--------|------|
| 91     | 109  |

```

date_of_initial_pathologic_diagnosis:

```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2001 | 2004    | 2006   | 2006 | 2008    | 2010 |

```

race:
      asian black or african american      white
      2              15              181
      NA's
      2

ethnicity:
      hispanic or latino not hispanic or latino      NA's
      3              194              3

```

Including an additional 478 columns

---

LGG

*Brain Lower Grade Glioma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( LGG )
ExperimentList class object of length 12:
 [1] LGG_CNASeq-20160128: RaggedExperiment with 6360 rows and 104 columns
 [2] LGG_CNASNP-20160128: RaggedExperiment with 411918 rows and 1015 columns
 [3] LGG_CNVSNP-20160128: RaggedExperiment with 79791 rows and 1015 columns
 [4] LGG_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 513 columns
 [5] LGG_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 46 rows and 513 columns
 [6] LGG_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 513 columns
 [7] LGG_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 526 columns
 [8] LGG_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 27 columns
 [9] LGG_Mutation-20160128: RaggedExperiment with 9885 rows and 286 columns
[10] LGG_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 530 columns
[11] LGG_RPPAArray-20160128: SummarizedExperiment with 201 rows and 435 columns
[12] LGG_Methylation-20160128: SummarizedExperiment with 485577 rows and 530 columns

> rownames( LGG )
CharacterList of length 12
[["LGG_CNASeq-20160128"]] character(0)
[["LGG_CNASNP-20160128"]] character(0)
[["LGG_CNVSNP-20160128"]] character(0)
[["LGG_GISTIC_AllByGene-20160128"]] ACAP3 ACTRT2 ... WASIR1|ENSG00000185203.7
[["LGG_GISTIC_Peaks-20160128"]] chr1:3814904-5625565 ...
[["LGG_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["LGG_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LGG_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["LGG_Mutation-20160128"]] character(0)
[["LGG_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

```

```
> colnames( LGG )
CharacterList of length 12
[["LGG_CNASeq-20160128"]] TCGA-CS-4938-01B-11D-1891-02 ...
[["LGG_CNASNP-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_CNVSNP-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_AllByGene-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_Peaks-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_ThresholdedByGene-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_miRNASeqGene-20160128"]] TCGA-CS-4938-01B-11R-1895-13 ...
[["LGG_mRNAArray-20160128"]] TCGA-CS-4942-01A-01R-1470-07 ...
[["LGG_Mutation-20160128"]] TCGA-CS-4938-01B-11D-1893-08 ...
[["LGG_RNASeq2GeneNorm-20160128"]] TCGA-CS-4938-01B-11R-1896-07 ...
...
<2 more elements>
```

Sizes of each ExperimentList element:

|    |                                       | assay size.Mb |
|----|---------------------------------------|---------------|
| 1  | LGG_CNASeq-20160128                   | 0.2 Mb        |
| 2  | LGG_CNASNP-20160128                   | 11.3 Mb       |
| 3  | LGG_CNVSNP-20160128                   | 2.4 Mb        |
| 4  | LGG_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | LGG_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | LGG_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | LGG_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | LGG_mRNAArray-20160128                | 1.1 Mb        |
| 9  | LGG_Mutation-20160128                 | 4.2 Mb        |
| 10 | LGG_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 11 | LGG_RPPAArray-20160128                | 0.1 Mb        |
| 12 | LGG_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
391 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
125.00 125.00   2.23   1.87   2.83
```

-----  
Available sample meta-data:  
-----

```
years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 14.00  32.00   41.00  42.93  53.00  86.00     2
```

```
vital_status:
```

```

0      1 NA's
389 126    1

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
    7     438     814   1219   1547   5166   391

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
-1.0   384.0   629.0   880.1  1147.0  6423.0   127

tumor_tissue_site:
central nervous system      NA's
                        515      1

gender:
female  male  NA's
  230    285    1

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 1992   2008   2011   2009   2012   2013    1

radiation_therapy:
no  yes NA's
186 296  34

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 40.00   80.00   90.00   86.64  100.00  100.00   209

histological_type:
      astrocytoma oligoastrocytoma oligodendroglioma      NA's
                194                130                191                1

race:
american indian or alaska native      asian
                        1                        8
      black or african american      white
                        21                     475
                        NA's
                        11

ethnicity:
      hispanic or latino not hispanic or latino      NA's
                32                449                35

```

Including an additional 1764 columns

## See Also

[LGG-v2.0.1](#)

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LGG )
ExperimentList class object of length 13:
 [1] LGG_CNASeq-20160128: RaggedExperiment with 6360 rows and 104 columns
 [2] LGG_CNASNP-20160128: RaggedExperiment with 411918 rows and 1015 columns
 [3] LGG_CNVSNP-20160128: RaggedExperiment with 79791 rows and 1015 columns
 [4] LGG_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 513 columns
 [5] LGG_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 46 rows and 513 columns
 [6] LGG_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 513 columns
 [7] LGG_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 526 columns
 [8] LGG_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 27 columns
 [9] LGG_Mutation-20160128: RaggedExperiment with 9885 rows and 286 columns
[10] LGG_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 530 columns
[11] LGG_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 530 columns
[12] LGG_RPPAArray-20160128: SummarizedExperiment with 201 rows and 435 columns
[13] LGG_Methylation-20160128: SummarizedExperiment with 485577 rows and 530 columns

> rownames( LGG )
CharacterList of length 13
[["LGG_CNASeq-20160128"]] character(0)
[["LGG_CNASNP-20160128"]] character(0)
[["LGG_CNVSNP-20160128"]] character(0)
[["LGG_GISTIC_AllByGene-20160128"]] character(0)
[["LGG_GISTIC_Peaks-20160128"]] 21 22 1 2 23 3 24 25 ... 45 16 17 46 18 47 48
[["LGG_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LGG_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LGG_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["LGG_Mutation-20160128"]] character(0)
[["LGG_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<3 more elements>

> colnames( LGG )
CharacterList of length 13
[["LGG_CNASeq-20160128"]] TCGA-CS-4938-01B-11D-1891-02 ...
[["LGG_CNASNP-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_CNVSNP-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_AllByGene-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_Peaks-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_ThresholdedByGene-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_miRNASeqGene-20160128"]] TCGA-CS-4938-01B-11R-1895-13 ...
[["LGG_mRNAArray-20160128"]] TCGA-CS-4942-01A-01R-1470-07 ...
[["LGG_Mutation-20160128"]] TCGA-CS-4938-01B-11D-1893-08 ...
```

```
[[ "LGG_RNASeq2Gene-20160128" ]] TCGA-CS-4938-01B-11R-1896-07 ...
...
<3 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                 | size.Mb  |
|----|---------------------------------------|----------|
| 1  | LGG_CNASeq-20160128                   | 0.2 Mb   |
| 2  | LGG_CNASNP-20160128                   | 11.3 Mb  |
| 3  | LGG_CNVSNP-20160128                   | 2.4 Mb   |
| 4  | LGG_GISTIC_AllByGene-20160128         | 100.5 Mb |
| 5  | LGG_GISTIC_Peaks-20160128             | 0.3 Mb   |
| 6  | LGG_GISTIC_ThresholdedByGene-20160128 | 100.4 Mb |
| 7  | LGG_miRNASeqGene-20160128             | 4.4 Mb   |
| 8  | LGG_mRNAArray-20160128                | 5.9 Mb   |
| 9  | LGG_Mutation-20160128                 | 4.2 Mb   |
| 10 | LGG_RNASeq2Gene-20160128              | 85.5 Mb  |
| 11 | LGG_RNASeq2GeneNorm-20160128          | 85.5 Mb  |
| 12 | LGG_RPPAArray-20160128                | 0.8 Mb   |
| 13 | LGG_Methylation-20160128              | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
391 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
125.00 125.00   2.23   1.87   2.83
```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 14.00 | 32.00   | 41.00  | 42.93 | 53.00   | 86.00 | 2    |

vital\_status:

| 0   | 1   | NA's |
|-----|-----|------|
| 389 | 126 | 1    |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 7    | 438     | 814    | 1219 | 1547    | 5166 | 391  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| -1.0 | 384.0   | 629.0  | 880.1 | 1147.0  | 6423.0 | 127  |

```

tumor_tissue_site:
central nervous system      NA's
                    515      1

gender:
female  male  NA's
   230   285    1

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  1992   2008   2011   2009   2012   2013      1

radiation_therapy:
no  yes NA's
186 296  34

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  40.00   80.00   90.00   86.64  100.00  100.00    209

histological_type:
      astrocytoma oligoastrocytoma oligodendroglioma      NA's
                194                130                191                1

race:
american indian or alaska native      asian
                        1                        8
      black or african american      white
                        21                     475
                        NA's
                        11

ethnicity:
      hispanic or latino not hispanic or latino      NA's
                32                449                35

Including an additional 1764 columns

```

LGG-v2.1.0

*Brain Lower Grade Glioma***Description**

A document describing the TCGA cancer code

**Details**

```

> experiments( LGG )
ExperimentList class object of length 13:
[1] LGG_CNASeq-20160128: RaggedExperiment with 6360 rows and 104 columns

```

```

[2] LGG_CNASNP-20160128: RaggedExperiment with 411918 rows and 1015 columns
[3] LGG_CNVSNP-20160128: RaggedExperiment with 79791 rows and 1015 columns
[4] LGG_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 513 columns
[5] LGG_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 46 rows and 513 columns
[6] LGG_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 513 columns
[7] LGG_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 27 columns
[8] LGG_Mutation-20160128: RaggedExperiment with 9885 rows and 286 columns
[9] LGG_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 530 columns
[10] LGG_RPPAArray-20160128: SummarizedExperiment with 201 rows and 435 columns
[11] LGG_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 526 columns
[12] LGG_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18311 rows and 530 columns
[13] LGG_Methylation-20160128: SummarizedExperiment with 485577 rows and 530 columns

```

```

> rownames( LGG )
CharacterList of length 13
[["LGG_CNASeq-20160128"]] character(0)
[["LGG_CNASNP-20160128"]] character(0)
[["LGG_CNVSNP-20160128"]] character(0)
[["LGG_GISTIC_AllByGene-20160128"]] character(0)
[["LGG_GISTIC_Peaks-20160128"]] 21 22 1 2 23 3 24 25 ... 45 16 17 46 18 47 48
[["LGG_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LGG_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["LGG_Mutation-20160128"]] character(0)
[["LGG_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 TAKR
[["LGG_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
...
<3 more elements>

```

```

> colnames( LGG )
CharacterList of length 13
[["LGG_CNASeq-20160128"]] TCGA-CS-4938-01B-11D-1891-02 ...
[["LGG_CNASNP-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_CNVSNP-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_AllByGene-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_Peaks-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_GISTIC_ThresholdedByGene-20160128"]] TCGA-CS-4938-01B-11D-1892-01 ...
[["LGG_mRNAArray-20160128"]] TCGA-CS-4942-01A-01R-1470-07 ...
[["LGG_Mutation-20160128"]] TCGA-CS-4938-01B-11D-1893-08 ...
[["LGG_RNASeq2Gene-20160128"]] TCGA-CS-4938-01B-11R-1896-07 ...
[["LGG_RPPAArray-20160128"]] TCGA-CS-4938-01B-11-A300-20 ...
...
<3 more elements>

```

Sizes of each ExperimentList element:

|   | assay                                 | size.Mb  |
|---|---------------------------------------|----------|
| 1 | LGG_CNASeq-20160128                   | 0.2 Mb   |
| 2 | LGG_CNASNP-20160128                   | 11.3 Mb  |
| 3 | LGG_CNVSNP-20160128                   | 2.4 Mb   |
| 4 | LGG_GISTIC_AllByGene-20160128         | 100.5 Mb |
| 5 | LGG_GISTIC_Peaks-20160128             | 0.3 Mb   |
| 6 | LGG_GISTIC_ThresholdedByGene-20160128 | 100.4 Mb |

|    |                              |         |
|----|------------------------------|---------|
| 7  | LGG_mRNAArray-20160128       | 5.9 Mb  |
| 8  | LGG_Mutation-20160128        | 4.2 Mb  |
| 9  | LGG_RNASeq2Gene-20160128     | 85.5 Mb |
| 10 | LGG_RPPAArray-20160128       | 0.8 Mb  |
| 11 | LGG_miRNASeqGene-20160128    | 4.4 Mb  |
| 12 | LGG_RNASeq2GeneNorm-20160128 | 76.4 Mb |
| 13 | LGG_Methylation-20160128     | 75.1 Mb |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

391 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
[1,] 125 125 2.23 1.87 2.83

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 14.00 | 32.00   | 41.00  | 42.93 | 53.00   | 86.00 | 2    |

vital\_status:

|     |     |      |
|-----|-----|------|
| 0   | 1   | NA's |
| 389 | 126 | 1    |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 7    | 438     | 814    | 1219 | 1547    | 5166 | 391  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| -1.0 | 384.0   | 629.0  | 880.1 | 1147.0  | 6423.0 | 127  |

tumor\_tissue\_site:

|                        |      |
|------------------------|------|
| central nervous system | NA's |
| 515                    | 1    |

gender:

|        |      |      |
|--------|------|------|
| female | male | NA's |
| 230    | 285  | 1    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2008    | 2011   | 2009 | 2012    | 2013 | 1    |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 186 | 296 | 34   |

karnofsky\_performance\_score:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 40.00 | 80.00   | 90.00  | 86.64 | 100.00  | 100.00 | 209  |

histological\_type:

| astrocytoma | oligoastrocytoma | oligodendroglioma | NA's |
|-------------|------------------|-------------------|------|
| 194         | 130              | 191               | 1    |

race:

| american indian or alaska native | asian |
|----------------------------------|-------|
| 1                                | 8     |
| black or african american        | white |
| 21                               | 475   |
| NA's                             |       |
| 11                               |       |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 32                 | 449                    | 35   |

Including an additional 1764 columns

---

LIHC

*Liver hepatocellular carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LIHC )
ExperimentList class object of length 11:
 [1] LIHC_CNASNP-20160128: RaggedExperiment with 363628 rows and 760 columns
 [2] LIHC_CNVSNP-20160128: RaggedExperiment with 93328 rows and 760 columns
 [3] LIHC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 370 columns
 [4] LIHC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 59 rows and 370 columns
 [5] LIHC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 370 columns
 [6] LIHC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 424 columns
 [7] LIHC_Mutation-20160128: RaggedExperiment with 27892 rows and 198 columns
 [8] LIHC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 423 columns
 [9] LIHC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 26 columns
[10] LIHC_RPPAArray-20160128: SummarizedExperiment with 219 rows and 184 columns
[11] LIHC_Methylation-20160128: SummarizedExperiment with 485577 rows and 429 columns

> rownames( LIHC )
CharacterList of length 11
```

```

[["LIHC_CNASNP-20160128"]] character(0)
[["LIHC_CNVSNP-20160128"]] character(0)
[["LIHC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["LIHC_GISTIC_Peaks-20160128"]] chr1:1-6847369 ... chr22:44205320-51304566
[["LIHC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["LIHC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LIHC_Mutation-20160128"]] character(0)
[["LIHC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["LIHC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LIHC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( LIHC )
CharacterList of length 11
[["LIHC_CNASNP-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_CNVSNP-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_AllByGene-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_Peaks-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_miRNASeqGene-20160128"]] TCGA-2V-A95S-01A-11R-A37G-13 ...
[["LIHC_Mutation-20160128"]] TCGA-BC-4073-01B-02D-A12Z-10 ...
[["LIHC_RNASeq2GeneNorm-20160128"]] TCGA-2V-A95S-01A-11R-A37K-07 ...
[["LIHC_RNASeqGene-20160128"]] TCGA-BC-4073-01B-02R-A131-07 ...
[["LIHC_RPPAArray-20160128"]] TCGA-BC-4072-01B-21-A40L-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | LIHC_CNASNP-20160128                   | 9.9 Mb        |
| 2  | LIHC_CNVSNP-20160128                   | 2.7 Mb        |
| 3  | LIHC_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | LIHC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | LIHC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | LIHC_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | LIHC_Mutation-20160128                 | 16.8 Mb       |
| 8  | LIHC_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9  | LIHC_RNASeqGene-20160128               | 1.3 Mb        |
| 10 | LIHC_RPPAArray-20160128                | 0 Mb          |
| 11 | LIHC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```

245 observations deleted due to missingness
n events median 0.95LCL 0.95UCL

```

132.000 132.000 1.144 0.956 1.633

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 16.00 | 51.00   | 61.00  | 59.27 | 69.00   | 87.00 | 4    |

vital\_status:

| 0   | 1   |
|-----|-----|
| 245 | 132 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 194.8   | 417.5  | 672.1 | 837.0   | 3258.0 | 245  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 395.8   | 649.5  | 885.8 | 1222.0  | 3675.0 | 133  |

tumor\_tissue\_site:

| liver |
|-------|
| 377   |

pathology\_N\_stage:

| n0  | n1 | nx  | NA's |
|-----|----|-----|------|
| 257 | 4  | 115 | 1    |

pathology\_M\_stage:

| m0  | m1 | mx  |
|-----|----|-----|
| 272 | 4  | 101 |

gender:

| female | male |
|--------|------|
| 122    | 255  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1995 | 2008    | 2011   | 2010 | 2012    | 2013 | 3    |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 345 | 9   | 23   |

histological\_type:

| fibrolamellar carcinoma | hepatocellular carcinoma |
|-------------------------|--------------------------|
| 3                       | 367                      |

```
hepatocholangiocarcinoma (mixed)
7
```

```
residual_tumor:
```

```
  r0  r1  r2  rx NA's
330  17   1  22   7
```

```
race:
```

```
american indian or alaska native                asian
                                                161
          black or african american                white
                                                187
                                                NA's
                                                10
```

```
ethnicity:
```

```
  hispanic or latino not hispanic or latino    NA's
              18                      340              19
```

```
Including an additional 1218 columns
```

## See Also

[LIHC-v2.0.1](#)

---

LIHC-v2.0.1

*Liver hepatocellular carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LIHC )
ExperimentList class object of length 12:
 [1] LIHC_CNASNP-20160128: RaggedExperiment with 363628 rows and 760 columns
 [2] LIHC_CNVSNP-20160128: RaggedExperiment with 93328 rows and 760 columns
 [3] LIHC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 370 columns
 [4] LIHC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 59 rows and 370 columns
 [5] LIHC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 370 columns
 [6] LIHC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 424 columns
 [7] LIHC_Mutation-20160128: RaggedExperiment with 27892 rows and 198 columns
 [8] LIHC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 423 columns
 [9] LIHC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 423 columns
[10] LIHC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 26 columns
[11] LIHC_RPPAArray-20160128: SummarizedExperiment with 219 rows and 184 columns
[12] LIHC_Methylation-20160128: SummarizedExperiment with 485577 rows and 429 columns

> rownames( LIHC )
CharacterList of length 12
```

```

[["LIHC_CNASNP-20160128"]] character(0)
[["LIHC_CNVSNP-20160128"]] character(0)
[["LIHC_GISTIC_AllByGene-20160128"]] character(0)
[["LIHC_GISTIC_Peaks-20160128"]] 28 29 1 2 3 30 4 31 ... 23 24 58 25 26 59 60
[["LIHC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LIHC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LIHC_Mutation-20160128"]] character(0)
[["LIHC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LIHC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["LIHC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

```

```

> colnames( LIHC )
CharacterList of length 12
[["LIHC_CNASNP-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_CNVSNP-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_AllByGene-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_Peaks-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_miRNASeqGene-20160128"]] TCGA-2V-A95S-01A-11R-A37G-13 ...
[["LIHC_Mutation-20160128"]] TCGA-BC-4073-01B-02D-A12Z-10 ...
[["LIHC_RNASeq2Gene-20160128"]] TCGA-2V-A95S-01A-11R-A37K-07 ...
[["LIHC_RNASeq2GeneNorm-20160128"]] TCGA-2V-A95S-01A-11R-A37K-07 ...
[["LIHC_RNASeqGene-20160128"]] TCGA-BC-4073-01B-02R-A131-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | LIHC_CNASNP-20160128                   | 9.9 Mb        |
| 2  | LIHC_CNVSNP-20160128                   | 2.7 Mb        |
| 3  | LIHC_GISTIC_AllByGene-20160128         | 73.5 Mb       |
| 4  | LIHC_GISTIC_Peaks-20160128             | 0.3 Mb        |
| 5  | LIHC_GISTIC_ThresholdedByGene-20160128 | 73.3 Mb       |
| 6  | LIHC_miRNASeqGene-20160128             | 3.6 Mb        |
| 7  | LIHC_Mutation-20160128                 | 16.8 Mb       |
| 8  | LIHC_RNASeq2Gene-20160128              | 68.8 Mb       |
| 9  | LIHC_RNASeq2GeneNorm-20160128          | 68.8 Mb       |
| 10 | LIHC_RNASeqGene-20160128               | 6.6 Mb        |
| 11 | LIHC_RPPAArray-20160128                | 0.4 Mb        |
| 12 | LIHC_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

245 observations deleted due to missingness

| n       | events  | median | 0.95LCL | 0.95UCL |
|---------|---------|--------|---------|---------|
| 132.000 | 132.000 | 1.144  | 0.956   | 1.633   |

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 16.00 | 51.00   | 61.00  | 59.27 | 69.00   | 87.00 | 4    |

vital\_status:

| 0   | 1   |
|-----|-----|
| 245 | 132 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 194.8   | 417.5  | 672.1 | 837.0   | 3258.0 | 245  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 395.8   | 649.5  | 885.8 | 1222.0  | 3675.0 | 133  |

tumor\_tissue\_site:

| liver |
|-------|
| 377   |

pathology\_N\_stage:

| n0  | n1 | nx  | NA's |
|-----|----|-----|------|
| 257 | 4  | 115 | 1    |

pathology\_M\_stage:

| m0  | m1 | mx  |
|-----|----|-----|
| 272 | 4  | 101 |

gender:

| female | male |
|--------|------|
| 122    | 255  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1995 | 2008    | 2011   | 2010 | 2012    | 2013 | 3    |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 345 | 9   | 23   |

histological\_type:

| fibrolamellar carcinoma | hepatocellular carcinoma |
|-------------------------|--------------------------|
|-------------------------|--------------------------|

```

                                3
hepatocholangiocarcinoma (mixed) 367
                                7

residual_tumor:
  r0  r1  r2  rx NA's
330  17   1  22   7

race:
american indian or alaska native                asian
                                2                161
        black or african american                white
                                17                187
                                NA's
                                10

ethnicity:
  hispanic or latino not hispanic or latino  NA's
                                18                340
                                19

```

Including an additional 1218 columns

---

LIHC-v2.1.0

*Liver hepatocellular carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( LIHC )
ExperimentList class object of length 12:
 [1] LIHC_CNASNP-20160128: RaggedExperiment with 363628 rows and 760 columns
 [2] LIHC_CNVSNP-20160128: RaggedExperiment with 93328 rows and 760 columns
 [3] LIHC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 370 columns
 [4] LIHC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 59 rows and 370 columns
 [5] LIHC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 370 columns
 [6] LIHC_Mutation-20160128: RaggedExperiment with 27892 rows and 198 columns
 [7] LIHC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 423 columns
 [8] LIHC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 26 columns
 [9] LIHC_RPPAArray-20160128: SummarizedExperiment with 219 rows and 184 columns
[10] LIHC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 424 columns
[11] LIHC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 17690 rows and 423 columns
[12] LIHC_Methylation-20160128: SummarizedExperiment with 485577 rows and 429 columns

> rownames( LIHC )
CharacterList of length 12
[["LIHC_CNASNP-20160128"]] character(0)
[["LIHC_CNVSNP-20160128"]] character(0)
[["LIHC_GISTIC_AllByGene-20160128"]] character(0)

```

```

[["LIHC_GISTIC_Peaks-20160128"]] 28 29 1 2 3 30 4 31 ... 23 24 58 25 26 59 60
[["LIHC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LIHC_Mutation-20160128"]] character(0)
[["LIHC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LIHC_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LIHC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["LIHC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
...
<2 more elements>

```

```

> colnames( LIHC )
CharacterList of length 12
[["LIHC_CNASNP-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_CNVSNP-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_AllByGene-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_Peaks-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2V-A95S-01A-11D-A36W-01 ...
[["LIHC_Mutation-20160128"]] TCGA-BC-4073-01B-02D-A12Z-10 ...
[["LIHC_RNASeq2Gene-20160128"]] TCGA-2V-A95S-01A-11R-A37K-07 ...
[["LIHC_RNASeqGene-20160128"]] TCGA-BC-4073-01B-02R-A131-07 ...
[["LIHC_RPPAArray-20160128"]] TCGA-BC-4072-01B-21-A40L-20 ...
[["LIHC_miRNASeqGene-20160128"]] TCGA-2V-A95S-01A-11R-A37G-13 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | LIHC_CNASNP-20160128                   | 9.9 Mb        |
| 2  | LIHC_CNVSNP-20160128                   | 2.7 Mb        |
| 3  | LIHC_GISTIC_AllByGene-20160128         | 73.5 Mb       |
| 4  | LIHC_GISTIC_Peaks-20160128             | 0.3 Mb        |
| 5  | LIHC_GISTIC_ThresholdedByGene-20160128 | 73.3 Mb       |
| 6  | LIHC_Mutation-20160128                 | 16.8 Mb       |
| 7  | LIHC_RNASeq2Gene-20160128              | 68.8 Mb       |
| 8  | LIHC_RNASeqGene-20160128               | 6.6 Mb        |
| 9  | LIHC_RPPAArray-20160128                | 0.4 Mb        |
| 10 | LIHC_miRNASeqGene-20160128             | 3.6 Mb        |
| 11 | LIHC_RNASeq2GeneNorm-20160128          | 59.3 Mb       |
| 12 | LIHC_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      245 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 132    132    1.14    0.956    1.63

```

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 16.00 | 51.00   | 61.00  | 59.27 | 69.00   | 87.00 | 4    |

vital\_status:

| 0   | 1   |
|-----|-----|
| 245 | 132 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 194.8   | 417.5  | 672.1 | 837.0   | 3258.0 | 245  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 395.8   | 649.5  | 885.8 | 1222.0  | 3675.0 | 133  |

tumor\_tissue\_site:

| liver |
|-------|
| 377   |

pathology\_N\_stage:

| n0  | n1 | nx  | NA's |
|-----|----|-----|------|
| 257 | 4  | 115 | 1    |

pathology\_M\_stage:

| m0  | m1 | mx  |
|-----|----|-----|
| 272 | 4  | 101 |

gender:

| female | male |
|--------|------|
| 122    | 255  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1995 | 2008    | 2011   | 2010 | 2012    | 2013 | 3    |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 345 | 9   | 23   |

histological\_type:

| fibrolamellar carcinoma          | hepatocellular carcinoma |
|----------------------------------|--------------------------|
| 3                                | 367                      |
| hepatocholangiocarcinoma (mixed) |                          |
| 7                                |                          |

residual\_tumor:

|     |    |    |    |      |
|-----|----|----|----|------|
| r0  | r1 | r2 | rx | NA's |
| 330 | 17 | 1  | 22 | 7    |

race:

|                                  |       |
|----------------------------------|-------|
| american indian or alaska native | asian |
| 2                                | 161   |
| black or african american        | white |
| 17                               | 187   |
| NA's                             |       |
| 10                               |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 18                 | 340                    | 19   |

Including an additional 1218 columns

---

LUAD

*Lung adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LUAD )
ExperimentList class object of length 14:
[1] LUAD_CNASeq-20160128: RaggedExperiment with 399592 rows and 249 columns
[2] LUAD_CNASNP-20160128: RaggedExperiment with 501475 rows and 1095 columns
[3] LUAD_CNVSNP-20160128: RaggedExperiment with 115836 rows and 1095 columns
[4] LUAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 516 columns
[5] LUAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 73 rows and 516 columns
[6] LUAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 516 columns
[7] LUAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 498 columns
[8] LUAD_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 32 columns
[9] LUAD_Mutation-20160128: RaggedExperiment with 72541 rows and 230 columns
[10] LUAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 576 columns
[11] LUAD_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 162 columns
[12] LUAD_RPPAArray-20160128: SummarizedExperiment with 223 rows and 365 columns
[13] LUAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 89 columns
[14] LUAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 492 columns

> rownames( LUAD )
CharacterList of length 14
[["LUAD_CNASeq-20160128"]] character(0)
[["LUAD_CNASNP-20160128"]] character(0)
[["LUAD_CNVSNP-20160128"]] character(0)
[["LUAD_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
```

```

[["LUAD_GISTIC_Peaks-20160128"]] chr1:1-32049393 ... chr22:46723702-51304566
[["LUAD_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["LUAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LUAD_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["LUAD_Mutation-20160128"]] character(0)
[["LUAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 TAKR
...
<4 more elements>

```

```

> colnames( LUAD )
CharacterList of length 14
[["LUAD_CNASeq-20160128"]] TCGA-05-4249-01A-01D-1103-02 ...
[["LUAD_CNASNP-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_CNVSNP-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_AllByGene-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_Peaks-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_miRNASeqGene-20160128"]] TCGA-05-4384-01A-01T-1754-13 ...
[["LUAD_mRNAArray-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
[["LUAD_Mutation-20160128"]] TCGA-05-4249-01A-01D-1105-08 ...
[["LUAD_RNASeq2GeneNorm-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
...
<4 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | LUAD_CNASeq-20160128                   | 10.8 Mb       |
| 2  | LUAD_CNASNP-20160128                   | 13.7 Mb       |
| 3  | LUAD_CNVSNP-20160128                   | 3.4 Mb        |
| 4  | LUAD_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | LUAD_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | LUAD_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | LUAD_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | LUAD_mRNAArray-20160128                | 1.1 Mb        |
| 9  | LUAD_Mutation-20160128                 | 92.9 Mb       |
| 10 | LUAD_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 11 | LUAD_RNASeqGene-20160128               | 1.3 Mb        |
| 12 | LUAD_RPPAArray-20160128                | 0.1 Mb        |
| 13 | LUAD_Methylation_methyl27-20160128     | 4.9 Mb        |
| 14 | LUAD_Methylation_methyl450-20160128    | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

336 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
184.00 184.00   1.70    1.37    2.00

```

```
-----
Available sample meta-data:
-----
```

```
years_to_birth:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 33.00 | 59.00   | 66.00  | 65.22 | 72.00   | 88.00 | 31   |

```
vital_status:
```

```
  0   1
332 188
```

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 297.8   | 619.0  | 791.4 | 1120.0  | 4961.0 | 336  |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 459.5   | 670.0  | 968.7 | 1139.0  | 7248.0 | 193  |

```
tumor_tissue_site:
```

```
lung
520
```

```
gender:
```

```
female  male
279     241
```

```
date_of_initial_pathologic_diagnosis:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1991 | 2007    | 2010   | 2008 | 2011    | 2013 | 19   |

```
days_to_last_known_alive:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 96.5    | 141.0  | 327.6 | 386.0   | 1178.0 | 513  |

```
radiation_therapy:
```

```
no  yes  NA's
413  61   46
```

```
karnofsky_performance_score:
```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 80.00   | 90.00  | 78.55 | 100.00  | 100.00 | 382  |

```
number_pack_years_smoked:
```

|                                  |         |        |       |         |                        |      |
|----------------------------------|---------|--------|-------|---------|------------------------|------|
| Min.                             | 1st Qu. | Median | Mean  | 3rd Qu. | Max.                   | NA's |
| 0.15                             | 20.50   | 40.00  | 41.79 | 50.00   | 154.00                 | 165  |
| year_of_tobacco_smoking_onset:   |         |        |       |         |                        |      |
| Min.                             | 1st Qu. | Median | Mean  | 3rd Qu. | Max.                   | NA's |
| 1930                             | 1956    | 1965   | 1965  | 1972    | 1999                   | 241  |
| residual_tumor:                  |         |        |       |         |                        |      |
| r0                               | r1      | r2     | rx    | NA's    |                        |      |
| 347                              | 13      | 4      | 26    | 130     |                        |      |
| race:                            |         |        |       |         |                        |      |
| american indian or alaska native |         |        |       | 1       | asian                  | 8    |
| black or african american        |         |        |       | 53      | white                  | 392  |
| NA's                             |         |        |       | 66      |                        |      |
| ethnicity:                       |         |        |       |         |                        |      |
| hispanic or latino               |         |        |       | 7       | not hispanic or latino | NA's |
|                                  |         |        |       |         | 388                    | 125  |

Including an additional 2607 columns

See Also

[LUAD-v2.0.1](#)

---

|             |                     |
|-------------|---------------------|
| LUAD-v2.0.1 | Lung adenocarcinoma |
|-------------|---------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( LUAD )
ExperimentList class object of length 15:
[1] LUAD_CNASeq-20160128: RaggedExperiment with 399592 rows and 249 columns
[2] LUAD_CNASNP-20160128: RaggedExperiment with 501475 rows and 1095 columns
[3] LUAD_CNVSNP-20160128: RaggedExperiment with 115836 rows and 1095 columns
[4] LUAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 516 columns
[5] LUAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 73 rows and 516 columns
[6] LUAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 516 columns
[7] LUAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 498 columns
[8] LUAD_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 32 columns
[9] LUAD_Mutation-20160128: RaggedExperiment with 72541 rows and 230 columns
[10] LUAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 576 columns
[11] LUAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 576 columns
```

```
[12] LUAD_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 162 columns
[13] LUAD_RPPAArray-20160128: SummarizedExperiment with 223 rows and 365 columns
[14] LUAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 89 columns
[15] LUAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 492 columns
```

```
> rownames( LUAD )
CharacterList of length 15
[["LUAD_CNASeq-20160128"]] character(0)
[["LUAD_CNASNP-20160128"]] character(0)
[["LUAD_CNVSNP-20160128"]] character(0)
[["LUAD_GISTIC_AllByGene-20160128"]] character(0)
[["LUAD_GISTIC_Peaks-20160128"]] 30 1 31 2 32 33 34 ... 71 26 72 27 73 28 74
[["LUAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LUAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LUAD_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["LUAD_Mutation-20160128"]] character(0)
[["LUAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<5 more elements>
```

```
> colnames( LUAD )
CharacterList of length 15
[["LUAD_CNASeq-20160128"]] TCGA-05-4249-01A-01D-1103-02 ...
[["LUAD_CNASNP-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_CNVSNP-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_AllByGene-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_Peaks-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_miRNASeqGene-20160128"]] TCGA-05-4384-01A-01T-1754-13 ...
[["LUAD_mRNAArray-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
[["LUAD_Mutation-20160128"]] TCGA-05-4249-01A-01D-1105-08 ...
[["LUAD_RNASeq2Gene-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
...
<5 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | LUAD_CNASeq-20160128                   | 10.8 Mb  |
| 2  | LUAD_CNASNP-20160128                   | 13.7 Mb  |
| 3  | LUAD_CNVSNP-20160128                   | 3.4 Mb   |
| 4  | LUAD_GISTIC_AllByGene-20160128         | 101.2 Mb |
| 5  | LUAD_GISTIC_Peaks-20160128             | 0.5 Mb   |
| 6  | LUAD_GISTIC_ThresholdedByGene-20160128 | 101 Mb   |
| 7  | LUAD_miRNASeqGene-20160128             | 4.2 Mb   |
| 8  | LUAD_mRNAArray-20160128                | 6.6 Mb   |
| 9  | LUAD_Mutation-20160128                 | 92.9 Mb  |
| 10 | LUAD_RNASeq2Gene-20160128              | 92.7 Mb  |
| 11 | LUAD_RNASeq2GeneNorm-20160128          | 92.7 Mb  |
| 12 | LUAD_RNASeqGene-20160128               | 27.9 Mb  |
| 13 | LUAD_RPPAArray-20160128                | 0.7 Mb   |
| 14 | LUAD_Methylation_methyl27-20160128     | 4.9 Mb   |

15 LUAD\_Methylation\_methyl450-20160128 75.1 Mb

-----

Overall survival time-to-event summary (in years):

-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

336 observations deleted due to missingness

| n      | events | median | 0.95LCL | 0.95UCL |
|--------|--------|--------|---------|---------|
| 184.00 | 184.00 | 1.70   | 1.37    | 2.00    |

-----

Available sample meta-data:

-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 33.00 | 59.00   | 66.00  | 65.22 | 72.00   | 88.00 | 31   |

vital\_status:

| 0   | 1   |
|-----|-----|
| 332 | 188 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 297.8   | 619.0  | 791.4 | 1120.0  | 4961.0 | 336  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 459.5   | 670.0  | 968.7 | 1139.0  | 7248.0 | 193  |

tumor\_tissue\_site:

| lung |
|------|
| 520  |

gender:

| female | male |
|--------|------|
| 279    | 241  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1991 | 2007    | 2010   | 2008 | 2011    | 2013 | 19   |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

```

          9.0    96.5   141.0   327.6   386.0  1178.0    513

radiation_therapy:
  no  yes NA's
413  61   46

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.00   80.00   90.00   78.55 100.00  100.00   382

number_pack_years_smoked:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.15   20.50   40.00   41.79  50.00  154.00   165

year_of_tobacco_smoking_onset:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
 1930   1956   1965   1965   1972   1999   241

residual_tumor:
  r0  r1  r2  rx NA's
347  13   4  26 130

race:
american indian or alaska native          asian
                        1                      8
      black or african american          white
                        53                   392
                        NA's
                        66

ethnicity:
      hispanic or latino not hispanic or latino    NA's
                        7                      388          125

Including an additional 2607 columns

```

LUAD-v2.1.0

*Lung adenocarcinoma***Description**

A document describing the TCGA cancer code

**Details**

```

> experiments( LUAD )
ExperimentList class object of length 15:
[1] LUAD_CNASeq-20160128: RaggedExperiment with 399592 rows and 249 columns
[2] LUAD_CNASNP-20160128: RaggedExperiment with 501475 rows and 1095 columns
[3] LUAD_CNVSNP-20160128: RaggedExperiment with 115836 rows and 1095 columns

```

```

[4] LUAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 516 columns
[5] LUAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 73 rows and 516 columns
[6] LUAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 516 columns
[7] LUAD_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 32 columns
[8] LUAD_Mutation-20160128: RaggedExperiment with 72541 rows and 230 columns
[9] LUAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 576 columns
[10] LUAD_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 162 columns
[11] LUAD_RPPAArray-20160128: SummarizedExperiment with 223 rows and 365 columns
[12] LUAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 498 columns
[13] LUAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18289 rows and 576 columns
[14] LUAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 89 columns
[15] LUAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 492 columns

```

```

> rownames( LUAD )
CharacterList of length 15
[["LUAD_CNASeq-20160128"]] character(0)
[["LUAD_CNASNP-20160128"]] character(0)
[["LUAD_CNVSNP-20160128"]] character(0)
[["LUAD_GISTIC_AllByGene-20160128"]] character(0)
[["LUAD_GISTIC_Peaks-20160128"]] 30 1 31 2 32 33 34 ... 71 26 72 27 73 28 74
[["LUAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LUAD_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["LUAD_Mutation-20160128"]] character(0)
[["LUAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["LUAD_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<5 more elements>

```

```

> colnames( LUAD )
CharacterList of length 15
[["LUAD_CNASeq-20160128"]] TCGA-05-4249-01A-01D-1103-02 ...
[["LUAD_CNASNP-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_CNVSNP-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_AllByGene-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_Peaks-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-05-4244-01A-01D-1877-01 ...
[["LUAD_mRNAArray-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
[["LUAD_Mutation-20160128"]] TCGA-05-4249-01A-01D-1105-08 ...
[["LUAD_RNASeq2Gene-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
[["LUAD_RNASeqGene-20160128"]] TCGA-05-4244-01A-01R-1107-07 ...
...
<5 more elements>

```

Sizes of each ExperimentList element:

|   | assay                                  | size.Mb  |
|---|----------------------------------------|----------|
| 1 | LUAD_CNASeq-20160128                   | 10.8 Mb  |
| 2 | LUAD_CNASNP-20160128                   | 13.7 Mb  |
| 3 | LUAD_CNVSNP-20160128                   | 3.4 Mb   |
| 4 | LUAD_GISTIC_AllByGene-20160128         | 101.2 Mb |
| 5 | LUAD_GISTIC_Peaks-20160128             | 0.5 Mb   |
| 6 | LUAD_GISTIC_ThresholdedByGene-20160128 | 101 Mb   |

|    |                                     |         |
|----|-------------------------------------|---------|
| 7  | LUAD_mRNAArray-20160128             | 6.6 Mb  |
| 8  | LUAD_Mutation-20160128              | 92.9 Mb |
| 9  | LUAD_RNASeq2Gene-20160128           | 92.7 Mb |
| 10 | LUAD_RNASeqGene-20160128            | 27.9 Mb |
| 11 | LUAD_RPPAArray-20160128             | 0.7 Mb  |
| 12 | LUAD_miRNASeqGene-20160128          | 4.2 Mb  |
| 13 | LUAD_RNASeq2GeneNorm-20160128       | 82.7 Mb |
| 14 | LUAD_Methylation_methyl27-20160128  | 4.9 Mb  |
| 15 | LUAD_Methylation_methyl450-20160128 | 75.1 Mb |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

336 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
[1,] 184 184 1.7 1.37 2

-----  
Available sample meta-data:  
-----

years\_to\_birth:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
33.00 59.00 66.00 65.22 72.00 88.00 31

vital\_status:  
0 1  
332 188

days\_to\_death:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
0.0 297.8 619.0 791.4 1120.0 4961.0 336

days\_to\_last\_followup:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
0.0 459.5 670.0 968.7 1139.0 7248.0 193

tumor\_tissue\_site:  
lung  
520

gender:  
female male

279 241

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1991 | 2007    | 2010   | 2008 | 2011    | 2013 | 19   |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 9.0  | 96.5    | 141.0  | 327.6 | 386.0   | 1178.0 | 513  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 413 | 61  | 46   |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 80.00   | 90.00  | 78.55 | 100.00  | 100.00 | 382  |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.15 | 20.50   | 40.00  | 41.79 | 50.00   | 154.00 | 165  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1930 | 1956    | 1965   | 1965 | 1972    | 1999 | 241  |

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 347 | 13 | 4  | 26 | 130  |

race:

|                                  |    |       |     |
|----------------------------------|----|-------|-----|
| american indian or alaska native | 1  | asian | 8   |
| black or african american        | 53 | white | 392 |
| NA's                             | 66 |       |     |

ethnicity:

|                    |   |                        |     |      |     |
|--------------------|---|------------------------|-----|------|-----|
| hispanic or latino | 7 | not hispanic or latino | 388 | NA's | 125 |
|--------------------|---|------------------------|-----|------|-----|

Including an additional 2607 columns

---

LUSC

*Lung squamous cell carcinoma*

---

## Description

A document describing the TCGA cancer code

**Details**

```

> experiments( LUSC )
ExperimentList class object of length 16:
 [1] LUSC_CNACGH-20160128: RaggedExperiment with 87417 rows and 407 columns
 [2] LUSC_CNASNP-20160128: RaggedExperiment with 543091 rows and 1035 columns
 [3] LUSC_CNVSNP-20160128: RaggedExperiment with 134864 rows and 1032 columns
 [4] LUSC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 501 columns
 [5] LUSC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 78 rows and 501 columns
 [6] LUSC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 501 columns
 [7] LUSC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 387 columns
 [8] LUSC_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 112 columns
 [9] LUSC_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 154 columns
[10] LUSC_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 133 columns
[11] LUSC_Mutation-20160128: RaggedExperiment with 65305 rows and 178 columns
[12] LUSC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 552 columns
[13] LUSC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 240 columns
[14] LUSC_RPPAArray-20160128: SummarizedExperiment with 223 rows and 328 columns
[15] LUSC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 160 columns
[16] LUSC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 412 columns

> rownames( LUSC )
CharacterList of length 16
[["LUSC_CNACGH-20160128"]] character(0)
[["LUSC_CNASNP-20160128"]] character(0)
[["LUSC_CNVSNP-20160128"]] character(0)
[["LUSC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["LUSC_GISTIC_Peaks-20160128"]] chr1:1-31262836 ... chr22:45736500-51304566
[["LUSC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["LUSC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LUSC_mRNAArray_huex-20160128"]] C9orf152 ELM02 RPS11 ... SLC39A6 CTSC AQP7
[["LUSC_mRNAArray_TX_g4502a-20160128"]] ELM02 CREB3L1 RPS11 ... AQP7 CTSC
[["LUSC_mRNAArray_TX_ht_hg_u133a-20160128"]] AACs FSTL1 ELM02 ... CTSC AQP7
...
<6 more elements>

> colnames( LUSC )
CharacterList of length 16
[["LUSC_CNACGH-20160128"]] TCGA-18-3406-01A-01D-1519-02 ...
[["LUSC_CNASNP-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_CNVSNP-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_AllByGene-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_Peaks-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_ThresholdedByGene-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_miRNASeqGene-20160128"]] TCGA-18-5592-01A-01T-1634-13 ...
[["LUSC_mRNAArray_huex-20160128"]] TCGA-18-3406-01A-01R-1030-03 ...
[["LUSC_mRNAArray_TX_g4502a-20160128"]] TCGA-18-3406-01A-01R-0980-07 ...
[["LUSC_mRNAArray_TX_ht_hg_u133a-20160128"]] TCGA-18-3406-01A-01R-1031-01 ...
...
<6 more elements>

```

Sizes of each ExperimentList element:

|    |  | assay                                  | size.Mb |
|----|--|----------------------------------------|---------|
| 1  |  | LUSC_CNACGH-20160128                   | 2.5 Mb  |
| 2  |  | LUSC_CNASNP-20160128                   | 14.8 Mb |
| 3  |  | LUSC_CNVSNP-20160128                   | 3.9 Mb  |
| 4  |  | LUSC_GISTIC_AllByGene-20160128         | 4.9 Mb  |
| 5  |  | LUSC_GISTIC_Peaks-20160128             | 0.1 Mb  |
| 6  |  | LUSC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb  |
| 7  |  | LUSC_miRNASeqGene-20160128             | 0.1 Mb  |
| 8  |  | LUSC_mRNAArray_huex-20160128           | 1.2 Mb  |
| 9  |  | LUSC_mRNAArray_TX_g4502a-20160128      | 1.1 Mb  |
| 10 |  | LUSC_mRNAArray_TX_ht_hg_u133a-20160128 | 0.8 Mb  |
| 11 |  | LUSC_Mutation-20160128                 | 81 Mb   |
| 12 |  | LUSC_RNASeq2GeneNorm-20160128          | 1.3 Mb  |
| 13 |  | LUSC_RNASeqGene-20160128               | 1.3 Mb  |
| 14 |  | LUSC_RPPAArray-20160128                | 0 Mb    |
| 15 |  | LUSC_Methylation_methyl27-20160128     | 4.9 Mb  |
| 16 |  | LUSC_Methylation_methyl450-20160128    | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

289 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
215.00 215.00 1.51 1.25 1.88

-----  
Available sample meta-data:  
-----

years\_to\_birth:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
39.00 62.00 68.00 67.26 73.00 90.00 10

vital\_status:  
0 1  
284 220

days\_to\_death:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
1.0 280.0 550.0 872.3 1110.5 5287.0 289

days\_to\_last\_followup:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
0 394 757 1049 1374 4765 221

tumor\_tissue\_site:  
lung

504

pathology\_N\_stage:

| n0  | n1  | n2 | n3 | nx |
|-----|-----|----|----|----|
| 320 | 133 | 40 | 5  | 6  |

gender:

| female | male |
|--------|------|
| 131    | 373  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2005    | 2009   | 2008 | 2011    | 2013 | 25   |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 298.8   | 706.0  | 904.8 | 1051.8  | 3724.0 | 436  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 387 | 53  | 64   |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 0.0  | 0.0     | 80.0   | 60.3 | 90.0    | 100.0 | 338  |

histological\_type:

|                                                             |     |
|-------------------------------------------------------------|-----|
| lung basaloid squamous cell carcinoma                       | 15  |
| lung papillary squamous cell carcinoma                      | 6   |
| lung small cell squamous cell carcinoma                     | 1   |
| lung squamous cell carcinoma- not otherwise specified (nos) | 482 |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 1.00 | 31.12   | 50.00  | 52.91 | 64.50   | 240.00 | 77   |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1933 | 1952    | 1960   | 1960 | 1968    | 1997 | 183  |

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 401 | 12 | 4  | 23 | 64   |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 9     | 31                        | 351   |
| NA's  |                           |       |
| 113   |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 8                  | 319                    | 177  |

Including an additional 2238 columns

## See Also

[LUSC-v2.0.1](#)

---

LUSC-v2.0.1

*Lung squamous cell carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LUSC )
ExperimentList class object of length 17:
 [1] LUSC_CNACGH-20160128: RaggedExperiment with 87417 rows and 407 columns
 [2] LUSC_CNASNP-20160128: RaggedExperiment with 543091 rows and 1035 columns
 [3] LUSC_CNVSNP-20160128: RaggedExperiment with 134864 rows and 1032 columns
 [4] LUSC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 501 columns
 [5] LUSC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 78 rows and 501 columns
 [6] LUSC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 501 columns
 [7] LUSC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 387 columns
 [8] LUSC_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 112 columns
 [9] LUSC_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 154 columns
[10] LUSC_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 133 columns
[11] LUSC_Mutation-20160128: RaggedExperiment with 65305 rows and 178 columns
[12] LUSC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 552 columns
[13] LUSC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 552 columns
[14] LUSC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 240 columns
[15] LUSC_RPPAArray-20160128: SummarizedExperiment with 223 rows and 328 columns
[16] LUSC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 160 columns
[17] LUSC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 412 columns

> rownames( LUSC )
CharacterList of length 17
[1]"LUSC_CNACGH-20160128" character(0)
[2]"LUSC_CNASNP-20160128" character(0)
[3]"LUSC_CNVSNP-20160128" character(0)
[4]"LUSC_GISTIC_AllByGene-20160128" character(0)
[5]"LUSC_GISTIC_Peaks-20160128" 31 32 1 33 2 34 3 ... 27 28 76 77 78 29 79
```

```

[["LUSC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LUSC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["LUSC_mRNAArray_huex-20160128"]] C9orf152 ELM02 RPS11 ... SLC39A6 CTSC AQP7
[["LUSC_mRNAArray_TX_g4502a-20160128"]] ELM02 CREB3L1 RPS11 ... AQP7 CTSC
[["LUSC_mRNAArray_TX_ht_hg_u133a-20160128"]] AACs FSTL1 ELM02 ... CTSC AQP7
...
<7 more elements>

```

```

> colnames( LUSC )
CharacterList of length 17
[["LUSC_CNACGH-20160128"]] TCGA-18-3406-01A-01D-1519-02 ...
[["LUSC_CNASNP-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_CNVSNP-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_AllByGene-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_Peaks-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_ThresholdedByGene-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_miRNASeqGene-20160128"]] TCGA-18-5592-01A-01T-1634-13 ...
[["LUSC_mRNAArray_huex-20160128"]] TCGA-18-3406-01A-01R-1030-03 ...
[["LUSC_mRNAArray_TX_g4502a-20160128"]] TCGA-18-3406-01A-01R-0980-07 ...
[["LUSC_mRNAArray_TX_ht_hg_u133a-20160128"]] TCGA-18-3406-01A-01R-1031-01 ...
...
<7 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | LUSC_CNACGH-20160128                   | 2.5 Mb        |
| 2  | LUSC_CNASNP-20160128                   | 14.8 Mb       |
| 3  | LUSC_CNVSNP-20160128                   | 3.9 Mb        |
| 4  | LUSC_GISTIC_AllByGene-20160128         | 98.3 Mb       |
| 5  | LUSC_GISTIC_Peaks-20160128             | 0.5 Mb        |
| 6  | LUSC_GISTIC_ThresholdedByGene-20160128 | 98.1 Mb       |
| 7  | LUSC_miRNASeqGene-20160128             | 3.3 Mb        |
| 8  | LUSC_mRNAArray_huex-20160128           | 18.3 Mb       |
| 9  | LUSC_mRNAArray_TX_g4502a-20160128      | 23.2 Mb       |
| 10 | LUSC_mRNAArray_TX_ht_hg_u133a-20160128 | 13.7 Mb       |
| 11 | LUSC_Mutation-20160128                 | 81 Mb         |
| 12 | LUSC_RNASeq2Gene-20160128              | 89 Mb         |
| 13 | LUSC_RNASeq2GeneNorm-20160128          | 89 Mb         |
| 14 | LUSC_RNASeqGene-20160128               | 40.1 Mb       |
| 15 | LUSC_RPPAArray-20160128                | 0.6 Mb        |
| 16 | LUSC_Methylation_methyl27-20160128     | 4.9 Mb        |
| 17 | LUSC_Methylation_methyl450-20160128    | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

289 observations deleted due to missingness

|  | n      | events | median | 0.95LCL | 0.95UCL |
|--|--------|--------|--------|---------|---------|
|  | 215.00 | 215.00 | 1.51   | 1.25    | 1.88    |

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 39.00 | 62.00   | 68.00  | 67.26 | 73.00   | 90.00 | 10   |

vital\_status:

| 0   | 1   |
|-----|-----|
| 284 | 220 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 1.0  | 280.0   | 550.0  | 872.3 | 1110.5  | 5287.0 | 289  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 394     | 757    | 1049 | 1374    | 4765 | 221  |

tumor\_tissue\_site:

| lung |
|------|
| 504  |

pathology\_N\_stage:

| n0  | n1  | n2 | n3 | nx |
|-----|-----|----|----|----|
| 320 | 133 | 40 | 5  | 6  |

gender:

| female | male |
|--------|------|
| 131    | 373  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2005    | 2009   | 2008 | 2011    | 2013 | 25   |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 298.8   | 706.0  | 904.8 | 1051.8  | 3724.0 | 436  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 387 | 53  | 64   |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 0.0  | 0.0     | 80.0   | 60.3 | 90.0    | 100.0 | 338  |

histological\_type:

|                                                             |     |
|-------------------------------------------------------------|-----|
| lung basaloid squamous cell carcinoma                       | 15  |
| lung papillary squamous cell carcinoma                      | 6   |
| lung small cell squamous cell carcinoma                     | 1   |
| lung squamous cell carcinoma- not otherwise specified (nos) | 482 |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 1.00 | 31.12   | 50.00  | 52.91 | 64.50   | 240.00 | 77   |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1933 | 1952    | 1960   | 1960 | 1968    | 1997 | 183  |

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 401 | 12 | 4  | 23 | 64   |

race:

|                                 |       |
|---------------------------------|-------|
| asian black or african american | white |
| 9                               | 31    |
| NA's                            | 351   |
| 113                             |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 8                  | 319                    | 177  |

Including an additional 2238 columns

LUSC-v2.1.0

*Lung squamous cell carcinoma*

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( LUSC )
ExperimentList class object of length 17:
[1] LUSC_CNACGH-20160128: RaggedExperiment with 87417 rows and 407 columns
[2] LUSC_CNASNP-20160128: RaggedExperiment with 543091 rows and 1035 columns
[3] LUSC_CNVSNP-20160128: RaggedExperiment with 134864 rows and 1032 columns
```

```
[4] LUSC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 501 columns
[5] LUSC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 78 rows and 501 columns
[6] LUSC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 501 columns
[7] LUSC_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 112 columns
[8] LUSC_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 154 columns
[9] LUSC_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 133 columns
[10] LUSC_Mutation-20160128: RaggedExperiment with 65305 rows and 178 columns
[11] LUSC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 552 columns
[12] LUSC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 240 columns
[13] LUSC_RPPAArray-20160128: SummarizedExperiment with 223 rows and 328 columns
[14] LUSC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 387 columns
[15] LUSC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18520 rows and 552 columns
[16] LUSC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 160 columns
[17] LUSC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 412 columns
```

```
> rownames( LUSC )
CharacterList of length 17
[["LUSC_CNACGH-20160128"]] character(0)
[["LUSC_CNASNP-20160128"]] character(0)
[["LUSC_CNVSNP-20160128"]] character(0)
[["LUSC_GISTIC_AllByGene-20160128"]] character(0)
[["LUSC_GISTIC_Peaks-20160128"]] 31 32 1 33 2 34 3 ... 27 28 76 77 78 29 79
[["LUSC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["LUSC_mRNAArray_huex-20160128"]] C9orf152 ELM02 RPS11 ... SLC39A6 CTSC AQP7
[["LUSC_mRNAArray_TX_g4502a-20160128"]] ELM02 CREB3L1 RPS11 ... AQP7 CTSC
[["LUSC_mRNAArray_TX_ht_hg_u133a-20160128"]] AACS FSTL1 ELM02 ... CTSC AQP7
[["LUSC_Mutation-20160128"]] character(0)
...
<7 more elements>
```

```
> colnames( LUSC )
CharacterList of length 17
[["LUSC_CNACGH-20160128"]] TCGA-18-3406-01A-01D-1519-02 ...
[["LUSC_CNASNP-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_CNVSNP-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_AllByGene-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_Peaks-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_GISTIC_ThresholdedByGene-20160128"]] TCGA-18-3406-01A-01D-0978-01 ...
[["LUSC_mRNAArray_huex-20160128"]] TCGA-18-3406-01A-01R-1030-03 ...
[["LUSC_mRNAArray_TX_g4502a-20160128"]] TCGA-18-3406-01A-01R-0980-07 ...
[["LUSC_mRNAArray_TX_ht_hg_u133a-20160128"]] TCGA-18-3406-01A-01R-1031-01 ...
[["LUSC_Mutation-20160128"]] TCGA-18-3406-01A-01D-0983-08 ...
...
<7 more elements>
```

Sizes of each ExperimentList element:

|   |                                | assay size.Mb |
|---|--------------------------------|---------------|
| 1 | LUSC_CNACGH-20160128           | 2.5 Mb        |
| 2 | LUSC_CNASNP-20160128           | 14.8 Mb       |
| 3 | LUSC_CNVSNP-20160128           | 3.9 Mb        |
| 4 | LUSC_GISTIC_AllByGene-20160128 | 98.3 Mb       |

```

5          LUSC_GISTIC_Peaks-20160128  0.5 Mb
6 LUSC_GISTIC_ThresholdedByGene-20160128 98.1 Mb
7          LUSC_mRNAArray_huex-20160128 18.3 Mb
8          LUSC_mRNAArray_TX_g4502a-20160128 23.2 Mb
9 LUSC_mRNAArray_TX_ht_hg_u133a-20160128 13.7 Mb
10         LUSC_Mutation-20160128      81 Mb
11         LUSC_RNASeq2Gene-20160128    89 Mb
12         LUSC_RNASeqGene-20160128   40.1 Mb
13         LUSC_RPPAArray-20160128     0.6 Mb
14         LUSC_miRNASeqGene-20160128   3.3 Mb
15         LUSC_RNASeq2GeneNorm-20160128 80.4 Mb
16 LUSC_Methylation_methyl27-20160128   4.9 Mb
17 LUSC_Methylation_methyl450-20160128 75.1 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      289 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 215      215   1.51    1.25    1.88

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 39.00  62.00   68.00   67.26  73.00   90.00    10

```

```

vital_status:
  0    1
284 220

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   1.0   280.0   550.0   872.3 1110.5  5287.0   289

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
    0     394     757   1049   1374   4765   221

```

```

tumor_tissue_site:
lung
504

```

pathology\_N\_stage:

| n0  | n1  | n2 | n3 | nx |
|-----|-----|----|----|----|
| 320 | 133 | 40 | 5  | 6  |

gender:

| female | male |
|--------|------|
| 131    | 373  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2005    | 2009   | 2008 | 2011    | 2013 | 25   |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 298.8   | 706.0  | 904.8 | 1051.8  | 3724.0 | 436  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 387 | 53  | 64   |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 0.0  | 0.0     | 80.0   | 60.3 | 90.0    | 100.0 | 338  |

histological\_type:

|                                                             |     |
|-------------------------------------------------------------|-----|
| lung basaloid squamous cell carcinoma                       | 15  |
| lung papillary squamous cell carcinoma                      | 6   |
| lung small cell squamous cell carcinoma                     | 1   |
| lung squamous cell carcinoma- not otherwise specified (nos) | 482 |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 1.00 | 31.12   | 50.00  | 52.91 | 64.50   | 240.00 | 77   |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1933 | 1952    | 1960   | 1960 | 1968    | 1997 | 183  |

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 401 | 12 | 4  | 23 | 64   |

race:

|                                 |       |
|---------------------------------|-------|
| asian black or african american | white |
| 9                               | 31    |
| NA's                            | 351   |
| 113                             |       |

```

ethnicity:
  hispanic or latino not hispanic or latino      NA's
                8                319                177

```

Including an additional 2238 columns

---

|      |                     |
|------|---------------------|
| MESO | <i>Mesothelioma</i> |
|------|---------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( MESO )
ExperimentList class object of length 9:
 [1] MESO_CNASNP-20160128: RaggedExperiment with 90003 rows and 173 columns
 [2] MESO_CNVSNP-20160128: RaggedExperiment with 18335 rows and 172 columns
 [3] MESO_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 87 columns
 [4] MESO_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 21 rows and 87 columns
 [5] MESO_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 87 columns
 [6] MESO_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 87 columns
 [7] MESO_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 87 columns
 [8] MESO_RPPAArray-20160128: SummarizedExperiment with 193 rows and 63 columns
 [9] MESO_Methylation-20160128: SummarizedExperiment with 485577 rows and 87 columns

> rownames( MESO )
CharacterList of length 9
[["MESO_CNASNP-20160128"]] character(0)
[["MESO_CNVSNP-20160128"]] character(0)
[["MESO_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["MESO_GISTIC_Peaks-20160128"]] chr1:1-31262836 ... chr22:29969457-30128393
[["MESO_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["MESO_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["MESO_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["MESO_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["MESO_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( MESO )
CharacterList of length 9
[["MESO_CNASNP-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_CNVSNP-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_AllByGene-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_Peaks-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_ThresholdedByGene-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_miRNASeqGene-20160128"]] TCGA-3H-AB3K-01A-11R-A404-13 ...
[["MESO_RNASeq2GeneNorm-20160128"]] TCGA-3H-AB3K-01A-11R-A40A-07 ...
[["MESO_RPPAArray-20160128"]] TCGA-3H-AB3K-01A-21-A450-20 ...
[["MESO_Methylation-20160128"]] TCGA-3H-AB3K-01A-11D-A39S-05 ...

```

Sizes of each ExperimentList element:

|   |                                        | assay | size.Mb |
|---|----------------------------------------|-------|---------|
| 1 | MESO_CNASNP-20160128                   |       | 2.5 Mb  |
| 2 | MESO_CNVSNP-20160128                   |       | 0.6 Mb  |
| 3 | MESO_GISTIC_AllByGene-20160128         |       | 4.9 Mb  |
| 4 | MESO_GISTIC_Peaks-20160128             |       | 0 Mb    |
| 5 | MESO_GISTIC_ThresholdedByGene-20160128 |       | 4.9 Mb  |
| 6 | MESO_miRNASeqGene-20160128             |       | 0.1 Mb  |
| 7 | MESO_RNASeq2GeneNorm-20160128          |       | 1.3 Mb  |
| 8 | MESO_RPPAArray-20160128                |       | 0 Mb    |
| 9 | MESO_Methylation-20160128              |       | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

14 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 73.00 | 73.00  | 1.25   | 1.11    | 1.67    |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 28.00 | 57.00   | 64.00  | 62.99 | 69.00   | 81.00 |

vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 13 | 74 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 20.0 | 253.0   | 457.0  | 584.1 | 789.0   | 2790.0 | 14   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| -8   | 499     | 1168   | 1091 | 1490    | 2359 | 74   |

tumor\_tissue\_site:

|        |
|--------|
| pleura |
| 87     |

pathology\_N\_stage:

n0 n1 n2 n3 nx

44 10 26 3 4

pathology\_M\_stage:

m0 m1 mx

57 3 27

gender:

female male

16 71

date\_of\_initial\_pathologic\_diagnosis:

Min. 1st Qu. Median Mean 3rd Qu. Max.

1999 2008 2010 2009 2012 2013

radiation\_therapy:

no yes NA's

62 24 1

karnofsky\_performance\_score:

Min. 1st Qu. Median Mean 3rd Qu. Max. NA's

0.00 80.00 90.00 77.65 90.00 100.00 70

histological\_type:

biphasic mesothelioma diffuse malignant mesothelioma - nos

23 5

epithelioid mesothelioma sarcomatoid mesothelioma

57 2

residual\_tumor:

r0 r1 r2 rx NA's

17 3 15 11 41

race:

asian black or african american

1 1

white

85

ethnicity:

not hispanic or latino

73

NA's

14

Including an additional 636 columns

## See Also

[MESO-v2.0.1](#)

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( MESO )
ExperimentList class object of length 10:
 [1] MESO_CNASNP-20160128: RaggedExperiment with 90003 rows and 173 columns
 [2] MESO_CNVSNP-20160128: RaggedExperiment with 18335 rows and 172 columns
 [3] MESO_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 87 columns
 [4] MESO_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 21 rows and 87 columns
 [5] MESO_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 87 columns
 [6] MESO_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 87 columns
 [7] MESO_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 87 columns
 [8] MESO_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 87 columns
 [9] MESO_RPPAArray-20160128: SummarizedExperiment with 193 rows and 63 columns
[10] MESO_Methylation-20160128: SummarizedExperiment with 485577 rows and 87 columns

> rownames( MESO )
CharacterList of length 10
[["MESO_CNASNP-20160128"]] character(0)
[["MESO_CNVSNP-20160128"]] character(0)
[["MESO_GISTIC_AllByGene-20160128"]] character(0)
[["MESO_GISTIC_Peaks-20160128"]] 1 2 3 4 5 6 7 8 ... 14 15 16 17 18 19 20 21
[["MESO_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["MESO_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["MESO_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["MESO_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["MESO_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["MESO_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( MESO )
CharacterList of length 10
[["MESO_CNASNP-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_CNVSNP-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_AllByGene-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_Peaks-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_ThresholdedByGene-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_miRNASeqGene-20160128"]] TCGA-3H-AB3K-01A-11R-A404-13 ...
[["MESO_RNASeq2Gene-20160128"]] TCGA-3H-AB3K-01A-11R-A40A-07 ...
[["MESO_RNASeq2GeneNorm-20160128"]] TCGA-3H-AB3K-01A-11R-A40A-07 ...
[["MESO_RPPAArray-20160128"]] TCGA-3H-AB3K-01A-21-A450-20 ...
[["MESO_Methylation-20160128"]] TCGA-3H-AB3K-01A-11D-A39S-05 ...
```

Sizes of each ExperimentList element:

|   |                                        | assay size.Mb |
|---|----------------------------------------|---------------|
| 1 | MESO_CNASNP-20160128                   | 2.5 Mb        |
| 2 | MESO_CNVSNP-20160128                   | 0.6 Mb        |
| 3 | MESO_GISTIC_AllByGene-20160128         | 19.9 Mb       |
| 4 | MESO_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5 | MESO_GISTIC_ThresholdedByGene-20160128 | 19.8 Mb       |

```

6          MESO_miRNASeqGene-20160128  0.9 Mb
7          MESO_RNASeq2Gene-20160128 16.2 Mb
8          MESO_RNASeq2GeneNorm-20160128 16.2 Mb
9          MESO_RPPAArray-20160128  0.1 Mb
10         MESO_Methylation-20160128   75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

14 observations deleted due to missingness
n  events  median 0.95LCL 0.95UCL
73.00  73.00   1.25   1.11   1.67

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:

```

```

  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
28.00  57.00   64.00   62.99  69.00   81.00

```

```

vital_status:

```

```

 0  1
13 74

```

```

days_to_death:

```

```

  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 20.0   253.0   457.0   584.1   789.0  2790.0    14

```

```

days_to_last_followup:

```

```

  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   -8    499   1168   1091   1490   2359    74

```

```

tumor_tissue_site:

```

```

pleura
 87

```

```

pathology_N_stage:

```

```

n0 n1 n2 n3 nx
44 10 26  3  4

```

```

pathology_M_stage:

```

```

m0 m1 mx
57  3 27

```

gender:

|        |      |
|--------|------|
| female | male |
| 16     | 71   |

date\_of\_initial\_pathologic\_diagnosis:

|      |         |        |      |         |      |
|------|---------|--------|------|---------|------|
| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
| 1999 | 2008    | 2010   | 2009 | 2012    | 2013 |

radiation\_therapy:

|    |     |      |
|----|-----|------|
| no | yes | NA's |
| 62 | 24  | 1    |

karnofsky\_performance\_score:

|      |         |        |       |         |        |      |
|------|---------|--------|-------|---------|--------|------|
| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 0.00 | 80.00   | 90.00  | 77.65 | 90.00   | 100.00 | 70   |

histological\_type:

|                          |                                      |
|--------------------------|--------------------------------------|
| biphasic mesothelioma    | diffuse malignant mesothelioma - nos |
|                          | 23                                   |
| epithelioid mesothelioma | sarcomatoid mesothelioma             |
| 57                       | 2                                    |

residual\_tumor:

|    |    |    |    |      |
|----|----|----|----|------|
| r0 | r1 | r2 | rx | NA's |
| 17 | 3  | 15 | 11 | 41   |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 1     | 1                         | 85    |

ethnicity:

|                        |      |
|------------------------|------|
| not hispanic or latino | NA's |
| 73                     | 14   |

Including an additional 636 columns

---

MESO-v2.1.0

*Mesothelioma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( MESO )
```

ExperimentList class object of length 10:

- [1] MESO\_CNASNP-20160128: RaggedExperiment with 90003 rows and 173 columns
- [2] MESO\_CNVSNP-20160128: RaggedExperiment with 18335 rows and 172 columns
- [3] MESO\_GISTIC\_AllByGene-20160128: SummarizedExperiment with 24776 rows and 87 columns
- [4] MESO\_GISTIC\_Peaks-20160128: RangedSummarizedExperiment with 21 rows and 87 columns

```
[5] MESO_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 87 columns
[6] MESO_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 87 columns
[7] MESO_RPPAArray-20160128: SummarizedExperiment with 193 rows and 63 columns
[8] MESO_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 87 columns
[9] MESO_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18192 rows and 87 columns
[10] MESO_Methylation-20160128: SummarizedExperiment with 485577 rows and 87 columns
```

```
> rownames( MESO )
CharacterList of length 10
[["MESO_CNASNP-20160128"]] character(0)
[["MESO_CNVSNP-20160128"]] character(0)
[["MESO_GISTIC_AllByGene-20160128"]] character(0)
[["MESO_GISTIC_Peaks-20160128"]] 1 2 3 4 5 6 7 8 ... 14 15 16 17 18 19 20 21
[["MESO_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["MESO_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["MESO_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["MESO_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["MESO_RNASeq2GeneNorm-20160128"]] A1BG A2BP1 A2LD1 ... ZZEF1 ZZZ3 psiTPTE22
[["MESO_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873
```

```
> colnames( MESO )
CharacterList of length 10
[["MESO_CNASNP-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_CNVSNP-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_AllByGene-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_Peaks-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_GISTIC_ThresholdedByGene-20160128"]] TCGA-3H-AB3K-01A-11D-A39Q-01 ...
[["MESO_RNASeq2Gene-20160128"]] TCGA-3H-AB3K-01A-11R-A40A-07 ...
[["MESO_RPPAArray-20160128"]] TCGA-3H-AB3K-01A-21-A450-20 ...
[["MESO_miRNASeqGene-20160128"]] TCGA-3H-AB3K-01A-11R-A404-13 ...
[["MESO_RNASeq2GeneNorm-20160128"]] TCGA-3H-AB3K-01 ... TCGA-ZN-A9VW-01
[["MESO_Methylation-20160128"]] TCGA-3H-AB3K-01A-11D-A39S-05 ...
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | MESO_CNASNP-20160128                   | 2.5 Mb        |
| 2  | MESO_CNVSNP-20160128                   | 0.6 Mb        |
| 3  | MESO_GISTIC_AllByGene-20160128         | 19.9 Mb       |
| 4  | MESO_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | MESO_GISTIC_ThresholdedByGene-20160128 | 19.8 Mb       |
| 6  | MESO_RNASeq2Gene-20160128              | 16.2 Mb       |
| 7  | MESO_RPPAArray-20160128                | 0.1 Mb        |
| 8  | MESO_miRNASeqGene-20160128             | 0.9 Mb        |
| 9  | MESO_RNASeq2GeneNorm-20160128          | 14.3 Mb       |
| 10 | MESO_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~

-1)

14 observations deleted due to missingness

n events median 0.95LCL 0.95UCL

[1,] 73 73 1.25 1.11 1.67

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 28.00 | 57.00   | 64.00  | 62.99 | 69.00   | 81.00 |

vital\_status:

| 0  | 1  |
|----|----|
| 13 | 74 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 20.0 | 253.0   | 457.0  | 584.1 | 789.0   | 2790.0 | 14   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| -8   | 499     | 1168   | 1091 | 1490    | 2359 | 74   |

tumor\_tissue\_site:

| pleura |
|--------|
| 87     |

pathology\_N\_stage:

| n0 | n1 | n2 | n3 | nx |
|----|----|----|----|----|
| 44 | 10 | 26 | 3  | 4  |

pathology\_M\_stage:

| m0 | m1 | mx |
|----|----|----|
| 57 | 3  | 27 |

gender:

| female | male |
|--------|------|
| 16     | 71   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1999 | 2008    | 2010   | 2009 | 2012    | 2013 |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 62 | 24  | 1    |

karnofsky\_performance\_score:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.00 | 80.00   | 90.00  | 77.65 | 90.00   | 100.00 | 70   |

histological\_type:

|                          |                                      |    |
|--------------------------|--------------------------------------|----|
| biphasic mesothelioma    | diffuse malignant mesothelioma - nos |    |
|                          |                                      | 23 |
|                          |                                      | 5  |
| epithelioid mesothelioma | sarcomatoid mesothelioma             |    |
|                          |                                      | 57 |
|                          |                                      | 2  |

residual\_tumor:

| r0 | r1 | r2 | rx | NA's |
|----|----|----|----|------|
| 17 | 3  | 15 | 11 | 41   |

race:

|                                 |       |
|---------------------------------|-------|
| asian black or african american | white |
| 1                               | 1     |
|                                 | 85    |

ethnicity:

|                        |      |
|------------------------|------|
| not hispanic or latino | NA's |
| 73                     | 14   |

Including an additional 636 columns

---

OV

*Ovarian serous cystadenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( OV )
```

ExperimentList class object of length 19:

- [1] OV\_CNACGH\_CGH\_hg\_244a-20160128: RaggedExperiment with 128946 rows and 472 columns
- [2] OV\_CNACGH\_CGH\_hg\_415k\_g4124a-20160128: RaggedExperiment with 245847 rows and 674 columns
- [3] OV\_CNASNP-20160128: RaggedExperiment with 907765 rows and 1145 columns
- [4] OV\_CNVSNP-20160128: RaggedExperiment with 261680 rows and 1141 columns
- [5] OV\_GISTIC\_AllByGene-20160128: SummarizedExperiment with 24776 rows and 573 columns
- [6] OV\_GISTIC\_Peaks-20160128: RangedSummarizedExperiment with 70 rows and 573 columns
- [7] OV\_GISTIC\_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 573 columns
- [8] OV\_miRNAArray-20160128: SummarizedExperiment with 821 rows and 573 columns
- [9] OV\_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 461 columns
- [10] OV\_mRNAArray\_huex-20160128: SummarizedExperiment with 18632 rows and 575 columns
- [11] OV\_mRNAArray\_TX\_g4502a\_1-20160128: SummarizedExperiment with 17814 rows and 546 columns
- [12] OV\_mRNAArray\_TX\_g4502a-20160128: SummarizedExperiment with 17814 rows and 31 columns
- [13] OV\_mRNAArray\_TX\_ht\_hg\_u133a-20160128: SummarizedExperiment with 12042 rows and 524 columns
- [14] OV\_Mutation-20160128: RaggedExperiment with 20219 rows and 316 columns
- [15] OV\_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 307 columns

```
[16] OV_RNASeqGene-20160128: SummarizedExperiment with 19990 rows and 299 columns
[17] OV_RPPAArray-20160128: SummarizedExperiment with 208 rows and 427 columns
[18] OV_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 591 columns
[19] OV_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 10 columns
```

```
> rownames( OV )
CharacterList of length 19
[["OV_CNACGH_CGH_hg_244a-20160128"]] character(0)
[["OV_CNACGH_CGH_hg_415k_g4124a-20160128"]] character(0)
[["OV_CNASNP-20160128"]] character(0)
[["OV_CNVSNP-20160128"]] character(0)
[["OV_GISTIC_AllByGene-20160128"]] ACAP3 ACTRT2 ... WASIR1|ENSG00000185203.7
[["OV_GISTIC_Peaks-20160128"]] chr1:26963410-27570286 ...
[["OV_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["OV_miRNAArray-20160128"]] DarkCorner dmr_285 ... NegativeControl SCorner3
[["OV_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["OV_mRNAArray_huex-20160128"]] C9orf152 ELMO2 RPS11 ... SLC39A6 CTSC AQP7
...
<9 more elements>
```

```
> colnames( OV )
CharacterList of length 19
[["OV_CNACGH_CGH_hg_244a-20160128"]] TCGA-04-1331-01A-01D-0431-02 ...
[["OV_CNACGH_CGH_hg_415k_g4124a-20160128"]] TCGA-04-1353-01A-01D-1046-02 ...
[["OV_CNASNP-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_CNVSNP-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_AllByGene-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_Peaks-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_ThresholdedByGene-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_miRNAArray-20160128"]] TCGA-04-1331-01A-01T-0438-07 ...
[["OV_miRNASeqGene-20160128"]] TCGA-04-1331-01A-01R-1569-13 ...
[["OV_mRNAArray_huex-20160128"]] TCGA-04-1331-01A-01R-0435-03 ...
...
<9 more elements>
```

Sizes of each ExperimentList element:

|    |                                       | assay size.Mb |
|----|---------------------------------------|---------------|
| 1  | OV_CNACGH_CGH_hg_244a-20160128        | 3.6 Mb        |
| 2  | OV_CNACGH_CGH_hg_415k_g4124a-20160128 | 6.8 Mb        |
| 3  | OV_CNASNP-20160128                    | 24.6 Mb       |
| 4  | OV_CNVSNP-20160128                    | 7.3 Mb        |
| 5  | OV_GISTIC_AllByGene-20160128          | 4.9 Mb        |
| 6  | OV_GISTIC_Peaks-20160128              | 0.1 Mb        |
| 7  | OV_GISTIC_ThresholdedByGene-20160128  | 4.9 Mb        |
| 8  | OV_miRNAArray-20160128                | 0.1 Mb        |
| 9  | OV_miRNASeqGene-20160128              | 0.1 Mb        |
| 10 | OV_mRNAArray_huex-20160128            | 1.2 Mb        |
| 11 | OV_mRNAArray_TX_g4502a_1-20160128     | 1.2 Mb        |
| 12 | OV_mRNAArray_TX_g4502a-20160128       | 1.1 Mb        |
| 13 | OV_mRNAArray_TX_ht_hg_u133a-20160128  | 0.8 Mb        |
| 14 | OV_Mutation-20160128                  | 10.3 Mb       |

```

15          OV_RNASeq2GeneNorm-20160128  1.3 Mb
16          OV_RNASeqGene-20160128      1.3 Mb
17          OV_RPPAArray-20160128       0.1 Mb
18  OV_Methylation_methyl27-20160128    4.9 Mb
19  OV_Methylation_methyl450-20160128    75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

247 observations deleted due to missingness
n  events median 0.95LCL 0.95UCL
343.00 343.00   2.94   2.76   3.17

```

```

-----
Available sample meta-data:
-----

```

```
years_to_birth:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 26.00 | 51.00   | 59.00  | 59.78 | 69.00   | 89.00 | 21   |

```
vital_status:
```

```

0  1
246 344

```

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 8.0  | 567.5   | 1073.0 | 1147.4 | 1557.0  | 4624.0 | 247  |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 16   | 266     | 842    | 1216 | 1931    | 5481 | 358  |

```
tumor_tissue_site:
```

| omentum | ovary | peritoneum | ovary | NA's |
|---------|-------|------------|-------|------|
| 3       | 575   |            | 2     | 10   |

```
gender:
```

```

female  NA's
580     10

```

```
date_of_initial_pathologic_diagnosis:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2001    | 2004   | 2004 | 2007    | 2013 | 10   |

```
radiation_therapy:
```

```

no  yes NA's

```

```
556      5      29

karnofsky_performance_score:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  40.00  60.00   80.00   75.83  80.00  100.00   506

histological_type:
serous cystadenocarcinoma                NA's
                        580                  10

residual_tumor:
  r0  r1  r2  rx NA's
  15  31   5   3  536

ethnicity:
  hispanic or latino not hispanic or latino                NA's
                        11                  338                  241
```

Including an additional 2869 columns

See Also

[OV-v2.0.1](#)

---

|           |                                          |
|-----------|------------------------------------------|
| OV-v2.0.1 | <i>Ovarian serous cystadenocarcinoma</i> |
|-----------|------------------------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( OV )
ExperimentList class object of length 19:
[1] OV_CNACGH_CGH_hg_244a-20160128: RaggedExperiment with 128946 rows and 472 columns
[2] OV_CNACGH_CGH_hg_415k_g4124a-20160128: RaggedExperiment with 245847 rows and 674 columns
[3] OV_CNASNP-20160128: RaggedExperiment with 907765 rows and 1145 columns
[4] OV_CNVSNP-20160128: RaggedExperiment with 261680 rows and 1141 columns
[5] OV_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 573 columns
[6] OV_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 70 rows and 573 columns
[7] OV_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 573 columns
[8] OV_miRNAArray-20160128: SummarizedExperiment with 821 rows and 573 columns
[9] OV_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 461 columns
[10] OV_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 575 columns
[11] OV_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 577 columns
[12] OV_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 524 columns
[13] OV_Mutation-20160128: RaggedExperiment with 20219 rows and 316 columns
[14] OV_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 307 columns
[15] OV_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 307 columns
[16] OV_RNASeqGene-20160128: SummarizedExperiment with 19990 rows and 299 columns
```

```
[17] OV_RPPAArray-20160128: SummarizedExperiment with 208 rows and 427 columns
[18] OV_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 591 columns
[19] OV_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 10 columns
```

```
> rownames( OV )
CharacterList of length 19
[["OV_CNACGH_CGH_hg_244a-20160128"]] character(0)
[["OV_CNACGH_CGH_hg_415k_g4124a-20160128"]] character(0)
[["OV_CNASNP-20160128"]] character(0)
[["OV_CNVSNP-20160128"]] character(0)
[["OV_GISTIC_AllByGene-20160128"]] character(0)
[["OV_GISTIC_Peaks-20160128"]] 34 1 2 35 3 36 4 37 ... 70 28 29 30 71 31 72
[["OV_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["OV_miRNAArray-20160128"]] DarkCorner dmr_285 ... NegativeControl SCorner3
[["OV_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["OV_mRNAArray_huex-20160128"]] C9orf152 ELMO2 RPS11 ... SLC39A6 CTSC AQP7
...
<9 more elements>
```

```
> colnames( OV )
CharacterList of length 19
[["OV_CNACGH_CGH_hg_244a-20160128"]] TCGA-04-1331-01A-01D-0431-02 ...
[["OV_CNACGH_CGH_hg_415k_g4124a-20160128"]] TCGA-04-1353-01A-01D-1046-02 ...
[["OV_CNASNP-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_CNVSNP-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_AllByGene-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_Peaks-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_ThresholdedByGene-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_miRNAArray-20160128"]] TCGA-04-1331-01A-01T-0438-07 ...
[["OV_miRNASeqGene-20160128"]] TCGA-04-1331-01A-01R-1569-13 ...
[["OV_mRNAArray_huex-20160128"]] TCGA-04-1331-01A-01R-0435-03 ...
...
<9 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                 | size.Mb  |
|----|---------------------------------------|----------|
| 1  | OV_CNACGH_CGH_hg_244a-20160128        | 3.6 Mb   |
| 2  | OV_CNACGH_CGH_hg_415k_g4124a-20160128 | 6.8 Mb   |
| 3  | OV_CNASNP-20160128                    | 24.6 Mb  |
| 4  | OV_CNVSNP-20160128                    | 7.3 Mb   |
| 5  | OV_GISTIC_AllByGene-20160128          | 112 Mb   |
| 6  | OV_GISTIC_Peaks-20160128              | 0.5 Mb   |
| 7  | OV_GISTIC_ThresholdedByGene-20160128  | 111.7 Mb |
| 8  | OV_miRNAArray-20160128                | 3.8 Mb   |
| 9  | OV_miRNASeqGene-20160128              | 2.7 Mb   |
| 10 | OV_mRNAArray_huex-20160128            | 84.2 Mb  |
| 11 | OV_mRNAArray_TX_g4502a-20160128       | 80.7 Mb  |
| 12 | OV_mRNAArray_TX_ht_hg_u133a-20160128  | 49.7 Mb  |
| 13 | OV_Mutation-20160128                  | 10.3 Mb  |
| 14 | OV_RNASeq2Gene-20160128               | 50.6 Mb  |
| 15 | OV_RNASeq2GeneNorm-20160128           | 50.6 Mb  |

```

16          OV_RNASeqGene-20160128  48.1 Mb
17          OV_RPPAArray-20160128   0.8 Mb
18  OV_Methylation_methyl27-20160128  4.9 Mb
19  OV_Methylation_methyl450-20160128  75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

247 observations deleted due to missingness
n   events median 0.95LCL 0.95UCL
343.00  343.00   2.94   2.76   3.17

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  26.00  51.00  59.00  59.78  69.00  89.00    21

```

```

vital_status:
  0    1
246 344

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   8.0  567.5 1073.0 1147.4 1557.0 4624.0   247

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   16   266   842   1216   1931   5481   358

```

```

tumor_tissue_site:
      omentum      ovary peritoneum ovary      NA's
          3         575          2         10

```

```

gender:
female  NA's
  580    10

```

```

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 1992   2001   2004   2004   2007   2013    10

```

```

radiation_therapy:
no  yes  NA's
556   5   29

```

karnofsky\_performance\_score:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 40.00 | 60.00   | 80.00  | 75.83 | 80.00   | 100.00 | 506  |

histological\_type:

|                           | NA's |
|---------------------------|------|
| serous cystadenocarcinoma | 10   |
|                           | 580  |

residual\_tumor:

| r0 | r1 | r2 | rx | NA's |
|----|----|----|----|------|
| 15 | 31 | 5  | 3  | 536  |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 11                 | 338                    | 241  |

Including an additional 2869 columns

---

OV-v2.1.0

*Ovarian serous cystadenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( OV )
ExperimentList class object of length 19:
[1] OV_CNACGH_CGH_hg_244a-20160128: RaggedExperiment with 128946 rows and 472 columns
[2] OV_CNACGH_CGH_hg_415k_g4124a-20160128: RaggedExperiment with 245847 rows and 674 columns
[3] OV_CNASNP-20160128: RaggedExperiment with 907765 rows and 1145 columns
[4] OV_CNVSNP-20160128: RaggedExperiment with 261680 rows and 1141 columns
[5] OV_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 573 columns
[6] OV_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 70 rows and 573 columns
[7] OV_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 573 columns
[8] OV_miRNAArray-20160128: SummarizedExperiment with 821 rows and 573 columns
[9] OV_mRNAArray_huex-20160128: SummarizedExperiment with 18632 rows and 575 columns
[10] OV_mRNAArray_TX_g4502a-20160128: SummarizedExperiment with 17814 rows and 577 columns
[11] OV_mRNAArray_TX_ht_hg_u133a-20160128: SummarizedExperiment with 12042 rows and 524 columns
[12] OV_Mutation-20160128: RaggedExperiment with 20219 rows and 316 columns
[13] OV_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 307 columns
[14] OV_RNASeqGene-20160128: SummarizedExperiment with 19990 rows and 299 columns
[15] OV_RPPAArray-20160128: SummarizedExperiment with 208 rows and 427 columns
[16] OV_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 461 columns
[17] OV_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18571 rows and 307 columns
[18] OV_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 591 columns
[19] OV_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 10 columns

> rownames( OV )
```

```

CharacterList of length 19
[["OV_CNACGH_CGH_hg_244a-20160128"]] character(0)
[["OV_CNACGH_CGH_hg_415k_g4124a-20160128"]] character(0)
[["OV_CNASNP-20160128"]] character(0)
[["OV_CNVSNP-20160128"]] character(0)
[["OV_GISTIC_AllByGene-20160128"]] character(0)
[["OV_GISTIC_Peaks-20160128"]] 34 1 2 35 3 36 4 37 ... 70 28 29 30 71 31 72
[["OV_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["OV_miRNAArray-20160128"]] DarkCorner dmr_285 ... NegativeControl SCorner3
[["OV_mRNAArray_huex-20160128"]] C9orf152 ELMO2 RPS11 ... SLC39A6 CTSC AQP7
[["OV_mRNAArray_TX_g4502a-20160128"]] ELMO2 CREB3L1 RPS11 ... AQP7 CTSC
...
<9 more elements>

```

```

> colnames( OV )
CharacterList of length 19
[["OV_CNACGH_CGH_hg_244a-20160128"]] TCGA-04-1331-01A-01D-0431-02 ...
[["OV_CNACGH_CGH_hg_415k_g4124a-20160128"]] TCGA-04-1353-01A-01D-1046-02 ...
[["OV_CNASNP-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_CNVSNP-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_AllByGene-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_Peaks-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_GISTIC_ThresholdedByGene-20160128"]] TCGA-04-1331-01A-01D-0428-01 ...
[["OV_miRNAArray-20160128"]] TCGA-04-1331-01A-01T-0438-07 ...
[["OV_mRNAArray_huex-20160128"]] TCGA-04-1331-01A-01R-0435-03 ...
[["OV_mRNAArray_TX_g4502a-20160128"]] TCGA-09-0364-01A-02R-0363-07 ...
...
<9 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                 | size.Mb  |
|----|---------------------------------------|----------|
| 1  | OV_CNACGH_CGH_hg_244a-20160128        | 3.6 Mb   |
| 2  | OV_CNACGH_CGH_hg_415k_g4124a-20160128 | 6.8 Mb   |
| 3  | OV_CNASNP-20160128                    | 24.6 Mb  |
| 4  | OV_CNVSNP-20160128                    | 7.3 Mb   |
| 5  | OV_GISTIC_AllByGene-20160128          | 112 Mb   |
| 6  | OV_GISTIC_Peaks-20160128              | 0.5 Mb   |
| 7  | OV_GISTIC_ThresholdedByGene-20160128  | 111.7 Mb |
| 8  | OV_miRNAArray-20160128                | 3.8 Mb   |
| 9  | OV_mRNAArray_huex-20160128            | 84.2 Mb  |
| 10 | OV_mRNAArray_TX_g4502a-20160128       | 80.7 Mb  |
| 11 | OV_mRNAArray_TX_ht_hg_u133a-20160128  | 49.7 Mb  |
| 12 | OV_Mutation-20160128                  | 10.3 Mb  |
| 13 | OV_RNASeq2Gene-20160128               | 50.6 Mb  |
| 14 | OV_RNASeqGene-20160128                | 48.1 Mb  |
| 15 | OV_RPPAArray-20160128                 | 0.8 Mb   |
| 16 | OV_miRNASeqGene-20160128              | 2.7 Mb   |
| 17 | OV_RNASeq2GeneNorm-20160128           | 45.8 Mb  |
| 18 | OV_Methylation_methyl27-20160128      | 4.9 Mb   |
| 19 | OV_Methylation_methyl450-20160128     | 75 Mb    |

```
-----
Overall survival time-to-event summary (in years):
-----
```

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
247 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 343 343 2.94 2.76 3.17
```

```
-----
Available sample meta-data:
-----
```

```
years_to_birth:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 26.00 | 51.00   | 59.00  | 59.78 | 69.00   | 89.00 | 21   |

```
vital_status:
```

| 0   | 1   |
|-----|-----|
| 246 | 344 |

```
days_to_death:
```

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 8.0  | 567.5   | 1073.0 | 1147.4 | 1557.0  | 4624.0 | 247  |

```
days_to_last_followup:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 16   | 266     | 842    | 1216 | 1931    | 5481 | 358  |

```
tumor_tissue_site:
```

| omentum | ovary | peritoneum | ovary | NA's |
|---------|-------|------------|-------|------|
| 3       | 575   |            | 2     | 10   |

```
gender:
```

| female | NA's |
|--------|------|
| 580    | 10   |

```
date_of_initial_pathologic_diagnosis:
```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2001    | 2004   | 2004 | 2007    | 2013 | 10   |

```
radiation_therapy:
```

| no  | yes | NA's |
|-----|-----|------|
| 556 | 5   | 29   |

```
karnofsky_performance_score:
```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 40.00 | 60.00   | 80.00  | 75.83 | 80.00   | 100.00 | 506  |

```

histological_type:
serous cystadenocarcinoma          NA's
                    580              10

residual_tumor:
  r0  r1  r2  rx NA's
  15  31   5   3 536

ethnicity:
  hispanic or latino not hispanic or latino  NA's
                    11                    338  241

```

Including an additional 2869 columns

---

OV-v2.1.1

*Ovarian serous cystadenocarcinoma*

---

## Description

A document describing the TCGA cancer code Note. Only the colData has changed.

## Details

```

> experiments( OV )
ExperimentList class object of length 0:

```

```

> rownames( OV )
CharacterList of length 0

```

```

> colnames( OV )
CharacterList of length 0

```

Sizes of each ExperimentList element:

```

[1] assay    size.Mb
<0 rows> (or 0-length row.names)

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      249 observations deleted due to missingness
           n events median 0.95LCL 0.95UCL
[1,] 343      343   2.94   2.76   3.17

```

```

-----
Available sample meta-data:

```

-----

## years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 26.00 | 51.00   | 59.00  | 59.78 | 68.75   | 89.00 | 22   |

## vital\_status:

| 0   | 1   | NA's |
|-----|-----|------|
| 247 | 344 | 1    |

## days\_to\_death:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 8.0  | 567.5   | 1073.0 | 1147.4 | 1557.0  | 4624.0 | 249  |

## days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 16   | 268     | 837    | 1214 | 1919    | 5481 | 359  |

## tumor\_tissue\_site:

| omentum | ovary | peritoneum | ovary | NA's |
|---------|-------|------------|-------|------|
| 3       | 576   |            | 2     | 11   |

## gender:

| female | NA's |
|--------|------|
| 581    | 11   |

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1992 | 2001    | 2004   | 2004 | 2007    | 2013 | 11   |

## radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 557 | 5   | 30   |

## karnofsky\_performance\_score:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 40.00 | 60.00   | 80.00  | 75.83 | 80.00   | 100.00 | 508  |

## histological\_type:

| serous | cystadenocarcinoma | NA's |
|--------|--------------------|------|
|        | 581                | 11   |

## residual\_tumor:

| r0 | r1 | r2 | rx | NA's |
|----|----|----|----|------|
| 16 | 31 | 5  | 3  | 537  |

## ethnicity:

| hispanic | or latino | not hispanic | or latino | NA's |
|----------|-----------|--------------|-----------|------|
|          |           | 11           | 338       | 243  |

Including an additional 2850 columns

PAAD

*Pancreatic adenocarcinoma***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( PAAD )
ExperimentList class object of length 10:
 [1] PAAD_CNASNP-20160128: RaggedExperiment with 203871 rows and 368 columns
 [2] PAAD_CNVSNP-20160128: RaggedExperiment with 34808 rows and 365 columns
 [3] PAAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [4] PAAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 52 rows and 184 columns
 [5] PAAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [6] PAAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 183 columns
 [7] PAAD_Mutation-20160128: RaggedExperiment with 30357 rows and 150 columns
 [8] PAAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 183 columns
 [9] PAAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 123 columns
[10] PAAD_Methylation-20160128: SummarizedExperiment with 485577 rows and 195 columns

> rownames( PAAD )
CharacterList of length 10
[["PAAD_CNASNP-20160128"]] character(0)
[["PAAD_CNVSNP-20160128"]] character(0)
[["PAAD_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["PAAD_GISTIC_Peaks-20160128"]] chr1:26795113-27650365 ...
[["PAAD_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["PAAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PAAD_Mutation-20160128"]] character(0)
[["PAAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["PAAD_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["PAAD_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( PAAD )
CharacterList of length 10
[["PAAD_CNASNP-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_CNVSNP-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_AllByGene-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_Peaks-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_miRNASeqGene-20160128"]] TCGA-2J-AAB1-01A-11R-A41G-13 ...
[["PAAD_Mutation-20160128"]] TCGA-2J-AAB1-01A-11D-A40W-08 ...
[["PAAD_RNASeq2GeneNorm-20160128"]] TCGA-2J-AAB1-01A-11R-A41B-07 ...
[["PAAD_RPPAArray-20160128"]] TCGA-2J-AAB4-01A-21-A43K-20 ...
[["PAAD_Methylation-20160128"]] TCGA-2J-AAB1-01A-11D-A40Y-05 ...
```

Sizes of each ExperimentList element:

assay size.Mb

|    |                                        |        |
|----|----------------------------------------|--------|
| 1  | PAAD_CNASNP-20160128                   | 5.6 Mb |
| 2  | PAAD_CNVSNP-20160128                   | 1 Mb   |
| 3  | PAAD_GISTIC_AllByGene-20160128         | 4.9 Mb |
| 4  | PAAD_GISTIC_Peaks-20160128             | 0.1 Mb |
| 5  | PAAD_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb |
| 6  | PAAD_miRNASeqGene-20160128             | 0.1 Mb |
| 7  | PAAD_Mutation-20160128                 | 111 Mb |
| 8  | PAAD_RNASeq2GeneNorm-20160128          | 1.3 Mb |
| 9  | PAAD_RPPAArray-20160128                | 0 Mb   |
| 10 | PAAD_Methylation-20160128              | 75 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

85 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
100.000 100.000 1.079 0.967 1.315

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 35.00 | 57.00   | 65.00  | 64.86 | 73.00   | 88.00 |

vital\_status:

|    |     |
|----|-----|
| 0  | 1   |
| 85 | 100 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 12.0 | 228.5   | 394.0  | 459.5 | 596.5   | 2182.0 | 85   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 338.0   | 517.0  | 692.4 | 951.0   | 2741.0 | 100  |

tumor\_tissue\_site:

|          |
|----------|
| pancreas |
| 185      |

pathology\_N\_stage:

| n0 | n1  | n1b | nx | NA's |
|----|-----|-----|----|------|
| 50 | 126 | 4   | 4  | 1    |

pathology\_M\_stage:

m0 m1 mx

85 5 95

gender:

female male

83 102

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2001 | 2010    | 2012   | 2011 | 2012    | 2013 | 1    |

radiation\_therapy:

no yes NA's

125 45 15

histological\_type:

pancreas-adenocarcinoma ductal type

154

pancreas-adenocarcinoma-other subtype

25

pancreas-colloid (mucinous non-cystic) carcinoma

4

pancreas-undifferentiated carcinoma

1

NA's

1

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.30 | 15.00   | 25.00  | 26.84 | 40.00   | 75.00 | 128  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1948 | 1960    | 1971   | 1971 | 1982    | 1993 | 138  |

residual\_tumor:

r0 r1 r2 rx NA's

111 53 5 4 12

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 2.000  | 2.989 | 4.000   | 16.000 | 4    |

race:

asian black or african american

11 7

NA's

5

white

162

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 5                  | 137                    | 43   |

Including an additional 960 columns

## See Also

[PAAD-v2.0.1](#)

---

PAAD-v2.0.1

---

*Pancreatic adenocarcinoma*


---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( PAAD )
ExperimentList class object of length 11:
 [1] PAAD_CNASNP-20160128: RaggedExperiment with 203871 rows and 368 columns
 [2] PAAD_CNVSNP-20160128: RaggedExperiment with 34808 rows and 365 columns
 [3] PAAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [4] PAAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 52 rows and 184 columns
 [5] PAAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [6] PAAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 183 columns
 [7] PAAD_Mutation-20160128: RaggedExperiment with 30357 rows and 150 columns
 [8] PAAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 183 columns
 [9] PAAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 183 columns
[10] PAAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 123 columns
[11] PAAD_Methylation-20160128: SummarizedExperiment with 485577 rows and 195 columns

> rownames( PAAD )
CharacterList of length 11
[["PAAD_CNASNP-20160128"]] character(0)
[["PAAD_CNVSNP-20160128"]] character(0)
[["PAAD_GISTIC_AllByGene-20160128"]] character(0)
[["PAAD_GISTIC_Peaks-20160128"]] 24 1 2 3 25 4 26 5 ... 49 50 21 51 22 52 53
[["PAAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["PAAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PAAD_Mutation-20160128"]] character(0)
[["PAAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["PAAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["PAAD_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( PAAD )
CharacterList of length 11
[["PAAD_CNASNP-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_CNVSNP-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
```

```

[["PAAD_GISTIC_AllByGene-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_Peaks-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_miRNASeqGene-20160128"]] TCGA-2J-AAB1-01A-11R-A41G-13 ...
[["PAAD_Mutation-20160128"]] TCGA-2J-AAB1-01A-11D-A40W-08 ...
[["PAAD_RNASeq2Gene-20160128"]] TCGA-2J-AAB1-01A-11R-A41B-07 ...
[["PAAD_RNASeq2GeneNorm-20160128"]] TCGA-2J-AAB1-01A-11R-A41B-07 ...
[["PAAD_RPPAArray-20160128"]] TCGA-2J-AAB4-01A-21-A43K-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PAAD_CNASNP-20160128                   | 5.6 Mb        |
| 2  | PAAD_CNVSNP-20160128                   | 1 Mb          |
| 3  | PAAD_GISTIC_AllByGene-20160128         | 38.3 Mb       |
| 4  | PAAD_GISTIC_Peaks-20160128             | 0.2 Mb        |
| 5  | PAAD_GISTIC_ThresholdedByGene-20160128 | 38.1 Mb       |
| 6  | PAAD_miRNASeqGene-20160128             | 1.6 Mb        |
| 7  | PAAD_Mutation-20160128                 | 111 Mb        |
| 8  | PAAD_RNASeq2Gene-20160128              | 31.2 Mb       |
| 9  | PAAD_RNASeq2GeneNorm-20160128          | 31.2 Mb       |
| 10 | PAAD_RPPAArray-20160128                | 0.2 Mb        |
| 11 | PAAD_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      85 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
100.000 100.000  1.079  0.967  1.315

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 35.00 | 57.00   | 65.00  | 64.86 | 73.00   | 88.00 |

vital\_status:

```

  0  1
85 100

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

|      |       |       |       |       |        |    |
|------|-------|-------|-------|-------|--------|----|
| 12.0 | 228.5 | 394.0 | 459.5 | 596.5 | 2182.0 | 85 |
|------|-------|-------|-------|-------|--------|----|

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 338.0   | 517.0  | 692.4 | 951.0   | 2741.0 | 100  |

tumor\_tissue\_site:

pancreas

185

pathology\_N\_stage:

| n0 | n1  | n1b | nx | NA's |
|----|-----|-----|----|------|
| 50 | 126 | 4   | 4  | 1    |

pathology\_M\_stage:

| m0 | m1 | mx |
|----|----|----|
| 85 | 5  | 95 |

gender:

| female | male |
|--------|------|
| 83     | 102  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2001 | 2010    | 2012   | 2011 | 2012    | 2013 | 1    |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 125 | 45  | 15   |

histological\_type:

|                                                  |     |
|--------------------------------------------------|-----|
| pancreas-adenocarcinoma ductal type              | 154 |
| pancreas-adenocarcinoma-other subtype            | 25  |
| pancreas-colloid (mucinous non-cystic) carcinoma | 4   |
| pancreas-undifferentiated carcinoma              | 1   |
| NA's                                             | 1   |

number\_pack\_years\_smoked:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|------|---------|--------|-------|---------|-------|------|
| 0.30 | 15.00   | 25.00  | 26.84 | 40.00   | 75.00 | 128  |

year\_of\_tobacco\_smoking\_onset:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1948 | 1960    | 1971   | 1971 | 1982    | 1993 | 138  |

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 111 | 53 | 5  | 4  | 12   |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 2.000  | 2.989 | 4.000   | 16.000 | 4    |

race:

| asian | black or african american | white |
|-------|---------------------------|-------|
| 11    | 7                         | 162   |
| NA's  |                           |       |
| 5     |                           |       |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 5                  | 137                    | 43   |

Including an additional 960 columns

---

PAAD-v2.1.0

*Pancreatic adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( PAAD )
ExperimentList class object of length 11:
 [1] PAAD_CNASNP-20160128: RaggedExperiment with 203871 rows and 368 columns
 [2] PAAD_CNVSNP-20160128: RaggedExperiment with 34808 rows and 365 columns
 [3] PAAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [4] PAAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 52 rows and 184 columns
 [5] PAAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 184 columns
 [6] PAAD_Mutation-20160128: RaggedExperiment with 30357 rows and 150 columns
 [7] PAAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 183 columns
 [8] PAAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 123 columns
 [9] PAAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 183 columns
[10] PAAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18465 rows and 183 columns
[11] PAAD_Methylation-20160128: SummarizedExperiment with 485577 rows and 195 columns

> rownames( PAAD )
CharacterList of length 11
[["PAAD_CNASNP-20160128"]] character(0)
[["PAAD_CNVSNP-20160128"]] character(0)
[["PAAD_GISTIC_AllByGene-20160128"]] character(0)
[["PAAD_GISTIC_Peaks-20160128"]] 24 1 2 3 25 4 26 5 ... 49 50 21 51 22 52 53
[["PAAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["PAAD_Mutation-20160128"]] character(0)
```

```

[["PAAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZ33 psiTPTE22 tAKR
[["PAAD_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["PAAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PAAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZEF1 ZZ33 psiTPTE22
...
<1 more element>

```

```

> colnames( PAAD )
CharacterList of length 11
[["PAAD_CNASNP-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_CNVSNP-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_AllByGene-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_Peaks-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-2J-AAB1-01A-11D-A40V-01 ...
[["PAAD_Mutation-20160128"]] TCGA-2J-AAB1-01A-11D-A40W-08 ...
[["PAAD_RNASeq2Gene-20160128"]] TCGA-2J-AAB1-01A-11R-A41B-07 ...
[["PAAD_RPPAArray-20160128"]] TCGA-2J-AAB4-01A-21-A43K-20 ...
[["PAAD_miRNASeqGene-20160128"]] TCGA-2J-AAB1-01A-11R-A41G-13 ...
[["PAAD_RNASeq2GeneNorm-20160128"]] TCGA-2J-AAB1-01 ... TCGA-Z5-AAPL-01
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PAAD_CNASNP-20160128                   | 5.6 Mb        |
| 2  | PAAD_CNVSNP-20160128                   | 1 Mb          |
| 3  | PAAD_GISTIC_AllByGene-20160128         | 38.3 Mb       |
| 4  | PAAD_GISTIC_Peaks-20160128             | 0.2 Mb        |
| 5  | PAAD_GISTIC_ThresholdedByGene-20160128 | 38.1 Mb       |
| 6  | PAAD_Mutation-20160128                 | 111 Mb        |
| 7  | PAAD_RNASeq2Gene-20160128              | 31.2 Mb       |
| 8  | PAAD_RPPAArray-20160128                | 0.2 Mb        |
| 9  | PAAD_miRNASeqGene-20160128             | 1.6 Mb        |
| 10 | PAAD_RNASeq2GeneNorm-20160128          | 28.1 Mb       |
| 11 | PAAD_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

```

      85 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 100    100    1.08    0.967    1.32

```

-----  
Available sample meta-data:  
-----

## years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 35.00 | 57.00   | 65.00  | 64.86 | 73.00   | 88.00 |

## vital\_status:

|   |   |
|---|---|
| 0 | 1 |
|---|---|

|    |     |
|----|-----|
| 85 | 100 |
|----|-----|

## days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 12.0 | 228.5   | 394.0  | 459.5 | 596.5   | 2182.0 | 85   |

## days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 338.0   | 517.0  | 692.4 | 951.0   | 2741.0 | 100  |

## tumor\_tissue\_site:

|          |
|----------|
| pancreas |
|----------|

|     |
|-----|
| 185 |
|-----|

## pathology\_N\_stage:

| n0 | n1  | n1b | nx | NA's |
|----|-----|-----|----|------|
| 50 | 126 | 4   | 4  | 1    |

## pathology\_M\_stage:

|    |    |    |
|----|----|----|
| m0 | m1 | mx |
|----|----|----|

|    |   |    |
|----|---|----|
| 85 | 5 | 95 |
|----|---|----|

## gender:

|        |      |
|--------|------|
| female | male |
|--------|------|

|    |     |
|----|-----|
| 83 | 102 |
|----|-----|

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2001 | 2010    | 2012   | 2011 | 2012    | 2013 | 1    |

## radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
|----|-----|------|

|     |    |    |
|-----|----|----|
| 125 | 45 | 15 |
|-----|----|----|

## histological\_type:

|                                     |
|-------------------------------------|
| pancreas-adenocarcinoma ductal type |
|-------------------------------------|

|     |
|-----|
| 154 |
|-----|

|                                       |
|---------------------------------------|
| pancreas-adenocarcinoma-other subtype |
|---------------------------------------|

|    |
|----|
| 25 |
|----|

|                                                  |
|--------------------------------------------------|
| pancreas-colloid (mucinous non-cystic) carcinoma |
|--------------------------------------------------|

|   |
|---|
| 4 |
|---|

|                                     |
|-------------------------------------|
| pancreas-undifferentiated carcinoma |
|-------------------------------------|

|   |
|---|
| 1 |
|---|

```

NA's
1

number_pack_years_smoked:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.30   15.00   25.00   26.84  40.00   75.00   128

year_of_tobacco_smoking_onset:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1948   1960   1971   1971   1982   1993   138

residual_tumor:
  r0  r1  r2  rx NA's
  111  53   5   4  12

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.000   0.000   2.000   2.989   4.000  16.000    4

race:
              asian black or african american              white
              11              7              162
              NA's
              5

ethnicity:
  hispanic or latino not hispanic or latino  NA's
              5              137              43

Including an additional 960 columns

```

PCPG

*Pheochromocytoma and Paraganglioma*

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( PCPG )
ExperimentList class object of length 10:
 [1] PCPG_CNASNP-20160128: RaggedExperiment with 297329 rows and 360 columns
 [2] PCPG_CNVSNP-20160128: RaggedExperiment with 31256 rows and 346 columns
 [3] PCPG_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 162 columns
 [4] PCPG_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 27 rows and 162 columns
 [5] PCPG_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 162 columns
 [6] PCPG_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 187 columns
 [7] PCPG_Mutation-20160128: RaggedExperiment with 4662 rows and 184 columns
 [8] PCPG_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 187 columns
 [9] PCPG_RPPAArray-20160128: SummarizedExperiment with 192 rows and 82 columns

```

[10] PCPG\_Methylation-20160128: SummarizedExperiment with 485577 rows and 187 columns

```
> rownames( PCPG )
CharacterList of length 10
[["PCPG_CNASNP-20160128"]] character(0)
[["PCPG_CNVSNP-20160128"]] character(0)
[["PCPG_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["PCPG_GISTIC_Peaks-20160128"]] chr1:117751737-118152240 ...
[["PCPG_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["PCPG_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PCPG_Mutation-20160128"]] character(0)
[["PCPG_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["PCPG_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["PCPG_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( PCPG )
CharacterList of length 10
[["PCPG_CNASNP-20160128"]] TCGA-P7-A5NX-10A-01D-A35A-01 ...
[["PCPG_CNVSNP-20160128"]] TCGA-P7-A5NX-10A-01D-A35A-01 ...
[["PCPG_GISTIC_AllByGene-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_GISTIC_Peaks-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_GISTIC_ThresholdedByGene-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_miRNASeqGene-20160128"]] TCGA-P7-A5NX-01A-11R-A35M-13 ...
[["PCPG_Mutation-20160128"]] TCGA-P7-A5NX-01A-11D-A35D-08 ...
[["PCPG_RNASeq2GeneNorm-20160128"]] TCGA-P7-A5NX-01A-11R-A35K-07 ...
[["PCPG_RPPAArray-20160128"]] TCGA-P7-A5NX-01A-21-A43B-20 ...
[["PCPG_Methylation-20160128"]] TCGA-P7-A5NX-01A-11D-A35E-05 ...
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PCPG_CNASNP-20160128                   | 8.1 Mb        |
| 2  | PCPG_CNVSNP-20160128                   | 0.9 Mb        |
| 3  | PCPG_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | PCPG_GISTIC_Peaks-20160128             | 0 Mb          |
| 5  | PCPG_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | PCPG_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | PCPG_Mutation-20160128                 | 8.4 Mb        |
| 8  | PCPG_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9  | PCPG_RPPAArray-20160128                | 0 Mb          |
| 10 | PCPG_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
173 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
6.00   6.00   1.24   0.26    NA
```

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 19.00 | 35.00   | 46.00  | 47.33 | 58.50   | 83.00 |

vital\_status:

|     |   |
|-----|---|
| 0   | 1 |
| 173 | 6 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 88.0 | 148.5   | 452.5  | 901.0 | 715.2   | 3563.0 | 173  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2    | 352     | 766    | 1071 | 1301    | 9634 | 6    |

tumor\_tissue\_site:

|               |                    |
|---------------|--------------------|
| adrenal gland | extra-adrenal site |
| 147           | 32                 |

gender:

|        |      |
|--------|------|
| female | male |
| 101    | 78   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1988 | 2009    | 2011   | 2010 | 2012    | 2013 |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 172 | 5   | 2    |

karnofsky\_performance\_score:

|    |    |    |     |      |
|----|----|----|-----|------|
| 70 | 80 | 90 | 100 | NA's |
| 1  | 2  | 13 | 46  | 117  |

histological\_type:

|                              |                  |
|------------------------------|------------------|
|                              | paraganglioma    |
|                              | 18               |
| paraganglioma; extra-adrenal | pheochromocytoma |
|                              | 13               |
|                              | pheochromocytoma |
|                              | 148              |

number\_of\_lymph\_nodes:

|   |   |   |    |      |
|---|---|---|----|------|
| 0 | 1 | 2 | 13 | NA's |
|---|---|---|----|------|

16     3     1     1   158

race:

|                                  |       |
|----------------------------------|-------|
| american indian or alaska native | asian |
| 1                                | 6     |
| black or african american        | white |
| 20                               | 148   |
| NA's                             |       |
| 4                                |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 5                  | 138                    | 36   |

Including an additional 894 columns

## See Also

[PCPG-v2.0.1](#)

---

PCPG-v2.0.1

*Pheochromocytoma and Paraganglioma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( PCPG )
ExperimentList class object of length 11:
 [1] PCPG_CNASNP-20160128: RaggedExperiment with 297329 rows and 360 columns
 [2] PCPG_CNVSNP-20160128: RaggedExperiment with 31256 rows and 346 columns
 [3] PCPG_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 162 columns
 [4] PCPG_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 27 rows and 162 columns
 [5] PCPG_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 162 columns
 [6] PCPG_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 187 columns
 [7] PCPG_Mutation-20160128: RaggedExperiment with 4662 rows and 184 columns
 [8] PCPG_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 187 columns
 [9] PCPG_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 187 columns
[10] PCPG_RPPAArray-20160128: SummarizedExperiment with 192 rows and 82 columns
[11] PCPG_Methylation-20160128: SummarizedExperiment with 485577 rows and 187 columns

> rownames( PCPG )
CharacterList of length 11
[["PCPG_CNASNP-20160128"]] character(0)
[["PCPG_CNVSNP-20160128"]] character(0)
[["PCPG_GISTIC_AllByGene-20160128"]] character(0)
[["PCPG_GISTIC_Peaks-20160128"]] 7 1 8 9 10 11 2 12 ... 22 23 5 24 25 26 6 27
[["PCPG_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["PCPG_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
```

```

[["PCPG_Mutation-20160128"]] character(0)
[["PCPG_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["PCPG_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["PCPG_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

```

```

> colnames( PCPG )
CharacterList of length 11
[["PCPG_CNASNP-20160128"]] TCGA-P7-A5NX-10A-01D-A35A-01 ...
[["PCPG_CNVSNP-20160128"]] TCGA-P7-A5NX-10A-01D-A35A-01 ...
[["PCPG_GISTIC_AllByGene-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_GISTIC_Peaks-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_GISTIC_ThresholdedByGene-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_miRNASeqGene-20160128"]] TCGA-P7-A5NX-01A-11R-A35M-13 ...
[["PCPG_Mutation-20160128"]] TCGA-P7-A5NX-01A-11D-A35D-08 ...
[["PCPG_RNASeq2Gene-20160128"]] TCGA-P7-A5NX-01A-11R-A35K-07 ...
[["PCPG_RNASeq2GeneNorm-20160128"]] TCGA-P7-A5NX-01A-11R-A35K-07 ...
[["PCPG_RPPAArray-20160128"]] TCGA-P7-A5NX-01A-21-A43B-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PCPG_CNASNP-20160128                   | 8.1 Mb        |
| 2  | PCPG_CNVSNP-20160128                   | 0.9 Mb        |
| 3  | PCPG_GISTIC_AllByGene-20160128         | 34.1 Mb       |
| 4  | PCPG_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | PCPG_GISTIC_ThresholdedByGene-20160128 | 34 Mb         |
| 6  | PCPG_miRNASeqGene-20160128             | 1.7 Mb        |
| 7  | PCPG_Mutation-20160128                 | 8.4 Mb        |
| 8  | PCPG_RNASeq2Gene-20160128              | 31.8 Mb       |
| 9  | PCPG_RNASeq2GeneNorm-20160128          | 31.8 Mb       |
| 10 | PCPG_RPPAArray-20160128                | 0.2 Mb        |
| 11 | PCPG_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

173 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
6.00   6.00   1.24   0.26    NA

```

-----  
Available sample meta-data:  
-----

## years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 19.00 | 35.00   | 46.00  | 47.33 | 58.50   | 83.00 |

## vital\_status:

|     |   |
|-----|---|
| 0   | 1 |
| 173 | 6 |

## days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 88.0 | 148.5   | 452.5  | 901.0 | 715.2   | 3563.0 | 173  |

## days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2    | 352     | 766    | 1071 | 1301    | 9634 | 6    |

## tumor\_tissue\_site:

| adrenal gland | extra-adrenal site |
|---------------|--------------------|
| 147           | 32                 |

## gender:

| female | male |
|--------|------|
| 101    | 78   |

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1988 | 2009    | 2011   | 2010 | 2012    | 2013 |

## radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 172 | 5   | 2    |

## karnofsky\_performance\_score:

| 70 | 80 | 90 | 100 | NA's |
|----|----|----|-----|------|
| 1  | 2  | 13 | 46  | 117  |

## histological\_type:

|  |                                               |
|--|-----------------------------------------------|
|  | paraganglioma                                 |
|  | 18                                            |
|  | paraganglioma; extra-adrenal pheochromocytoma |
|  | 13                                            |
|  | pheochromocytoma                              |
|  | 148                                           |

## number\_of\_lymph\_nodes:

| 0  | 1 | 2 | 13 | NA's |
|----|---|---|----|------|
| 16 | 3 | 1 | 1  | 158  |

## race:

|                                  |       |
|----------------------------------|-------|
| american indian or alaska native | asian |
| 1                                | 6     |

|                           |       |
|---------------------------|-------|
| black or african american | white |
| 20                        | 148   |
| NA's                      |       |
| 4                         |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 5                  | 138                    | 36   |

Including an additional 894 columns

PCPG-v2.1.0

*Pheochromocytoma and Paraganglioma***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( PCPG )
ExperimentList class object of length 11:
 [1] PCPG_CNASNP-20160128: RaggedExperiment with 297329 rows and 360 columns
 [2] PCPG_CNVSNP-20160128: RaggedExperiment with 31256 rows and 346 columns
 [3] PCPG_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 162 columns
 [4] PCPG_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 27 rows and 162 columns
 [5] PCPG_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 162 columns
 [6] PCPG_Mutation-20160128: RaggedExperiment with 4662 rows and 184 columns
 [7] PCPG_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 187 columns
 [8] PCPG_RPPAArray-20160128: SummarizedExperiment with 192 rows and 82 columns
 [9] PCPG_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 187 columns
[10] PCPG_RNASeq2GeneNorm-20160128: SummarizedExperiment with 17988 rows and 187 columns
[11] PCPG_Methylation-20160128: SummarizedExperiment with 485577 rows and 187 columns

> rownames( PCPG )
CharacterList of length 11
[["PCPG_CNASNP-20160128"]] character(0)
[["PCPG_CNVSNP-20160128"]] character(0)
[["PCPG_GISTIC_AllByGene-20160128"]] character(0)
[["PCPG_GISTIC_Peaks-20160128"]] 7 1 8 9 10 11 2 12 ... 22 23 5 24 25 26 6 27
[["PCPG_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["PCPG_Mutation-20160128"]] character(0)
[["PCPG_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["PCPG_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["PCPG_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PCPG_RNASeq2GeneNorm-20160128"]] A1BG A2BP1 A2LD1 ... ZZE1 ZZZ3 psiTPTE22
...
<1 more element>

> colnames( PCPG )
CharacterList of length 11
```

```

[["PCPG_CNASNP-20160128"]] TCGA-P7-A5NX-10A-01D-A35A-01 ...
[["PCPG_CNVSNP-20160128"]] TCGA-P7-A5NX-10A-01D-A35A-01 ...
[["PCPG_GISTIC_AllByGene-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_GISTIC_Peaks-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_GISTIC_ThresholdedByGene-20160128"]] TCGA-P7-A5NY-01A-12D-A35C-01 ...
[["PCPG_Mutation-20160128"]] TCGA-P7-A5NX-01A-11D-A35D-08 ...
[["PCPG_RNASeq2Gene-20160128"]] TCGA-P7-A5NX-01A-11R-A35K-07 ...
[["PCPG_RPPAArray-20160128"]] TCGA-P7-A5NX-01A-21-A43B-20 ...
[["PCPG_miRNASeqGene-20160128"]] TCGA-P7-A5NX-01A-11R-A35M-13 ...
[["PCPG_RNASeq2GeneNorm-20160128"]] TCGA-P7-A5NX-01 ... TCGA-XG-A823-01
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PCPG_CNASNP-20160128                   | 8.1 Mb        |
| 2  | PCPG_CNVSNP-20160128                   | 0.9 Mb        |
| 3  | PCPG_GISTIC_AllByGene-20160128         | 34.1 Mb       |
| 4  | PCPG_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | PCPG_GISTIC_ThresholdedByGene-20160128 | 34 Mb         |
| 6  | PCPG_Mutation-20160128                 | 8.4 Mb        |
| 7  | PCPG_RNASeq2Gene-20160128              | 31.8 Mb       |
| 8  | PCPG_RPPAArray-20160128                | 0.2 Mb        |
| 9  | PCPG_miRNASeqGene-20160128             | 1.7 Mb        |
| 10 | PCPG_RNASeq2GeneNorm-20160128          | 27.9 Mb       |
| 11 | PCPG_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      173 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 6      6    1.24    0.26     NA

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
 19.00  35.00   46.00   47.33  58.50   83.00

```

```

vital_status:
  0    1
173   6

```

## days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 88.0 | 148.5   | 452.5  | 901.0 | 715.2   | 3563.0 | 173  |

## days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2    | 352     | 766    | 1071 | 1301    | 9634 | 6    |

## tumor\_tissue\_site:

| adrenal gland | extra-adrenal site |
|---------------|--------------------|
| 147           | 32                 |

## gender:

| female | male |
|--------|------|
| 101    | 78   |

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1988 | 2009    | 2011   | 2010 | 2012    | 2013 |

## radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 172 | 5   | 2    |

## karnofsky\_performance\_score:

| 70 | 80 | 90 | 100 | NA's |
|----|----|----|-----|------|
| 1  | 2  | 13 | 46  | 117  |

## histological\_type:

| paraganglioma                                 |
|-----------------------------------------------|
| 18                                            |
| paraganglioma; extra-adrenal pheochromocytoma |
| 13                                            |
| pheochromocytoma                              |
| 148                                           |

## number\_of\_lymph\_nodes:

| 0  | 1 | 2 | 13 | NA's |
|----|---|---|----|------|
| 16 | 3 | 1 | 1  | 158  |

## race:

| american indian or alaska native | asian |
|----------------------------------|-------|
| 1                                | 6     |
| black or african american        | white |
| 20                               | 148   |
| NA's                             |       |
| 4                                |       |

## ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 5                  | 138                    | 36   |

Including an additional 894 columns

---

PRAD

*Prostate adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( PRAD )
ExperimentList class object of length 11:
 [1] PRAD_CNASeq-20160128: RaggedExperiment with 23398 rows and 230 columns
 [2] PRAD_CNASNP-20160128: RaggedExperiment with 573776 rows and 1029 columns
 [3] PRAD_CNVSNP-20160128: RaggedExperiment with 117345 rows and 1023 columns
 [4] PRAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 492 columns
 [5] PRAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 58 rows and 492 columns
 [6] PRAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 492 columns
 [7] PRAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 547 columns
 [8] PRAD_Mutation-20160128: RaggedExperiment with 12348 rows and 332 columns
 [9] PRAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 550 columns
[10] PRAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 352 columns
[11] PRAD_Methylation-20160128: SummarizedExperiment with 485577 rows and 549 columns

> rownames( PRAD )
CharacterList of length 11
[["PRAD_CNASeq-20160128"]] character(0)
[["PRAD_CNASNP-20160128"]] character(0)
[["PRAD_CNVSNP-20160128"]] character(0)
[["PRAD_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["PRAD_GISTIC_Peaks-20160128"]] chr1:63901623-66226788 ...
[["PRAD_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["PRAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PRAD_Mutation-20160128"]] character(0)
[["PRAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["PRAD_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( PRAD )
CharacterList of length 11
[["PRAD_CNASeq-20160128"]] TCGA-CH-5741-01A-11D-1572-02 ...
[["PRAD_CNASNP-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_CNVSNP-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_AllByGene-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_Peaks-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_miRNASeqGene-20160128"]] TCGA-2A-A8VL-01A-21R-A37H-13 ...
[["PRAD_Mutation-20160128"]] TCGA-2A-A8VL-01A-21D-A377-08 ...
[["PRAD_RNASeq2GeneNorm-20160128"]] TCGA-2A-A8VL-01A-21R-A37L-07 ...
```

```
[[ "PRAD_RPPAArray-20160128" ]] TCGA-2A-A8VL-01A-11-A43M-20 ...
...
<1 more element>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PRAD_CNASeq-20160128                   | 0.7 Mb        |
| 2  | PRAD_CNASNP-20160128                   | 15.6 Mb       |
| 3  | PRAD_CNVSNP-20160128                   | 3.4 Mb        |
| 4  | PRAD_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | PRAD_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | PRAD_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | PRAD_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | PRAD_Mutation-20160128                 | 21.5 Mb       |
| 9  | PRAD_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 10 | PRAD_RPPAArray-20160128                | 0 Mb          |
| 11 | PRAD_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

488 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 10.00 | 10.00  | 3.02   | 1.99    | NA      |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 41.00 | 56.00   | 61.00  | 61.02 | 66.00   | 78.00 | 11   |

vital\_status:

| 0   | 1  |
|-----|----|
| 488 | 10 |

days\_to\_death:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 146.0 | 743.8   | 1102.0 | 1579.0 | 2315.5  | 3502.0 | 488  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 23.0 | 523.5   | 926.0  | 1076.5 | 1458.0  | 5024.0 | 10   |

tumor\_tissue\_site:

prostate  
498

pathology\_N\_stage:  
n0 n1 NA's  
346 79 73

gender:  
male  
498

date\_of\_initial\_pathologic\_diagnosis:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
2000 2009 2011 2010 2012 2013 31

radiation\_therapy:  
no yes NA's  
395 59 44

histological\_type:  
prostate adenocarcinoma acinar type prostate adenocarcinoma, other subtype  
483 15

residual\_tumor:  
r0 r1 r2 rx NA's  
316 147 5 15 15

number\_of\_lymph\_nodes:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
0.0000 0.0000 0.0000 0.4447 0.0000 15.0000 91

gleason\_score:  
6 7 8 9 10  
45 248 64 137 4

psa\_value:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
0.000 0.030 0.100 1.742 0.110 323.000 57

days\_to\_psa:  
Min. 1st Qu. Median Mean 3rd Qu. Max. NA's  
-164.0 191.0 512.0 685.6 926.0 3447.0 53

race:  
asian black or african american white  
2 7 147  
NA's  
342

ethnicity:  
not hispanic or latino NA's

152

346

Including an additional 1126 columns

## See Also

[PRAD-v2.0.1](#)

---

PRAD-v2.0.1

*Prostate adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( PRAD )
ExperimentList class object of length 12:
 [1] PRAD_CNASeq-20160128: RaggedExperiment with 23398 rows and 230 columns
 [2] PRAD_CNASNP-20160128: RaggedExperiment with 573776 rows and 1029 columns
 [3] PRAD_CNVSNP-20160128: RaggedExperiment with 117345 rows and 1023 columns
 [4] PRAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 492 columns
 [5] PRAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 58 rows and 492 columns
 [6] PRAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 492 columns
 [7] PRAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 547 columns
 [8] PRAD_Mutation-20160128: RaggedExperiment with 12348 rows and 332 columns
 [9] PRAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 550 columns
[10] PRAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 550 columns
[11] PRAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 352 columns
[12] PRAD_Methylation-20160128: SummarizedExperiment with 485577 rows and 549 columns

> rownames( PRAD )
CharacterList of length 12
[["PRAD_CNASeq-20160128"]] character(0)
[["PRAD_CNASNP-20160128"]] character(0)
[["PRAD_CNVSNP-20160128"]] character(0)
[["PRAD_GISTIC_AllByGene-20160128"]] character(0)
[["PRAD_GISTIC_Peaks-20160128"]] 29 30 1 31 32 33 34 ... 21 60 61 22 23 62 63
[["PRAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["PRAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["PRAD_Mutation-20160128"]] character(0)
[["PRAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["PRAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

> colnames( PRAD )
CharacterList of length 12
[["PRAD_CNASeq-20160128"]] TCGA-CH-5741-01A-11D-1572-02 ...
[["PRAD_CNASNP-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
```

```

[["PRAD_CNVSNP-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_AllByGene-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_Peaks-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_miRNASeqGene-20160128"]] TCGA-2A-A8VL-01A-21R-A37H-13 ...
[["PRAD_Mutation-20160128"]] TCGA-2A-A8VL-01A-21D-A377-08 ...
[["PRAD_RNASeq2Gene-20160128"]] TCGA-2A-A8VL-01A-21R-A37L-07 ...
[["PRAD_RNASeq2GeneNorm-20160128"]] TCGA-2A-A8VL-01A-21R-A37L-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PRAD_CNASeq-20160128                   | 0.7 Mb        |
| 2  | PRAD_CNASNP-20160128                   | 15.6 Mb       |
| 3  | PRAD_CNVSNP-20160128                   | 3.4 Mb        |
| 4  | PRAD_GISTIC_AllByGene-20160128         | 96.6 Mb       |
| 5  | PRAD_GISTIC_Peaks-20160128             | 0.4 Mb        |
| 6  | PRAD_GISTIC_ThresholdedByGene-20160128 | 96.4 Mb       |
| 7  | PRAD_miRNASeqGene-20160128             | 4.6 Mb        |
| 8  | PRAD_Mutation-20160128                 | 21.5 Mb       |
| 9  | PRAD_RNASeq2Gene-20160128              | 88.7 Mb       |
| 10 | PRAD_RNASeq2GeneNorm-20160128          | 88.7 Mb       |
| 11 | PRAD_RPPAArray-20160128                | 0.6 Mb        |
| 12 | PRAD_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

488 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
10.00  10.00   3.02   1.99     NA

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 41.00  56.00   61.00   61.02  66.00   78.00    11

```

```

vital_status:
  0  1
488 10

```

```

days_to_death:

```

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 146.0 | 743.8   | 1102.0 | 1579.0 | 2315.5  | 3502.0 | 488  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 23.0 | 523.5   | 926.0  | 1076.5 | 1458.0  | 5024.0 | 10   |

tumor\_tissue\_site:

prostate

498

pathology\_N\_stage:

| n0  | n1 | NA's |
|-----|----|------|
| 346 | 79 | 73   |

gender:

male

498

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2000 | 2009    | 2011   | 2010 | 2012    | 2013 | 31   |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 395 | 59  | 44   |

histological\_type:

| prostate adenocarcinoma acinar type prostate adenocarcinoma, other subtype |    |
|----------------------------------------------------------------------------|----|
| 483                                                                        | 15 |

residual\_tumor:

| r0  | r1  | r2 | rx | NA's |
|-----|-----|----|----|------|
| 316 | 147 | 5  | 15 | 15   |

number\_of\_lymph\_nodes:

| Min.   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|--------|---------|--------|--------|---------|---------|------|
| 0.0000 | 0.0000  | 0.0000 | 0.4447 | 0.0000  | 15.0000 | 91   |

gleason\_score:

| 6  | 7   | 8  | 9   | 10 |
|----|-----|----|-----|----|
| 45 | 248 | 64 | 137 | 4  |

psa\_value:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.    | NA's |
|-------|---------|--------|-------|---------|---------|------|
| 0.000 | 0.030   | 0.100  | 1.742 | 0.110   | 323.000 | 57   |

days\_to\_psa:

| Min.   | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|--------|---------|--------|-------|---------|--------|------|
| -164.0 | 191.0   | 512.0  | 685.6 | 926.0   | 3447.0 | 53   |

```

race:
      asian black or african american      white
      2              7              147
      NA's
      342

```

```

ethnicity:
not hispanic or latino      NA's
      152              346

```

Including an additional 1126 columns

---

|             |                                |
|-------------|--------------------------------|
| PRAD-v2.1.0 | <i>Prostate adenocarcinoma</i> |
|-------------|--------------------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( PRAD )
ExperimentList class object of length 12:
 [1] PRAD_CNASeq-20160128: RaggedExperiment with 23398 rows and 230 columns
 [2] PRAD_CNASNP-20160128: RaggedExperiment with 573776 rows and 1029 columns
 [3] PRAD_CNVSNP-20160128: RaggedExperiment with 117345 rows and 1023 columns
 [4] PRAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 492 columns
 [5] PRAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 58 rows and 492 columns
 [6] PRAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 492 columns
 [7] PRAD_Mutation-20160128: RaggedExperiment with 12348 rows and 332 columns
 [8] PRAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 550 columns
 [9] PRAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 352 columns
[10] PRAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 547 columns
[11] PRAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18265 rows and 550 columns
[12] PRAD_Methylation-20160128: SummarizedExperiment with 485577 rows and 549 columns

> rownames( PRAD )
CharacterList of length 12
[["PRAD_CNASeq-20160128"]] character(0)
[["PRAD_CNASNP-20160128"]] character(0)
[["PRAD_CNVSNP-20160128"]] character(0)
[["PRAD_GISTIC_AllByGene-20160128"]] character(0)
[["PRAD_GISTIC_Peaks-20160128"]] 29 30 1 31 32 33 34 ... 21 60 61 22 23 62 63
[["PRAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["PRAD_Mutation-20160128"]] character(0)
[["PRAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["PRAD_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["PRAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
...
<2 more elements>

```

```
> colnames( PRAD )
CharacterList of length 12
[["PRAD_CNASeq-20160128"]] TCGA-CH-5741-01A-11D-1572-02 ...
[["PRAD_CNASNP-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_CNVSNP-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_AllByGene-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_Peaks-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-2A-A8VL-01A-21D-A376-01 ...
[["PRAD_Mutation-20160128"]] TCGA-2A-A8VL-01A-21D-A377-08 ...
[["PRAD_RNASeq2Gene-20160128"]] TCGA-2A-A8VL-01A-21R-A37L-07 ...
[["PRAD_RPPAArray-20160128"]] TCGA-2A-A8VL-01A-11-A43M-20 ...
[["PRAD_miRNASeqGene-20160128"]] TCGA-2A-A8VL-01A-21R-A37H-13 ...
...
<2 more elements>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | PRAD_CNASeq-20160128                   | 0.7 Mb        |
| 2  | PRAD_CNASNP-20160128                   | 15.6 Mb       |
| 3  | PRAD_CNVSNP-20160128                   | 3.4 Mb        |
| 4  | PRAD_GISTIC_AllByGene-20160128         | 96.6 Mb       |
| 5  | PRAD_GISTIC_Peaks-20160128             | 0.4 Mb        |
| 6  | PRAD_GISTIC_ThresholdedByGene-20160128 | 96.4 Mb       |
| 7  | PRAD_Mutation-20160128                 | 21.5 Mb       |
| 8  | PRAD_RNASeq2Gene-20160128              | 88.7 Mb       |
| 9  | PRAD_RPPAArray-20160128                | 0.6 Mb        |
| 10 | PRAD_miRNASeqGene-20160128             | 4.6 Mb        |
| 11 | PRAD_RNASeq2GeneNorm-20160128          | 79 Mb         |
| 12 | PRAD_Methylation-20160128              | 75.1 Mb       |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
488 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 10      10   3.02   1.99      NA
```

-----  
Available sample meta-data:  
-----

| years_to_birth: | Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-----------------|-------|---------|--------|-------|---------|-------|------|
|                 | 41.00 | 56.00   | 61.00  | 61.02 | 66.00   | 78.00 | 11   |

vital\_status:

```

0    1
488  10

```

days\_to\_death:

| Min.  | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|--------|---------|--------|------|
| 146.0 | 743.8   | 1102.0 | 1579.0 | 2315.5  | 3502.0 | 488  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 23.0 | 523.5   | 926.0  | 1076.5 | 1458.0  | 5024.0 | 10   |

tumor\_tissue\_site:

```

prostate
498

```

pathology\_N\_stage:

```

n0    n1  NA's
346   79   73

```

gender:

```

male
498

```

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2000 | 2009    | 2011   | 2010 | 2012    | 2013 | 31   |

radiation\_therapy:

```

no  yes  NA's
395  59   44

```

histological\_type:

```

prostate adenocarcinoma acinar type prostate adenocarcinoma, other subtype
483                                           15

```

residual\_tumor:

```

r0    r1    r2    rx  NA's
316  147    5   15   15

```

number\_of\_lymph\_nodes:

| Min.   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|--------|---------|--------|--------|---------|---------|------|
| 0.0000 | 0.0000  | 0.0000 | 0.4447 | 0.0000  | 15.0000 | 91   |

gleason\_score:

```

6    7    8    9   10
45  248  64  137    4

```

psa\_value:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.    | NA's |
|-------|---------|--------|-------|---------|---------|------|
| 0.000 | 0.030   | 0.100  | 1.742 | 0.110   | 323.000 | 57   |

```

days_to_psa:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
-164.0   191.0   512.0   685.6   926.0  3447.0    53

race:
              asian black or african american              white
              2                          7              147
              NA's
              342

ethnicity:
not hispanic or latino              NA's
              152              346

Including an additional 1126 columns

```

---

|      |                              |
|------|------------------------------|
| READ | <i>Rectum adenocarcinoma</i> |
|------|------------------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( READ )
ExperimentList class object of length 14:
 [1] READ_CNASeq-20160128: RaggedExperiment with 56380 rows and 70 columns
 [2] READ_CNASNP-20160128: RaggedExperiment with 156806 rows and 316 columns
 [3] READ_CNVSNP-20160128: RaggedExperiment with 35765 rows and 316 columns
 [4] READ_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 165 columns
 [5] READ_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 55 rows and 165 columns
 [6] READ_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 165 columns
 [7] READ_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 76 columns
 [8] READ_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 72 columns
 [9] READ_Mutation-20160128: RaggedExperiment with 22075 rows and 69 columns
[10] READ_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 72 columns
[11] READ_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 72 columns
[12] READ_RPPAArray-20160128: SummarizedExperiment with 208 rows and 131 columns
[13] READ_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 73 columns
[14] READ_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 106 columns

> rownames( READ )
CharacterList of length 14
[["READ_CNASeq-20160128"]] character(0)
[["READ_CNASNP-20160128"]] character(0)
[["READ_CNVSNP-20160128"]] character(0)
[["READ_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["READ_GISTIC_Peaks-20160128"]] chr1:3814904-31841618 ...
[["READ_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["READ_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b

```

```

[["READ_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["READ_Mutation-20160128"]] character(0)
[["READ_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 TAKR
...
<4 more elements>

```

```

> colnames( READ )
CharacterList of length 14
[["READ_CNASeq-20160128"]] TCGA-AF-2691-01A-01D-1167-02 ...
[["READ_CNASNP-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_CNVSNP-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_AllByGene-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_Peaks-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_ThresholdedByGene-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_miRNASeqGene-20160128"]] TCGA-AF-2687-01A-02T-1735-13 ...
[["READ_mRNAArray-20160128"]] TCGA-AF-2689-11A-01R-1758-07 ...
[["READ_Mutation-20160128"]] TCGA-AF-2689-01A-01W-0831-10 ... TCGA-AG-A036-01
[["READ_RNASeq2GeneNorm-20160128"]] TCGA-AF-2691-01A-01R-0821-07 ...
...
<4 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | READ_CNASeq-20160128                   | 1.5 Mb        |
| 2  | READ_CNASNP-20160128                   | 4.3 Mb        |
| 3  | READ_CNVSNP-20160128                   | 1.1 Mb        |
| 4  | READ_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | READ_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | READ_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | READ_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | READ_mRNAArray-20160128                | 1.1 Mb        |
| 9  | READ_Mutation-20160128                 | 9.6 Mb        |
| 10 | READ_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 11 | READ_RNASeqGene-20160128               | 1.3 Mb        |
| 12 | READ_RPPAArray-20160128                | 0 Mb          |
| 13 | READ_Methylation_methyl27-20160128     | 4.9 Mb        |
| 14 | READ_Methylation_methyl450-20160128    | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

142 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
27.00  27.00   2.00   1.44   3.25

```

-----

Available sample meta-data:

-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 31.00 | 57.00   | 66.00  | 64.37 | 72.00   | 90.00 |

vital\_status:

|     |    |
|-----|----|
| 0   | 1  |
| 141 | 28 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 59.0 | 347.5   | 730.0  | 786.1 | 1193.0  | 1741.0 | 142  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 366.0   | 625.0  | 779.5 | 1096.0  | 3932.0 | 28   |

tumor\_tissue\_site:

|        |      |
|--------|------|
| rectum | NA's |
| 166    | 3    |

pathology\_M\_stage:

|     |    |     |    |      |
|-----|----|-----|----|------|
| m0  | m1 | m1a | mx | NA's |
| 128 | 22 | 2   | 14 | 3    |

gender:

|        |      |
|--------|------|
| female | male |
| 77     | 92   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1999 | 2007    | 2009   | 2008 | 2010    | 2012 |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 31.0 | 292.2   | 863.0  | 1420.1 | 2214.5  | 3667.0 | 161  |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 114 | 22  | 33   |

histological\_type:

|                       |                                |
|-----------------------|--------------------------------|
| rectal adenocarcinoma | rectal mucinous adenocarcinoma |
| 150                   | 13                             |
| NA's                  |                                |
| 6                     |                                |

```
tumor_stage:
stage iia      NA's
      1      168

residual_tumor:
r0  r1  r2  rx NA's
126  2  12  5  24

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.000  0.000   0.000   2.692   3.000   31.000    10

ethnicity:
  hispanic or latino not hispanic or latino      NA's
                1                        84      84
```

Including an additional 2242 columns

See Also

[READ-v2.0.1](#)

---

|             |                              |
|-------------|------------------------------|
| READ-v2.0.1 | <i>Rectum adenocarcinoma</i> |
|-------------|------------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( READ )
ExperimentList class object of length 16:
 [1] READ_CNASeq-20160128: RaggedExperiment with 56380 rows and 70 columns
 [2] READ_CNASNP-20160128: RaggedExperiment with 156806 rows and 316 columns
 [3] READ_CNVSNP-20160128: RaggedExperiment with 35765 rows and 316 columns
 [4] READ_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 165 columns
 [5] READ_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 55 rows and 165 columns
 [6] READ_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 165 columns
 [7] READ_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 76 columns
 [8] READ_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 72 columns
 [9] READ_Mutation-20160128: RaggedExperiment with 22075 rows and 69 columns
[10] READ_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 105 columns
[11] READ_RNASeq2GeneNorm_illumina-20160128: SummarizedExperiment with 20501 rows and 72 columns
[12] READ_RNASeq2GeneNorm_illumina-hiseq-20160128: SummarizedExperiment with 20501 rows and 105 columns
[13] READ_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 72 columns
[14] READ_RPPAArray-20160128: SummarizedExperiment with 208 rows and 131 columns
[15] READ_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 73 columns
[16] READ_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 106 columns

> rownames( READ )
```

```

CharacterList of length 16
[["READ_CNASeq-20160128"]] character(0)
[["READ_CNASNP-20160128"]] character(0)
[["READ_CNVSNP-20160128"]] character(0)
[["READ_GISTIC_AllByGene-20160128"]] character(0)
[["READ_GISTIC_Peaks-20160128"]] 23 24 25 1 2 26 27 ... 54 55 18 19 20 56 57
[["READ_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["READ_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["READ_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["READ_Mutation-20160128"]] character(0)
[["READ_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<6 more elements>

```

```

> colnames( READ )
CharacterList of length 16
[["READ_CNASeq-20160128"]] TCGA-AF-2691-01A-01D-1167-02 ...
[["READ_CNASNP-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_CNVSNP-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_AllByGene-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_Peaks-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_ThresholdedByGene-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_miRNASeqGene-20160128"]] TCGA-AF-2687-01A-02T-1735-13 ...
[["READ_mRNAArray-20160128"]] TCGA-AF-2689-11A-01R-1758-07 ...
[["READ_Mutation-20160128"]] TCGA-AF-2689-01A-01W-0831-10 ... TCGA-AG-A036-01
[["READ_RNASeq2Gene-20160128"]] TCGA-AF-2687-01A-02R-1736-07 ...
...
<6 more elements>

```

Sizes of each ExperimentList element:

|    |                                              | assay size.Mb |
|----|----------------------------------------------|---------------|
| 1  | READ_CNASeq-20160128                         | 1.5 Mb        |
| 2  | READ_CNASNP-20160128                         | 4.3 Mb        |
| 3  | READ_CNVSNP-20160128                         | 1.1 Mb        |
| 4  | READ_GISTIC_AllByGene-20160128               | 34.7 Mb       |
| 5  | READ_GISTIC_Peaks-20160128                   | 0.2 Mb        |
| 6  | READ_GISTIC_ThresholdedByGene-20160128       | 34.5 Mb       |
| 7  | READ_miRNASeqGene-20160128                   | 0.5 Mb        |
| 8  | READ_mRNAArray-20160128                      | 12 Mb         |
| 9  | READ_Mutation-20160128                       | 9.6 Mb        |
| 10 | READ_RNASeq2Gene-20160128                    | 19 Mb         |
| 11 | READ_RNASeq2GeneNorm_illumina-20160128       | 13.8 Mb       |
| 12 | READ_RNASeq2GeneNorm_illumina-hiseq-20160128 | 19 Mb         |
| 13 | READ_RNASeqGene-20160128                     | 13.8 Mb       |
| 14 | READ_RPPAArray-20160128                      | 0.3 Mb        |
| 15 | READ_Methylation_methyl27-20160128           | 4.9 Mb        |
| 16 | READ_Methylation_methyl450-20160128          | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

142 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 27.00 | 27.00  | 2.00   | 1.44    | 3.25    |

```
-----
Available sample meta-data:
-----
```

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 31.00 | 57.00   | 66.00  | 64.37 | 72.00   | 90.00 |

vital\_status:

| 0   | 1  |
|-----|----|
| 141 | 28 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 59.0 | 347.5   | 730.0  | 786.1 | 1193.0  | 1741.0 | 142  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 366.0   | 625.0  | 779.5 | 1096.0  | 3932.0 | 28   |

tumor\_tissue\_site:

| rectum | NA's |
|--------|------|
| 166    | 3    |

pathology\_M\_stage:

| m0  | m1 | m1a | mx | NA's |
|-----|----|-----|----|------|
| 128 | 22 | 2   | 14 | 3    |

gender:

| female | male |
|--------|------|
| 77     | 92   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1999 | 2007    | 2009   | 2008 | 2010    | 2012 |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 31.0 | 292.2   | 863.0  | 1420.1 | 2214.5  | 3667.0 | 161  |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 114 | 22  | 33   |

histological\_type:

|                       |                                |
|-----------------------|--------------------------------|
| rectal adenocarcinoma | rectal mucinous adenocarcinoma |
| 150                   | 13                             |
| NA's                  |                                |
| 6                     |                                |

tumor\_stage:

|           |      |
|-----------|------|
| stage iia | NA's |
| 1         | 168  |

residual\_tumor:

|     |    |    |    |      |
|-----|----|----|----|------|
| r0  | r1 | r2 | rx | NA's |
| 126 | 2  | 12 | 5  | 24   |

number\_of\_lymph\_nodes:

|       |         |        |       |         |        |      |
|-------|---------|--------|-------|---------|--------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 0.000 | 0.000   | 0.000  | 2.692 | 3.000   | 31.000 | 10   |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 1                  | 84                     | 84   |

Including an additional 2242 columns

---

READ-v2.1.0

*Rectum adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( READ )
```

ExperimentList class object of length 17:

- [1] READ\_CNASeq-20160128: RaggedExperiment with 56380 rows and 70 columns
- [2] READ\_CNASNP-20160128: RaggedExperiment with 156806 rows and 316 columns
- [3] READ\_CNVSNP-20160128: RaggedExperiment with 35765 rows and 316 columns
- [4] READ\_GISTIC\_AllByGene-20160128: SummarizedExperiment with 24776 rows and 165 columns
- [5] READ\_GISTIC\_Peaks-20160128: RangedSummarizedExperiment with 55 rows and 165 columns
- [6] READ\_GISTIC\_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 165 columns
- [7] READ\_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 72 columns
- [8] READ\_Mutation-20160128: RaggedExperiment with 22075 rows and 69 columns
- [9] READ\_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 105 columns
- [10] READ\_RNASeq2GeneNorm\_illumina-20160128: SummarizedExperiment with 20501 rows and 72 columns
- [11] READ\_RNASeq2GeneNorm\_illumina-hiseq-20160128: SummarizedExperiment with 20501 rows and 105 columns
- [12] READ\_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 72 columns

```
[13] READ_RPPAArray-20160128: SummarizedExperiment with 208 rows and 131 columns
[14] READ_miRNASeqGene-20160128: SummarizedExperiment with 705 rows and 76 columns
[15] READ_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18115 rows and 177 columns
[16] READ_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 73 columns
[17] READ_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 106 columns
```

```
> rownames( READ )
CharacterList of length 17
[["READ_CNASeq-20160128"]] character(0)
[["READ_CNASNP-20160128"]] character(0)
[["READ_CNVSNP-20160128"]] character(0)
[["READ_GISTIC_AllByGene-20160128"]] character(0)
[["READ_GISTIC_Peaks-20160128"]] 23 24 25 1 2 26 27 ... 54 55 18 19 20 56 57
[["READ_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["READ_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["READ_Mutation-20160128"]] character(0)
[["READ_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["READ_RNASeq2GeneNorm_illumina-20160128"]] A1BG A1CF ... psiTPTE22 tAKR
...
<7 more elements>
```

```
> colnames( READ )
CharacterList of length 17
[["READ_CNASeq-20160128"]] TCGA-AF-2691-01A-01D-1167-02 ...
[["READ_CNASNP-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_CNVSNP-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_AllByGene-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_Peaks-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_GISTIC_ThresholdedByGene-20160128"]] TCGA-AF-2687-01A-02D-1732-01 ...
[["READ_mRNAArray-20160128"]] TCGA-AF-2689-11A-01R-1758-07 ...
[["READ_Mutation-20160128"]] TCGA-AF-2689-01A-01W-0831-10 ... TCGA-AG-A036-01
[["READ_RNASeq2Gene-20160128"]] TCGA-AF-2687-01A-02R-1736-07 ...
[["READ_RNASeq2GeneNorm_illumina-20160128"]] TCGA-AF-2691-01A-01R-0821-07...
...
<7 more elements>
```

Sizes of each ExperimentList element:

|    |                                              | assay size.Mb |
|----|----------------------------------------------|---------------|
| 1  | READ_CNASeq-20160128                         | 1.5 Mb        |
| 2  | READ_CNASNP-20160128                         | 4.3 Mb        |
| 3  | READ_CNVSNP-20160128                         | 1.1 Mb        |
| 4  | READ_GISTIC_AllByGene-20160128               | 34.7 Mb       |
| 5  | READ_GISTIC_Peaks-20160128                   | 0.2 Mb        |
| 6  | READ_GISTIC_ThresholdedByGene-20160128       | 34.5 Mb       |
| 7  | READ_mRNAArray-20160128                      | 12 Mb         |
| 8  | READ_Mutation-20160128                       | 9.6 Mb        |
| 9  | READ_RNASeq2Gene-20160128                    | 19 Mb         |
| 10 | READ_RNASeq2GeneNorm_illumina-20160128       | 13.8 Mb       |
| 11 | READ_RNASeq2GeneNorm_illumina-hiseq-20160128 | 19 Mb         |
| 12 | READ_RNASeqGene-20160128                     | 13.8 Mb       |
| 13 | READ_RPPAArray-20160128                      | 0.3 Mb        |

```

14          READ_miRNASeqGene-20160128  0.5 Mb
15          READ_RNASeq2GeneNorm-20160128 26.7 Mb
16          READ_Methylation_methyl27-20160128 4.9 Mb
17          READ_Methylation_methyl450-20160128 75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      142 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 27      27      2      1.44      3.25

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
 31.00  57.00  66.00  64.37  72.00  90.00

```

```

vital_status:
  0    1
141  28

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
 59.0   347.5   730.0   786.1 1193.0 1741.0   142

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.0   366.0   625.0   779.5 1096.0 3932.0    28

```

```

tumor_tissue_site:
rectum  NA's
 166     3

```

```

pathology_M_stage:
  m0  m1  m1a  mx NA's
128  22   2  14   3

```

```

gender:
female  male
   77    92

```

```

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  1999   2007   2009   2008   2010   2012

days_to_last_known_alive:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  31.0   292.2   863.0  1420.1  2214.5  3667.0   161

radiation_therapy:
  no  yes NA's
  114  22  33

histological_type:
      rectal adenocarcinoma rectal mucinous adenocarcinoma
                150                                13
                NA's
                6

tumor_stage:
stage iia      NA's
      1      168

residual_tumor:
  r0  r1  r2  rx NA's
  126   2  12   5  24

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.000   0.000   0.000   2.692   3.000  31.000   10

ethnicity:
      hispanic or latino not hispanic or latino      NA's
                1                                84      84

Including an additional 2242 columns

```

SARC

*Sarcoma*

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( SARC )
ExperimentList class object of length 10:
 [1] SARC_CNASNP-20160128: RaggedExperiment with 337377 rows and 516 columns
 [2] SARC_CNVSNP-20160128: RaggedExperiment with 106739 rows and 513 columns
 [3] SARC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 257 columns
 [4] SARC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 64 rows and 257 columns

```

```
[5] SARC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 257 columns
[6] SARC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 263 columns
[7] SARC_Mutation-20160128: RaggedExperiment with 20376 rows and 247 columns
[8] SARC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 265 columns
[9] SARC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 226 columns
[10] SARC_Methylation-20160128: SummarizedExperiment with 485577 rows and 269 columns
```

```
> rownames( SARC )
CharacterList of length 10
[["SARC_CNASNP-20160128"]] character(0)
[["SARC_CNVSNP-20160128"]] character(0)
[["SARC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["SARC_GISTIC_Peaks-20160128"]] chr1:1-5923787 ... chr22:45095899-51304566
[["SARC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["SARC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["SARC_Mutation-20160128"]] character(0)
[["SARC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["SARC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["SARC_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873
```

```
> colnames( SARC )
CharacterList of length 10
[["SARC_CNASNP-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_CNVSNP-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_AllByGene-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_Peaks-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_ThresholdedByGene-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_miRNASeqGene-20160128"]] TCGA-3B-A9HI-01A-11R-A38N-13 ...
[["SARC_Mutation-20160128"]] TCGA-3B-A9HI-01A-11D-A387-09 ...
[["SARC_RNASeq2GeneNorm-20160128"]] TCGA-3B-A9HI-01A-11R-A38C-07 ...
[["SARC_RPPAArray-20160128"]] TCGA-3B-A9HI-01A-21-A456-20 ...
[["SARC_Methylation-20160128"]] TCGA-3B-A9HI-01A-11D-A388-05 ...
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | SARC_CNASNP-20160128                   | 9.2 Mb        |
| 2  | SARC_CNVSNP-20160128                   | 3 Mb          |
| 3  | SARC_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | SARC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | SARC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | SARC_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | SARC_Mutation-20160128                 | 19.5 Mb       |
| 8  | SARC_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9  | SARC_RPPAArray-20160128                | 0 Mb          |
| 10 | SARC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~

-1)

162 observations deleted due to missingness

| n     | events | median | 0.95LCL | 0.95UCL |
|-------|--------|--------|---------|---------|
| 99.00 | 99.00  | 1.78   | 1.51    | 2.46    |

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 20.00 | 53.00   | 61.00  | 60.88 | 71.00   | 90.00 | 1    |

vital\_status:

| 0   | 1  |
|-----|----|
| 162 | 99 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 17.0 | 322.5   | 648.0  | 863.6 | 1169.5  | 2694.0 | 162  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 15.0 | 585.8   | 1092.0 | 1391.1 | 1891.8  | 5723.0 | 99   |

gender:

| female | male |
|--------|------|
| 142    | 119  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1994 | 2007    | 2010   | 2009 | 2012    | 2013 | 4    |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 181 | 74  | 6    |

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 155 | 70 | 9  | 26 | 1    |

race:

| asian | black or african american | white |
|-------|---------------------------|-------|
| 6     | 18                        | 228   |
| NA's  |                           |       |
| 9     |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 5                  | 223                    | 33   |

Including an additional 1413 columns

## See Also

[SARC-v2.0.1](#)

---

SARC-v2.0.1

*Sarcoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( SARC )
ExperimentList class object of length 11:
 [1] SARC_CNASNP-20160128: RaggedExperiment with 337377 rows and 516 columns
 [2] SARC_CNVSNP-20160128: RaggedExperiment with 106739 rows and 513 columns
 [3] SARC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 257 columns
 [4] SARC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 64 rows and 257 columns
 [5] SARC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 257 columns
 [6] SARC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 263 columns
 [7] SARC_Mutation-20160128: RaggedExperiment with 20376 rows and 247 columns
 [8] SARC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 265 columns
 [9] SARC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 265 columns
[10] SARC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 226 columns
[11] SARC_Methylation-20160128: SummarizedExperiment with 485577 rows and 269 columns

> rownames( SARC )
CharacterList of length 11
[["SARC_CNASNP-20160128"]] character(0)
[["SARC_CNVSNP-20160128"]] character(0)
[["SARC_GISTIC_AllByGene-20160128"]] character(0)
[["SARC_GISTIC_Peaks-20160128"]] 26 1 2 3 27 28 4 29 ... 21 63 22 64 23 65 66
[["SARC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["SARC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["SARC_Mutation-20160128"]] character(0)
[["SARC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["SARC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["SARC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( SARC )
CharacterList of length 11
[["SARC_CNASNP-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_CNVSNP-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
```

```

[["SARC_GISTIC_AllByGene-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_Peaks-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_ThresholdedByGene-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_miRNASeqGene-20160128"]] TCGA-3B-A9HI-01A-11R-A38N-13 ...
[["SARC_Mutation-20160128"]] TCGA-3B-A9HI-01A-11D-A387-09 ...
[["SARC_RNASeq2Gene-20160128"]] TCGA-3B-A9HI-01A-11R-A38C-07 ...
[["SARC_RNASeq2GeneNorm-20160128"]] TCGA-3B-A9HI-01A-11R-A38C-07 ...
[["SARC_RPPAArray-20160128"]] TCGA-3B-A9HI-01A-21-A456-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | SARC_CNASNP-20160128                   | 9.2 Mb        |
| 2  | SARC_CNVSNP-20160128                   | 3 Mb          |
| 3  | SARC_GISTIC_AllByGene-20160128         | 52.2 Mb       |
| 4  | SARC_GISTIC_Peaks-20160128             | 0.2 Mb        |
| 5  | SARC_GISTIC_ThresholdedByGene-20160128 | 51.9 Mb       |
| 6  | SARC_miRNASeqGene-20160128             | 2.3 Mb        |
| 7  | SARC_Mutation-20160128                 | 19.5 Mb       |
| 8  | SARC_RNASeq2Gene-20160128              | 44 Mb         |
| 9  | SARC_RNASeq2GeneNorm-20160128          | 44 Mb         |
| 10 | SARC_RPPAArray-20160128                | 0.4 Mb        |
| 11 | SARC_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

162 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
99.00  99.00   1.78   1.51   2.46

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 20.00 | 53.00   | 61.00  | 60.88 | 71.00   | 90.00 | 1    |

vital\_status:

```

  0  1
162 99

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

```

17.0   322.5   648.0   863.6  1169.5  2694.0   162

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  15.0   585.8  1092.0  1391.1  1891.8  5723.0    99

gender:
female  male
  142    119

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1994   2007   2010   2009   2012   2013     4

radiation_therapy:
  no  yes NA's
  181  74   6

residual_tumor:
  r0  r1  r2  rx NA's
  155  70   9  26   1

race:
              asian black or african american              white
              6                      18                      228
              NA's
              9

ethnicity:
  hispanic or latino not hispanic or latino              NA's
              5                      223                      33

```

Including an additional 1413 columns

---

SARC-v2.1.0

*Sarcoma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( SARC )
ExperimentList class object of length 11:
 [1] SARC_CNASNP-20160128: RaggedExperiment with 337377 rows and 516 columns
 [2] SARC_CNVSNP-20160128: RaggedExperiment with 106739 rows and 513 columns
 [3] SARC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 257 columns
 [4] SARC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 64 rows and 257 columns

```

```
[5] SARC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 257 columns
[6] SARC_Mutation-20160128: RaggedExperiment with 20376 rows and 247 columns
[7] SARC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 265 columns
[8] SARC_RPPAArray-20160128: SummarizedExperiment with 192 rows and 226 columns
[9] SARC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 263 columns
[10] SARC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18165 rows and 265 columns
[11] SARC_Methylation-20160128: SummarizedExperiment with 485577 rows and 269 columns
```

```
> rownames( SARC )
CharacterList of length 11
[["SARC_CNASNP-20160128"]] character(0)
[["SARC_CNVSNP-20160128"]] character(0)
[["SARC_GISTIC_AllByGene-20160128"]] character(0)
[["SARC_GISTIC_Peaks-20160128"]] 26 1 2 3 27 28 4 29 ... 21 63 22 64 23 65 66
[["SARC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["SARC_Mutation-20160128"]] character(0)
[["SARC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["SARC_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["SARC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["SARC_RNASeq2GeneNorm-20160128"]] A1BG A2BP1 A2LD1 ... ZZEF1 ZZZ3 psiTPTE22
...
<1 more element>
```

```
> colnames( SARC )
CharacterList of length 11
[["SARC_CNASNP-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_CNVSNP-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_AllByGene-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_Peaks-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_GISTIC_ThresholdedByGene-20160128"]] TCGA-3B-A9HI-01A-11D-A386-01 ...
[["SARC_Mutation-20160128"]] TCGA-3B-A9HI-01A-11D-A387-09 ...
[["SARC_RNASeq2Gene-20160128"]] TCGA-3B-A9HI-01A-11R-A38C-07 ...
[["SARC_RPPAArray-20160128"]] TCGA-3B-A9HI-01A-21-A456-20 ...
[["SARC_miRNASeqGene-20160128"]] TCGA-3B-A9HI-01A-11R-A38N-13 ...
[["SARC_RNASeq2GeneNorm-20160128"]] TCGA-3B-A9HI-01 ... TCGA-Z4-AAPG-01
...
<1 more element>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | SARC_CNASNP-20160128                   | 9.2 Mb        |
| 2  | SARC_CNVSNP-20160128                   | 3 Mb          |
| 3  | SARC_GISTIC_AllByGene-20160128         | 52.2 Mb       |
| 4  | SARC_GISTIC_Peaks-20160128             | 0.2 Mb        |
| 5  | SARC_GISTIC_ThresholdedByGene-20160128 | 51.9 Mb       |
| 6  | SARC_Mutation-20160128                 | 19.5 Mb       |
| 7  | SARC_RNASeq2Gene-20160128              | 44 Mb         |
| 8  | SARC_RPPAArray-20160128                | 0.4 Mb        |
| 9  | SARC_miRNASeqGene-20160128             | 2.3 Mb        |
| 10 | SARC_RNASeq2GeneNorm-20160128          | 39 Mb         |
| 11 | SARC_Methylation-20160128              | 75 Mb         |

```

-----
Overall survival time-to-event summary (in years):
-----

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

    162 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 99      99   1.78    1.51    2.46

-----
Available sample meta-data:
-----

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  20.00  53.00   61.00   60.88  71.00   90.00     1

vital_status:
  0    1
162  99

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  17.0   322.5   648.0   863.6 1169.5 2694.0   162

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  15.0   585.8 1092.0 1391.1 1891.8 5723.0    99

gender:
female  male
  142    119

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1994   2007   2010   2009   2012   2013     4

radiation_therapy:
  no  yes NA's
  181  74    6

residual_tumor:
  r0  r1  r2  rx NA's
  155  70   9  26   1

race:

```

```

        asian black or african american      white
           6                               18      228
        NA's
           9

ethnicity:
  hispanic or latino not hispanic or latino      NA's
           5                               223      33

Including an additional 1413 columns

```

SKCM

*Skin Cutaneous Melanoma***Description**

A document describing the TCGA cancer code

**Details**

```

> experiments( SKCM )
ExperimentList class object of length 11:
 [1] SKCM_CNASeq-20160128: RaggedExperiment with 31416 rows and 238 columns
 [2] SKCM_CNASNP-20160128: RaggedExperiment with 452114 rows and 938 columns
 [3] SKCM_CNVSNP-20160128: RaggedExperiment with 108084 rows and 937 columns
 [4] SKCM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 367 columns
 [5] SKCM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 53 rows and 367 columns
 [6] SKCM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 367 columns
 [7] SKCM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 452 columns
 [8] SKCM_Mutation-20160128: RaggedExperiment with 290322 rows and 345 columns
 [9] SKCM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 473 columns
[10] SKCM_RPPAArray-20160128: SummarizedExperiment with 208 rows and 355 columns
[11] SKCM_Methylation-20160128: SummarizedExperiment with 485577 rows and 475 columns

> rownames( SKCM )
CharacterList of length 11
[["SKCM_CNASeq-20160128"]] character(0)
[["SKCM_CNASNP-20160128"]] character(0)
[["SKCM_CNVSNP-20160128"]] character(0)
[["SKCM_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["SKCM_GISTIC_Peaks-20160128"]] chr1:1-6847369 ... chr22:41468899-41849552
[["SKCM_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["SKCM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["SKCM_Mutation-20160128"]] character(0)
[["SKCM_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["SKCM_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

> colnames( SKCM )
CharacterList of length 11

```

```

[["SKCM_CNASeq-20160128"]] TCGA-BF-A1PU-01A-11D-A18Z-02 ...
[["SKCM_CNASNP-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_CNVSNP-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_AllByGene-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_Peaks-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_ThresholdedByGene-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_miRNASeqGene-20160128"]] TCGA-3N-A9WC-06A-11R-A38N-13 ...
[["SKCM_Mutation-20160128"]] TCGA-BF-A1PU-01A-11D-A19A-08 ...
[["SKCM_RNASeq2GeneNorm-20160128"]] TCGA-3N-A9WB-06A-11R-A38C-07 ...
[["SKCM_RPPAArray-20160128"]] TCGA-3N-A9WC-06A-21-A444-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | SKCM_CNASeq-20160128                   | 0.9 Mb   |
| 2  | SKCM_CNASNP-20160128                   | 12.3 Mb  |
| 3  | SKCM_CNVSNP-20160128                   | 3.2 Mb   |
| 4  | SKCM_GISTIC_AllByGene-20160128         | 4.9 Mb   |
| 5  | SKCM_GISTIC_Peaks-20160128             | 0.1 Mb   |
| 6  | SKCM_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb   |
| 7  | SKCM_miRNASeqGene-20160128             | 0.1 Mb   |
| 8  | SKCM_Mutation-20160128                 | 299.6 Mb |
| 9  | SKCM_RNASeq2GeneNorm-20160128          | 1.3 Mb   |
| 10 | SKCM_RPPAArray-20160128                | 0 Mb     |
| 11 | SKCM_Methylation-20160128              | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

249 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
221.00  221.00   2.99   2.40   3.90

```

-----  
Available sample meta-data:  
-----

```

years_to_birth:
      Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  15.00   48.00   58.00   58.24   71.00   90.00     8

```

```

vital_status:
      0      1
247 223

```

## days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 79   | 518     | 1093   | 1789 | 2073    | 10870 | 249  |

## days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|------|---------|--------|--------|---------|---------|------|
| -2.0 | 477.5   | 1146.0 | 1885.3 | 2658.8  | 11252.0 | 230  |

## days\_to\_submitted\_specimen\_dx:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| -2   | 0       | 344    | 1017 | 1372    | 10847 | 14   |

## melanoma\_ulceration:

| no  | yes | NA's |
|-----|-----|------|
| 146 | 167 | 157  |

## melanoma\_primary\_known:

| no | yes |
|----|-----|
| 47 | 423 |

## Breslow\_thickness:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 1.300   | 3.000  | 5.585 | 6.950   | 75.000 | 111  |

## gender:

| female | male |
|--------|------|
| 180    | 290  |

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1978 | 2003    | 2008   | 2006 | 2011    | 2013 | 11   |

## radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 420 | 49  | 1    |

## race:

| asian | black or african american | white |
|-------|---------------------------|-------|
| 12    | 1                         | 447   |
| NA's  |                           |       |
| 10    |                           |       |

## ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 11                 | 446                    | 13   |

Including an additional 1517 columns

**See Also**[SKCM-v2.0.1](#)

SKCM-v2.0.1

*Skin Cutaneous Melanoma***Description**

A document describing the TCGA cancer code

**Details**

```

> experiments( SKCM )
ExperimentList class object of length 12:
 [1] SKCM_CNASeq-20160128: RaggedExperiment with 31416 rows and 238 columns
 [2] SKCM_CNASNP-20160128: RaggedExperiment with 452114 rows and 938 columns
 [3] SKCM_CNVSNP-20160128: RaggedExperiment with 108084 rows and 937 columns
 [4] SKCM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 367 columns
 [5] SKCM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 53 rows and 367 columns
 [6] SKCM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 367 columns
 [7] SKCM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 452 columns
 [8] SKCM_Mutation-20160128: RaggedExperiment with 290322 rows and 345 columns
 [9] SKCM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 473 columns
[10] SKCM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 473 columns
[11] SKCM_RPPAArray-20160128: SummarizedExperiment with 208 rows and 355 columns
[12] SKCM_Methylation-20160128: SummarizedExperiment with 485577 rows and 475 columns

> rownames( SKCM )
CharacterList of length 12
[["SKCM_CNASeq-20160128"]] character(0)
[["SKCM_CNASNP-20160128"]] character(0)
[["SKCM_CNVSNP-20160128"]] character(0)
[["SKCM_GISTIC_AllByGene-20160128"]] character(0)
[["SKCM_GISTIC_Peaks-20160128"]] 21 22 1 2 3 23 24 4 ... 50 51 52 18 53 19 20
[["SKCM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["SKCM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["SKCM_Mutation-20160128"]] character(0)
[["SKCM_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["SKCM_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

> colnames( SKCM )
CharacterList of length 12
[["SKCM_CNASeq-20160128"]] TCGA-BF-A1PU-01A-11D-A18Z-02 ...
[["SKCM_CNASNP-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_CNVSNP-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_AllByGene-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_Peaks-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_ThresholdedByGene-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_miRNASeqGene-20160128"]] TCGA-3N-A9WC-06A-11R-A38N-13 ...

```

```

[["SKCM_Mutation-20160128"]] TCGA-BF-A1PU-01A-11D-A19A-08 ...
[["SKCM_RNASeq2Gene-20160128"]] TCGA-3N-A9WB-06A-11R-A38C-07 ...
[["SKCM_RNASeq2GeneNorm-20160128"]] TCGA-3N-A9WB-06A-11R-A38C-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | SKCM_CNASeq-20160128                   | 0.9 Mb   |
| 2  | SKCM_CNASNP-20160128                   | 12.3 Mb  |
| 3  | SKCM_CNVSNP-20160128                   | 3.2 Mb   |
| 4  | SKCM_GISTIC_AllByGene-20160128         | 73 Mb    |
| 5  | SKCM_GISTIC_Peaks-20160128             | 0.3 Mb   |
| 6  | SKCM_GISTIC_ThresholdedByGene-20160128 | 72.8 Mb  |
| 7  | SKCM_miRNASeqGene-20160128             | 3.8 Mb   |
| 8  | SKCM_Mutation-20160128                 | 299.6 Mb |
| 9  | SKCM_RNASeq2Gene-20160128              | 76.6 Mb  |
| 10 | SKCM_RNASeq2GeneNorm-20160128          | 76.6 Mb  |
| 11 | SKCM_RPPAArray-20160128                | 0.7 Mb   |
| 12 | SKCM_Methylation-20160128              | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

249 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
221.00  221.00   2.99   2.40   3.90

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 15.00 | 48.00   | 58.00  | 58.24 | 71.00   | 90.00 | 8    |

vital\_status:

```

  0  1
247 223

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 79   | 518     | 1093   | 1789 | 2073    | 10870 | 249  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

-2.0 477.5 1146.0 1885.3 2658.8 11252.0 230

days\_to\_submitted\_specimen\_dx:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| -2   | 0       | 344    | 1017 | 1372    | 10847 | 14   |

melanoma\_ulceration:

no yes NA's

146 167 157

melanoma\_primary\_known:

no yes

47 423

Breslow\_thickness:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 1.300   | 3.000  | 5.585 | 6.950   | 75.000 | 111  |

gender:

female male

180 290

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1978 | 2003    | 2008   | 2006 | 2011    | 2013 | 11   |

radiation\_therapy:

no yes NA's

420 49 1

race:

asian black or african american

12 1

NA's

10

white

447

ethnicity:

hispanic or latino not hispanic or latino

11 446

NA's

13

Including an additional 1517 columns

---

SKCM-v2.1.0

*Skin Cutaneous Melanoma*

---

## Description

A document describing the TCGA cancer code

**Details**

```

> experiments( SKCM )
ExperimentList class object of length 12:
 [1] SKCM_CNASeq-20160128: RaggedExperiment with 31416 rows and 238 columns
 [2] SKCM_CNASNP-20160128: RaggedExperiment with 452114 rows and 938 columns
 [3] SKCM_CNVSNP-20160128: RaggedExperiment with 108084 rows and 937 columns
 [4] SKCM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 367 columns
 [5] SKCM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 53 rows and 367 columns
 [6] SKCM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 367 columns
 [7] SKCM_Mutation-20160128: RaggedExperiment with 290322 rows and 345 columns
 [8] SKCM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 473 columns
 [9] SKCM_RPPAArray-20160128: SummarizedExperiment with 208 rows and 355 columns
[10] SKCM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 452 columns
[11] SKCM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18071 rows and 473 columns
[12] SKCM_Methylation-20160128: SummarizedExperiment with 485577 rows and 475 columns

> rownames( SKCM )
CharacterList of length 12
[["SKCM_CNASeq-20160128"]] character(0)
[["SKCM_CNASNP-20160128"]] character(0)
[["SKCM_CNVSNP-20160128"]] character(0)
[["SKCM_GISTIC_AllByGene-20160128"]] character(0)
[["SKCM_GISTIC_Peaks-20160128"]] 21 22 1 2 3 23 24 4 ... 50 51 52 18 53 19 20
[["SKCM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["SKCM_Mutation-20160128"]] character(0)
[["SKCM_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psitPTE22 tAKR
[["SKCM_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["SKCM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
...
<2 more elements>

> colnames( SKCM )
CharacterList of length 12
[["SKCM_CNASeq-20160128"]] TCGA-BF-A1PU-01A-11D-A18Z-02 ...
[["SKCM_CNASNP-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_CNVSNP-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_AllByGene-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_Peaks-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_GISTIC_ThresholdedByGene-20160128"]] TCGA-3N-A9WB-06A-11D-A38F-01 ...
[["SKCM_Mutation-20160128"]] TCGA-BF-A1PU-01A-11D-A19A-08 ...
[["SKCM_RNASeq2Gene-20160128"]] TCGA-3N-A9WB-06A-11R-A38C-07 ...
[["SKCM_RPPAArray-20160128"]] TCGA-3N-A9WC-06A-21-A444-20 ...
[["SKCM_miRNASeqGene-20160128"]] TCGA-3N-A9WC-06A-11R-A38N-13 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|   | assay                | size.Mb |
|---|----------------------|---------|
| 1 | SKCM_CNASeq-20160128 | 0.9 Mb  |
| 2 | SKCM_CNASNP-20160128 | 12.3 Mb |
| 3 | SKCM_CNVSNP-20160128 | 3.2 Mb  |

|    |                                        |          |
|----|----------------------------------------|----------|
| 4  | SKCM_GISTIC_AllByGene-20160128         | 73 Mb    |
| 5  | SKCM_GISTIC_Peaks-20160128             | 0.3 Mb   |
| 6  | SKCM_GISTIC_ThresholdedByGene-20160128 | 72.8 Mb  |
| 7  | SKCM_Mutation-20160128                 | 299.6 Mb |
| 8  | SKCM_RNASeq2Gene-20160128              | 76.6 Mb  |
| 9  | SKCM_RPPAArray-20160128                | 0.7 Mb   |
| 10 | SKCM_miRNASeqGene-20160128             | 3.8 Mb   |
| 11 | SKCM_RNASeq2GeneNorm-20160128          | 67.5 Mb  |
| 12 | SKCM_Methylation-20160128              | 75.1 Mb  |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

249 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
[1,] 221 221 2.99 2.4 3.9

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 15.00 | 48.00   | 58.00  | 58.24 | 71.00   | 90.00 | 8    |

vital\_status:

|     |     |
|-----|-----|
| 0   | 1   |
| 247 | 223 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 79   | 518     | 1093   | 1789 | 2073    | 10870 | 249  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|------|---------|--------|--------|---------|---------|------|
| -2.0 | 477.5   | 1146.0 | 1885.3 | 2658.8  | 11252.0 | 230  |

days\_to\_submitted\_specimen\_dx:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| -2   | 0       | 344    | 1017 | 1372    | 10847 | 14   |

melanoma\_ulceration:

|    |     |      |
|----|-----|------|
| no | yes | NA's |
|----|-----|------|

```

146 167 157

melanoma_primary_known:
no yes
47 423

Breslow_thickness:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.000   1.300   3.000   5.585   6.950  75.000   111

gender:
female  male
  180    290

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  1978   2003   2008   2006   2011   2013     11

radiation_therapy:
no  yes NA's
420 49   1

race:
               asian black or african american             white
               12                             1             447
               NA's
               10

ethnicity:
  hispanic or latino not hispanic or latino             NA's
               11                             446             13

Including an additional 1517 columns

```

SKCM-v2.1.1

*Skin Cutaneous Melanoma*

## Description

A document describing the TCGA cancer code Note. Only the colData has changed.

## Details

```

> experiments( SKCM )
ExperimentList class object of length 0:

> rownames( SKCM )
CharacterList of length 0

> colnames( SKCM )
CharacterList of length 0

```

Sizes of each ExperimentList element:

```
[1] assay    size.Mb
<0 rows> (or 0-length row.names)
```

-----

Overall survival time-to-event summary (in years):

-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

249 observations deleted due to missingness

n events median 0.95LCL 0.95UCL

```
[1,] 221    221    2.99    2.4    3.9
```

-----

Available sample meta-data:

-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 15.00 | 48.00   | 58.00  | 58.24 | 71.00   | 90.00 | 8    |

vital\_status:

```
0 1
247 223
```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| 79   | 518     | 1093   | 1789 | 2073    | 10870 | 249  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.    | NA's |
|------|---------|--------|--------|---------|---------|------|
| -2.0 | 477.5   | 1146.0 | 1885.3 | 2658.8  | 11252.0 | 230  |

days\_to\_submitted\_specimen\_dx:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max.  | NA's |
|------|---------|--------|------|---------|-------|------|
| -2   | 0       | 344    | 1017 | 1372    | 10847 | 14   |

melanoma\_ulceration:

```
no yes NA's
146 167 157
```

melanoma\_primary\_known:

```
no yes
```

```
47 423

Breslow_thickness:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  0.000   1.300   3.000   5.585   6.950  75.000   111

gender:
female  male
  180    290

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  1978   2003   2008   2006   2011   2013    11

radiation_therapy:
  no  yes NA's
 420  49    1

race:
               asian black or african american               white
               12                               1               447
               NA's
               10

ethnicity:
  hispanic or latino not hispanic or latino   NA's
               11                               446               13

Including an additional 1517 columns
```

---

|      |                               |
|------|-------------------------------|
| STAD | <i>Stomach adenocarcinoma</i> |
|------|-------------------------------|

---

**Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( STAD )
ExperimentList class object of length 13:
 [1] STAD_CNASeq-20160128: RaggedExperiment with 31824 rows and 214 columns
 [2] STAD_CNASNP-20160128: RaggedExperiment with 443042 rows and 906 columns
 [3] STAD_CNVSNP-20160128: RaggedExperiment with 118389 rows and 904 columns
 [4] STAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 441 columns
 [5] STAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 84 rows and 441 columns
 [6] STAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 441 columns
 [7] STAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 430 columns
 [8] STAD_Mutation-20160128: RaggedExperiment with 148520 rows and 289 columns
 [9] STAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 450 columns
[10] STAD_RNASeqGene-20160128: SummarizedExperiment with 26120 rows and 36 columns
```

```
[11] STAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 357 columns
[12] STAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 73 columns
[13] STAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 397 columns
```

```
> rownames( STAD )
CharacterList of length 13
[["STAD_CNASeq-20160128"]] character(0)
[["STAD_CNASNP-20160128"]] character(0)
[["STAD_CNVSNP-20160128"]] character(0)
[["STAD_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["STAD_GISTIC_Peaks-20160128"]] chr1:10686864-11068052 ...
[["STAD_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["STAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["STAD_Mutation-20160128"]] character(0)
[["STAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["STAD_RNASeqGene-20160128"]] AADACL3 AADACL4 AB007962 ... VCY XKRY ZFY
...
<3 more elements>

> colnames( STAD )
CharacterList of length 13
[["STAD_CNASeq-20160128"]] TCGA-B7-5816-01A-21D-1598-02 ...
[["STAD_CNASNP-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_CNVSNP-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_AllByGene-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_Peaks-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_miRNASeqGene-20160128"]] TCGA-3M-AB46-01A-11R-A415-13 ...
[["STAD_Mutation-20160128"]] TCGA-B7-5816-01A-21D-1600-08 ...
[["STAD_RNASeq2GeneNorm-20160128"]] TCGA-3M-AB46-01A-11R-A414-31 ...
[["STAD_RNASeqGene-20160128"]] TCGA-BR-4191-01A-02R-1131-13 ...
...
<3 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | STAD_CNASeq-20160128                   | 0.9 Mb   |
| 2  | STAD_CNASNP-20160128                   | 12.1 Mb  |
| 3  | STAD_CNVSNP-20160128                   | 3.4 Mb   |
| 4  | STAD_GISTIC_AllByGene-20160128         | 4.9 Mb   |
| 5  | STAD_GISTIC_Peaks-20160128             | 0.1 Mb   |
| 6  | STAD_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb   |
| 7  | STAD_miRNASeqGene-20160128             | 0.1 Mb   |
| 8  | STAD_Mutation-20160128                 | 161.5 Mb |
| 9  | STAD_RNASeq2GeneNorm-20160128          | 1.3 Mb   |
| 10 | STAD_RNASeqGene-20160128               | 1.7 Mb   |
| 11 | STAD_RPPAArray-20160128                | 0 Mb     |
| 12 | STAD_Methylation_methyl27-20160128     | 4.9 Mb   |
| 13 | STAD_Methylation_methyl450-20160128    | 75 Mb    |

-----

Overall survival time-to-event summary (in years):

-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

273 observations deleted due to missingness

| n       | events  | median | 0.95LCL | 0.95UCL |
|---------|---------|--------|---------|---------|
| 170.000 | 170.000 | 0.948  | 0.792   | 1.085   |

-----

Available sample meta-data:

-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 30.00 | 58.00   | 67.00  | 65.73 | 73.00   | 90.00 | 9    |

vital\_status:

| 0   | 1   |
|-----|-----|
| 268 | 175 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 194.0   | 346.0  | 423.7 | 553.5   | 2197.0 | 273  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 0.0  | 335.5   | 547.5  | 673.7 | 912.0   | 3720.0 | 177  |

tumor\_tissue\_site:

stomach

443

pathology\_M\_stage:

| m0 | m1 | mx |
|----|----|----|
|----|----|----|

|     |    |    |
|-----|----|----|
| 391 | 30 | 22 |
|-----|----|----|

gender:

| female | male |
|--------|------|
|--------|------|

|     |     |
|-----|-----|
| 158 | 285 |
|-----|-----|

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1996 | 2010    | 2011   | 2010 | 2012    | 2013 | 6    |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
|----|-----|------|

```
323  77  43

residual_tumor:
  r0  r1  r2  rx NA's
350  18  19  25  31

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.000  0.000   3.000   5.635  8.000  57.000    51

race:
              asian
              89
    black or african american
              13
native hawaiian or other pacific islander
              1
              white
              278
              NA's
              62

ethnicity:
  hispanic or latino not hispanic or latino    NA's
              5              318              120
```

Including an additional 1390 columns

See Also

[STAD-v2.0.1](#)

---

|             |                               |
|-------------|-------------------------------|
| STAD-v2.0.1 | <i>Stomach adenocarcinoma</i> |
|-------------|-------------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( STAD )
ExperimentList class object of length 14:
 [1] STAD_CNASeq-20160128: RaggedExperiment with 31824 rows and 214 columns
 [2] STAD_CNASNP-20160128: RaggedExperiment with 443042 rows and 906 columns
 [3] STAD_CNVSNP-20160128: RaggedExperiment with 118389 rows and 904 columns
 [4] STAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 441 columns
 [5] STAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 84 rows and 441 columns
 [6] STAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 441 columns
 [7] STAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 430 columns
```

```
[8] STAD_Mutation-20160128: RaggedExperiment with 148520 rows and 289 columns
[9] STAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 450 columns
[10] STAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 450 columns
[11] STAD_RNASeqGene-20160128: SummarizedExperiment with 26120 rows and 271 columns
[12] STAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 357 columns
[13] STAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 73 columns
[14] STAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 397 columns
```

```
> rownames( STAD )
CharacterList of length 14
[["STAD_CNASeq-20160128"]] character(0)
[["STAD_CNASNP-20160128"]] character(0)
[["STAD_CNVSNP-20160128"]] character(0)
[["STAD_GISTIC_AllByGene-20160128"]] character(0)
[["STAD_GISTIC_Peaks-20160128"]] 1 37 38 2 3 39 40 ... 81 34 82 35 83 84 85
[["STAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["STAD_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["STAD_Mutation-20160128"]] character(0)
[["STAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["STAD_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<4 more elements>
```

```
> colnames( STAD )
CharacterList of length 14
[["STAD_CNASeq-20160128"]] TCGA-B7-5816-01A-21D-1598-02 ...
[["STAD_CNASNP-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_CNVSNP-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_AllByGene-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_Peaks-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_miRNASeqGene-20160128"]] TCGA-3M-AB46-01A-11R-A415-13 ...
[["STAD_Mutation-20160128"]] TCGA-B7-5816-01A-21D-1600-08 ...
[["STAD_RNASeq2Gene-20160128"]] TCGA-3M-AB46-01A-11R-A414-31 ...
[["STAD_RNASeq2GeneNorm-20160128"]] TCGA-3M-AB46-01A-11R-A414-31 ...
...
<4 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | STAD_CNASeq-20160128                   | 0.9 Mb   |
| 2  | STAD_CNASNP-20160128                   | 12.1 Mb  |
| 3  | STAD_CNVSNP-20160128                   | 3.4 Mb   |
| 4  | STAD_GISTIC_AllByGene-20160128         | 87 Mb    |
| 5  | STAD_GISTIC_Peaks-20160128             | 0.4 Mb   |
| 6  | STAD_GISTIC_ThresholdedByGene-20160128 | 86.8 Mb  |
| 7  | STAD_miRNASeqGene-20160128             | 3.7 Mb   |
| 8  | STAD_Mutation-20160128                 | 161.5 Mb |
| 9  | STAD_RNASeq2Gene-20160128              | 73 Mb    |
| 10 | STAD_RNASeq2GeneNorm-20160128          | 73 Mb    |
| 11 | STAD_RNASeqGene-20160128               | 57.4 Mb  |

```

12          STAD_RPPAArray-20160128    0.6 Mb
13  STAD_Methylation_methyl27-20160128    4.9 Mb
14  STAD_Methylation_methyl450-20160128  75.1 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      273 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
170.000 170.000   0.948   0.792   1.085

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  30.00  58.00  67.00  65.73  73.00  90.00     9

```

```

vital_status:
  0    1
268 175

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0  194.0  346.0  423.7  553.5 2197.0    273

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0  335.5  547.5  673.7  912.0 3720.0    177

```

```

tumor_tissue_site:
stomach
  443

```

```

pathology_M_stage:
  m0  m1  mx
391  30  22

```

```

gender:
female  male
  158    285

```

```

date_of_initial_pathologic_diagnosis:

```

```

      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.      NA's
1996    2010    2011    2010    2012    2013         6

radiation_therapy:
  no  yes NA's
323  77  43

residual_tumor:
  r0  r1  r2  rx NA's
350  18  19  25  31

number_of_lymph_nodes:
      Min. 1st Qu.  Median      Mean 3rd Qu.      Max.      NA's
0.000    0.000    3.000    5.635    8.000   57.000        51

race:
              asian
              89
      black or african american
              13
native hawaiian or other pacific islander
              1
              white
              278
              NA's
              62

ethnicity:
      hispanic or latino not hispanic or latino      NA's
              5              318              120

```

Including an additional 1390 columns

---

STAD-v2.1.0

*Stomach adenocarcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( STAD )
ExperimentList class object of length 14:
 [1] STAD_CNASeq-20160128: RaggedExperiment with 31824 rows and 214 columns
 [2] STAD_CNASNP-20160128: RaggedExperiment with 443042 rows and 906 columns
 [3] STAD_CNVSNP-20160128: RaggedExperiment with 118389 rows and 904 columns
 [4] STAD_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 441 columns
 [5] STAD_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 84 rows and 441 columns
 [6] STAD_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 441 columns

```

```
[7] STAD_Mutation-20160128: RaggedExperiment with 148520 rows and 289 columns
[8] STAD_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 450 columns
[9] STAD_RNASeqGene-20160128: SummarizedExperiment with 26120 rows and 271 columns
[10] STAD_RPPAArray-20160128: SummarizedExperiment with 195 rows and 357 columns
[11] STAD_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 430 columns
[12] STAD_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18664 rows and 450 columns
[13] STAD_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 73 columns
[14] STAD_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 397 columns
```

```
> rownames( STAD )
CharacterList of length 14
[["STAD_CNASeq-20160128"]] character(0)
[["STAD_CNASNP-20160128"]] character(0)
[["STAD_CNVSNP-20160128"]] character(0)
[["STAD_GISTIC_AllByGene-20160128"]] character(0)
[["STAD_GISTIC_Peaks-20160128"]] 1 37 38 2 3 39 40 ... 81 34 82 35 83 84 85
[["STAD_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["STAD_Mutation-20160128"]] character(0)
[["STAD_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["STAD_RNASeqGene-20160128"]] AADACL3 AADACL4 AB007962 ... VCY XKRY ZFY
[["STAD_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<4 more elements>
```

```
> colnames( STAD )
CharacterList of length 14
[["STAD_CNASeq-20160128"]] TCGA-B7-5816-01A-21D-1598-02 ...
[["STAD_CNASNP-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_CNVSNP-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_AllByGene-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_Peaks-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_GISTIC_ThresholdedByGene-20160128"]] TCGA-3M-AB46-01A-11D-A40Z-01 ...
[["STAD_Mutation-20160128"]] TCGA-B7-5816-01A-21D-1600-08 ...
[["STAD_RNASeq2Gene-20160128"]] TCGA-3M-AB46-01A-11R-A414-31 ...
[["STAD_RNASeqGene-20160128"]] TCGA-B7-5816-01A-21R-1602-13 ...
[["STAD_RPPAArray-20160128"]] TCGA-3M-AB47-01A-11-A43D-20 ...
...
<4 more elements>
```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb  |
|----|----------------------------------------|----------|
| 1  | STAD_CNASeq-20160128                   | 0.9 Mb   |
| 2  | STAD_CNASNP-20160128                   | 12.1 Mb  |
| 3  | STAD_CNVSNP-20160128                   | 3.4 Mb   |
| 4  | STAD_GISTIC_AllByGene-20160128         | 87 Mb    |
| 5  | STAD_GISTIC_Peaks-20160128             | 0.4 Mb   |
| 6  | STAD_GISTIC_ThresholdedByGene-20160128 | 86.8 Mb  |
| 7  | STAD_Mutation-20160128                 | 161.5 Mb |
| 8  | STAD_RNASeq2Gene-20160128              | 73 Mb    |
| 9  | STAD_RNASeqGene-20160128               | 57.4 Mb  |
| 10 | STAD_RPPAArray-20160128                | 0.6 Mb   |

```

11          STAD_miRNASeqGene-20160128    3.7 Mb
12          STAD_RNASeq2GeneNorm-20160128 66.5 Mb
13          STAD_Methylation_methyl27-20160128 4.9 Mb
14          STAD_Methylation_methyl450-20160128 75.1 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      273 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 170      170 0.948 0.792 1.08

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
  30.00  58.00  67.00  65.73  73.00  90.00     9

```

```

vital_status:
  0    1
268 175

```

```

days_to_death:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0  194.0  346.0  423.7  553.5 2197.0   273

```

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
   0.0  335.5  547.5  673.7  912.0 3720.0   177

```

```

tumor_tissue_site:
stomach
  443

```

```

pathology_M_stage:
  m0 m1 mx
391 30 22

```

```

gender:
female  male
  158    285

```

```

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  1996   2010   2011   2010   2012   2013      6

```

```

radiation_therapy:
  no  yes NA's
  323  77  43

```

```

residual_tumor:
  r0  r1  r2  rx NA's
  350  18  19  25  31

```

```

number_of_lymph_nodes:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  0.000  0.000  3.000  5.635  8.000  57.000      51

```

```

race:
      asian
      89
  black or african american
      13
native hawaiian or other pacific islander
      1
      white
     278
      NA's
      62

```

```

ethnicity:
  hispanic or latino not hispanic or latino    NA's
      5                      318          120

```

Including an additional 1390 columns

---

TGCT

*Testicular Germ Cell Tumors*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( TGCT )
ExperimentList class object of length 10:
 [1] TGCT_CNASNP-20160128: RaggedExperiment with 137968 rows and 271 columns
 [2] TGCT_CNVSNP-20160128: RaggedExperiment with 25479 rows and 271 columns
 [3] TGCT_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 134 columns
 [4] TGCT_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 48 rows and 134 columns
 [5] TGCT_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 134 columns

```

```
[6] TGCT_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 139 columns
[7] TGCT_Mutation-20160128: RaggedExperiment with 14672 rows and 138 columns
[8] TGCT_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 139 columns
[9] TGCT_RPPAArray-20160128: SummarizedExperiment with 192 rows and 107 columns
[10] TGCT_Methylation-20160128: SummarizedExperiment with 485577 rows and 139 columns
```

```
> rownames( TGCT )
CharacterList of length 10
[["TGCT_CNASNP-20160128"]] character(0)
[["TGCT_CNVSNP-20160128"]] character(0)
[["TGCT_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["TGCT_GISTIC_Peaks-20160128"]] chr1:1-48649489 ... chr22:18613558-22141824
[["TGCT_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["TGCT_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["TGCT_Mutation-20160128"]] character(0)
[["TGCT_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["TGCT_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["TGCT_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( TGCT )
CharacterList of length 10
[["TGCT_CNASNP-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_CNVSNP-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_AllByGene-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_Peaks-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_ThresholdedByGene-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_miRNASeqGene-20160128"]] TCGA-2G-AAEW-01A-11R-A439-13 ...
[["TGCT_Mutation-20160128"]] TCGA-2G-AAEW-01A-11D-A42Y-10 ...
[["TGCT_RNASeq2GeneNorm-20160128"]] TCGA-2G-AAEW-01A-11R-A430-07 ...
[["TGCT_RPPAArray-20160128"]] TCGA-2G-AAEW-01A-21-A45P-20 ...
[["TGCT_Methylation-20160128"]] TCGA-2G-AAEW-01A-11D-A42Z-05 ...
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | TGCT_CNASNP-20160128                   | 3.8 Mb        |
| 2  | TGCT_CNVSNP-20160128                   | 0.8 Mb        |
| 3  | TGCT_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | TGCT_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | TGCT_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | TGCT_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | TGCT_Mutation-20160128                 | 10 Mb         |
| 8  | TGCT_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9  | TGCT_RPPAArray-20160128                | 0 Mb          |
| 10 | TGCT_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

130 observations deleted due to missingness  
 n events median 0.95LCL 0.95UCL  
 4.0000 4.0000 1.5493 0.0466 NA

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 14.00 | 26.00   | 31.00  | 31.99 | 37.00   | 67.00 |

vital\_status:

|     |   |
|-----|---|
| 0   | 1 |
| 130 | 4 |

days\_to\_death:

|    |     |     |      |      |
|----|-----|-----|------|------|
| 17 | 513 | 618 | 6972 | NA's |
| 1  | 1   | 1   | 1    | 130  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 3.0  | 688.2   | 1265.5 | 2092.7 | 2826.2  | 7437.0 | 4    |

tumor\_tissue\_site:

testes  
134

pathology\_T\_stage:

| t1 | t2 | t3 | tx |
|----|----|----|----|
| 76 | 51 | 6  | 1  |

pathology\_N\_stage:

| n0 | n1 | n2 | nx | NA's |
|----|----|----|----|------|
| 46 | 11 | 2  | 65 | 10   |

pathology\_M\_stage:

| m0  | m1 | m1a | m1b | NA's |
|-----|----|-----|-----|------|
| 115 | 2  | 1   | 1   | 15   |

gender:

male  
134

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1992 | 2006    | 2009   | 2008 | 2012    | 2013 |

radiation\_therapy:

```
no yes NA's
111 21 2

karnofsky_performance_score:
80 90 100 NA's
5 41 56 32

race:
asian black or african american white
4 6 119
NA's
5

ethnicity:
hispanic or latino not hispanic or latino NA's
12 111 11
```

Including an additional 762 columns

See Also

[TGCT-v2.0.1](#)

---

|             |                                    |
|-------------|------------------------------------|
| TGCT-v2.0.1 | <i>Testicular Germ Cell Tumors</i> |
|-------------|------------------------------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( TGCT )
ExperimentList class object of length 11:
[1] TGCT_CNASNP-20160128: RaggedExperiment with 137968 rows and 271 columns
[2] TGCT_CNVSNP-20160128: RaggedExperiment with 25479 rows and 271 columns
[3] TGCT_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 134 columns
[4] TGCT_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 48 rows and 134 columns
[5] TGCT_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 134 columns
[6] TGCT_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 139 columns
[7] TGCT_Mutation-20160128: RaggedExperiment with 14672 rows and 138 columns
[8] TGCT_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 139 columns
[9] TGCT_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 139 columns
[10] TGCT_RPPAArray-20160128: SummarizedExperiment with 192 rows and 107 columns
[11] TGCT_Methylation-20160128: SummarizedExperiment with 485577 rows and 139 columns

> rownames( TGCT )
CharacterList of length 11
[["TGCT_CNASNP-20160128"]] character(0)
[["TGCT_CNVSNP-20160128"]] character(0)
[["TGCT_GISTIC_AllByGene-20160128"]] character(0)
```

```

[["TGCT_GISTIC_Peaks-20160128"]] 17 18 1 19 2 20 21 ... 44 45 47 46 48 15 16
[["TGCT_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["TGCT_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["TGCT_Mutation-20160128"]] character(0)
[["TGCT_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["TGCT_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["TGCT_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

```

```

> colnames( TGCT )
CharacterList of length 11
[["TGCT_CNASNP-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_CNVSNP-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_AllByGene-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_Peaks-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_ThresholdedByGene-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_miRNASeqGene-20160128"]] TCGA-2G-AAEW-01A-11R-A439-13 ...
[["TGCT_Mutation-20160128"]] TCGA-2G-AAEW-01A-11D-A42Y-10 ...
[["TGCT_RNASeq2Gene-20160128"]] TCGA-2G-AAEW-01A-11R-A430-07 ...
[["TGCT_RNASeq2GeneNorm-20160128"]] TCGA-2G-AAEW-01A-11R-A430-07 ...
[["TGCT_RPPAArray-20160128"]] TCGA-2G-AAEW-01A-21-A45P-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | TGCT_CNASNP-20160128                   | 3.8 Mb        |
| 2  | TGCT_CNVSNP-20160128                   | 0.8 Mb        |
| 3  | TGCT_GISTIC_AllByGene-20160128         | 28.8 Mb       |
| 4  | TGCT_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | TGCT_GISTIC_ThresholdedByGene-20160128 | 28.7 Mb       |
| 6  | TGCT_miRNASeqGene-20160128             | 1.3 Mb        |
| 7  | TGCT_Mutation-20160128                 | 10 Mb         |
| 8  | TGCT_RNASeq2Gene-20160128              | 24.3 Mb       |
| 9  | TGCT_RNASeq2GeneNorm-20160128          | 24.3 Mb       |
| 10 | TGCT_RPPAArray-20160128                | 0.2 Mb        |
| 11 | TGCT_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

130 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
4.0000 4.0000 1.5493 0.0466      NA

```

-----  
 Available sample meta-data:  
 -----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 14.00 | 26.00   | 31.00  | 31.99 | 37.00   | 67.00 |

vital\_status:

|     |   |
|-----|---|
| 0   | 1 |
| 130 | 4 |

days\_to\_death:

|    |     |     |      |      |
|----|-----|-----|------|------|
| 17 | 513 | 618 | 6972 | NA's |
| 1  | 1   | 1   | 1    | 130  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 3.0  | 688.2   | 1265.5 | 2092.7 | 2826.2  | 7437.0 | 4    |

tumor\_tissue\_site:

|        |
|--------|
| testes |
| 134    |

pathology\_T\_stage:

|    |    |    |    |
|----|----|----|----|
| t1 | t2 | t3 | tx |
| 76 | 51 | 6  | 1  |

pathology\_N\_stage:

|    |    |    |    |      |
|----|----|----|----|------|
| n0 | n1 | n2 | nx | NA's |
| 46 | 11 | 2  | 65 | 10   |

pathology\_M\_stage:

|     |    |     |     |      |
|-----|----|-----|-----|------|
| m0  | m1 | m1a | m1b | NA's |
| 115 | 2  | 1   | 1   | 15   |

gender:

|      |
|------|
| male |
| 134  |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1992 | 2006    | 2009   | 2008 | 2012    | 2013 |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 111 | 21  | 2    |

karnofsky\_performance\_score:

|    |    |     |      |
|----|----|-----|------|
| 80 | 90 | 100 | NA's |
| 5  | 41 | 56  | 32   |

```

race:
      asian black or african american      white
      4              6              119
      NA's
      5

```

```

ethnicity:
  hispanic or latino not hispanic or latino      NA's
      12              111              11

```

Including an additional 762 columns

---

|             |                                    |
|-------------|------------------------------------|
| TGCT-v2.1.0 | <i>Testicular Germ Cell Tumors</i> |
|-------------|------------------------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( TGCT )
ExperimentList class object of length 11:
 [1] TGCT_CNASNP-20160128: RaggedExperiment with 137968 rows and 271 columns
 [2] TGCT_CNVSNP-20160128: RaggedExperiment with 25479 rows and 271 columns
 [3] TGCT_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 134 columns
 [4] TGCT_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 48 rows and 134 columns
 [5] TGCT_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 134 columns
 [6] TGCT_Mutation-20160128: RaggedExperiment with 14672 rows and 138 columns
 [7] TGCT_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 139 columns
 [8] TGCT_RPPAArray-20160128: SummarizedExperiment with 192 rows and 107 columns
 [9] TGCT_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 139 columns
[10] TGCT_RNASeq2GeneNorm-20160128: SummarizedExperiment with 19036 rows and 139 columns
[11] TGCT_Methylation-20160128: SummarizedExperiment with 485577 rows and 139 columns

> rownames( TGCT )
CharacterList of length 11
[["TGCT_CNASNP-20160128"]] character(0)
[["TGCT_CNVSNP-20160128"]] character(0)
[["TGCT_GISTIC_AllByGene-20160128"]] character(0)
[["TGCT_GISTIC_Peaks-20160128"]] 17 18 1 19 2 20 21 ... 44 45 47 46 48 15 16
[["TGCT_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["TGCT_Mutation-20160128"]] character(0)
[["TGCT_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["TGCT_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["TGCT_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["TGCT_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZE1 ZZZ3 psiTPTE22
...
<1 more element>

```

```
> colnames( TGCT )
CharacterList of length 11
[["TGCT_CNASNP-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_CNVSNP-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_AllByGene-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_Peaks-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_GISTIC_ThresholdedByGene-20160128"]] TCGA-2G-AAEW-01A-11D-A42X-01 ...
[["TGCT_Mutation-20160128"]] TCGA-2G-AAEW-01A-11D-A42Y-10 ...
[["TGCT_RNASeq2Gene-20160128"]] TCGA-2G-AAEW-01A-11R-A430-07 ...
[["TGCT_RPPAArray-20160128"]] TCGA-2G-AAEW-01A-21-A45P-20 ...
[["TGCT_miRNASeqGene-20160128"]] TCGA-2G-AAEW-01A-11R-A439-13 ...
[["TGCT_RNASeq2GeneNorm-20160128"]] TCGA-2G-AAEW-01 ... TCGA-ZM-AA0N-01
...
<1 more element>
```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | TGCT_CNASNP-20160128                   | 3.8 Mb        |
| 2  | TGCT_CNVSNP-20160128                   | 0.8 Mb        |
| 3  | TGCT_GISTIC_AllByGene-20160128         | 28.8 Mb       |
| 4  | TGCT_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | TGCT_GISTIC_ThresholdedByGene-20160128 | 28.7 Mb       |
| 6  | TGCT_Mutation-20160128                 | 10 Mb         |
| 7  | TGCT_RNASeq2Gene-20160128              | 24.3 Mb       |
| 8  | TGCT_RPPAArray-20160128                | 0.2 Mb        |
| 9  | TGCT_miRNASeqGene-20160128             | 1.3 Mb        |
| 10 | TGCT_RNASeq2GeneNorm-20160128          | 22.6 Mb       |
| 11 | TGCT_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
130 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 4      4    1.55 0.0466      NA
```

-----  
Available sample meta-data:  
-----

```
years_to_birth:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
 14.00  26.00   31.00   31.99  37.00   67.00

vital_status:
 0    1
```

130 4

days\_to\_death:

|    |     |     |      |      |
|----|-----|-----|------|------|
| 17 | 513 | 618 | 6972 | NA's |
| 1  | 1   | 1   | 1    | 130  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 3.0  | 688.2   | 1265.5 | 2092.7 | 2826.2  | 7437.0 | 4    |

tumor\_tissue\_site:

testes

134

pathology\_T\_stage:

t1 t2 t3 tx

76 51 6 1

pathology\_N\_stage:

| n0 | n1 | n2 | nx | NA's |
|----|----|----|----|------|
| 46 | 11 | 2  | 65 | 10   |

pathology\_M\_stage:

| m0  | m1 | m1a | m1b | NA's |
|-----|----|-----|-----|------|
| 115 | 2  | 1   | 1   | 15   |

gender:

male

134

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1992 | 2006    | 2009   | 2008 | 2012    | 2013 |

radiation\_therapy:

no yes NA's

111 21 2

karnofsky\_performance\_score:

| 80 | 90 | 100 | NA's |
|----|----|-----|------|
| 5  | 41 | 56  | 32   |

race:

asian black or african american

4

6

NA's

5

white

119

ethnicity:

hispanic or latino not hispanic or latino

12

111

NA's

11

Including an additional 762 columns

---

|      |                          |
|------|--------------------------|
| THCA | <i>Thyroid carcinoma</i> |
|------|--------------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( THCA )
ExperimentList class object of length 12:
 [1] THCA_CNASeq-20160128: RaggedExperiment with 5953 rows and 203 columns
 [2] THCA_CNASNP-20160128: RaggedExperiment with 389998 rows and 1013 columns
 [3] THCA_CNVSNP-20160128: RaggedExperiment with 55117 rows and 1013 columns
 [4] THCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 499 columns
 [5] THCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 38 rows and 499 columns
 [6] THCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 499 columns
 [7] THCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 569 columns
 [8] THCA_Mutation-20160128: RaggedExperiment with 7458 rows and 405 columns
 [9] THCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 568 columns
[10] THCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 4 columns
[11] THCA_RPPAArray-20160128: SummarizedExperiment with 175 rows and 224 columns
[12] THCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 567 columns

> rownames( THCA )
CharacterList of length 12
[["THCA_CNASeq-20160128"]] character(0)
[["THCA_CNASNP-20160128"]] character(0)
[["THCA_CNVSNP-20160128"]] character(0)
[["THCA_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["THCA_GISTIC_Peaks-20160128"]] chr1:158681167-215338621 ...
[["THCA_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["THCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["THCA_Mutation-20160128"]] character(0)
[["THCA_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["THCA_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

> colnames( THCA )
CharacterList of length 12
[["THCA_CNASeq-20160128"]] TCGA-BJ-A0Z2-01A-11D-A10R-02 ...
[["THCA_CNASNP-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_CNVSNP-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_AllByGene-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_Peaks-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_miRNASeqGene-20160128"]] TCGA-4C-A93U-01A-11R-A39B-13 ...
```

```

[["THCA_Mutation-20160128"]] TCGA-BJ-A0YZ-01A-11D-A10S-08 ...
[["THCA_RNASeq2GeneNorm-20160128"]] TCGA-4C-A93U-01A-11R-A39I-07 ...
[["THCA_RNASeqGene-20160128"]] TCGA-DJ-A1QE-01A-21R-A14Y-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay | size.Mb |
|----|----------------------------------------|-------|---------|
| 1  | THCA_CNASeq-20160128                   |       | 0.2 Mb  |
| 2  | THCA_CNASNP-20160128                   |       | 10.7 Mb |
| 3  | THCA_CNVSNP-20160128                   |       | 1.8 Mb  |
| 4  | THCA_GISTIC_AllByGene-20160128         |       | 4.9 Mb  |
| 5  | THCA_GISTIC_Peaks-20160128             |       | 0.1 Mb  |
| 6  | THCA_GISTIC_ThresholdedByGene-20160128 |       | 4.9 Mb  |
| 7  | THCA_miRNASeqGene-20160128             |       | 0.1 Mb  |
| 8  | THCA_Mutation-20160128                 |       | 14 Mb   |
| 9  | THCA_RNASeq2GeneNorm-20160128          |       | 1.3 Mb  |
| 10 | THCA_RNASeqGene-20160128               |       | 1.3 Mb  |
| 11 | THCA_RPPAArray-20160128                |       | 0 Mb    |
| 12 | THCA_Methylation-20160128              |       | 75.1 Mb |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

```

487 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
16.00  16.00   2.80   2.23   4.80

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 15.00 | 35.00   | 46.00  | 47.26 | 58.00   | 89.00 |

vital\_status:

| 0   | 1  |
|-----|----|
| 487 | 16 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 174  | 743     | 1021   | 1176 | 1631    | 2973 | 487  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

|   |     |     |      |      |      |    |
|---|-----|-----|------|------|------|----|
| 0 | 535 | 943 | 1220 | 1513 | 5423 | 16 |
|---|-----|-----|------|------|------|----|

tumor\_tissue\_site:

|         |     |
|---------|-----|
| thyroid | 503 |
|---------|-----|

pathology\_N\_stage:

|     |    |     |     |    |
|-----|----|-----|-----|----|
| n0  | n1 | n1a | n1b | nx |
| 227 | 58 | 93  | 75  | 50 |

pathology\_M\_stage:

|     |    |     |      |
|-----|----|-----|------|
| m0  | m1 | mx  | NA's |
| 280 | 9  | 213 | 1    |

date\_of\_initial\_pathologic\_diagnosis:

|      |         |        |      |         |      |
|------|---------|--------|------|---------|------|
| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
| 1993 | 2008    | 2010   | 2009 | 2011    | 2013 |

radiation\_therapy:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 181 | 306 | 16   |

radiation\_exposure:

|     |     |      |
|-----|-----|------|
| no  | yes | NA's |
| 423 | 17  | 63   |

extrathyroidal\_extension:

|                     |                         |      |
|---------------------|-------------------------|------|
| minimal (t3)        | moderate/advanced (t4a) | none |
| 133                 | 18                      | 333  |
| very advanced (t4b) | NA's                    |      |
| 1                   | 18                      |      |

residual\_tumor:

|     |    |    |    |      |
|-----|----|----|----|------|
| r0  | r1 | r2 | rx | NA's |
| 385 | 52 | 4  | 30 | 32   |

number\_of\_lymph\_nodes:

|       |         |        |       |         |        |      |
|-------|---------|--------|-------|---------|--------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
| 0.000 | 0.000   | 1.000  | 3.658 | 5.000   | 41.000 | 114  |

multifocality:

|            |          |      |
|------------|----------|------|
| multifocal | unifocal | NA's |
| 227        | 266      | 10   |

tumor\_size:

|       |         |        |       |         |       |      |
|-------|---------|--------|-------|---------|-------|------|
| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
| 0.300 | 1.700   | 2.600  | 2.975 | 4.000   | 8.200 | 100  |

Including an additional 1481 columns

**See Also**[THCA-v2.0.1](#)

THCA-v2.0.1

*Thyroid carcinoma***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( THCA )
ExperimentList class object of length 13:
 [1] THCA_CNASeq-20160128: RaggedExperiment with 5953 rows and 203 columns
 [2] THCA_CNASNP-20160128: RaggedExperiment with 389998 rows and 1013 columns
 [3] THCA_CNVSNP-20160128: RaggedExperiment with 55117 rows and 1013 columns
 [4] THCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 499 columns
 [5] THCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 38 rows and 499 columns
 [6] THCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 499 columns
 [7] THCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 569 columns
 [8] THCA_Mutation-20160128: RaggedExperiment with 7458 rows and 405 columns
 [9] THCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 568 columns
[10] THCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 568 columns
[11] THCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 4 columns
[12] THCA_RPPAArray-20160128: SummarizedExperiment with 175 rows and 224 columns
[13] THCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 567 columns

> rownames( THCA )
CharacterList of length 13
[["THCA_CNASeq-20160128"]] character(0)
[["THCA_CNASNP-20160128"]] character(0)
[["THCA_CNVSNP-20160128"]] character(0)
[["THCA_GISTIC_AllByGene-20160128"]] character(0)
[["THCA_GISTIC_Peaks-20160128"]] 1 10 11 12 2 13 3 14 ... 36 37 38 39 7 40 41
[["THCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["THCA_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["THCA_Mutation-20160128"]] character(0)
[["THCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["THCA_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<3 more elements>

> colnames( THCA )
CharacterList of length 13
[["THCA_CNASeq-20160128"]] TCGA-BJ-A0Z2-01A-11D-A10R-02 ...
[["THCA_CNASNP-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_CNVSNP-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_AllByGene-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_Peaks-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
```

```

[["THCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_miRNASeqGene-20160128"]] TCGA-4C-A93U-01A-11R-A39B-13 ...
[["THCA_Mutation-20160128"]] TCGA-BJ-A0YZ-01A-11D-A10S-08 ...
[["THCA_RNASeq2Gene-20160128"]] TCGA-4C-A93U-01A-11R-A39I-07 ...
[["THCA_RNASeq2GeneNorm-20160128"]] TCGA-4C-A93U-01A-11R-A39I-07 ...
...
<3 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                  | size.Mb |
|----|----------------------------------------|---------|
| 1  | THCA_CNASeq-20160128                   | 0.2 Mb  |
| 2  | THCA_CNASNP-20160128                   | 10.7 Mb |
| 3  | THCA_CNVSNP-20160128                   | 1.8 Mb  |
| 4  | THCA_GISTIC_AllByGene-20160128         | 97.8 Mb |
| 5  | THCA_GISTIC_Peaks-20160128             | 0.3 Mb  |
| 6  | THCA_GISTIC_ThresholdedByGene-20160128 | 97.7 Mb |
| 7  | THCA_miRNASeqGene-20160128             | 4.8 Mb  |
| 8  | THCA_Mutation-20160128                 | 14 Mb   |
| 9  | THCA_RNASeq2Gene-20160128              | 91.5 Mb |
| 10 | THCA_RNASeq2GeneNorm-20160128          | 91.5 Mb |
| 11 | THCA_RNASeqGene-20160128               | 3.2 Mb  |
| 12 | THCA_RPPAArray-20160128                | 0.4 Mb  |
| 13 | THCA_Methylation-20160128              | 75.1 Mb |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

487 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
16.00  16.00   2.80   2.23   4.80

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 15.00 | 35.00   | 46.00  | 47.26 | 58.00   | 89.00 |

vital\_status:

| 0   | 1  |
|-----|----|
| 487 | 16 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 174  | 743     | 1021   | 1176 | 1631    | 2973 | 487  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 535     | 943    | 1220 | 1513    | 5423 | 16   |

tumor\_tissue\_site:

|         |
|---------|
| thyroid |
| 503     |

pathology\_N\_stage:

| n0  | n1 | n1a | n1b | nx |
|-----|----|-----|-----|----|
| 227 | 58 | 93  | 75  | 50 |

pathology\_M\_stage:

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 280 | 9  | 213 | 1    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1993 | 2008    | 2010   | 2009 | 2011    | 2013 |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 181 | 306 | 16   |

radiation\_exposure:

| no  | yes | NA's |
|-----|-----|------|
| 423 | 17  | 63   |

extrathyroidal\_extension:

| minimal (t3) | moderate/advanced (t4a) | very advanced (t4b) | NA's |
|--------------|-------------------------|---------------------|------|
| 133          | 18                      | 1                   | 18   |
|              |                         |                     | 18   |

none  
333

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 385 | 52 | 4  | 30 | 32   |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 3.658 | 5.000   | 41.000 | 114  |

multifocality:

| multifocal | unifocal | NA's |
|------------|----------|------|
| 227        | 266      | 10   |

tumor\_size:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 0.300 | 1.700   | 2.600  | 2.975 | 4.000   | 8.200 | 100  |

Including an additional 1481 columns

---

THCA-v2.1.0

*Thyroid carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( THCA )
ExperimentList class object of length 13:
 [1] THCA_CNASeq-20160128: RaggedExperiment with 5953 rows and 203 columns
 [2] THCA_CNASNP-20160128: RaggedExperiment with 389998 rows and 1013 columns
 [3] THCA_CNVSNP-20160128: RaggedExperiment with 55117 rows and 1013 columns
 [4] THCA_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 499 columns
 [5] THCA_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 38 rows and 499 columns
 [6] THCA_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 499 columns
 [7] THCA_Mutation-20160128: RaggedExperiment with 7458 rows and 405 columns
 [8] THCA_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 568 columns
 [9] THCA_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 4 columns
[10] THCA_RPPAArray-20160128: SummarizedExperiment with 175 rows and 224 columns
[11] THCA_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 569 columns
[12] THCA_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18003 rows and 568 columns
[13] THCA_Methylation-20160128: SummarizedExperiment with 485577 rows and 567 columns

> rownames( THCA )
CharacterList of length 13
[["THCA_CNASeq-20160128"]] character(0)
[["THCA_CNASNP-20160128"]] character(0)
[["THCA_CNVSNP-20160128"]] character(0)
[["THCA_GISTIC_AllByGene-20160128"]] character(0)
[["THCA_GISTIC_Peaks-20160128"]] 1 10 11 12 2 13 3 14 ... 36 37 38 39 7 40 41
[["THCA_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["THCA_Mutation-20160128"]] character(0)
[["THCA_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["THCA_RNASeqGene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["THCA_RPPAArray-20160128"]] 14-3-3_epsilon 4E-BP1 ... p90RSK_pT359_S363
...
<3 more elements>

> colnames( THCA )
CharacterList of length 13
[["THCA_CNASeq-20160128"]] TCGA-BJ-A0Z2-01A-11D-A10R-02 ...
[["THCA_CNASNP-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_CNVSNP-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_AllByGene-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_Peaks-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
[["THCA_GISTIC_ThresholdedByGene-20160128"]] TCGA-4C-A93U-01A-11D-A396-01 ...
```

```

[["THCA_Mutation-20160128"]] TCGA-BJ-A0YZ-01A-11D-A10S-08 ...
[["THCA_RNASeq2Gene-20160128"]] TCGA-4C-A93U-01A-11R-A39I-07 ...
[["THCA_RNASeqGene-20160128"]] TCGA-DJ-A1QE-01A-21R-A14Y-07 ...
[["THCA_RPPAArray-20160128"]] TCGA-BJ-A0YZ-01A-21-A21L-20 ...
...
<3 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay | size.Mb |
|----|----------------------------------------|-------|---------|
| 1  | THCA_CNASeq-20160128                   |       | 0.2 Mb  |
| 2  | THCA_CNASNP-20160128                   |       | 10.7 Mb |
| 3  | THCA_CNVSNP-20160128                   |       | 1.8 Mb  |
| 4  | THCA_GISTIC_AllByGene-20160128         |       | 97.8 Mb |
| 5  | THCA_GISTIC_Peaks-20160128             |       | 0.3 Mb  |
| 6  | THCA_GISTIC_ThresholdedByGene-20160128 |       | 97.7 Mb |
| 7  | THCA_Mutation-20160128                 |       | 14 Mb   |
| 8  | THCA_RNASeq2Gene-20160128              |       | 91.5 Mb |
| 9  | THCA_RNASeqGene-20160128               |       | 3.2 Mb  |
| 10 | THCA_RPPAArray-20160128                |       | 0.4 Mb  |
| 11 | THCA_miRNASeqGene-20160128             |       | 4.8 Mb  |
| 12 | THCA_RNASeq2GeneNorm-20160128          |       | 80.3 Mb |
| 13 | THCA_Methylation-20160128              |       | 75.1 Mb |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

      487 observations deleted due to missingness
      n events median 0.95LCL 0.95UCL
[1,] 16      16      2.8      2.23      4.8

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 15.00 | 35.00   | 46.00  | 47.26 | 58.00   | 89.00 |

vital\_status:

| 0   | 1  |
|-----|----|
| 487 | 16 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 174  | 743     | 1021   | 1176 | 1631    | 2973 | 487  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 0    | 535     | 943    | 1220 | 1513    | 5423 | 16   |

tumor\_tissue\_site:

|         |
|---------|
| thyroid |
| 503     |

pathology\_N\_stage:

| n0  | n1 | n1a | n1b | nx |
|-----|----|-----|-----|----|
| 227 | 58 | 93  | 75  | 50 |

pathology\_M\_stage:

| m0  | m1 | mx  | NA's |
|-----|----|-----|------|
| 280 | 9  | 213 | 1    |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 1993 | 2008    | 2010   | 2009 | 2011    | 2013 |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 181 | 306 | 16   |

radiation\_exposure:

| no  | yes | NA's |
|-----|-----|------|
| 423 | 17  | 63   |

extrathyroidal\_extension:

| minimal (t3) | moderate/advanced (t4a) | very advanced (t4b) | NA's |
|--------------|-------------------------|---------------------|------|
| 133          | 18                      | 1                   | 18   |
|              |                         |                     | 18   |

none  
333

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 385 | 52 | 4  | 30 | 32   |

number\_of\_lymph\_nodes:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|-------|---------|--------|-------|---------|--------|------|
| 0.000 | 0.000   | 1.000  | 3.658 | 5.000   | 41.000 | 114  |

multifocality:

| multifocal | unifocal | NA's |
|------------|----------|------|
| 227        | 266      | 10   |

tumor\_size:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 0.300 | 1.700   | 2.600  | 2.975 | 4.000   | 8.200 | 100  |

Including an additional 1481 columns

---

|      |                |
|------|----------------|
| THYM | <i>Thymoma</i> |
|------|----------------|

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( THYM )
ExperimentList class object of length 10:
 [1] THYM_CNASNP-20160128: RaggedExperiment with 105646 rows and 248 columns
 [2] THYM_CNVSNP-20160128: RaggedExperiment with 15571 rows and 248 columns
 [3] THYM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 123 columns
 [4] THYM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 16 rows and 123 columns
 [5] THYM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 123 columns
 [6] THYM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 126 columns
 [7] THYM_Mutation-20160128: RaggedExperiment with 3064 rows and 123 columns
 [8] THYM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 122 columns
 [9] THYM_RPPAArray-20160128: SummarizedExperiment with 192 rows and 90 columns
[10] THYM_Methylation-20160128: SummarizedExperiment with 485577 rows and 126 columns

> rownames( THYM )
CharacterList of length 10
[["THYM_CNASNP-20160128"]] character(0)
[["THYM_CNVSNP-20160128"]] character(0)
[["THYM_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["THYM_GISTIC_Peaks-20160128"]] chr1:208606110-249250621 ...
[["THYM_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["THYM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["THYM_Mutation-20160128"]] character(0)
[["THYM_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["THYM_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["THYM_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873

> colnames( THYM )
CharacterList of length 10
[["THYM_CNASNP-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_CNVSNP-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_AllByGene-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_Peaks-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_ThresholdedByGene-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_miRNASeqGene-20160128"]] TCGA-3G-AB00-01A-22R-A42W-13 ...
[["THYM_Mutation-20160128"]] TCGA-3G-AB00-01A-22D-A423-09 ...
[["THYM_RNASeq2GeneNorm-20160128"]] TCGA-3G-AB00-01A-22R-A42C-07 ...
[["THYM_RPPAArray-20160128"]] TCGA-3G-AB00-01A-11-A45R-20 ...
[["THYM_Methylation-20160128"]] TCGA-3G-AB00-01A-22D-A424-05 ...
```

Sizes of each ExperimentList element:

|    |  | assay                                  | size.Mb |
|----|--|----------------------------------------|---------|
| 1  |  | THYM_CNASNP-20160128                   | 2.9 Mb  |
| 2  |  | THYM_CNVSNP-20160128                   | 0.5 Mb  |
| 3  |  | THYM_GISTIC_AllByGene-20160128         | 4.9 Mb  |
| 4  |  | THYM_GISTIC_Peaks-20160128             | 0 Mb    |
| 5  |  | THYM_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb  |
| 6  |  | THYM_miRNASeqGene-20160128             | 0.1 Mb  |
| 7  |  | THYM_Mutation-20160128                 | 3.3 Mb  |
| 8  |  | THYM_RNASeq2GeneNorm-20160128          | 1.3 Mb  |
| 9  |  | THYM_RPPAArray-20160128                | 0 Mb    |
| 10 |  | THYM_Methylation-20160128              | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

115 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
9.00 9.00 2.34 1.04 NA

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 17.00 | 49.50   | 60.00  | 58.15 | 68.50   | 84.00 | 1    |

vital\_status:

|     |   |
|-----|---|
| 0   | 1 |
| 115 | 9 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 124  | 379     | 853    | 1423 | 2488    | 3488 | 115  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 14.0 | 725.2   | 1267.5 | 1486.3 | 1947.0  | 4575.0 | 10   |

tumor\_tissue\_site:

|                      |        |
|----------------------|--------|
| anterior mediastinum | thymus |
| 27                   | 97     |

gender:

|        |      |
|--------|------|
| female | male |
| 60     | 64   |

|                                       |         |                                 |      |         |      |       |
|---------------------------------------|---------|---------------------------------|------|---------|------|-------|
| date_of_initial_pathologic_diagnosis: |         |                                 |      |         |      |       |
| Min.                                  | 1st Qu. | Median                          | Mean | 3rd Qu. | Max. | NA's  |
| 2000                                  | 2008    | 2010                            | 2010 | 2012    | 2013 | 1     |
| radiation_therapy:                    |         |                                 |      |         |      |       |
| no yes                                |         |                                 |      |         |      |       |
| 81 43                                 |         |                                 |      |         |      |       |
| race:                                 |         |                                 |      |         |      |       |
|                                       |         | asian black or african american |      |         |      | white |
|                                       |         | 13                              |      |         |      | 6     |
|                                       |         | NA's                            |      |         |      | 103   |
|                                       |         | 2                               |      |         |      |       |
| ethnicity:                            |         |                                 |      |         |      |       |
| hispanic or latino                    |         | not hispanic or latino          |      |         |      | NA's  |
| 10                                    |         | 100                             |      |         |      | 14    |

Including an additional 685 columns

See Also

[THYM-v2.0.1](#)

---

|             |                |
|-------------|----------------|
| THYM-v2.0.1 | <i>Thymoma</i> |
|-------------|----------------|

---

Description

A document describing the TCGA cancer code

Details

```
> experiments( THYM )
ExperimentList class object of length 11:
 [1] THYM_CNASNP-20160128: RaggedExperiment with 105646 rows and 248 columns
 [2] THYM_CNVSNP-20160128: RaggedExperiment with 15571 rows and 248 columns
 [3] THYM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 123 columns
 [4] THYM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 16 rows and 123 columns
 [5] THYM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 123 columns
 [6] THYM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 126 columns
 [7] THYM_Mutation-20160128: RaggedExperiment with 3064 rows and 123 columns
 [8] THYM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 122 columns
 [9] THYM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 122 columns
[10] THYM_RPPAArray-20160128: SummarizedExperiment with 192 rows and 90 columns
[11] THYM_Methylation-20160128: SummarizedExperiment with 485577 rows and 126 columns

> rownames( THYM )
CharacterList of length 11
```

```

[["THYM_CNASNP-20160128"]] character(0)
[["THYM_CNVSNP-20160128"]] character(0)
[["THYM_GISTIC_AllByGene-20160128"]] character(0)
[["THYM_GISTIC_Peaks-20160128"]] 1 8 9 10 11 12 13 14 2 15 3 4 16 5 17 18
[["THYM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["THYM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["THYM_Mutation-20160128"]] character(0)
[["THYM_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["THYM_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["THYM_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
...
<1 more element>

```

```

> colnames( THYM )
CharacterList of length 11
[["THYM_CNASNP-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_CNVSNP-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_AllByGene-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_Peaks-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_ThresholdedByGene-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_miRNASeqGene-20160128"]] TCGA-3G-AB00-01A-22R-A42W-13 ...
[["THYM_Mutation-20160128"]] TCGA-3G-AB00-01A-22D-A423-09 ...
[["THYM_RNASeq2Gene-20160128"]] TCGA-3G-AB00-01A-22R-A42C-07 ...
[["THYM_RNASeq2GeneNorm-20160128"]] TCGA-3G-AB00-01A-22R-A42C-07 ...
[["THYM_RPPAArray-20160128"]] TCGA-3G-AB00-01A-11-A45R-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | THYM_CNASNP-20160128                   | 2.9 Mb        |
| 2  | THYM_CNVSNP-20160128                   | 0.5 Mb        |
| 3  | THYM_GISTIC_AllByGene-20160128         | 26.7 Mb       |
| 4  | THYM_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | THYM_GISTIC_ThresholdedByGene-20160128 | 26.6 Mb       |
| 6  | THYM_miRNASeqGene-20160128             | 1.2 Mb        |
| 7  | THYM_Mutation-20160128                 | 3.3 Mb        |
| 8  | THYM_RNASeq2Gene-20160128              | 21.7 Mb       |
| 9  | THYM_RNASeq2GeneNorm-20160128          | 21.7 Mb       |
| 10 | THYM_RPPAArray-20160128                | 0.2 Mb        |
| 11 | THYM_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

115 observations deleted due to missingness
n events median 0.95LCL 0.95UCL

```

9.00 9.00 2.34 1.04 NA

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
|-------|---------|--------|-------|---------|-------|------|
| 17.00 | 49.50   | 60.00  | 58.15 | 68.50   | 84.00 | 1    |

vital\_status:

|     |   |
|-----|---|
| 0   | 1 |
| 115 | 9 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 124  | 379     | 853    | 1423 | 2488    | 3488 | 115  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 14.0 | 725.2   | 1267.5 | 1486.3 | 1947.0  | 4575.0 | 10   |

tumor\_tissue\_site:

|                      |        |
|----------------------|--------|
| anterior mediastinum | thymus |
| 27                   | 97     |

gender:

|        |      |
|--------|------|
| female | male |
| 60     | 64   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 2000 | 2008    | 2010   | 2010 | 2012    | 2013 | 1    |

radiation\_therapy:

|    |     |
|----|-----|
| no | yes |
| 81 | 43  |

race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 13    | 6                         | 103   |
| NA's  |                           |       |
| 2     |                           |       |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 10                 | 100                    | 14   |

Including an additional 685 columns

THYM-v2.1.0

*Thymoma***Description**

A document describing the TCGA cancer code

**Details**

```
> experiments( THYM )
ExperimentList class object of length 11:
 [1] THYM_CNASNP-20160128: RaggedExperiment with 105646 rows and 248 columns
 [2] THYM_CNVSNP-20160128: RaggedExperiment with 15571 rows and 248 columns
 [3] THYM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 123 columns
 [4] THYM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 16 rows and 123 columns
 [5] THYM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 123 columns
 [6] THYM_Mutation-20160128: RaggedExperiment with 3064 rows and 123 columns
 [7] THYM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 122 columns
 [8] THYM_RPPAArray-20160128: SummarizedExperiment with 192 rows and 90 columns
 [9] THYM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 126 columns
[10] THYM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18286 rows and 122 columns
[11] THYM_Methylation-20160128: SummarizedExperiment with 485577 rows and 126 columns

> rownames( THYM )
CharacterList of length 11
[["THYM_CNASNP-20160128"]] character(0)
[["THYM_CNVSNP-20160128"]] character(0)
[["THYM_GISTIC_AllByGene-20160128"]] character(0)
[["THYM_GISTIC_Peaks-20160128"]] 1 8 9 10 11 12 13 14 2 15 3 4 16 5 17 18
[["THYM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["THYM_Mutation-20160128"]] character(0)
[["THYM_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["THYM_RPPAArray-20160128"]] 14-3-3_beta ... p90RSK_pT359_S363
[["THYM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["THYM_RNASeq2GeneNorm-20160128"]] A1BG A2BP1 A2LD1 ... ZZE1 ZZZ3 psiTPTE22
...
<1 more element>

> colnames( THYM )
CharacterList of length 11
[["THYM_CNASNP-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_CNVSNP-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_AllByGene-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_Peaks-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_GISTIC_ThresholdedByGene-20160128"]] TCGA-3G-AB00-01A-22D-A422-01 ...
[["THYM_Mutation-20160128"]] TCGA-3G-AB00-01A-22D-A423-09 ...
[["THYM_RNASeq2Gene-20160128"]] TCGA-3G-AB00-01A-22R-A42C-07 ...
[["THYM_RPPAArray-20160128"]] TCGA-3G-AB00-01A-11-A45R-20 ...
[["THYM_miRNASeqGene-20160128"]] TCGA-3G-AB00-01A-22R-A42W-13 ...
[["THYM_RNASeq2GeneNorm-20160128"]] TCGA-3G-AB00-01 ... TCGA-ZT-A80M-01
...
```

<1 more element>

Sizes of each ExperimentList element:

|    |                                        | assay | size.Mb |
|----|----------------------------------------|-------|---------|
| 1  | THYM_CNASNP-20160128                   |       | 2.9 Mb  |
| 2  | THYM_CNVSNP-20160128                   |       | 0.5 Mb  |
| 3  | THYM_GISTIC_AllByGene-20160128         |       | 26.7 Mb |
| 4  | THYM_GISTIC_Peaks-20160128             |       | 0.1 Mb  |
| 5  | THYM_GISTIC_ThresholdedByGene-20160128 |       | 26.6 Mb |
| 6  | THYM_Mutation-20160128                 |       | 3.3 Mb  |
| 7  | THYM_RNASeq2Gene-20160128              |       | 21.7 Mb |
| 8  | THYM_RPPAArray-20160128                |       | 0.2 Mb  |
| 9  | THYM_miRNASeqGene-20160128             |       | 1.2 Mb  |
| 10 | THYM_RNASeq2GeneNorm-20160128          |       | 19.3 Mb |
| 11 | THYM_Methylation-20160128              |       | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

115 observations deleted due to missingness  
n events median 0.95LCL 0.95UCL  
[1,] 9 9 2.34 1.04 NA

-----  
Available sample meta-data:  
-----

| years_to_birth: |         |        |       |         |       |      |
|-----------------|---------|--------|-------|---------|-------|------|
| Min.            | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  | NA's |
| 17.00           | 49.50   | 60.00  | 58.15 | 68.50   | 84.00 | 1    |

| vital_status: |   |
|---------------|---|
| 0             | 1 |
| 115           | 9 |

| days_to_death: |         |        |      |         |      |      |
|----------------|---------|--------|------|---------|------|------|
| Min.           | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
| 124            | 379     | 853    | 1423 | 2488    | 3488 | 115  |

| days_to_last_followup: |         |        |        |         |        |      |
|------------------------|---------|--------|--------|---------|--------|------|
| Min.                   | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
| 14.0                   | 725.2   | 1267.5 | 1486.3 | 1947.0  | 4575.0 | 10   |

| tumor_tissue_site:   |        |
|----------------------|--------|
| anterior mediastinum | thymus |
| 27                   | 97     |

```
gender:
female  male
    60    64
```

```
date_of_initial_pathologic_diagnosis:
    Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
    2000   2008   2010   2010   2012   2013     1
```

```
radiation_therapy:
no yes
  81  43
```

```
race:
               asian black or african american               white
               13               6               103
               NA's
               2
```

```
ethnicity:
    hispanic or latino not hispanic or latino    NA's
           10           100           14
```

Including an additional 685 columns

---

UCEC

*Uterine Corpus Endometrial Carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( UCEC )
ExperimentList class object of length 14:
 [1] UCEC_CNASeq-20160128: RaggedExperiment with 36400 rows and 213 columns
 [2] UCEC_CNASNP-20160128: RaggedExperiment with 619412 rows and 1083 columns
 [3] UCEC_CNVSNP-20160128: RaggedExperiment with 127094 rows and 1078 columns
 [4] UCEC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 539 columns
 [5] UCEC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 98 rows and 539 columns
 [6] UCEC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 539 columns
 [7] UCEC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 433 columns
 [8] UCEC_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 54 columns
 [9] UCEC_Mutation-20160128: RaggedExperiment with 184861 rows and 248 columns
[10] UCEC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 380 columns
[11] UCEC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 269 columns
[12] UCEC_RPPAArray-20160128: SummarizedExperiment with 208 rows and 440 columns
[13] UCEC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 118 columns
[14] UCEC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 466 columns
```

```

> rownames( UCEC )
CharacterList of length 14
[["UCEC_CNASeq-20160128"]] character(0)
[["UCEC_CNASNP-20160128"]] character(0)
[["UCEC_CNVSNP-20160128"]] character(0)
[["UCEC_GISTIC_AllByGene-20160128"]] ACAP3 ... WASIR1|ENSG00000185203.7
[["UCEC_GISTIC_Peaks-20160128"]] chr1:13949775-15575840 ...
[["UCEC_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["UCEC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["UCEC_mRNAArray-20160128"]] ELMO2 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["UCEC_Mutation-20160128"]] character(0)
[["UCEC_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<4 more elements>

> colnames( UCEC )
CharacterList of length 14
[["UCEC_CNASeq-20160128"]] TCGA-A5-A0G5-01A-11D-A043-02 ...
[["UCEC_CNASNP-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_CNVSNP-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_GISTIC_AllByGene-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_GISTIC_Peaks-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_miRNASeqGene-20160128"]] TCGA-2E-A9G8-01A-11R-A404-13 ...
[["UCEC_mRNAArray-20160128"]] TCGA-A5-A0G2-01A-11R-A040-07 ...
[["UCEC_Mutation-20160128"]] TCGA-A5-A0G3-01A-11W-A062-09 ...
[["UCEC_RNASeq2GeneNorm-20160128"]] TCGA-A5-A0G1-01A-11R-A118-07 ...
...
<4 more elements>

```

Sizes of each ExperimentList element:

|    |                                        | assay size.Mb |
|----|----------------------------------------|---------------|
| 1  | UCEC_CNASeq-20160128                   | 1 Mb          |
| 2  | UCEC_CNASNP-20160128                   | 16.9 Mb       |
| 3  | UCEC_CNVSNP-20160128                   | 3.7 Mb        |
| 4  | UCEC_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | UCEC_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 6  | UCEC_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | UCEC_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | UCEC_mRNAArray-20160128                | 1.1 Mb        |
| 9  | UCEC_Mutation-20160128                 | 73.1 Mb       |
| 10 | UCEC_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 11 | UCEC_RNASeqGene-20160128               | 1.3 Mb        |
| 12 | UCEC_RPPAArray-20160128                | 0.1 Mb        |
| 13 | UCEC_Methylation_methyl27-20160128     | 4.9 Mb        |
| 14 | UCEC_Methylation_methyl450-20160128    | 75.1 Mb       |

-----  
Available sample meta-data:

-----

|                                       |         |                            |         |         |        |      |  |  |  |  |
|---------------------------------------|---------|----------------------------|---------|---------|--------|------|--|--|--|--|
| days_to_death:                        |         |                            |         |         |        |      |  |  |  |  |
| Min.                                  | 1st Qu. | Median                     | Mean    | 3rd Qu. | Max.   | NA's |  |  |  |  |
| 50.0                                  | 367.0   | 709.0                      | 881.8   | 1063.0  | 3423.0 | 457  |  |  |  |  |
| days_to_last_followup:                |         |                            |         |         |        |      |  |  |  |  |
| Min.                                  | 1st Qu. | Median                     | Mean    | 3rd Qu. | Max.   | NA's |  |  |  |  |
| -6.0                                  | 543.0   | 948.5                      | 1195.1  | 1753.2  | 6859.0 | 92   |  |  |  |  |
| tumor_tissue_site:                    |         |                            |         |         |        |      |  |  |  |  |
| endometrial                           |         | other                      | specify |         |        |      |  |  |  |  |
| 547                                   |         |                            | 1       |         |        |      |  |  |  |  |
| date_of_initial_pathologic_diagnosis: |         |                            |         |         |        |      |  |  |  |  |
| Min.                                  | 1st Qu. | Median                     | Mean    | 3rd Qu. | Max.   | NA's |  |  |  |  |
| 1995                                  | 2007    | 2009                       | 2009    | 2010    | 2013   | 9    |  |  |  |  |
| days_to_last_known_alive:             |         |                            |         |         |        |      |  |  |  |  |
| Min.                                  | 1st Qu. | Median                     | Mean    | 3rd Qu. | Max.   | NA's |  |  |  |  |
| 145                                   | 404     | 729                        | 1405    | 2096    | 4144   | 535  |  |  |  |  |
| radiation_therapy:                    |         |                            |         |         |        |      |  |  |  |  |
| no                                    |         | yes                        | NA's    |         |        |      |  |  |  |  |
| 295                                   |         | 228                        | 25      |         |        |      |  |  |  |  |
| histological_type:                    |         |                            |         |         |        |      |  |  |  |  |
| endometrioid                          |         | endometrial adenocarcinoma |         | 411     |        |      |  |  |  |  |
| mixed                                 |         | serous and endometrioid    |         | 22      |        |      |  |  |  |  |
| serous                                |         | endometrial adenocarcinoma |         | 115     |        |      |  |  |  |  |
| residual_tumor:                       |         |                            |         |         |        |      |  |  |  |  |
| r0                                    | r1      | r2                         | rx      | NA's    |        |      |  |  |  |  |
| 376                                   | 22      | 16                         | 41      | 93      |        |      |  |  |  |  |

Including an additional 1779 columns

See Also

[UCEC-v2.0.1](#)

---

|             |                                             |
|-------------|---------------------------------------------|
| UCEC-v2.0.1 | <i>Uterine Corpus Endometrial Carcinoma</i> |
|-------------|---------------------------------------------|

---

Description

A document describing the TCGA cancer code

**Details**

```

> experiments( UCEC )
ExperimentList class object of length 16:
 [1] UCEC_CNASeq-20160128: RaggedExperiment with 36400 rows and 213 columns
 [2] UCEC_CNASNP-20160128: RaggedExperiment with 619412 rows and 1083 columns
 [3] UCEC_CNVSNP-20160128: RaggedExperiment with 127094 rows and 1078 columns
 [4] UCEC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 539 columns
 [5] UCEC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 98 rows and 539 columns
 [6] UCEC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 539 columns
 [7] UCEC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 433 columns
 [8] UCEC_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 54 columns
 [9] UCEC_Mutation-20160128: RaggedExperiment with 184861 rows and 248 columns
[10] UCEC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 190 columns
[11] UCEC_RNASeq2GeneNorm_illumina-20160128: SummarizedExperiment with 20501 rows and 380 columns
[12] UCEC_RNASeq2GeneNorm_illumina-hiseq-20160128: SummarizedExperiment with 20501 rows and 190 columns
[13] UCEC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 269 columns
[14] UCEC_RPPAArray-20160128: SummarizedExperiment with 208 rows and 440 columns
[15] UCEC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 118 columns
[16] UCEC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 466 columns

> rownames( UCEC )
CharacterList of length 16
[["UCEC_CNASeq-20160128"]] character(0)
[["UCEC_CNASNP-20160128"]] character(0)
[["UCEC_CNVSNP-20160128"]] character(0)
[["UCEC_GISTIC_AllByGene-20160128"]] character(0)
[["UCEC_GISTIC_Peaks-20160128"]] 51 52 1 2 3 4 5 53 ... 98 45 46 47 99 48 100
[["UCEC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["UCEC_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["UCEC_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["UCEC_Mutation-20160128"]] character(0)
[["UCEC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
...
<6 more elements>

> colnames( UCEC )
CharacterList of length 16
[["UCEC_CNASeq-20160128"]] TCGA-A5-A0G5-01A-11D-A043-02 ...
[["UCEC_CNASNP-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_CNVSNP-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_GISTIC_AllByGene-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_GISTIC_Peaks-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_GISTIC_ThresholdedByGene-20160128"]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[["UCEC_miRNASeqGene-20160128"]] TCGA-2E-A9G8-01A-11R-A404-13 ...
[["UCEC_mRNAArray-20160128"]] TCGA-A5-A0G2-01A-11R-A040-07 ...
[["UCEC_Mutation-20160128"]] TCGA-A5-A0G3-01A-11W-A062-09 ...
[["UCEC_RNASeq2Gene-20160128"]] TCGA-2E-A9G8-01A-11R-A40A-07 ...
...
<6 more elements>

```

Sizes of each ExperimentList element:

|    | assay                                       | size.Mb  |
|----|---------------------------------------------|----------|
| 1  | UCEC_CNASeq-20160128                        | 1 Mb     |
| 2  | UCEC_CNASNP-20160128                        | 16.9 Mb  |
| 3  | UCEC_CNVSNP-20160128                        | 3.7 Mb   |
| 4  | UCEC_GISTIC_AllByGene-20160128              | 105.5 Mb |
| 5  | UCEC_GISTIC_Peaks-20160128                  | 0.6 Mb   |
| 6  | UCEC_GISTIC_ThresholdedByGene-20160128      | 105.3 Mb |
| 7  | UCEC_miRNASeqGene-20160128                  | 3.7 Mb   |
| 8  | UCEC_mRNAArray-20160128                     | 9.6 Mb   |
| 9  | UCEC_Mutation-20160128                      | 73.1 Mb  |
| 10 | UCEC_RNASeq2Gene-20160128                   | 32.3 Mb  |
| 11 | UCEC_RNASeq2GeneNorm_illumina-20160128      | 62 Mb    |
| 12 | UCEC_RNASeq2GeneNorm_illuminahisec-20160128 | 32.3 Mb  |
| 13 | UCEC_RNASeqGene-20160128                    | 44.7 Mb  |
| 14 | UCEC_RPPAArray-20160128                     | 0.8 Mb   |
| 15 | UCEC_Methylation_methyl27-20160128          | 4.9 Mb   |
| 16 | UCEC_Methylation_methyl450-20160128         | 75.1 Mb  |

-----  
Available sample meta-data:  
-----

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 50.0 | 367.0   | 709.0  | 881.8 | 1063.0  | 3423.0 | 457  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| -6.0 | 543.0   | 948.5  | 1195.1 | 1753.2  | 6859.0 | 92   |

tumor\_tissue\_site:

| endometrial | other | specify |
|-------------|-------|---------|
| 547         |       | 1       |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 1995 | 2007    | 2009   | 2009 | 2010    | 2013 | 9    |

days\_to\_last\_known\_alive:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
| 145  | 404     | 729    | 1405 | 2096    | 4144 | 535  |

radiation\_therapy:

| no  | yes | NA's |
|-----|-----|------|
| 295 | 228 | 25   |

histological\_type:

| endometrioid                  | endometrial adenocarcinoma |
|-------------------------------|----------------------------|
|                               | 411                        |
| mixed serous and endometrioid |                            |
| 22                            |                            |

serous endometrial adenocarcinoma  
115

residual\_tumor:

| r0  | r1 | r2 | rx | NA's |
|-----|----|----|----|------|
| 376 | 22 | 16 | 41 | 93   |

Including an additional 1779 columns

---

UCEC-v2.1.0

*Uterine Corpus Endometrial Carcinoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( UCEC )
ExperimentList class object of length 17:
 [1] UCEC_CNASeq-20160128: RaggedExperiment with 36400 rows and 213 columns
 [2] UCEC_CNASNP-20160128: RaggedExperiment with 619412 rows and 1083 columns
 [3] UCEC_CNVSNP-20160128: RaggedExperiment with 127094 rows and 1078 columns
 [4] UCEC_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 539 columns
 [5] UCEC_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 98 rows and 539 columns
 [6] UCEC_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 539 columns
 [7] UCEC_mRNAArray-20160128: SummarizedExperiment with 17814 rows and 54 columns
 [8] UCEC_Mutation-20160128: RaggedExperiment with 184861 rows and 248 columns
 [9] UCEC_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 190 columns
[10] UCEC_RNASeq2GeneNorm_illumina-20160128: SummarizedExperiment with 20501 rows and 380 columns
[11] UCEC_RNASeq2GeneNorm_illumina-hiseq-20160128: SummarizedExperiment with 20501 rows and 190 columns
[12] UCEC_RNASeqGene-20160128: SummarizedExperiment with 20502 rows and 269 columns
[13] UCEC_RPPAArray-20160128: SummarizedExperiment with 208 rows and 440 columns
[14] UCEC_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 433 columns
[15] UCEC_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18515 rows and 569 columns
[16] UCEC_Methylation_methyl27-20160128: SummarizedExperiment with 27578 rows and 118 columns
[17] UCEC_Methylation_methyl450-20160128: SummarizedExperiment with 485577 rows and 466 columns

> rownames( UCEC )
CharacterList of length 17
[["UCEC_CNASeq-20160128"]] character(0)
[["UCEC_CNASNP-20160128"]] character(0)
[["UCEC_CNVSNP-20160128"]] character(0)
[["UCEC_GISTIC_AllByGene-20160128"]] character(0)
[["UCEC_GISTIC_Peaks-20160128"]] 51 52 1 2 3 4 5 53 ... 98 45 46 47 99 48 100
[["UCEC_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["UCEC_mRNAArray-20160128"]] ELM02 CREB3L1 RPS11 PNMA1 ... SNRPD2 AQP7 CTSC
[["UCEC_Mutation-20160128"]] character(0)
[["UCEC_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["UCEC_RNASeq2GeneNorm_illumina-20160128"]] A1BG A1CF ... psiTPTE22 tAKR
...
```

<7 more elements>

```
> colnames( UCEC )
```

CharacterList of length 17

```
[[ "UCEC_CNASeq-20160128" ]] TCGA-A5-A0G5-01A-11D-A043-02 ...
[[ "UCEC_CNASNP-20160128" ]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[[ "UCEC_CNVSNP-20160128" ]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[[ "UCEC_GISTIC_AllByGene-20160128" ]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[[ "UCEC_GISTIC_Peaks-20160128" ]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[[ "UCEC_GISTIC_ThresholdedByGene-20160128" ]] TCGA-2E-A9G8-01A-11D-A402-01 ...
[[ "UCEC_mRNAArray-20160128" ]] TCGA-A5-A0G2-01A-11R-A040-07 ...
[[ "UCEC_Mutation-20160128" ]] TCGA-A5-A0G3-01A-11W-A062-09 ...
[[ "UCEC_RNASeq2Gene-20160128" ]] TCGA-2E-A9G8-01A-11R-A40A-07 ...
[[ "UCEC_RNASeq2GeneNorm_illumina-20160128" ]] TCGA-A5-A0G1-01A-11R-A118-07...
```

...

<7 more elements>

Sizes of each ExperimentList element:

|    | assay                                        | size.Mb  |
|----|----------------------------------------------|----------|
| 1  | UCEC_CNASeq-20160128                         | 1 Mb     |
| 2  | UCEC_CNASNP-20160128                         | 16.9 Mb  |
| 3  | UCEC_CNVSNP-20160128                         | 3.7 Mb   |
| 4  | UCEC_GISTIC_AllByGene-20160128               | 105.5 Mb |
| 5  | UCEC_GISTIC_Peaks-20160128                   | 0.6 Mb   |
| 6  | UCEC_GISTIC_ThresholdedByGene-20160128       | 105.3 Mb |
| 7  | UCEC_mRNAArray-20160128                      | 9.6 Mb   |
| 8  | UCEC_Mutation-20160128                       | 73.1 Mb  |
| 9  | UCEC_RNASeq2Gene-20160128                    | 32.3 Mb  |
| 10 | UCEC_RNASeq2GeneNorm_illumina-20160128       | 62 Mb    |
| 11 | UCEC_RNASeq2GeneNorm_illumina-hiseq-20160128 | 32.3 Mb  |
| 12 | UCEC_RNASeqGene-20160128                     | 44.7 Mb  |
| 13 | UCEC_RPPAArray-20160128                      | 0.8 Mb   |
| 14 | UCEC_miRNASeqGene-20160128                   | 3.7 Mb   |
| 15 | UCEC_RNASeq2GeneNorm-20160128                | 82.8 Mb  |
| 16 | UCEC_Methylation_methyl27-20160128           | 4.9 Mb   |
| 17 | UCEC_Methylation_methyl450-20160128          | 75.1 Mb  |

-----  
Available sample meta-data:  
-----

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 50.0 | 367.0   | 709.0  | 881.8 | 1063.0  | 3423.0 | 457  |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| -6.0 | 543.0   | 948.5  | 1195.1 | 1753.2  | 6859.0 | 92   |

tumor\_tissue\_site:

```

endometrial other specify
547 1

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
1995 2007 2009 2009 2010 2013 9

days_to_last_known_alive:
  Min. 1st Qu. Median Mean 3rd Qu. Max. NA's
145 404 729 1405 2096 4144 535

radiation_therapy:
  no yes NA's
295 228 25

histological_type:
endometrioid endometrial adenocarcinoma
411
mixed serous and endometrioid
22
serous endometrial adenocarcinoma
115

residual_tumor:
  r0 r1 r2 rx NA's
376 22 16 41 93

```

Including an additional 1779 columns

---

UCS

*Uterine Carcinosarcoma*

---

## Description

A document describing the TCGA cancer code

## Details

```

> experiments( UCS )
ExperimentList class object of length 10:
[1] UCS_CNASNP-20160128: RaggedExperiment with 54944 rows and 111 columns
[2] UCS_CNVSNP-20160128: RaggedExperiment with 19298 rows and 111 columns
[3] UCS_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 56 columns
[4] UCS_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 56 rows and 56 columns
[5] UCS_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 56 columns
[6] UCS_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 56 columns
[7] UCS_Mutation-20160128: RaggedExperiment with 11339 rows and 57 columns
[8] UCS_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 57 columns
[9] UCS_RPPAArray-20160128: SummarizedExperiment with 192 rows and 48 columns
[10] UCS_Methylation-20160128: SummarizedExperiment with 485577 rows and 57 columns

```

```
> rownames( UCS )
CharacterList of length 10
[["UCS_CNASNP-20160128"]] character(0)
[["UCS_CNVSNP-20160128"]] character(0)
[["UCS_GISTIC_AllByGene-20160128"]] ACAP3 ACTRT2 ... WASIR1|ENSG00000185203.7
[["UCS_GISTIC_Peaks-20160128"]] chr1:1-19401404 ... chr22:41958863-51304566
[["UCS_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["UCS_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["UCS_Mutation-20160128"]] character(0)
[["UCS_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["UCS_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
[["UCS_Methylation-20160128"]] cg00000029 cg00000108 ... rs966367 rs9839873
```

```
> colnames( UCS )
CharacterList of length 10
[["UCS_CNASNP-20160128"]] TCGA-N5-A4R8-10A-01D-A28T-01 ...
[["UCS_CNVSNP-20160128"]] TCGA-N5-A4R8-10A-01D-A28T-01 ...
[["UCS_GISTIC_AllByGene-20160128"]] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
[["UCS_GISTIC_Peaks-20160128"]] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
[["UCS_GISTIC_ThresholdedByGene-20160128"]] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
[["UCS_miRNASeqGene-20160128"]] TCGA-N5-A4R8-01A-11R-A28Z-13 ...
[["UCS_Mutation-20160128"]] TCGA-N5-A4R8-01A-11D-A28R-08 ...
[["UCS_RNASeq2GeneNorm-20160128"]] TCGA-N5-A4R8-01A-11R-A28V-07 ...
[["UCS_RPPAArray-20160128"]] TCGA-N5-A4R8-01A-21-A41P-20 ...
[["UCS_Methylation-20160128"]] TCGA-N5-A4R8-01A-11D-A28S-05 ...
```

Sizes of each ExperimentList element:

|    |                                       | assay size.Mb |
|----|---------------------------------------|---------------|
| 1  | UCS_CNASNP-20160128                   | 1.5 Mb        |
| 2  | UCS_CNVSNP-20160128                   | 0.6 Mb        |
| 3  | UCS_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 4  | UCS_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5  | UCS_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 6  | UCS_miRNASeqGene-20160128             | 0.1 Mb        |
| 7  | UCS_Mutation-20160128                 | 19.7 Mb       |
| 8  | UCS_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 9  | UCS_RPPAArray-20160128                | 0 Mb          |
| 10 | UCS_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```
Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)
```

```
22 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
35.00 35.00 1.43 1.04 1.96
```

-----  
 Available sample meta-data:  
 -----

## years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 51.00 | 62.00   | 68.00  | 69.72 | 76.00   | 90.00 |

## vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 22 | 35 |

## days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 8.0  | 304.0   | 522.0  | 705.4 | 790.5   | 3115.0 | 22   |

## days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 0.0  | 591.2   | 828.0  | 1183.4 | 1647.5  | 4269.0 | 35   |

## tumor\_tissue\_site:

|        |
|--------|
| uterus |
| 57     |

## gender:

|        |
|--------|
| female |
| 57     |

## date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2002 | 2007    | 2009   | 2009 | 2011    | 2012 |

## radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 29 | 25  | 3    |

## histological\_type:

|                                                                    |    |
|--------------------------------------------------------------------|----|
| uterine carcinosarcoma/ malignant mixed mullerian tumor (mmt): nos | 24 |
| uterine carcinosarcoma/ mmt: heterologous type                     | 20 |
| uterine carcinosarcoma/mmt: homologous type                        | 13 |

## race:

|       |                           |       |
|-------|---------------------------|-------|
| asian | black or african american | white |
| 3     | 9                         | 44    |
| NA's  |                           |       |
| 1     |                           |       |

## ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|

1

43

13

Including an additional 632 columns

## See Also

[UCS-v2.0.1](#)

---

UCS-v2.0.1

*Uterine Carcinosarcoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( UCS )
ExperimentList class object of length 11:
 [1] UCS_CNASNP-20160128: RaggedExperiment with 54944 rows and 111 columns
 [2] UCS_CNVSNP-20160128: RaggedExperiment with 19298 rows and 111 columns
 [3] UCS_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 56 columns
 [4] UCS_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 56 rows and 56 columns
 [5] UCS_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 56 columns
 [6] UCS_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 56 columns
 [7] UCS_Mutation-20160128: RaggedExperiment with 11339 rows and 57 columns
 [8] UCS_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 57 columns
 [9] UCS_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 57 columns
[10] UCS_RPPAArray-20160128: SummarizedExperiment with 192 rows and 48 columns
[11] UCS_Methylation-20160128: SummarizedExperiment with 485577 rows and 57 columns

> rownames( UCS )
CharacterList of length 11
[["UCS_CNASNP-20160128"]] character(0)
[["UCS_CNVSNP-20160128"]] character(0)
[["UCS_GISTIC_AllByGene-20160128"]] character(0)
[["UCS_GISTIC_Peaks-20160128"]] 26 1 2 3 27 4 28 29 ... 21 22 56 57 23 24 58
[["UCS_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["UCS_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["UCS_Mutation-20160128"]] character(0)
[["UCS_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["UCS_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["UCS_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
...
<1 more element>

> colnames( UCS )
CharacterList of length 11
[["UCS_CNASNP-20160128"]] TCGA-N5-A4R8-10A-01D-A28T-01 ...
[["UCS_CNVSNP-20160128"]] TCGA-N5-A4R8-10A-01D-A28T-01 ...
[["UCS_GISTIC_AllByGene-20160128"]] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
```

```

[["UCS_GISTIC_Peaks-20160128"]] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
[["UCS_GISTIC_ThresholdedByGene-20160128"]] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
[["UCS_miRNASeqGene-20160128"]] TCGA-N5-A4R8-01A-11R-A28Z-13 ...
[["UCS_Mutation-20160128"]] TCGA-N5-A4R8-01A-11D-A28R-08 ...
[["UCS_RNASeq2Gene-20160128"]] TCGA-N5-A4R8-01A-11R-A28V-07 ...
[["UCS_RNASeq2GeneNorm-20160128"]] TCGA-N5-A4R8-01A-11R-A28V-07 ...
[["UCS_RPPAArray-20160128"]] TCGA-N5-A4R8-01A-21-A41P-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                       | assay | size.Mb |
|----|---------------------------------------|-------|---------|
| 1  | UCS_CNASNP-20160128                   |       | 1.5 Mb  |
| 2  | UCS_CNVSNP-20160128                   |       | 0.6 Mb  |
| 3  | UCS_GISTIC_AllByGene-20160128         |       | 14.1 Mb |
| 4  | UCS_GISTIC_Peaks-20160128             |       | 0.1 Mb  |
| 5  | UCS_GISTIC_ThresholdedByGene-20160128 |       | 13.9 Mb |
| 6  | UCS_miRNASeqGene-20160128             |       | 0.6 Mb  |
| 7  | UCS_Mutation-20160128                 |       | 19.7 Mb |
| 8  | UCS_RNASeq2Gene-20160128              |       | 11.5 Mb |
| 9  | UCS_RNASeq2GeneNorm-20160128          |       | 11.5 Mb |
| 10 | UCS_RPPAArray-20160128                |       | 0.1 Mb  |
| 11 | UCS_Methylation-20160128              |       | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

Call: survfit(formula = survival::Surv(colDat\$days\_to\_death/365, colDat\$vital\_status) ~  
-1)

```

22 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
35.00  35.00   1.43    1.04    1.96

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 51.00 | 62.00   | 68.00  | 69.72 | 76.00   | 90.00 |

vital\_status:

```

0 1
22 35

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 8.0  | 304.0   | 522.0  | 705.4 | 790.5   | 3115.0 | 22   |

```

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.   NA's
    0.0   591.2   828.0  1183.4  1647.5  4269.0    35

tumor_tissue_site:
uterus
    57

gender:
female
    57

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  2002   2007   2009   2009   2011   2012

radiation_therapy:
  no  yes NA's
  29  25   3

histological_type:
uterine carcinosarcoma/ malignant mixed mullerian tumor (mmt): nos
                                                                24
          uterine carcinosarcoma/ mmt: heterologous type
                                                                20
          uterine carcinosarcoma/mmt: homologous type
                                                                13

race:
          asian black or african american          white
            3                9                44
          NA's
            1

ethnicity:
  hispanic or latino not hispanic or latino  NA's
            1                43                13

Including an additional 632 columns

```

---

UCS-v2.1.0

*Uterine Carcinosarcoma*


---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( UCS )
```

ExperimentList class object of length 11:

```
[1] UCS_CNASNP-20160128: RaggedExperiment with 54944 rows and 111 columns
[2] UCS_CNVSNP-20160128: RaggedExperiment with 19298 rows and 111 columns
[3] UCS_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 56 columns
[4] UCS_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 56 rows and 56 columns
[5] UCS_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 56 columns
[6] UCS_Mutation-20160128: RaggedExperiment with 11339 rows and 57 columns
[7] UCS_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 57 columns
[8] UCS_RPPAArray-20160128: SummarizedExperiment with 192 rows and 48 columns
[9] UCS_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 56 columns
[10] UCS_RNASeq2GeneNorm-20160128: SummarizedExperiment with 18645 rows and 57 columns
[11] UCS_Methylation-20160128: SummarizedExperiment with 485577 rows and 57 columns
```

```
> rownames( UCS )
```

CharacterList of length 11

```
["UCS_CNASNP-20160128"] character(0)
["UCS_CNVSNP-20160128"] character(0)
["UCS_GISTIC_AllByGene-20160128"] character(0)
["UCS_GISTIC_Peaks-20160128"] 26 1 2 3 27 4 28 29 ... 21 22 56 57 23 24 58
["UCS_GISTIC_ThresholdedByGene-20160128"] character(0)
["UCS_Mutation-20160128"] character(0)
["UCS_RNASeq2Gene-20160128"] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
["UCS_RPPAArray-20160128"] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
["UCS_miRNASeqGene-20160128"] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
["UCS_RNASeq2GeneNorm-20160128"] A1BG A2BP1 A2LD1 ... ZZEF1 ZZZ3 psiTPTE22
...
<1 more element>
```

```
> colnames( UCS )
```

CharacterList of length 11

```
["UCS_CNASNP-20160128"] TCGA-N5-A4R8-10A-01D-A28T-01 ...
["UCS_CNVSNP-20160128"] TCGA-N5-A4R8-10A-01D-A28T-01 ...
["UCS_GISTIC_AllByGene-20160128"] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
["UCS_GISTIC_Peaks-20160128"] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
["UCS_GISTIC_ThresholdedByGene-20160128"] TCGA-N5-A4RA-01A-11D-A28Q-01 ...
["UCS_Mutation-20160128"] TCGA-N5-A4R8-01A-11D-A28R-08 ...
["UCS_RNASeq2Gene-20160128"] TCGA-N5-A4R8-01A-11R-A28V-07 ...
["UCS_RPPAArray-20160128"] TCGA-N5-A4R8-01A-21-A41P-20 ...
["UCS_miRNASeqGene-20160128"] TCGA-N5-A4R8-01A-11R-A28Z-13 ...
["UCS_RNASeq2GeneNorm-20160128"] TCGA-N5-A4R8-01 ... TCGA-QN-A5NN-01
...
<1 more element>
```

Sizes of each ExperimentList element:

|   |                                       | assay size.Mb |
|---|---------------------------------------|---------------|
| 1 | UCS_CNASNP-20160128                   | 1.5 Mb        |
| 2 | UCS_CNVSNP-20160128                   | 0.6 Mb        |
| 3 | UCS_GISTIC_AllByGene-20160128         | 14.1 Mb       |
| 4 | UCS_GISTIC_Peaks-20160128             | 0.1 Mb        |
| 5 | UCS_GISTIC_ThresholdedByGene-20160128 | 13.9 Mb       |
| 6 | UCS_Mutation-20160128                 | 19.7 Mb       |

```

7          UCS_RNASeq2Gene-20160128 11.5 Mb
8          UCS_RPPAArray-20160128  0.1 Mb
9          UCS_miRNASeqGene-20160128 0.6 Mb
10         UCS_RNASeq2GeneNorm-20160128 10.4 Mb
11         UCS_Methylation-20160128  75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

22 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 35      35    1.43    1.04    1.96

```

```

-----
Available sample meta-data:
-----

```

```

years_to_birth:

```

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 51.00 | 62.00   | 68.00  | 69.72 | 76.00   | 90.00 |

```

vital_status:

```

```

0 1
22 35

```

```

days_to_death:

```

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 8.0  | 304.0   | 522.0  | 705.4 | 790.5   | 3115.0 | 22   |

```

days_to_last_followup:

```

| Min. | 1st Qu. | Median | Mean   | 3rd Qu. | Max.   | NA's |
|------|---------|--------|--------|---------|--------|------|
| 0.0  | 591.2   | 828.0  | 1183.4 | 1647.5  | 4269.0 | 35   |

```

tumor_tissue_site:

```

```

uterus
57

```

```

gender:

```

```

female
57

```

```

date_of_initial_pathologic_diagnosis:

```

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2002 | 2007    | 2009   | 2009 | 2011    | 2012 |

```

radiation_therapy:

```

```

no yes NA's

```

29 25 3

histological\_type:

```
uterine carcinosarcoma/ malignant mixed mullerian tumor (mmt): nos
                                                                24
          uterine carcinosarcoma/ mmt: heterologous type
                                                                20
          uterine carcinosarcoma/mmt: homologous type
                                                                13
```

race:

```
          asian black or african american          white
              3                      9              44
          NA's
              1
```

ethnicity:

```
          hispanic or latino not hispanic or latino          NA's
              1                      43              13
```

Including an additional 632 columns

---

UVM

*Uveal Melanoma*

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( UVM )
ExperimentList class object of length 11:
 [1] UVM_CNASeq-20160128: RaggedExperiment with 6496 rows and 102 columns
 [2] UVM_CNASNP-20160128: RaggedExperiment with 69487 rows and 160 columns
 [3] UVM_CNVSNP-20160128: RaggedExperiment with 12973 rows and 160 columns
 [4] UVM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 80 columns
 [5] UVM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 21 rows and 80 columns
 [6] UVM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 80 columns
 [7] UVM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 80 columns
 [8] UVM_Mutation-20160128: RaggedExperiment with 2174 rows and 80 columns
 [9] UVM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 80 columns
[10] UVM_RPPAArray-20160128: SummarizedExperiment with 192 rows and 12 columns
[11] UVM_Methylation-20160128: SummarizedExperiment with 485577 rows and 80 columns

> rownames( UVM )
CharacterList of length 11
[["UVM_CNASeq-20160128"]] character(0)
[["UVM_CNASNP-20160128"]] character(0)
[["UVM_CNVSNP-20160128"]] character(0)
[["UVM_GISTIC_AllByGene-20160128"]] ACAP3 ACTRT2 ... WASIR1|ENSG00000185203.7
```

```

[["UVM_GISTIC_Peaks-20160128"]] chr1:19073360-24108626 ...
[["UVM_GISTIC_ThresholdedByGene-20160128"]] ACAP3 ...
[["UVM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["UVM_Mutation-20160128"]] character(0)
[["UVM_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
[["UVM_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
...
<1 more element>

```

```

> colnames( UVM )
CharacterList of length 11
[["UVM_CNASeq-20160128"]] TCGA-RZ-AB0B-01A-11D-A40D-26 ...
[["UVM_CNASNP-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_CNVSNP-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_AllByGene-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_Peaks-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_ThresholdedByGene-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_miRNASeqGene-20160128"]] TCGA-RZ-AB0B-01A-11R-A40B-13 ...
[["UVM_Mutation-20160128"]] TCGA-RZ-AB0B-01A-11D-A39W-08 ...
[["UVM_RNASeq2GeneNorm-20160128"]] TCGA-RZ-AB0B-01A-11R-A405-07 ...
[["UVM_RPPAArray-20160128"]] TCGA-V3-A9ZX-01A-21-A41Z-20 ...
...
<1 more element>

```

Sizes of each ExperimentList element:

|    |                                       | assay size.Mb |
|----|---------------------------------------|---------------|
| 1  | UVM_CNASeq-20160128                   | 0.2 Mb        |
| 2  | UVM_CNASNP-20160128                   | 1.9 Mb        |
| 3  | UVM_CNVSNP-20160128                   | 0.4 Mb        |
| 4  | UVM_GISTIC_AllByGene-20160128         | 4.9 Mb        |
| 5  | UVM_GISTIC_Peaks-20160128             | 0 Mb          |
| 6  | UVM_GISTIC_ThresholdedByGene-20160128 | 4.9 Mb        |
| 7  | UVM_miRNASeqGene-20160128             | 0.1 Mb        |
| 8  | UVM_Mutation-20160128                 | 12.3 Mb       |
| 9  | UVM_RNASeq2GeneNorm-20160128          | 1.3 Mb        |
| 10 | UVM_RPPAArray-20160128                | 0 Mb          |
| 11 | UVM_Methylation-20160128              | 75 Mb         |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

57 observations deleted due to missingness
      n  events  median 0.95LCL 0.95UCL
23.00  23.00   1.66   1.14   3.05

```

-----

Available sample meta-data:

-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 22.00 | 51.00   | 61.50  | 61.65 | 74.25   | 86.00 |

vital\_status:

|    |    |
|----|----|
| 0  | 1  |
| 57 | 23 |

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 40.0 | 393.5   | 606.0  | 693.9 | 1029.0  | 1581.0 | 57   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 495.0   | 821.0  | 861.9 | 1184.0  | 2600.0 | 23   |

tumor\_tissue\_site:

|         |
|---------|
| choroid |
| 80      |

pathology\_N\_stage:

|    |    |      |
|----|----|------|
| n0 | nx | NA's |
| 52 | 27 | 1    |

pathology\_M\_stage:

|    |    |     |    |      |
|----|----|-----|----|------|
| m0 | m1 | m1b | mx | NA's |
| 51 | 2  | 2   | 23 | 2    |

gender:

|        |      |
|--------|------|
| female | male |
| 35     | 45   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2007 | 2011    | 2012   | 2012 | 2013    | 2013 |

radiation\_therapy:

|    |     |      |
|----|-----|------|
| no | yes | NA's |
| 76 | 3   | 1    |

race:

|       |      |
|-------|------|
| white | NA's |
| 55    | 25   |

ethnicity:

|                    |                        |      |
|--------------------|------------------------|------|
| hispanic or latino | not hispanic or latino | NA's |
| 1                  | 52                     | 27   |

Including an additional 448 columns

## See Also

[UVM-v2.0.1](#)

---

|            |                       |
|------------|-----------------------|
| UVM-v2.0.1 | <i>Uveal Melanoma</i> |
|------------|-----------------------|

---

## Description

A document describing the TCGA cancer code

## Details

```
> experiments( UVM )
ExperimentList class object of length 12:
 [1] UVM_CNASeq-20160128: RaggedExperiment with 6496 rows and 102 columns
 [2] UVM_CNASNP-20160128: RaggedExperiment with 69487 rows and 160 columns
 [3] UVM_CNVSNP-20160128: RaggedExperiment with 12973 rows and 160 columns
 [4] UVM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 80 columns
 [5] UVM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 21 rows and 80 columns
 [6] UVM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 80 columns
 [7] UVM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 80 columns
 [8] UVM_Mutation-20160128: RaggedExperiment with 2174 rows and 80 columns
 [9] UVM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 80 columns
[10] UVM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 20501 rows and 80 columns
[11] UVM_RPPAArray-20160128: SummarizedExperiment with 192 rows and 12 columns
[12] UVM_Methylation-20160128: SummarizedExperiment with 485577 rows and 80 columns

> rownames( UVM )
CharacterList of length 12
[["UVM_CNASeq-20160128"]] character(0)
[["UVM_CNASNP-20160128"]] character(0)
[["UVM_CNVSNP-20160128"]] character(0)
[["UVM_GISTIC_AllByGene-20160128"]] character(0)
[["UVM_GISTIC_Peaks-20160128"]] 4 5 6 7 8 9 10 11 ... 2 16 17 18 19 20 21 3
[["UVM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["UVM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
[["UVM_Mutation-20160128"]] character(0)
[["UVM_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["UVM_RNASeq2GeneNorm-20160128"]] A1BG A1CF A2BP1 ... ZZZ3 psiTPTE22 tAKR
...
<2 more elements>

> colnames( UVM )
CharacterList of length 12
[["UVM_CNASeq-20160128"]] TCGA-RZ-AB0B-01A-11D-A40D-26 ...
[["UVM_CNASNP-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_CNVSNP-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
```

```

[["UVM_GISTIC_AllByGene-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_Peaks-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_ThresholdedByGene-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_miRNASeqGene-20160128"]] TCGA-RZ-AB0B-01A-11R-A40B-13 ...
[["UVM_Mutation-20160128"]] TCGA-RZ-AB0B-01A-11D-A39W-08 ...
[["UVM_RNASeq2Gene-20160128"]] TCGA-RZ-AB0B-01A-11R-A405-07 ...
[["UVM_RNASeq2GeneNorm-20160128"]] TCGA-RZ-AB0B-01A-11R-A405-07 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|    |  | assay                                 | size.Mb |
|----|--|---------------------------------------|---------|
| 1  |  | UVM_CNASeq-20160128                   | 0.2 Mb  |
| 2  |  | UVM_CNASNP-20160128                   | 1.9 Mb  |
| 3  |  | UVM_CNVSNP-20160128                   | 0.4 Mb  |
| 4  |  | UVM_GISTIC_AllByGene-20160128         | 18.5 Mb |
| 5  |  | UVM_GISTIC_Peaks-20160128             | 0.1 Mb  |
| 6  |  | UVM_GISTIC_ThresholdedByGene-20160128 | 18.5 Mb |
| 7  |  | UVM_miRNASeqGene-20160128             | 0.8 Mb  |
| 8  |  | UVM_Mutation-20160128                 | 12.3 Mb |
| 9  |  | UVM_RNASeq2Gene-20160128              | 15.1 Mb |
| 10 |  | UVM_RNASeq2GeneNorm-20160128          | 15.1 Mb |
| 11 |  | UVM_RPPAArray-20160128                | 0.1 Mb  |
| 12 |  | UVM_Methylation-20160128              | 75 Mb   |

-----  
Overall survival time-to-event summary (in years):  
-----

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

57 observations deleted due to missingness
      n  events median 0.95LCL 0.95UCL
23.00  23.00   1.66   1.14   3.05

```

-----  
Available sample meta-data:  
-----

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 22.00 | 51.00   | 61.50  | 61.65 | 74.25   | 86.00 |

vital\_status:

```

0 1
57 23

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. | NA's |
|------|---------|--------|------|---------|------|------|
|------|---------|--------|------|---------|------|------|

```

40.0    393.5    606.0    693.9    1029.0    1581.0    57

days_to_last_followup:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.    NA's
  4.0   495.0   821.0   861.9  1184.0  2600.0    23

tumor_tissue_site:
choroid
  80

pathology_N_stage:
  n0   nx  NA's
  52   27    1

pathology_M_stage:
  m0   m1  m1b   mx  NA's
  51    2    2   23    2

gender:
female  male
   35    45

date_of_initial_pathologic_diagnosis:
  Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
  2007   2011   2012   2012   2013   2013

radiation_therapy:
  no  yes  NA's
  76   3    1

race:
white  NA's
   55   25

ethnicity:
  hispanic or latino not hispanic or latino    NA's
                1                52                27

```

Including an additional 448 columns

---

UVM-v2.1.0

*Uveal Melanoma*

---

## Description

A document describing the TCGA cancer code

**Details**

```

> experiments( UVM )
ExperimentList class object of length 12:
 [1] UVM_CNASeq-20160128: RaggedExperiment with 6496 rows and 102 columns
 [2] UVM_CNASNP-20160128: RaggedExperiment with 69487 rows and 160 columns
 [3] UVM_CNVSNP-20160128: RaggedExperiment with 12973 rows and 160 columns
 [4] UVM_GISTIC_AllByGene-20160128: SummarizedExperiment with 24776 rows and 80 columns
 [5] UVM_GISTIC_Peaks-20160128: RangedSummarizedExperiment with 21 rows and 80 columns
 [6] UVM_GISTIC_ThresholdedByGene-20160128: SummarizedExperiment with 24776 rows and 80 columns
 [7] UVM_Mutation-20160128: RaggedExperiment with 2174 rows and 80 columns
 [8] UVM_RNASeq2Gene-20160128: SummarizedExperiment with 20501 rows and 80 columns
 [9] UVM_RPPAArray-20160128: SummarizedExperiment with 192 rows and 12 columns
[10] UVM_miRNASeqGene-20160128: SummarizedExperiment with 1046 rows and 80 columns
[11] UVM_RNASeq2GeneNorm-20160128: SummarizedExperiment with 17345 rows and 80 columns
[12] UVM_Methylation-20160128: SummarizedExperiment with 485577 rows and 80 columns

> rownames( UVM )
CharacterList of length 12
[["UVM_CNASeq-20160128"]] character(0)
[["UVM_CNASNP-20160128"]] character(0)
[["UVM_CNVSNP-20160128"]] character(0)
[["UVM_GISTIC_AllByGene-20160128"]] character(0)
[["UVM_GISTIC_Peaks-20160128"]] 4 5 6 7 8 9 10 11 ... 2 16 17 18 19 20 21 3
[["UVM_GISTIC_ThresholdedByGene-20160128"]] character(0)
[["UVM_Mutation-20160128"]] character(0)
[["UVM_RNASeq2Gene-20160128"]] A1BG A1CF A2BP1 A2LD1 ... ZZZ3 psiTPTE22 tAKR
[["UVM_RPPAArray-20160128"]] 14-3-3_beta 14-3-3_epsilon ... p90RSK_pT359_S363
[["UVM_miRNASeqGene-20160128"]] hsa-let-7a-1 hsa-let-7a-2 ... hsa-mir-99b
...
<2 more elements>

> colnames( UVM )
CharacterList of length 12
[["UVM_CNASeq-20160128"]] TCGA-RZ-AB0B-01A-11D-A40D-26 ...
[["UVM_CNASNP-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_CNVSNP-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_AllByGene-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_Peaks-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_GISTIC_ThresholdedByGene-20160128"]] TCGA-RZ-AB0B-01A-11D-A39V-01 ...
[["UVM_Mutation-20160128"]] TCGA-RZ-AB0B-01A-11D-A39W-08 ...
[["UVM_RNASeq2Gene-20160128"]] TCGA-RZ-AB0B-01A-11R-A405-07 ...
[["UVM_RPPAArray-20160128"]] TCGA-V3-A9ZX-01A-21-A41Z-20 ...
[["UVM_miRNASeqGene-20160128"]] TCGA-RZ-AB0B-01A-11R-A40B-13 ...
...
<2 more elements>

```

Sizes of each ExperimentList element:

|   |                     | assay size.Mb |
|---|---------------------|---------------|
| 1 | UVM_CNASeq-20160128 | 0.2 Mb        |
| 2 | UVM_CNASNP-20160128 | 1.9 Mb        |
| 3 | UVM_CNVSNP-20160128 | 0.4 Mb        |

```

4          UVM_GISTIC_AllByGene-20160128 18.5 Mb
5          UVM_GISTIC_Peaks-20160128   0.1 Mb
6  UVM_GISTIC_ThresholdedByGene-20160128 18.5 Mb
7          UVM_Mutation-20160128   12.3 Mb
8          UVM_RNASeq2Gene-20160128 15.1 Mb
9          UVM_RPPAArray-20160128   0.1 Mb
10         UVM_miRNASeqGene-20160128  0.8 Mb
11         UVM_RNASeq2GeneNorm-20160128 12.8 Mb
12         UVM_Methylation-20160128   75 Mb

```

```

-----
Overall survival time-to-event summary (in years):
-----

```

```

Call: survfit(formula = survival::Surv(colDat$days_to_death/365, colDat$vital_status) ~
-1)

```

```

57 observations deleted due to missingness
n events median 0.95LCL 0.95UCL
[1,] 23      23   1.66    1.14    3.05

```

```

-----
Available sample meta-data:
-----

```

years\_to\_birth:

| Min.  | 1st Qu. | Median | Mean  | 3rd Qu. | Max.  |
|-------|---------|--------|-------|---------|-------|
| 22.00 | 51.00   | 61.50  | 61.65 | 74.25   | 86.00 |

vital\_status:

```

0 1
57 23

```

days\_to\_death:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 40.0 | 393.5   | 606.0  | 693.9 | 1029.0  | 1581.0 | 57   |

days\_to\_last\_followup:

| Min. | 1st Qu. | Median | Mean  | 3rd Qu. | Max.   | NA's |
|------|---------|--------|-------|---------|--------|------|
| 4.0  | 495.0   | 821.0  | 861.9 | 1184.0  | 2600.0 | 23   |

tumor\_tissue\_site:

```

choroid
80

```

pathology\_N\_stage:

```

n0  nx  NA's
52  27    1

```

pathology\_M\_stage:

| m0 | m1 | m1b | mx | NA's |
|----|----|-----|----|------|
| 51 | 2  | 2   | 23 | 2    |

gender:

| female | male |
|--------|------|
| 35     | 45   |

date\_of\_initial\_pathologic\_diagnosis:

| Min. | 1st Qu. | Median | Mean | 3rd Qu. | Max. |
|------|---------|--------|------|---------|------|
| 2007 | 2011    | 2012   | 2012 | 2013    | 2013 |

radiation\_therapy:

| no | yes | NA's |
|----|-----|------|
| 76 | 3   | 1    |

race:

| white | NA's |
|-------|------|
| 55    | 25   |

ethnicity:

| hispanic or latino | not hispanic or latino | NA's |
|--------------------|------------------------|------|
| 1                  | 52                     | 27   |

Including an additional 448 columns

# Index

## \* datasets

ACC, [5](#)  
ACC-v2.0.1, [8](#)  
ACC-v2.1.0, [11](#)  
BLCA, [14](#)  
BLCA-v2.0.1, [18](#)  
BLCA-v2.1.0, [21](#)  
BRCA, [24](#)  
BRCA-v2.0.1, [27](#)  
BRCA-v2.1.0, [30](#)  
CESC, [33](#)  
CESC-v2.0.1, [38](#)  
CESC-v2.1.0, [43](#)  
CHOL, [49](#)  
CHOL-v2.0.1, [51](#)  
CHOL-v2.1.0, [54](#)  
COAD, [57](#)  
COAD-v2.0.1, [59](#)  
COAD-v2.1.0, [62](#)  
DLBC, [67](#)  
DLBC-v2.0.1, [69](#)  
DLBC-v2.1.0, [72](#)  
ESCA, [74](#)  
ESCA-v2.0.1, [77](#)  
ESCA-v2.1.0, [80](#)  
GBM, [84](#)  
GBM-v2.0.1, [87](#)  
GBM-v2.1.0, [89](#)  
HNSC, [92](#)  
HNSC-v2.0.1, [96](#)  
HNSC-v2.1.0, [99](#)  
KICH, [102](#)  
KICH-v2.0.1, [105](#)  
KICH-v2.1.0, [108](#)  
KIRC, [111](#)  
KIRC-v2.0.1, [114](#)  
KIRC-v2.1.0, [118](#)  
KIRP, [121](#)  
KIRP-v2.0.1, [124](#)  
KIRP-v2.1.0, [127](#)  
LAML, [131](#)  
LAML-v2.0.1, [133](#)  
LAML-v2.1.0, [135](#)

LGG, [138](#)  
LGG-v2.0.1, [141](#)  
LGG-v2.1.0, [143](#)  
LIHC, [146](#)  
LIHC-v2.0.1, [149](#)  
LIHC-v2.1.0, [152](#)  
LUAD, [155](#)  
LUAD-v2.0.1, [158](#)  
LUAD-v2.1.0, [161](#)  
LUSC, [164](#)  
LUSC-v2.0.1, [168](#)  
LUSC-v2.1.0, [171](#)  
MESO, [175](#)  
MESO-v2.0.1, [177](#)  
MESO-v2.1.0, [180](#)  
OV, [183](#)  
OV-v2.0.1, [186](#)  
OV-v2.1.0, [189](#)  
OV-v2.1.1, [192](#)  
PAAD, [194](#)  
PAAD-v2.0.1, [197](#)  
PAAD-v2.1.0, [200](#)  
PCPG, [203](#)  
PCPG-v2.0.1, [206](#)  
PCPG-v2.1.0, [209](#)  
PRAD, [212](#)  
PRAD-v2.0.1, [215](#)  
PRAD-v2.1.0, [218](#)  
READ, [221](#)  
READ-v2.0.1, [224](#)  
READ-v2.1.0, [227](#)  
SARC, [230](#)  
SARC-v2.0.1, [233](#)  
SARC-v2.1.0, [235](#)  
SKCM, [238](#)  
SKCM-v2.0.1, [241](#)  
SKCM-v2.1.0, [243](#)  
SKCM-v2.1.1, [246](#)  
STAD, [248](#)  
STAD-v2.0.1, [251](#)  
STAD-v2.1.0, [254](#)  
TGCT, [257](#)  
TGCT-v2.0.1, [260](#)

- TGCT-v2.1.0, [263](#)
- THCA, [266](#)
- THCA-v2.0.1, [269](#)
- THCA-v2.1.0, [272](#)
- THYM, [275](#)
- THYM-v2.0.1, [277](#)
- THYM-v2.1.0, [280](#)
- UCEC, [282](#)
- UCEC-v2.0.1, [284](#)
- UCEC-v2.1.0, [287](#)
- UCS, [289](#)
- UCS-v2.0.1, [292](#)
- UCS-v2.1.0, [294](#)
- UVM, [297](#)
- UVM-v2.0.1, [300](#)
- UVM-v2.1.0, [302](#)
  
- ACC, [5](#)
- ACC-v2.0.1, [8](#), [8](#)
- ACC-v2.1.0, [11](#)
  
- BLCA, [14](#)
- BLCA-v2.0.1, [17](#), [18](#)
- BLCA-v2.1.0, [21](#)
- BRCA, [24](#)
- BRCA-v2.0.1, [27](#), [27](#)
- BRCA-v2.1.0, [30](#)
  
- CESC, [33](#)
- CESC-v2.0.1, [38](#), [38](#)
- CESC-v2.1.0, [43](#)
- CHOL, [49](#)
- CHOL-v2.0.1, [51](#), [51](#)
- CHOL-v2.1.0, [54](#)
- COAD, [57](#)
- COAD-v2.0.1, [59](#), [59](#)
- COAD-v2.1.0, [62](#)
- curatedTCGADData, [64](#)
- curatedTCGADData-package, [4](#), [65](#)
  
- DLBC, [67](#)
- DLBC-v2.0.1, [69](#), [69](#)
- DLBC-v2.1.0, [72](#)
  
- ESCA, [74](#)
- ESCA-v2.0.1, [77](#), [77](#)
- ESCA-v2.1.0, [80](#)
- ExperimentHub, [65](#)
  
- GBM, [84](#)
- GBM-v2.0.1, [86](#), [87](#)
- GBM-v2.1.0, [89](#)
  
- HNSC, [92](#)
  
- HNSC-v2.0.1, [96](#), [96](#)
- HNSC-v2.1.0, [99](#)
  
- KICH, [102](#)
- KICH-v2.0.1, [105](#), [105](#)
- KICH-v2.1.0, [108](#)
- KIRC, [111](#)
- KIRC-v2.0.1, [114](#), [114](#)
- KIRC-v2.1.0, [118](#)
- KIRP, [121](#)
- KIRP-v2.0.1, [124](#), [124](#)
- KIRP-v2.1.0, [127](#)
  
- LAML, [131](#)
- LAML-v2.0.1, [133](#), [133](#)
- LAML-v2.1.0, [135](#)
- LGG, [138](#)
- LGG-v2.0.1, [140](#), [141](#)
- LGG-v2.1.0, [143](#)
- LIHC, [146](#)
- LIHC-v2.0.1, [149](#), [149](#)
- LIHC-v2.1.0, [152](#)
- LUAD, [155](#)
- LUAD-v2.0.1, [158](#), [158](#)
- LUAD-v2.1.0, [161](#)
- LUSC, [164](#)
- LUSC-v2.0.1, [168](#), [168](#)
- LUSC-v2.1.0, [171](#)
  
- MESO, [175](#)
- MESO-v2.0.1, [177](#), [177](#)
- MESO-v2.1.0, [180](#)
- MultiAssayExperiment, [64](#), [65](#)
  
- OV, [183](#)
- OV-v2.0.1, [186](#), [186](#)
- OV-v2.1.0, [189](#)
- OV-v2.1.1, [192](#)
  
- PAAD, [194](#)
- PAAD-v2.0.1, [197](#), [197](#)
- PAAD-v2.1.0, [200](#)
- PCPG, [203](#)
- PCPG-v2.0.1, [206](#), [206](#)
- PCPG-v2.1.0, [209](#)
- PRAD, [212](#)
- PRAD-v2.0.1, [215](#), [215](#)
- PRAD-v2.1.0, [218](#)
  
- READ, [221](#)
- READ-v2.0.1, [224](#), [224](#)
- READ-v2.1.0, [227](#)
  
- SARC, [230](#)

SARC-v2.0.1, [233](#), [233](#)  
SARC-v2.1.0, [235](#)  
SKCM, [238](#)  
SKCM-v2.0.1, [241](#), [241](#)  
SKCM-v2.1.0, [243](#)  
SKCM-v2.1.1, [246](#)  
STAD, [248](#)  
STAD-v2.0.1, [251](#), [251](#)  
STAD-v2.1.0, [254](#)  
  
TGCT, [257](#)  
TGCT-v2.0.1, [260](#), [260](#)  
TGCT-v2.1.0, [263](#)  
THCA, [266](#)  
THCA-v2.0.1, [269](#), [269](#)  
THCA-v2.1.0, [272](#)  
THYM, [275](#)  
THYM-v2.0.1, [277](#), [277](#)  
THYM-v2.1.0, [280](#)  
  
UCEC, [282](#)  
UCEC-v2.0.1, [284](#), [284](#)  
UCEC-v2.1.0, [287](#)  
UCS, [289](#)  
UCS-v2.0.1, [292](#), [292](#)  
UCS-v2.1.0, [294](#)  
UVM, [297](#)  
UVM-v2.0.1, [300](#), [300](#)  
UVM-v2.1.0, [302](#)