

An Introduction to knitr

Yihui Xie

July 16, 2012

The **knitr** package (Xie, 2012) is an alternative tool to Sweave based on a different design with more features. This document is not the real vignette, but only serves as a placeholder to guide you to the real manuals of this package. You can find them in the package website: <http://yihui.name/knitr>¹, and remember to read the help pages of functions in this package.

Anyway, here is a code chunk that shows you can compile vignettes with **knitr** as well by using a proper Makefile (see <http://yihui.name/knitr/demo/vignette/>):

```
rnorm(5)

## [1] -0.8847 -0.9946 -0.0921  1.5903 -0.4141

df = data.frame(y = rnorm(100), x = 1:100)
summary(lm(y ~ x, data = df))

##
## Call:
## lm(formula = y ~ x, data = df)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.9493 -0.5677 -0.0226  0.7854  2.3233
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.18480    0.21220  -0.87   0.39
## x            0.00274    0.00365   0.75   0.45
##
## Residual standard error: 1.05 on 98 degrees of freedom
## Multiple R-squared:  0.00571, Adjusted R-squared: -0.00444
## F-statistic: 0.563 on 1 and 98 DF,  p-value: 0.455
##
```

References

Xie Y (2012). *knitr: A general-purpose package for dynamic report generation in R*. R package version 0.7, URL <http://yihui.name/knitr/>.

¹e.g. the main manual: <https://github.com/downloads/yihui/knitr/knitr-manual.pdf> and the graphics manual: <https://github.com/downloads/yihui/knitr/knitr-graphics.pdf>