

List of functions in package ‘rgr’ and other package functions they call:

1. Statistical graphics functions and required package functions:

```
gx.hist
    remove.na
cnnplt
    remove.na
gx.cnpplts
    remove.na
gx.cnpplts.setup
gx.ecdf
    remove.na
gx.ks.test
    gx.ecdf, remove.na
bxplot
    remove.na
shape
    gx.hist, bxplot, gx.ecdf, cnpplt, remove.na
inset
    gx.hist, gx.stats, cnpplt, remove.na
inset.exporter
    inset
bwplots
    cat2list
bwplots.by.var
    var2fact, bwplots
tbplots
    cat2list
tbplots.by.var
    var2fact, tbplots
```

2. Mapping s and XY Plotting functions and required package functions:

```
map.eda7
    cutter, remove.na, eqscplot (Library MASS)
map.eda8
    cutter, remove.na, eqscplot (Library MASS)
map.tags
    remove.na, eqscplot (Library MASS)
map.z
    syms, remove.na, eqscplot (Library MASS)
caplot
    cnpplt, eqscplot (Library MASS), interp (Library akima)
xyplot.eda7
    cutter, remove.na
xyplot.eda8
    cutter, remove.na
xyplot.tags
    remove.na
xyplot.z
    syms, remove.na
```

3. Summary statistics functions and required package functions:

```
gx.stats (display = TRUE)
    remove.na
gx.summary.mat
    gx.summary
gx.summary.groups
    gx.summary
gx.summary1
    gx.summary
gx.summary2
    gx.stats
fences
    remove.na, logit, expit
fences.summary
    fences
framework.summary
    framework.stats
gx.fractile
    remove.na
gx.quantile
    remove.na
```

4. Bivariate and Multivariate functions and required package functions:

```
gx.adjr2
gx.lm.vif
gx.2dproj
    remove.na, sammon & isoMDS (Library MASS), fastICA (Library fastICA)
gx.2dproj.plot
gx.md.gait
    remove.na, cov.mcd (Library MASS), gx.md.plt0
gx.md.gait.closed
    remove.na, ilr, cov.mcd (Library MASS), gx.md.plt0
gx.md.plot
    gx.md.plt0
gx.md.print
gx.mva
    remove.na
gx.mva.closed
    remove.na, ilr, orthonorm
gx.mvalloc
gx.mvalloc.closed
    clr
gx.mvalloc.print
gx.pairs4parts
    remove.na
gx.pearson
    remove.na, clr
gx.plot2parts
    remove.na, bxplot, gx.ecdf
gx.sm
    remove.na, ilr.stab
gx.spearman
    remove.na, clr
gx.rma
```

```

            remove.na
gx.robmva
    remove.na, cov.mcd (Library MASS), cov.mve (Library MASS)
gx.robmva.closed
    remove.na, ilr, orthonorm, cov.mcd (Library MASS), cov.mve (Library MASS)
gx.rotate
gx.rpca.screeplot
gx.rpca.print
gx.rpca.loadplot
gx.rpca.plot
gx.vm
    remove.na
wtd.sums
    remove.na

```

5. QA/QC support functions and required package functions:

```

ad.plot1
    remove.na
ad.plot2
    ad.plot1
anova1
    remove.na
anova2
    anova1
crm.plot
    remove.na
gx.triples.aov
gx.triples.fgx
    remove.na
thplot1
    remove.na
thplot2
    thplot1

```

6. Data conditioning functions:

```

ltdl.fix
ltdl.fix.df
remove.na (iftell = TRUE)
gx.subset
logit
expit
alr
clr
ilr
orthonorm
rng

```

7. Utility functions and required package functions :

```

df.test
gx.sort
gx.sort.df
gx.hypergeom
gx.runs

```

```
display.lty
display.marks
display.ascii.o
display.rainbow
where.na
syms.pfunc
      syms
```

8. Internally called functions and required package functions :

```
remove.na (iftell = FALSE)
cat2list
ilr.stab
      remove.na
var2fact
cutter
gx.summary
      gx.stats (display = FALSE)
framework.stats
      gx.stats (display = FALSE)
gx.stats (display = FALSE)
      remove.na (iftell = FALSE)
gx.md.plt0
      gx.add.chisq
gx.add.chisq
syms
orthonorm
```

Robert G. Garrett
2012/06/01