

# Validation of ‘sasLM’ Package

Kyun-Seop Bae MD PhD

2021-11-25 18:08:12

## Contents

<b>1 Tested Version and Books used for the Validation</b>	<b>4</b>
1.1 Packages Used . . . . .	4
1.2 Books and Articles used for the Test . . . . .	4
<b>2 ARS20-8</b>	<b>5</b>
2.1 p8 . . . . .	5
2.2 p42 . . . . .	5
2.3 p101 . . . . .	8
<b>3 Snee EMS ANOVA 1974</b>	<b>12</b>
<b>4 Goodnight</b>	<b>27</b>
4.1 Type I SS . . . . .	27
4.2 Type II SS . . . . .	33
4.3 Type III SS . . . . .	35
<b>5 SAS for Linear Models 4e</b>	<b>39</b>
5.1 Chapter 2 . . . . .	39
5.2 Chapter 3 . . . . .	44
5.3 Chapter 4 . . . . .	49
5.4 Chapter 5 . . . . .	57
5.5 Chapter 6 . . . . .	60
5.6 Chapter 7 . . . . .	66
5.7 Chapter 8 . . . . .	80
5.8 Chapter 11 . . . . .	84

<b>6 Sahai - Unbalanced</b>	<b>108</b>
6.1 Table 11.2 . . . . .	108
6.2 Table 12.6 . . . . .	109
6.3 Table 13.6 . . . . .	110
6.4 Table 14.2 . . . . .	111
6.5 Table 15.3 . . . . .	113
6.6 Table 16.3 . . . . .	115
<b>7 Federer - Variations</b>	<b>120</b>
7.1 Example 1.1 . . . . .	120
7.2 Example 1.2 . . . . .	122
7.3 Example 2.1 . . . . .	124
7.4 Example 2.2 . . . . .	127
7.5 Example 3.1 . . . . .	139
7.6 Example 4.1 . . . . .	181
7.7 Example 5.1 . . . . .	203
7.8 Example 7.1 . . . . .	215
7.9 Example 7.2 . . . . .	221
7.10 Example 7.3 . . . . .	225
7.11 Example 8.1 . . . . .	237
7.12 Example 9.1 . . . . .	250
7.13 Example 9.2 . . . . .	252
7.14 Example 10.1 . . . . .	255
7.15 Example 10.2 . . . . .	270
7.16 Example 11.1 . . . . .	279
7.17 Example 11.2 . . . . .	284
7.18 Example 11.3 . . . . .	291
<b>8 Hinkelmann &amp; Kempthorne - Volume 1</b>	<b>297</b>
8.1 Chapter 6 . . . . .	297
8.2 Chapter 7 . . . . .	299
8.3 Chapter 8 . . . . .	301
8.4 Chapter 9 . . . . .	304
8.5 Chapter 10 . . . . .	312

8.6 Chapter 11 . . . . .	318
8.7 Chapter 12 . . . . .	332
8.8 Chapter 13 . . . . .	336
8.9 Chapter 14 . . . . .	339
<b>9 Hinkelmann &amp; Kempthorne - Volume 2</b>	<b>342</b>
9.1 Chapter 1 . . . . .	342
9.2 Chapter 2 . . . . .	344
9.3 Chapter 6 . . . . .	346
9.4 Chapter 7 . . . . .	349
9.5 Chapter 8 . . . . .	354
9.6 Chapter 9 . . . . .	359
9.7 Chapter 10 . . . . .	368
9.8 Chapter 14 . . . . .	369
9.9 Chapter 16 . . . . .	376
9.10 Chapter 17 . . . . .	383
9.11 Chapter 19 . . . . .	386
<b>10 Lawson - DAE with SAS</b>	<b>389</b>
10.1 Chapter 2 . . . . .	389
10.2 Chapter 3 . . . . .	392
10.3 Chapter 4 . . . . .	402
10.4 Chapter 5 . . . . .	407
10.5 Chapter 7 . . . . .	409
10.6 Chapter 8 . . . . .	413
10.7 Chapter 9 . . . . .	425
10.8 Chapter 11 . . . . .	435
10.9 Chapter 12 . . . . .	438
<b>11 Searle - Linear Models 2e</b>	<b>453</b>
11.1 7.2 (p390, 59%) . . . . .	453
11.2 7.2 (p393, 60%) . . . . .	455
<b>12 Test Summary</b>	<b>457</b>
<b>13 Session Information</b>	<b>458</b>

# 1 Tested Version and Books used for the Validation

## 1.1 Packages Used

- ‘sasLM’ version: 0.6.4
- ‘SAS’ version: 9.4 Licensed and University Edition
- ‘car’ version: 3.0.11
- R version: R version 4.1.1 (2021-08-10)

The ‘car’ package is not necessary for ‘sasLM.’ It is used for the comparison of the results.

If you see any difference between ‘car’ and ‘sasLM’, ‘SAS’ results coincide with ‘sasLM’, not with ‘car’.

Before ‘sasLM’ is available on CRAN, you can download using the following command in R.

```
install.packages("sasLM", repos="http://r.acr.kr")
```

## 1.2 Books and Articles used for the Test

1. Harvey WR. Least-Squares Analysis of Data with Unequal Subclass Frequencies. USDA, Agriculture Research Service, ARS 20-8. 1960. reprinted with corrections as ARS H-4, 1975, also reprinted 1979.
2. Snee RD. Computation and Use of Expected Mean Squares in Analysis of Variance. J Qual Tech. 1974;6(3):128-137.
3. Goodnight JH. The General Linear Models Procedure, Proceedings of the First International SAS User’s Group, SAS Institute, Raleigh, N.C. 1976.
4. Littell RC, Stroup WW, Freund RJ. SAS for Linear Models 4e. John Wiley & Sons Inc. 2002.
5. Sahai H, Ojeda MM. Analysis of Variance for Random Models Volume 2 Unbalanced Data. 2005.
6. Federer WT, King F. Variations on Split Plot and Split Block Experiment Designs. John Wiley & Sons Inc. 2007.
7. Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 1 Introduction to Experimental Design. 2e. John Wiley & Sons Inc. 2008.
8. Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 2 Advanced Experimental Design. John Wiley & Sons Inc. 2005.
9. Lawson J. Design and Analysis of Experiments with SAS. Taylor and Francis Group. 2010.
10. Searle SR, Gruber MHJ. Linear Models 2e, Kindle Edition. John Wiley & Sons Inc. 2016.

## 2 ARS20-8

### Reference

- Harvey WR. Least-Squares Analysis of Data with Unequal Subclass Frequencies. USDA, Agriculture Research Service, ARS 20-8. 1960. reprinted with corrections as ARS H-4, 1975, also reprinted 1979.

### 2.1 p8

#### (1) MODEL

```
p8 = read.csv("C:/G/Rt/ANOVA/ARS20-8p8.csv")
p8 = af(p8, c("PigNo", "Ration"))
GLM(Barrow ~ Ration, p8)

$ANOVA
Response : Barrow
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL     2 11.111  5.5556  1.2626 0.3113
RESIDUALS 15 66.000   4.4000
CORRECTED TOTAL 17 77.111

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
Ration   2 11.111  5.5556  1.2626 0.3113

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
Ration   2 11.111  5.5556  1.2626 0.3113

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
Ration   2 11.111  5.5556  1.2626 0.3113

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)      5          0    0.85635 15  5.8387 3.261e-05 ***
Ration1         -1          0    1.35401 15 -0.7385    0.4716
Ration2          1          0    1.13284 15  0.8827    0.3913
Ration3          0          0    0.00000 15
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### 2.2 p42

#### (2) MODEL

```

p42 = read.csv("C:/G/Rt/ANOVA/ARS20-8p42.csv")
p42 = af(p42, c("Ration", "Pig", "Sire"))
GLM(Y ~ Sire + Ration, p42)

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 20.819  6.9397  1.7259 0.2075
RESIDUALS   14 56.292  4.0209
CORRECTED TOTAL 17 77.111

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
Sire     2 11.1111  5.5556  1.3817 0.2834
Ration   1  9.7079  9.7079  2.4144 0.1425

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
Sire     2 15.6829  7.8414  1.9502 0.1790
Ration   1  9.7079  9.7079  2.4144 0.1425

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
Sire     2 15.6829  7.8414  1.9502 0.1790
Ration   1  9.7079  9.7079  2.4144 0.1425

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  5.2697        0    0.83682 14  6.2973 1.964e-05 ***
Sire1       -0.4607        0    1.34009 14 -0.3438  0.7361
Sire2        1.7416        0    1.18344 14  1.4716  0.1632
Sire3        0.0000        0    0.00000 14
Ration1     -1.6180        0    1.04129 14 -1.5538  0.1425
Ration2      0.0000        0    0.00000 14
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (3) MODEL

```
GLM(Y ~ Sire + Ration + Sire:Ration, p42)
```

```
$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      5 51.044 10.2089  4.6997 0.01311 *
RESIDUALS   12 26.067  2.1722
```

CORRECTED TOTAL 17 77.111

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	11.1111	5.5556	2.5575	0.118799
Ration	1	9.7079	9.7079	4.4691	0.056129 .
Sire:Ration	2	30.2255	15.1127	6.9573	0.009859 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	15.6829	7.8414	3.6099	0.059238 .
Ration	1	9.7079	9.7079	4.4691	0.056129 .
Sire:Ration	2	30.2255	15.1127	6.9573	0.009859 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Sire	2	21.0007	10.5004	4.8339	0.028853 *
Ration	1	3.5919	3.5919	1.6535	0.222736
Sire:Ration	2	30.2255	15.1127	6.9573	0.009859 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	5.4000	0	0.65912	12	8.1927	2.944e-06 ***
Sire1	-2.9000	0	1.23311	12	-2.3518	0.03659 *
Sire2	2.9333	0	1.07634	12	2.7253	0.01843 *
Sire3	0.0000	0	0.00000	12		
Ration1	-2.4000	0	1.61452	12	-1.4865	0.16294
Ration2	0.0000	0	0.00000	12		
Sire1:Ration1	5.4000	0	2.18607	12	2.4702	0.02948 *
Sire1:Ration2	0.0000	0	0.00000	12		
Sire2:Ration1	-1.3333	0	1.94041	12	-0.6871	0.50506
Sire2:Ration2	0.0000	0	0.00000	12		
Sire3:Ration1	0.0000	0	0.00000	12		
Sire3:Ration2	0.0000	0	0.00000	12		

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 2.3 p101

### (4) MODEL

```
p101 = read.csv("C:/G/Rt/ANOVA/ARS20-8p101.csv")
p101 = af(p101, c("Line", "Sire", "Dam", "Steer"))
GLM(Gain ~ Line + Sire + Dam + Line:Dam + Age + Weight, p101)
```

```
$ANOVA
Response : Gain
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      16 2.4972 0.156073 3.0675 0.001364 **
RESIDUALS   48 2.4422 0.050879
CORRECTED TOTAL 64 4.9394
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
Line      2 0.38009 0.190046 3.7352 0.03107 *
Sire      6 0.92634 0.154391 3.0345 0.01347 *
Dam       2 0.11894 0.059471 1.1689 0.31940
Line:Dam  4 0.64889 0.162222 3.1884 0.02113 *
Age       1 0.16462 0.164622 3.2356 0.07835 .
Weight    1 0.25828 0.258283 5.0764 0.02886 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
Line      0
Sire      6 0.95299 0.15883 3.1217 0.01155 *
Dam       2 0.32039 0.16019 3.1485 0.05190 .
Line:Dam  4 0.46516 0.11629 2.2856 0.07373 .
Age       1 0.34830 0.34830 6.8456 0.01185 *
Weight    1 0.25828 0.25828 5.0764 0.02886 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
CAUTION: Singularity Exists !
      Df Sum Sq Mean Sq F value Pr(>F)
Line      0
Sire      6 0.95299 0.15883 3.1217 0.01155 *
Dam       2 0.12469 0.06234 1.2253 0.30268
Line:Dam  4 0.46516 0.11629 2.2856 0.07373 .
Age       1 0.34830 0.34830 6.8456 0.01185 *
```

```

Weight      1 0.25828 0.25828  5.0764 0.02886 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
            Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 2.95068      0    0.51867 48  5.6889 7.461e-07 ***
Line1        0.08058      0    0.14600 48  0.5519  0.583562
Line2        0.25898      0    0.13801 48  1.8765  0.066672 .
Line3        0.00000      0    0.00000 48
Sire1        0.07353      0    0.13054 48  0.5633  0.575872
Sire2        -0.12448     0    0.13720 48  -0.9072  0.368814
Sire3        0.00000      0    0.00000 48
Sire4        -0.23837     0    0.12753 48  -1.8692  0.067704 .
Sire5        0.00000      0    0.00000 48
Sire6        0.10359      0    0.13013 48  0.7960  0.429928
Sire7        -0.02129     0    0.12129 48  -0.1756  0.861372
Sire8        -0.33135     0    0.12662 48  -2.6168  0.011834 *
Sire9        0.00000      0    0.00000 48
Dam3         0.36999      0    0.11530 48  3.2090  0.002375 **
Dam4         0.27711      0    0.10444 48  2.6533  0.010777 *
Dam5         0.00000      0    0.00000 48
Line1:Dam3  -0.44415     0    0.19686 48  -2.2562  0.028649 *
Line1:Dam4  -0.30365     0    0.16070 48  -1.8896  0.064862 .
Line1:Dam5  0.00000      0    0.00000 48
Line2:Dam3  -0.26743     0    0.19635 48  -1.3620  0.179554
Line2:Dam4  -0.35600     0    0.17540 48  -2.0297  0.047954 *
Line2:Dam5  0.00000      0    0.00000 48
Line3:Dam3  0.00000      0    0.00000 48
Line3:Dam4  0.00000      0    0.00000 48
Line3:Dam5  0.00000      0    0.00000 48
Age          -0.00815     1    0.00312 48  -2.6164  0.011845 *
Weight       0.00197     1    0.00087 48  2.2531  0.028860 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (5) MODEL

```
GLM(Gain ~ Sire + Dam + Line:Dam, p101)
```

```

$ANOVA
Response : Gain
            Df Sum Sq Mean Sq F value Pr(>F)
MODEL          14 2.0743 0.148162  2.5856 0.006996 **
RESIDUALS      50 2.8651 0.057302
CORRECTED TOTAL 64 4.9394
---
```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

      Df  Sum Sq  Mean Sq F value Pr(>F)  

Sire     8 1.30644 0.163305  2.8499 0.01089 *  

Dam      2 0.11894 0.059471  1.0379 0.36172  

Dam:Line 4 0.64889 0.162222  2.8310 0.03412 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df  Sum Sq  Mean Sq F value Pr(>F)  

Sire     6 1.06000 0.176667  3.0831 0.01202 *  

Dam      2 0.11894 0.059471  1.0379 0.36172  

Dam:Line 4 0.64889 0.162222  2.8310 0.03412 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

CAUTION: Singularity Exists !  

      Df  Sum Sq  Mean Sq F value Pr(>F)  

Sire     6 1.06000 0.176667  3.0831 0.01202 *  

Dam      2 0.02569 0.012844  0.2242 0.79999  

Dam:Line 4 0.64889 0.162222  2.8310 0.03412 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 2.35075          0   0.09704 50 24.2246 < 2.2e-16 ***  

Sire1        0.20311          0   0.14084 50  1.4422  0.155488  

Sire2       -0.06287          0   0.13258 50 -0.4742  0.637414  

Sire3        0.16834          0   0.15153 50  1.1109  0.271905  

Sire4        0.18107          0   0.14313 50  1.2650  0.211718  

Sire5        0.31743          0   0.14313 50  2.2178  0.031143 *  

Sire6       -0.01585          0   0.13038 50 -0.1215  0.903749  

Sire7       -0.11844          0   0.12299 50 -0.9630  0.340164  

Sire8       -0.42213          0   0.13012 50 -3.2442  0.002102 **  

Sire9        0.00000          0   0.00000 50  

Dam3         0.33813          0   0.12177 50  2.7768  0.007706 **  

Dam4         0.27529          0   0.11078 50  2.4849  0.016348 *  

Dam5        0.00000          0   0.00000 50  

Dam3:Line1  -0.45707          0   0.20303 50 -2.2512  0.028796 *  

Dam3:Line2  -0.38540          0   0.20378 50 -1.8913  0.064384 .  

Dam3:Line3  0.00000          0   0.00000 50  

Dam4:Line1  -0.38180          0   0.16807 50 -2.2717  0.027443 *  

Dam4:Line2  -0.43029          0   0.18374 50 -2.3418  0.023215 *  

Dam4:Line3  0.00000          0   0.00000 50

```

```
Dam5:Line1    0.00000      0    0.00000 50
Dam5:Line2    0.00000      0    0.00000 50
Dam5:Line3    0.00000      0    0.00000 50
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### 3 Snee EMS ANOVA 1974

#### *Reference*

- Snee RD. Computation and Use of Expected Mean Squares in Analysis of Variance. J Qual Tech. 1974;6(3):128-137.

#### (6) MODEL

```
Snee = read.csv("C:/G/Rt/ANOVA/Snee_EMS_ANOVA1974.csv")
Snee = af(Snee, c("Machine", "Analyst", "Test", "Day"))
GLM(Y ~ Day/Machine/Analyst/Test, Snee)

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL     167 751.27  4.4986
RESIDUALS      0   0.00
CORRECTED TOTAL 167 751.27

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
Day          41 365.58  8.9166
Day:Machine  42 196.59  4.6807
Day:Machine:Analyst 42 118.80  2.8285
Day:Machine:Analyst:Test 42  70.30  1.6739

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
Day          41 365.58  8.9166
Day:Machine  42 196.59  4.6807
Day:Machine:Analyst 42 118.80  2.8285
Day:Machine:Analyst:Test 42  70.30  1.6739

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
Day          41 359.44  8.7669
Day:Machine  42 199.40  4.7477
Day:Machine:Analyst 42 118.80  2.8285
Day:Machine:Analyst:Test 42  70.30  1.6739

$Parameter
              Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)           6.8        0         0
Day1                  2.0        0         0
Day2                  1.3        0         0
```

Day3	0.6	0	0
Day4	1.2	0	0
Day5	2.7	0	0
Day6	2.4	0	0
Day7	6.0	0	0
Day8	2.4	0	0
Day9	4.5	0	0
Day10	2.5	0	0
Day11	-2.8	0	0
Day12	2.9	0	0
Day13	-2.2	0	0
Day14	-4.7	0	0
Day15	2.9	0	0
Day16	3.2	0	0
Day17	3.4	0	0
Day18	2.4	0	0
Day19	4.0	0	0
Day20	2.6	0	0
Day21	3.5	0	0
Day22	3.5	0	0
Day23	1.5	0	0
Day24	4.8	0	0
Day25	2.6	0	0
Day26	4.5	0	0
Day27	4.6	0	0
Day28	2.8	0	0
Day29	-4.6	0	0
Day30	-0.2	0	0
Day31	4.7	0	0
Day32	2.3	0	0
Day33	-2.2	0	0
Day34	1.1	0	0
Day35	2.2	0	0
Day36	1.3	0	0
Day37	2.6	0	0
Day38	4.1	0	0
Day39	2.2	0	0
Day40	1.0	0	0
Day41	2.5	0	0
Day42	0.0	0	0
Day1:Machine1	-2.2	0	0
Day1:Machine2	0.0	0	0
Day2:Machine1	0.1	0	0
Day2:Machine2	0.0	0	0
Day3:Machine1	0.6	0	0
Day3:Machine2	0.0	0	0
Day4:Machine1	-1.5	0	0
Day4:Machine2	0.0	0	0

Day5:Machine1	-7.2	0	0
Day5:Machine2	0.0	0	0
Day6:Machine1	-5.2	0	0
Day6:Machine2	0.0	0	0
Day7:Machine1	-1.1	0	0
Day7:Machine2	0.0	0	0
Day8:Machine1	-2.4	0	0
Day8:Machine2	0.0	0	0
Day9:Machine1	-0.8	0	0
Day9:Machine2	0.0	0	0
Day10:Machine1	1.0	0	0
Day10:Machine2	0.0	0	0
Day11:Machine1	6.0	0	0
Day11:Machine2	0.0	0	0
Day12:Machine1	-0.9	0	0
Day12:Machine2	0.0	0	0
Day13:Machine1	2.1	0	0
Day13:Machine2	0.0	0	0
Day14:Machine1	6.8	0	0
Day14:Machine2	0.0	0	0
Day15:Machine1	0.2	0	0
Day15:Machine2	0.0	0	0
Day16:Machine1	-1.8	0	0
Day16:Machine2	0.0	0	0
Day17:Machine1	-2.7	0	0
Day17:Machine2	0.0	0	0
Day18:Machine1	-2.6	0	0
Day18:Machine2	0.0	0	0
Day19:Machine1	-7.7	0	0
Day19:Machine2	0.0	0	0
Day20:Machine1	-2.2	0	0
Day20:Machine2	0.0	0	0
Day21:Machine1	0.4	0	0
Day21:Machine2	0.0	0	0
Day22:Machine1	-1.9	0	0
Day22:Machine2	0.0	0	0
Day23:Machine1	-0.7	0	0
Day23:Machine2	0.0	0	0
Day24:Machine1	1.0	0	0
Day24:Machine2	0.0	0	0
Day25:Machine1	0.2	0	0
Day25:Machine2	0.0	0	0
Day26:Machine1	1.3	0	0
Day26:Machine2	0.0	0	0
Day27:Machine1	-0.6	0	0
Day27:Machine2	0.0	0	0
Day28:Machine1	-4.5	0	0
Day28:Machine2	0.0	0	0

Day29:Machine1	4.4	0	0
Day29:Machine2	0.0	0	0
Day30:Machine1	2.0	0	0
Day30:Machine2	0.0	0	0
Day31:Machine1	1.0	0	0
Day31:Machine2	0.0	0	0
Day32:Machine1	1.3	0	0
Day32:Machine2	0.0	0	0
Day33:Machine1	6.0	0	0
Day33:Machine2	0.0	0	0
Day34:Machine1	-0.7	0	0
Day34:Machine2	0.0	0	0
Day35:Machine1	-1.2	0	0
Day35:Machine2	0.0	0	0
Day36:Machine1	-3.7	0	0
Day36:Machine2	0.0	0	0
Day37:Machine1	-0.7	0	0
Day37:Machine2	0.0	0	0
Day38:Machine1	0.3	0	0
Day38:Machine2	0.0	0	0
Day39:Machine1	1.3	0	0
Day39:Machine2	0.0	0	0
Day40:Machine1	-0.8	0	0
Day40:Machine2	0.0	0	0
Day41:Machine1	-1.6	0	0
Day41:Machine2	0.0	0	0
Day42:Machine1	0.8	0	0
Day42:Machine2	0.0	0	0
Day1:Machine1:Analyst1	0.0	0	0
Day1:Machine1:Analyst2	0.0	0	0
Day1:Machine2:Analyst1	0.0	0	0
Day1:Machine2:Analyst2	0	0	0
Day2:Machine1:Analyst1	1.4	0	0
Day2:Machine1:Analyst2	0.0	0	0
Day2:Machine2:Analyst1	0.0	0	0
Day2:Machine2:Analyst2	0	0	0
Day3:Machine1:Analyst1	-1.3	0	0
Day3:Machine1:Analyst2	0.0	0	0
Day3:Machine2:Analyst1	0.0	0	0
Day3:Machine2:Analyst2	0	0	0
Day4:Machine1:Analyst1	0.7	0	0
Day4:Machine1:Analyst2	0.0	0	0
Day4:Machine2:Analyst1	0.0	0	0
Day4:Machine2:Analyst2	0	0	0
Day5:Machine1:Analyst1	4.8	0	0
Day5:Machine1:Analyst2	0.0	0	0
Day5:Machine2:Analyst1	0.0	0	0
Day5:Machine2:Analyst2	0	0	0

Day6:Machine1:Analyst1	5.0	0	0
Day6:Machine1:Analyst2	0.0	0	0
Day6:Machine2:Analyst1	0.0	0	0
Day6:Machine2:Analyst2		0	
Day7:Machine1:Analyst1	-1.9	0	0
Day7:Machine1:Analyst2	0.0	0	0
Day7:Machine2:Analyst1	0.0	0	0
Day7:Machine2:Analyst2		0	
Day8:Machine1:Analyst1	1.2	0	0
Day8:Machine1:Analyst2	0.0	0	0
Day8:Machine2:Analyst1	0.0	0	0
Day8:Machine2:Analyst2		0	
Day9:Machine1:Analyst1	0.4	0	0
Day9:Machine1:Analyst2	0.0	0	0
Day9:Machine2:Analyst1	0.0	0	0
Day9:Machine2:Analyst2		0	
Day10:Machine1:Analyst1	0.3	0	0
Day10:Machine1:Analyst2	0.0	0	0
Day10:Machine2:Analyst1	0.0	0	0
Day10:Machine2:Analyst2		0	
Day11:Machine1:Analyst1	-1.6	0	0
Day11:Machine1:Analyst2	0.0	0	0
Day11:Machine2:Analyst1	0.0	0	0
Day11:Machine2:Analyst2		0	
Day12:Machine1:Analyst1	1.8	0	0
Day12:Machine1:Analyst2	0.0	0	0
Day12:Machine2:Analyst1	0.0	0	0
Day12:Machine2:Analyst2		0	
Day13:Machine1:Analyst1	0.5	0	0
Day13:Machine1:Analyst2	0.0	0	0
Day13:Machine2:Analyst1	0.0	0	0
Day13:Machine2:Analyst2		0	
Day14:Machine1:Analyst1	-0.9	0	0
Day14:Machine1:Analyst2	0.0	0	0
Day14:Machine2:Analyst1	0.0	0	0
Day14:Machine2:Analyst2		0	
Day15:Machine1:Analyst1	-1.2	0	0
Day15:Machine1:Analyst2	0.0	0	0
Day15:Machine2:Analyst1	0.0	0	0
Day15:Machine2:Analyst2		0	
Day16:Machine1:Analyst1	0.5	0	0
Day16:Machine1:Analyst2	0.0	0	0
Day16:Machine2:Analyst1	0.0	0	0
Day16:Machine2:Analyst2		0	
Day17:Machine1:Analyst1	-0.7	0	0
Day17:Machine1:Analyst2	0.0	0	0
Day17:Machine2:Analyst1	0.0	0	0
Day17:Machine2:Analyst2		0	

Day18:Machine1:Analyst1	0.0	0	0
Day18:Machine1:Analyst2	0.0	0	0
Day18:Machine2:Analyst1	0.0	0	0
Day18:Machine2:Analyst2		0	
Day19:Machine1:Analyst1	4.0	0	0
Day19:Machine1:Analyst2	0.0	0	0
Day19:Machine2:Analyst1	0.0	0	0
Day19:Machine2:Analyst2		0	
Day20:Machine1:Analyst1	2.8	0	0
Day20:Machine1:Analyst2	0.0	0	0
Day20:Machine2:Analyst1	0.0	0	0
Day20:Machine2:Analyst2		0	
Day21:Machine1:Analyst1	-1.2	0	0
Day21:Machine1:Analyst2	0.0	0	0
Day21:Machine2:Analyst1	0.0	0	0
Day21:Machine2:Analyst2		0	
Day22:Machine1:Analyst1	-0.7	0	0
Day22:Machine1:Analyst2	0.0	0	0
Day22:Machine2:Analyst1	0.0	0	0
Day22:Machine2:Analyst2		0	
Day23:Machine1:Analyst1	1.2	0	0
Day23:Machine1:Analyst2	0.0	0	0
Day23:Machine2:Analyst1	0.0	0	0
Day23:Machine2:Analyst2		0	
Day24:Machine1:Analyst1	-0.4	0	0
Day24:Machine1:Analyst2	0.0	0	0
Day24:Machine2:Analyst1	0.0	0	0
Day24:Machine2:Analyst2		0	
Day25:Machine1:Analyst1	0.8	0	0
Day25:Machine1:Analyst2	0.0	0	0
Day25:Machine2:Analyst1	0.0	0	0
Day25:Machine2:Analyst2		0	
Day26:Machine1:Analyst1	-2.0	0	0
Day26:Machine1:Analyst2	0.0	0	0
Day26:Machine2:Analyst1	0.0	0	0
Day26:Machine2:Analyst2		0	
Day27:Machine1:Analyst1	-0.2	0	0
Day27:Machine1:Analyst2	0.0	0	0
Day27:Machine2:Analyst1	0.0	0	0
Day27:Machine2:Analyst2		0	
Day28:Machine1:Analyst1	2.2	0	0
Day28:Machine1:Analyst2	0.0	0	0
Day28:Machine2:Analyst1	0.0	0	0
Day28:Machine2:Analyst2		0	
Day29:Machine1:Analyst1	0.4	0	0
Day29:Machine1:Analyst2	0.0	0	0
Day29:Machine2:Analyst1	0.0	0	0
Day29:Machine2:Analyst2		0	

Day30:Machine1:Analyst1	-1.6	0	0
Day30:Machine1:Analyst2	0.0	0	0
Day30:Machine2:Analyst1	0.0	0	0
Day30:Machine2:Analyst2		0	
Day31:Machine1:Analyst1	-3.3	0	0
Day31:Machine1:Analyst2	0.0	0	0
Day31:Machine2:Analyst1	0.0	0	0
Day31:Machine2:Analyst2		0	
Day32:Machine1:Analyst1	1.3	0	0
Day32:Machine1:Analyst2	0.0	0	0
Day32:Machine2:Analyst1	0.0	0	0
Day32:Machine2:Analyst2		0	
Day33:Machine1:Analyst1	0.0	0	0
Day33:Machine1:Analyst2	0.0	0	0
Day33:Machine2:Analyst1	0.0	0	0
Day33:Machine2:Analyst2		0	
Day34:Machine1:Analyst1	3.2	0	0
Day34:Machine1:Analyst2	0.0	0	0
Day34:Machine2:Analyst1	0.0	0	0
Day34:Machine2:Analyst2		0	
Day35:Machine1:Analyst1	0.6	0	0
Day35:Machine1:Analyst2	0.0	0	0
Day35:Machine2:Analyst1	0.0	0	0
Day35:Machine2:Analyst2		0	
Day36:Machine1:Analyst1	2.4	0	0
Day36:Machine1:Analyst2	0.0	0	0
Day36:Machine2:Analyst1	0.0	0	0
Day36:Machine2:Analyst2		0	
Day37:Machine1:Analyst1	1.4	0	0
Day37:Machine1:Analyst2	0.0	0	0
Day37:Machine2:Analyst1	0.0	0	0
Day37:Machine2:Analyst2		0	
Day38:Machine1:Analyst1	-0.2	0	0
Day38:Machine1:Analyst2	0.0	0	0
Day38:Machine2:Analyst1	0.0	0	0
Day38:Machine2:Analyst2		0	
Day39:Machine1:Analyst1	-0.3	0	0
Day39:Machine1:Analyst2	0.0	0	0
Day39:Machine2:Analyst1	0.0	0	0
Day39:Machine2:Analyst2		0	
Day40:Machine1:Analyst1	1.0	0	0
Day40:Machine1:Analyst2	0.0	0	0
Day40:Machine2:Analyst1	0.0	0	0
Day40:Machine2:Analyst2		0	
Day41:Machine1:Analyst1	-0.5	0	0
Day41:Machine1:Analyst2	0.0	0	0
Day41:Machine2:Analyst1	0.0	0	0
Day41:Machine2:Analyst2		0	

Day42:Machine1:Analyst1	1.2	0	0
Day42:Machine1:Analyst2	0.0	0	0
Day42:Machine2:Analyst1	0.0	0	0
Day42:Machine2:Analyst2		0	
Day1:Machine1:Analyst1:Test1	-0.5	0	0
Day1:Machine1:Analyst1:Test2	0.0	0	0
Day1:Machine1:Analyst2:Test1	0.0	0	0
Day1:Machine1:Analyst2:Test2		0	
Day1:Machine2:Analyst1:Test1	0.0	0	0
Day1:Machine2:Analyst1:Test2		0	
Day1:Machine2:Analyst2:Test1		0	
Day1:Machine2:Analyst2:Test2		0	
Day2:Machine1:Analyst1:Test1	-1.1	0	0
Day2:Machine1:Analyst1:Test2	0.0	0	0
Day2:Machine1:Analyst2:Test1	0.0	0	0
Day2:Machine1:Analyst2:Test2		0	
Day2:Machine2:Analyst1:Test1	0.0	0	0
Day2:Machine2:Analyst1:Test2		0	
Day2:Machine2:Analyst2:Test1		0	
Day2:Machine2:Analyst2:Test2		0	
Day3:Machine1:Analyst1:Test1	1.9	0	0
Day3:Machine1:Analyst1:Test2	0.0	0	0
Day3:Machine1:Analyst2:Test1	0.0	0	0
Day3:Machine1:Analyst2:Test2		0	
Day3:Machine2:Analyst1:Test1	0.0	0	0
Day3:Machine2:Analyst1:Test2		0	
Day3:Machine2:Analyst2:Test1		0	
Day3:Machine2:Analyst2:Test2		0	
Day4:Machine1:Analyst1:Test1	2.1	0	0
Day4:Machine1:Analyst1:Test2	0.0	0	0
Day4:Machine1:Analyst2:Test1	0.0	0	0
Day4:Machine1:Analyst2:Test2		0	
Day4:Machine2:Analyst1:Test1	0.0	0	0
Day4:Machine2:Analyst1:Test2		0	
Day4:Machine2:Analyst2:Test1		0	
Day4:Machine2:Analyst2:Test2		0	
Day5:Machine1:Analyst1:Test1	1.0	0	0
Day5:Machine1:Analyst1:Test2	0.0	0	0
Day5:Machine1:Analyst2:Test1	0.0	0	0
Day5:Machine1:Analyst2:Test2		0	
Day5:Machine2:Analyst1:Test1	0.0	0	0
Day5:Machine2:Analyst1:Test2		0	
Day5:Machine2:Analyst2:Test1		0	
Day5:Machine2:Analyst2:Test2		0	
Day6:Machine1:Analyst1:Test1	-0.5	0	0
Day6:Machine1:Analyst1:Test2	0.0	0	0
Day6:Machine1:Analyst2:Test1	0.0	0	0
Day6:Machine1:Analyst2:Test2		0	

Day6:Machine2:Analyst1:Test1	0.0	0	0
Day6:Machine2:Analyst1:Test2		0	
Day6:Machine2:Analyst2:Test1		0	
Day6:Machine2:Analyst2:Test2		0	
Day7:Machine1:Analyst1:Test1	0.0	0	0
Day7:Machine1:Analyst1:Test2	0.0	0	0
Day7:Machine1:Analyst2:Test1	0.0	0	0
Day7:Machine1:Analyst2:Test2		0	
Day7:Machine2:Analyst1:Test1	0.0	0	0
Day7:Machine2:Analyst1:Test2		0	
Day7:Machine2:Analyst2:Test1		0	
Day7:Machine2:Analyst2:Test2		0	
Day8:Machine1:Analyst1:Test1	1.0	0	0
Day8:Machine1:Analyst1:Test2	0.0	0	0
Day8:Machine1:Analyst2:Test1	0.0	0	0
Day8:Machine1:Analyst2:Test2		0	
Day8:Machine2:Analyst1:Test1	0.0	0	0
Day8:Machine2:Analyst1:Test2		0	
Day8:Machine2:Analyst2:Test1		0	
Day8:Machine2:Analyst2:Test2		0	
Day9:Machine1:Analyst1:Test1	0.1	0	0
Day9:Machine1:Analyst1:Test2	0.0	0	0
Day9:Machine1:Analyst2:Test1	0.0	0	0
Day9:Machine1:Analyst2:Test2		0	
Day9:Machine2:Analyst1:Test1	0.0	0	0
Day9:Machine2:Analyst1:Test2		0	
Day9:Machine2:Analyst2:Test1		0	
Day9:Machine2:Analyst2:Test2		0	
Day10:Machine1:Analyst1:Test1	-0.9	0	0
Day10:Machine1:Analyst1:Test2	0.0	0	0
Day10:Machine1:Analyst2:Test1	0.0	0	0
Day10:Machine1:Analyst2:Test2		0	
Day10:Machine2:Analyst1:Test1	0.0	0	0
Day10:Machine2:Analyst1:Test2		0	
Day10:Machine2:Analyst2:Test1		0	
Day10:Machine2:Analyst2:Test2		0	
Day11:Machine1:Analyst1:Test1	2.1	0	0
Day11:Machine1:Analyst1:Test2	0.0	0	0
Day11:Machine1:Analyst2:Test1	0.0	0	0
Day11:Machine1:Analyst2:Test2		0	
Day11:Machine2:Analyst1:Test1	0.0	0	0
Day11:Machine2:Analyst1:Test2		0	
Day11:Machine2:Analyst2:Test1		0	
Day11:Machine2:Analyst2:Test2		0	
Day12:Machine1:Analyst1:Test1	-2.3	0	0
Day12:Machine1:Analyst1:Test2	0.0	0	0
Day12:Machine1:Analyst2:Test1	0.0	0	0
Day12:Machine1:Analyst2:Test2		0	

Day12:Machine2:Analyst1:Test1	0.0	0	0
Day12:Machine2:Analyst1:Test2		0	
Day12:Machine2:Analyst2:Test1		0	
Day12:Machine2:Analyst2:Test2		0	
Day13:Machine1:Analyst1:Test1	1.2	0	0
Day13:Machine1:Analyst1:Test2	0.0	0	0
Day13:Machine1:Analyst2:Test1	0.0	0	0
Day13:Machine1:Analyst2:Test2		0	
Day13:Machine2:Analyst1:Test1	0.0	0	0
Day13:Machine2:Analyst1:Test2		0	
Day13:Machine2:Analyst2:Test1		0	
Day13:Machine2:Analyst2:Test2		0	
Day14:Machine1:Analyst1:Test1	2.2	0	0
Day14:Machine1:Analyst1:Test2	0.0	0	0
Day14:Machine1:Analyst2:Test1	0.0	0	0
Day14:Machine1:Analyst2:Test2		0	
Day14:Machine2:Analyst1:Test1	0.0	0	0
Day14:Machine2:Analyst1:Test2		0	
Day14:Machine2:Analyst2:Test1		0	
Day14:Machine2:Analyst2:Test2		0	
Day15:Machine1:Analyst1:Test1	0.6	0	0
Day15:Machine1:Analyst1:Test2	0.0	0	0
Day15:Machine1:Analyst2:Test1	0.0	0	0
Day15:Machine1:Analyst2:Test2		0	
Day15:Machine2:Analyst1:Test1	0.0	0	0
Day15:Machine2:Analyst1:Test2		0	
Day15:Machine2:Analyst2:Test1		0	
Day15:Machine2:Analyst2:Test2		0	
Day16:Machine1:Analyst1:Test1	-1.6	0	0
Day16:Machine1:Analyst1:Test2	0.0	0	0
Day16:Machine1:Analyst2:Test1	0.0	0	0
Day16:Machine1:Analyst2:Test2		0	
Day16:Machine2:Analyst1:Test1	0.0	0	0
Day16:Machine2:Analyst1:Test2		0	
Day16:Machine2:Analyst2:Test1		0	
Day16:Machine2:Analyst2:Test2		0	
Day17:Machine1:Analyst1:Test1	-1.0	0	0
Day17:Machine1:Analyst1:Test2	0.0	0	0
Day17:Machine1:Analyst2:Test1	0.0	0	0
Day17:Machine1:Analyst2:Test2		0	
Day17:Machine2:Analyst1:Test1	0.0	0	0
Day17:Machine2:Analyst1:Test2		0	
Day17:Machine2:Analyst2:Test1		0	
Day17:Machine2:Analyst2:Test2		0	
Day18:Machine1:Analyst1:Test1	2.3	0	0
Day18:Machine1:Analyst1:Test2	0.0	0	0
Day18:Machine1:Analyst2:Test1	0.0	0	0
Day18:Machine1:Analyst2:Test2		0	

Day18:Machine2:Analyst1:Test1	0.0	0	0
Day18:Machine2:Analyst1:Test2		0	
Day18:Machine2:Analyst2:Test1		0	
Day18:Machine2:Analyst2:Test2		0	
Day19:Machine1:Analyst1:Test1	4.4	0	0
Day19:Machine1:Analyst1:Test2	0.0	0	0
Day19:Machine1:Analyst2:Test1	0.0	0	0
Day19:Machine1:Analyst2:Test2		0	
Day19:Machine2:Analyst1:Test1	0.0	0	0
Day19:Machine2:Analyst1:Test2		0	
Day19:Machine2:Analyst2:Test1		0	
Day19:Machine2:Analyst2:Test2		0	
Day20:Machine1:Analyst1:Test1	0.3	0	0
Day20:Machine1:Analyst1:Test2	0.0	0	0
Day20:Machine1:Analyst2:Test1	0.0	0	0
Day20:Machine1:Analyst2:Test2		0	
Day20:Machine2:Analyst1:Test1	0.0	0	0
Day20:Machine2:Analyst1:Test2		0	
Day20:Machine2:Analyst2:Test1		0	
Day20:Machine2:Analyst2:Test2		0	
Day21:Machine1:Analyst1:Test1	-0.4	0	0
Day21:Machine1:Analyst1:Test2	0.0	0	0
Day21:Machine1:Analyst2:Test1	0.0	0	0
Day21:Machine1:Analyst2:Test2		0	
Day21:Machine2:Analyst1:Test1	0.0	0	0
Day21:Machine2:Analyst1:Test2		0	
Day21:Machine2:Analyst2:Test1		0	
Day21:Machine2:Analyst2:Test2		0	
Day22:Machine1:Analyst1:Test1	-2.0	0	0
Day22:Machine1:Analyst1:Test2	0.0	0	0
Day22:Machine1:Analyst2:Test1	0.0	0	0
Day22:Machine1:Analyst2:Test2		0	
Day22:Machine2:Analyst1:Test1	0.0	0	0
Day22:Machine2:Analyst1:Test2		0	
Day22:Machine2:Analyst2:Test1		0	
Day22:Machine2:Analyst2:Test2		0	
Day23:Machine1:Analyst1:Test1	-0.3	0	0
Day23:Machine1:Analyst1:Test2	0.0	0	0
Day23:Machine1:Analyst2:Test1	0.0	0	0
Day23:Machine1:Analyst2:Test2		0	
Day23:Machine2:Analyst1:Test1	0.0	0	0
Day23:Machine2:Analyst1:Test2		0	
Day23:Machine2:Analyst2:Test1		0	
Day23:Machine2:Analyst2:Test2		0	
Day24:Machine1:Analyst1:Test1	-2.6	0	0
Day24:Machine1:Analyst1:Test2	0.0	0	0
Day24:Machine1:Analyst2:Test1	0.0	0	0
Day24:Machine1:Analyst2:Test2		0	

Day24:Machine2:Analyst1:Test1	0.0	0	0
Day24:Machine2:Analyst1:Test2		0	
Day24:Machine2:Analyst2:Test1		0	
Day24:Machine2:Analyst2:Test2		0	
Day25:Machine1:Analyst1:Test1	-1.0	0	0
Day25:Machine1:Analyst1:Test2	0.0	0	0
Day25:Machine1:Analyst2:Test1	0.0	0	0
Day25:Machine1:Analyst2:Test2		0	
Day25:Machine2:Analyst1:Test1	0.0	0	0
Day25:Machine2:Analyst1:Test2		0	
Day25:Machine2:Analyst2:Test1		0	
Day25:Machine2:Analyst2:Test2		0	
Day26:Machine1:Analyst1:Test1	-0.3	0	0
Day26:Machine1:Analyst1:Test2	0.0	0	0
Day26:Machine1:Analyst2:Test1	0.0	0	0
Day26:Machine1:Analyst2:Test2		0	
Day26:Machine2:Analyst1:Test1	0.0	0	0
Day26:Machine2:Analyst1:Test2		0	
Day26:Machine2:Analyst2:Test1		0	
Day26:Machine2:Analyst2:Test2		0	
Day27:Machine1:Analyst1:Test1	-3.6	0	0
Day27:Machine1:Analyst1:Test2	0.0	0	0
Day27:Machine1:Analyst2:Test1	0.0	0	0
Day27:Machine1:Analyst2:Test2		0	
Day27:Machine2:Analyst1:Test1	0.0	0	0
Day27:Machine2:Analyst1:Test2		0	
Day27:Machine2:Analyst2:Test1		0	
Day27:Machine2:Analyst2:Test2		0	
Day28:Machine1:Analyst1:Test1	4.2	0	0
Day28:Machine1:Analyst1:Test2	0.0	0	0
Day28:Machine1:Analyst2:Test1	0.0	0	0
Day28:Machine1:Analyst2:Test2		0	
Day28:Machine2:Analyst1:Test1	0.0	0	0
Day28:Machine2:Analyst1:Test2		0	
Day28:Machine2:Analyst2:Test1		0	
Day28:Machine2:Analyst2:Test2		0	
Day29:Machine1:Analyst1:Test1	-1.0	0	0
Day29:Machine1:Analyst1:Test2	0.0	0	0
Day29:Machine1:Analyst2:Test1	0.0	0	0
Day29:Machine1:Analyst2:Test2		0	
Day29:Machine2:Analyst1:Test1	0.0	0	0
Day29:Machine2:Analyst1:Test2		0	
Day29:Machine2:Analyst2:Test1		0	
Day29:Machine2:Analyst2:Test2		0	
Day30:Machine1:Analyst1:Test1	1.0	0	0
Day30:Machine1:Analyst1:Test2	0.0	0	0
Day30:Machine1:Analyst2:Test1	0.0	0	0
Day30:Machine1:Analyst2:Test2		0	

Day30:Machine2:Analyst1:Test1	0.0	0	0
Day30:Machine2:Analyst1:Test2		0	
Day30:Machine2:Analyst2:Test1		0	
Day30:Machine2:Analyst2:Test2		0	
Day31:Machine1:Analyst1:Test1	4.2	0	0
Day31:Machine1:Analyst1:Test2	0.0	0	0
Day31:Machine1:Analyst2:Test1	0.0	0	0
Day31:Machine1:Analyst2:Test2		0	
Day31:Machine2:Analyst1:Test1	0.0	0	0
Day31:Machine2:Analyst1:Test2		0	
Day31:Machine2:Analyst2:Test1		0	
Day31:Machine2:Analyst2:Test2		0	
Day32:Machine1:Analyst1:Test1	0.4	0	0
Day32:Machine1:Analyst1:Test2	0.0	0	0
Day32:Machine1:Analyst2:Test1	0.0	0	0
Day32:Machine1:Analyst2:Test2		0	
Day32:Machine2:Analyst1:Test1	0.0	0	0
Day32:Machine2:Analyst1:Test2		0	
Day32:Machine2:Analyst2:Test1		0	
Day32:Machine2:Analyst2:Test2		0	
Day33:Machine1:Analyst1:Test1	3.6	0	0
Day33:Machine1:Analyst1:Test2	0.0	0	0
Day33:Machine1:Analyst2:Test1	0.0	0	0
Day33:Machine1:Analyst2:Test2		0	
Day33:Machine2:Analyst1:Test1	0.0	0	0
Day33:Machine2:Analyst1:Test2		0	
Day33:Machine2:Analyst2:Test1		0	
Day33:Machine2:Analyst2:Test2		0	
Day34:Machine1:Analyst1:Test1	-0.4	0	0
Day34:Machine1:Analyst1:Test2	0.0	0	0
Day34:Machine1:Analyst2:Test1	0.0	0	0
Day34:Machine1:Analyst2:Test2		0	
Day34:Machine2:Analyst1:Test1	0.0	0	0
Day34:Machine2:Analyst1:Test2		0	
Day34:Machine2:Analyst2:Test1		0	
Day34:Machine2:Analyst2:Test2		0	
Day35:Machine1:Analyst1:Test1	-1.9	0	0
Day35:Machine1:Analyst1:Test2	0.0	0	0
Day35:Machine1:Analyst2:Test1	0.0	0	0
Day35:Machine1:Analyst2:Test2		0	
Day35:Machine2:Analyst1:Test1	0.0	0	0
Day35:Machine2:Analyst1:Test2		0	
Day35:Machine2:Analyst2:Test1		0	
Day35:Machine2:Analyst2:Test2		0	
Day36:Machine1:Analyst1:Test1	-0.3	0	0
Day36:Machine1:Analyst1:Test2	0.0	0	0
Day36:Machine1:Analyst2:Test1	0.0	0	0
Day36:Machine1:Analyst2:Test2		0	

Day36:Machine2:Analyst1:Test1	0.0	0	0
Day36:Machine2:Analyst1:Test2		0	
Day36:Machine2:Analyst2:Test1		0	
Day36:Machine2:Analyst2:Test2		0	
Day37:Machine1:Analyst1:Test1	-0.9	0	0
Day37:Machine1:Analyst1:Test2	0.0	0	0
Day37:Machine1:Analyst2:Test1	0.0	0	0
Day37:Machine1:Analyst2:Test2		0	
Day37:Machine2:Analyst1:Test1	0.0	0	0
Day37:Machine2:Analyst1:Test2		0	
Day37:Machine2:Analyst2:Test1		0	
Day37:Machine2:Analyst2:Test2		0	
Day38:Machine1:Analyst1:Test1	0.0	0	0
Day38:Machine1:Analyst1:Test2	0.0	0	0
Day38:Machine1:Analyst2:Test1	0.0	0	0
Day38:Machine1:Analyst2:Test2		0	
Day38:Machine2:Analyst1:Test1	0.0	0	0
Day38:Machine2:Analyst1:Test2		0	
Day38:Machine2:Analyst2:Test1		0	
Day38:Machine2:Analyst2:Test2		0	
Day39:Machine1:Analyst1:Test1	-1.4	0	0
Day39:Machine1:Analyst1:Test2	0.0	0	0
Day39:Machine1:Analyst2:Test1	0.0	0	0
Day39:Machine1:Analyst2:Test2		0	
Day39:Machine2:Analyst1:Test1	0.0	0	0
Day39:Machine2:Analyst1:Test2		0	
Day39:Machine2:Analyst2:Test1		0	
Day39:Machine2:Analyst2:Test2		0	
Day40:Machine1:Analyst1:Test1	0.9	0	0
Day40:Machine1:Analyst1:Test2	0.0	0	0
Day40:Machine1:Analyst2:Test1	0.0	0	0
Day40:Machine1:Analyst2:Test2		0	
Day40:Machine2:Analyst1:Test1	0.0	0	0
Day40:Machine2:Analyst1:Test2		0	
Day40:Machine2:Analyst2:Test1		0	
Day40:Machine2:Analyst2:Test2		0	
Day41:Machine1:Analyst1:Test1	-0.6	0	0
Day41:Machine1:Analyst1:Test2	0.0	0	0
Day41:Machine1:Analyst2:Test1	0.0	0	0
Day41:Machine1:Analyst2:Test2		0	
Day41:Machine2:Analyst1:Test1	0.0	0	0
Day41:Machine2:Analyst1:Test2		0	
Day41:Machine2:Analyst2:Test1		0	
Day41:Machine2:Analyst2:Test2		0	
Day42:Machine1:Analyst1:Test1	-0.4	0	0
Day42:Machine1:Analyst1:Test2	0.0	0	0
Day42:Machine1:Analyst2:Test1	0.0	0	0
Day42:Machine1:Analyst2:Test2		0	

Day42:Machine2:Analyst1:Test1	0.0	0	0
Day42:Machine2:Analyst1:Test2		0	
Day42:Machine2:Analyst2:Test1		0	
Day42:Machine2:Analyst2:Test2		0	

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ Day/Machine/Analyst/Test, Snee), type=3, singular.ok=TRUE)
# NOT WORKING
```

## 4 Goodnight

### Reference

- Goodnight JH. The General Linear Models Procedure, Proceedings of the First International SAS User's Group, SAS Institute, Raleigh, N.C. 1976.

#### 4.1 Type I SS

##### 4.1.1 p7

(7) MODEL

```
p7 = read.csv("C:/G/Rt/ANOVA/Goodnight-p7.csv")
p7 = af(p7, c("A", "B"))
GLM(y ~ A + B + A:B, p7)
```

```
$ANOVA
Response : y
      Df  Sum Sq Mean Sq F value Pr(>F)
MODEL       3 13.6027 4.5342  2.807 0.1721
RESIDUALS    4  6.4613 1.6153
CORRECTED TOTAL 7 20.0639
```

```
$`Type I`
      Df  Sum Sq Mean Sq F value Pr(>F)
A       1 10.8113 10.8113 6.6929 0.06087 .
B       1  1.3122  1.3122 0.8123 0.41839
A:B     1  1.4792  1.4792 0.9157 0.39279
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
      Df  Sum Sq Mean Sq F value Pr(>F)
A       1 10.8113 10.8113 6.6929 0.06087 .
B       1  1.3122  1.3122 0.8123 0.41839
A:B     1  1.4792  1.4792 0.9157 0.39279
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
      Df  Sum Sq Mean Sq F value Pr(>F)
A       1 10.8113 10.8113 6.6929 0.06087 .
B       1  1.3122  1.3122 0.8123 0.41839
A:B     1  1.4792  1.4792 0.9157 0.39279
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter
```

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	6.610	0	0.8987	4	7.3551	0.00182 **
A1	-1.465	0	1.2710	4	-1.1527	0.31324
A2	0.000	0	0.0000	4		
B1	0.050	0	1.2710	4	0.0393	0.97050
B2	0.000	0	0.0000	4		
A1:B1	-1.720	0	1.7974	4	-0.9569	0.39279
A1:B2	0.000	0	0.0000	4		
A2:B1	0.000	0	0.0000	4		
A2:B2	0.000	0	0.0000	4		

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## (8) MODEL

```
GLM(y ~ A + A:B + B, p7)
```

```
$ANOVA
```

```
Response : y
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

```
$`Type I`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
A:B	2	2.7914	1.3957	0.8640	0.48764
B	0				

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
A:B	1	1.4792	1.4792	0.9157	0.39279
B	1	1.3122	1.3122	0.8123	0.41839

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	10.8113	10.8113	6.6929	0.06087 .
A:B	1	1.4792	1.4792	0.9157	0.39279

```
B      1  1.3122  1.3122  0.8123  0.41839
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	6.610	0	0.8987	4	7.3551	0.00182 **
A1	-1.465	0	1.2710	4	-1.1527	0.31324
A2	0.000	0	0.0000	4		
A1:B1	-1.670	0	1.2710	4	-1.3140	0.25914
A1:B2	0.000	0	0.0000	4		
A2:B1	0.050	0	1.2710	4	0.0393	0.97050
A2:B2	0.000	0	0.0000	4		
B1	0.000	0	0.0000	4		
B2	0.000	0	0.0000	4		

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## (9) MODEL

```
GLM(y ~ B + A + A:B, p7)
```

\$ANOVA

Response : y	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	13.6027	4.5342	2.807	0.1721
RESIDUALS	4	6.4613	1.6153		
CORRECTED TOTAL	7	20.0639			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.41839
A	1	10.8113	10.8113	6.6929	0.06087 .
B:A	1	1.4792	1.4792	0.9157	0.39279

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.41839
A	1	10.8113	10.8113	6.6929	0.06087 .
B:A	1	1.4792	1.4792	0.9157	0.39279

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

B     1  1.3122  1.3122  0.8123  0.41839
A     1 10.8113 10.8113  6.6929  0.06087 .
B:A   1  1.4792  1.4792  0.9157  0.39279
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	6.610	0	0.8987	4	7.3551	0.00182 **
B1	0.050	0	1.2710	4	0.0393	0.97050
B2	0.000	0	0.0000	4		
A1	-1.465	0	1.2710	4	-1.1527	0.31324
A2	0.000	0	0.0000	4		
B1:A1	-1.720	0	1.7974	4	-0.9569	0.39279
B1:A2	0.000	0	0.0000	4		
B2:A1	0.000	0	0.0000	4		
B2:A2	0.000	0	0.0000	4		

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### (10) MODEL

```
GLM(y ~ B + A:B + A, p7)
```

\$ANOVA

```

Response : y
          Df  Sum Sq Mean Sq F value Pr(>F)
MODEL      3 13.6027  4.5342  2.807 0.1721
RESIDUALS  4  6.4613  1.6153
CORRECTED TOTAL 7 20.0639

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.4184
B:A	2	12.2905	6.1452	3.8043	0.1187
A	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
B	1	1.3122	1.3122	0.8123	0.41839
B:A	1	1.4792	1.4792	0.9157	0.39279
A	1	10.8113	10.8113	6.6929	0.06087 .

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

B     1  1.3122  1.3122  0.8123  0.41839
B:A   1  1.4792  1.4792  0.9157  0.39279
A     1 10.8113 10.8113  6.6929  0.06087 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 6.610        0    0.8987  4  7.3551  0.00182 **
B1          0.050        0    1.2710  4  0.0393  0.97050
B2          0.000        0    0.0000  4
B1:A1       -3.185        0    1.2710  4 -2.5060  0.06634 .
B1:A2       0.000        0    0.0000  4
B2:A1       -1.465        0    1.2710  4 -1.1527  0.31324
B2:A2       0.000        0    0.0000  4
A1          0.000        0    0.0000  4
A2          0.000        0    0.0000  4
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (11) MODEL

```
GLM(y ~ A:B + A + B, p7)
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 13.6027  4.5342   2.807 0.1721
RESIDUALS   4  6.4613  1.6153
CORRECTED TOTAL 7 20.0639
```

```
$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A:B   3 13.603  4.5342   2.807 0.1721
A     0
B     0
```

```
$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A:B   1 1.4792  1.4792  0.9157 0.39279
A     1 10.8113 10.8113  6.6929 0.06087 .
B     1  1.3122  1.3122  0.8123 0.41839
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
```

```

A:B 1 1.4792 1.4792 0.9157 0.39279
A 1 10.8113 10.8113 6.6929 0.06087 .
B 1 1.3122 1.3122 0.8123 0.41839
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 6.610        0     0.8987 4 7.3551 0.00182 **
A1:B1       -3.135       0     1.2710 4 -2.4667 0.06920 .
A1:B2       -1.465       0     1.2710 4 -1.1527 0.31324
A2:B1       0.050       0     1.2710 4 0.0393 0.97050
A2:B2       0.000       0     0.0000 4
A1          0.000       0     0.0000 4
A2          0.000       0     0.0000 4
B1          0.000       0     0.0000 4
B2          0.000       0     0.0000 4
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (12) MODEL

```
GLM(y ~ A:B + A + B, p7)
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 13.6027 4.5342 2.807 0.1721
RESIDUALS   4  6.4613 1.6153
CORRECTED TOTAL 7 20.0639
```

```
$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A:B 3 13.603 4.5342 2.807 0.1721
A 0
B 0
```

```
$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A:B 1 1.4792 1.4792 0.9157 0.39279
A 1 10.8113 10.8113 6.6929 0.06087 .
B 1 1.3122 1.3122 0.8123 0.41839
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
```

```

A:B 1 1.4792 1.4792 0.9157 0.39279
A 1 10.8113 10.8113 6.6929 0.06087 .
B 1 1.3122 1.3122 0.8123 0.41839
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 6.610        0    0.8987 4 7.3551 0.00182 **
A1:B1       -3.135       0    1.2710 4 -2.4667 0.06920 .
A1:B2       -1.465       0    1.2710 4 -1.1527 0.31324
A2:B1       0.050       0    1.2710 4 0.0393 0.97050
A2:B2       0.000       0    0.0000 4
A1          0.000       0    0.0000 4
A2          0.000       0    0.0000 4
B1          0.000       0    0.0000 4
B2          0.000       0    0.0000 4
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 4.2 Type II SS

### 4.2.1 p14

(13) MODEL

```
GLM(y ~ A + B + A:B, p7[-8,]) # p16
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 12.7672 4.2557 2.0088 0.2906
RESIDUALS   3  6.3555 2.1185
CORRECTED TOTAL 6 19.1227
```

```
$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A     1 9.9567 9.9567 4.6999 0.1187
B     1 1.9225 1.9225 0.9075 0.4111
A:B   1 0.8880 0.8880 0.4192 0.5635
```

```
$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A     1 11.1715 11.1715 5.2733 0.1053
B     1 1.9225 1.9225 0.9075 0.4111
A:B   1 0.8880 0.8880 0.4192 0.5635
```

```

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

A     1 9.5258  9.5258  4.4965 0.1241  

B     1 1.3690  1.3690  0.6462 0.4803  

A:B   1 0.8880  0.8880  0.4192 0.5635  

  

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 6.840        0    1.4555  3  4.6994  0.01823 *  

A1          -1.695       0    1.7826  3 -0.9508  0.41183  

A2          0.000       0    0.0000  3  

B1          -0.180       0    1.7826  3 -0.1010  0.92594  

B2          0.000       0    0.0000  3  

A1:B1      -1.490       0    2.3014  3 -0.6474  0.56347  

A1:B2      0.000       0    0.0000  3  

A2:B1      0.000       0    0.0000  3  

A2:B2      0.000       0    0.0000  3  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 4.2.2 p24

### (14) MODEL

```

p24 = read.csv("C:/G/Rt/ANOVA/Goodnight-p24.csv")
p24 = af(p24, c("A", "B", "C"))
GLM(Y ~ A + B + C, p24) # p27

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      6 45.924  7.6540  9.1615 0.00499 **
RESIDUALS  7  5.848  0.8354
CORRECTED TOTAL 13 51.772
---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`  

      Df Sum Sq Mean Sq F value Pr(>F)  

A  1  4.724  4.7235  5.6538 0.04904 *  

B  3 37.998 12.6660 15.1606 0.00191 **  

C  2  3.203  1.6013  1.9167 0.21686
---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

  Df Sum Sq Mean Sq F value Pr(>F)  

A 0  

B 2 0.4424 0.2212 0.2648 0.7747  

C 2 3.2025 1.6013 1.9167 0.2169  

  

$`Type III`  

CAUTION: Singularity Exists !  

  Df Sum Sq Mean Sq F value Pr(>F)  

A 0  

B 2 0.4424 0.2212 0.2648 0.7747  

C 2 3.2026 1.6013 1.9167 0.2169  

  

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 10.290        0  1.11945  7  9.1920 3.718e-05 ***  

A1          -2.305        0  0.91403  7 -2.5218  0.03971 *  

A2           0.000        0  0.00000  7  

B1          -6.450        0  2.23891  7 -2.8809  0.02362 *  

B2          -4.080        0  1.29263  7 -3.1563  0.01601 *  

B3          -1.610        0  0.91403  7 -1.7614  0.12155  

B4           0.000        0  0.00000  7  

C1           1.065        0  2.23891  7  0.4757  0.64879  

C2           1.760        0  1.29263  7  1.3616  0.21553  

C3           0.000        0  0.00000  7  

C4           0.000        0  0.00000  7  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 4.3 Type III SS

#### 4.3.1 p27

(15) MODEL

```

p27 = read.csv("C:/G/Rt/ANOVA/Goodnight-p27.csv")
p27 = af(p27, c("A", "B"))
GLM(y ~ A + B + A:B, p27) # p29

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      5 128.193 25.6386 53.469 6.77e-05 ***
RESIDUALS   6    2.877  0.4795
CORRECTED TOTAL 11 131.070
---
```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

A     2 89.580 44.790 93.4102 3.013e-05 ***  

B     2 38.542 19.271 40.1901 0.0003351 ***  

A:B   1  0.071   0.071  0.1471 0.7145464  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

A     2 126.778 63.389 132.1977 1.093e-05 ***  

B     2 38.542 19.271 40.1901 0.0003351 ***  

A:B   1  0.071   0.071  0.1471 0.7145464  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

A     2 126.778 63.389 132.1977 1.093e-05 ***  

B     2 38.542 19.271 40.1901 0.0003351 ***  

A:B   1  0.071   0.071  0.1471 0.7145464  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 16.270        0  0.84809  6 19.1844 1.298e-06 ***  

A1          -8.870        0  0.97929  6 -9.0576 0.0001015 ***  

A2          -4.915        0  0.69246  6 -7.0979 0.0003927 ***  

A3           0.000        0  0.00000  6  

B1          -4.900        0  0.69246  6 -7.0762 0.0003993 ***  

B2          -1.875        0  0.97929  6 -1.9147 0.1040334  

B3           0.000        0  0.00000  6  

A1:B1         0  

A1:B2        -0.460        0  1.19937  6 -0.3835 0.7145464  

A1:B3         0.000        0  0.00000  6  

A2:B1         0.000        0  0.00000  6  

A2:B2         0  

A2:B3         0.000        0  0.00000  6  

A3:B1         0.000        0  0.00000  6  

A3:B2         0.000        0  0.00000  6  

A3:B3         0  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 4.3.2 p33

#### (16) MODEL

```
p33 = read.csv("C:/G/Rt/ANOVA/Goodnight-p33.csv")
p33 = af(p33, c("A", "B"))
GLM(y ~ A + B + A:B, p33) # p35
```

```
$ANOVA
Response : y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      4 34.905  8.7261
RESIDUALS   0  0.000
CORRECTED TOTAL 4 34.905
```

```
$`Type I`
          Df Sum Sq Mean Sq F value Pr(>F)
A         2 11.3739  5.6870
B         1 23.5225 23.5225
A:B       1  0.0081  0.0081
```

```
$`Type II`
          Df Sum Sq Mean Sq F value Pr(>F)
A         1  3.0276  3.0276
B         1 23.5225 23.5225
A:B       1  0.0081  0.0081
```

```
$`Type III`
CAUTION: Singularity Exists !
          Df Sum Sq Mean Sq F value Pr(>F)
A         1  3.0276  3.0276
B         1 23.5225 23.5225
A:B       1  0.0081  0.0081
```

```
$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  9.53        0        0
A1          -1.63        0        0
A2           0.02        0        0
A3           0.00        0        0
B1          -4.76        0        0
B2           0.00        0        0
B3           0.00        0        0
A1:B1        -0.18        0        0
A1:B2        0.00        0        0
A1:B3          0          0
A2:B1        0.00        0        0
```

A2:B2	0.00	0	0
A2:B3		0	
A3:B1		0	
A3:B2		0	
A3:B3	0.00	0	0

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(y ~ A + B + A:B, p33), type=3, singular.ok=TRUE) # NOT WORKING
```

## 5 SAS for Linear Models 4e

### Reference

- Littell RC, Stroup WW, Freund RJ. SAS for Linear Models 4e. John Wiley & Sons Inc. 2002.

### 5.1 Chapter 2

#### 5.1.1 p5

(17) MODEL

```
p5 = read.table("C:/G/Rt/SAS4lm/p5.txt", head=TRUE)
GLM(COST ~ CATTLE, p5) # p6 Output 2.2

$ANOVA
Response : COST
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       1 6582.1 6582.1   59.34 6.083e-07 ***
RESIDUALS    17 1885.7   110.9
CORRECTED TOTAL 18 8467.8
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE     1 6582.1 6582.1   59.34 6.083e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE     1 6582.1 6582.1   59.34 6.083e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
CATTLE     1 6582.1 6582.1   59.34 6.083e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Std. Error Df t value  Pr(>|t|)
(Intercept) 7.1965     4.3751 17 1.6449   0.1184
CATTLE       4.5640     0.5925 17 7.7032 6.083e-07 ***
```

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 5.1.2 p12

### (18) MODEL

```
p12 = read.table("C:/G/Rt/SAS4lm/p12.txt", head=TRUE)
GLM(COST ~ CATTLE + CALVES + HOGS + SHEEP, p12)
```

\$ANOVA

Response : COST

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	7936.7	1984.18	52.31	2.885e-08 ***
RESIDUALS	14	531.0	37.93		
CORRECTED TOTAL	18	8467.8			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	173.5265	2.801e-09 ***
CALVES	1	186.7	186.7	4.9213	0.0435698 *
HOGS	1	489.9	489.9	12.9145	0.0029351 **
SHEEP	1	678.1	678.1	17.8773	0.0008431 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2200.71	2200.71	58.0183	2.413e-06 ***
CALVES	1	136.08	136.08	3.5876	0.0790616 .
HOGS	1	113.66	113.66	2.9964	0.1054198
SHEEP	1	678.11	678.11	17.8773	0.0008431 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2200.71	2200.71	58.0183	2.413e-06 ***
CALVES	1	136.08	136.08	3.5876	0.0790616 .
HOGS	1	113.66	113.66	2.9964	0.1054198
SHEEP	1	678.11	678.11	17.8773	0.0008431 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

```

$Parameter
      Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 2.2884     3.3874 14  0.6756 0.5103160
CATTLE       3.2155     0.4222 14  7.6170 2.413e-06 ***
CALVES       1.6131     0.8517 14  1.8941 0.0790616 .
HOGS         0.8148     0.4707 14  1.7310 0.1054198
SHEEP        0.8026     0.1898 14  4.2282 0.0008431 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### (19) MODEL

```
GLM(COST ~ CATTLE + CALVES + SHEEP, p12)
```

```

$ANOVA
Response : COST
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 7823.1 2607.69 60.673 1.281e-08 ***
RESIDUALS   15 644.7   42.98
CORRECTED TOTAL 18 8467.8
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
CATTLE    1 6582.1 6582.1 153.1443 2.835e-09 ***
CALVES    1 186.7  186.7  4.3432 0.0546701 .
SHEEP     1 1054.3 1054.3 24.5306 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
CATTLE    1 2519.8 2519.8 58.6265 1.471e-06 ***
CALVES    1 260.6  260.6  6.0634 0.0263909 *
SHEEP     1 1054.3 1054.3 24.5306 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III` 
      Df Sum Sq Mean Sq F value Pr(>F)
CATTLE    1 2519.8 2519.8 58.6265 1.471e-06 ***
CALVES    1 260.6  260.6  6.0634 0.0263909 *
SHEEP     1 1054.3 1054.3 24.5306 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 1.0709     3.5272 15 0.3036 0.7655951
CATTLE       3.3665     0.4397 15 7.6568 1.471e-06 ***
CALVES       2.1046     0.8547 15 2.4624 0.0263909 *
SHEEP        0.9267     0.1871 15 4.9528 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (20) MODEL

```
GLM(COST ~ CATTLE + CALVES + offset(1*HOGS) + SHEEP, p12)
```

```

$ANOVA
Response : COST
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      3 7823.1 2607.69 60.673 1.281e-08 ***
RESIDUALS   15 644.7   42.98
CORRECTED TOTAL 18 8467.8
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
CATTLE    1 6582.1 6582.1 153.1443 2.835e-09 ***
CALVES    1 186.7   186.7   4.3432 0.0546701 .
SHEEP     1 1054.3 1054.3  24.5306 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
CATTLE    1 2519.8 2519.8 58.6265 1.471e-06 ***
CALVES    1 260.6   260.6   6.0634 0.0263909 *
SHEEP     1 1054.3 1054.3  24.5306 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III` 
      Df Sum Sq Mean Sq F value Pr(>F)
CATTLE    1 2519.8 2519.8 58.6265 1.471e-06 ***
CALVES    1 260.6   260.6   6.0634 0.0263909 *
SHEEP     1 1054.3 1054.3  24.5306 0.0001735 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Std. Error	Df	t value	Pr(> t )						
(Intercept)	1.0709	3.5272	15	0.3036	0.7655951						
CATTLE	3.3665	0.4397	15	7.6568	1.471e-06 ***						
CALVES	2.1046	0.8547	15	2.4624	0.0263909 *						
SHEEP	0.9267	0.1871	15	4.9528	0.0001735 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

(21) MODEL

```
GLM(COST ~ CATTLE + CALVES + I(HOGS + SHEEP), p12)
```

\$ANOVA

Response : COST

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	3	7936.7	2645.6	74.726	3.011e-09 ***
RESIDUALS	15	531.1	35.4		
CORRECTED TOTAL	18	8467.8			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '. ' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	6582.1	6582.1	185.9151	7.406e-10 ***
CALVES	1	186.7	186.7	5.2726	0.03649 *
I(HOGS + SHEEP)	1	1168.0	1168.0	32.9896	3.883e-05 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '. ' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2215.48	2215.48	62.5775	9.887e-07 ***
CALVES	1	155.03	155.03	4.3788	0.0538 .
I(HOGS + SHEEP)	1	1167.96	1167.96	32.9896	3.883e-05 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '. ' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
CATTLE	1	2215.48	2215.48	62.5775	9.887e-07 ***
CALVES	1	155.03	155.03	4.3788	0.0538 .
I(HOGS + SHEEP)	1	1167.96	1167.96	32.9896	3.883e-05 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '. ' 0.1 ' ' 1

\$Parameter

Estimate	Std. Error	Df	t value	Pr(> t )
----------	------------	----	---------	----------

```

(Intercept) 2.2721   3.1899 15  0.7123   0.4872
CATTLE       3.2162   0.4066 15  7.9106 9.887e-07 ***
CALVES       1.6194   0.7739 15  2.0926   0.0538 .
I(HOGS + SHEEP) 0.8052   0.1402 15  5.7437 3.883e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (22) MODEL

```
REG(COST ~ CATTLE + CALVES + I(HOGS + SHEEP) - 1, p12)
```

```

Estimate Std. Error Df t value Pr(>|t|)
CATTLE      3.3000   0.38314 16  8.6131 2.100e-07 ***
CALVES      1.9672   0.59108 16  3.3281 0.004259 **
I(HOGS + SHEEP) 0.8068   0.13800 16  5.8466 2.479e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.2 Chapter 3

### 5.2.1 p63

#### (23) MODEL

```

p63w = read.table("C:/G/Rt/SAS4lm/p63.txt", header=TRUE)
p63l = reshape(p63w,
  direction = "long",
  varying = list(names(p63w)[2:9]),
  v.names = "fruitwt",
  idvar = c("irrig"),
  timevar = "bloc",
  times = 1:8)
p63l = af(p63l, c("bloc"))
GLM(fruitwt ~ bloc + irrig, p63l) # p64

```

```

$ANOVA
Response : fruitwt
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      11 445334   40485   12.04 6.643e-08 ***
RESIDUALS  28 94147    3362
CORRECTED TOTAL 39 539481
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

```

Df Sum Sq Mean Sq F value    Pr(>F)
bloc   7 401308   57330 17.0503 1.452e-08 ***
irrig   4  44026   11006  3.2734  0.02539 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
Df Sum Sq Mean Sq F value    Pr(>F)
bloc   7 401308   57330 17.0503 1.452e-08 ***
irrig   4  44026   11006  3.2734  0.02539 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
Df Sum Sq Mean Sq F value    Pr(>F)
bloc   7 401308   57330 17.0503 1.452e-08 ***
irrig   4  44026   11006  3.2734  0.02539 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 220.150      0 31.760 28 6.9316 1.553e-07 ***
bloc1       152.600      0 36.674 28 4.1610 0.0002725 ***
bloc2       249.600      0 36.674 28 6.8060 2.155e-07 ***
bloc3        83.400      0 36.674 28 2.2741 0.0308206 *
bloc4      -112.000      0 36.674 28 -3.0540 0.0049132 **
bloc5       115.400      0 36.674 28 3.1467 0.0038956 **
bloc6       101.800      0 36.674 28 2.7758 0.0097029 **
bloc7        45.000      0 36.674 28 1.2270 0.2300251
bloc8        0.000      0 0.000 28
irrigbasin   -9.250      0 28.993 28 -0.3190 0.7520625
irrigflood   -70.000      0 28.993 28 -2.4144 0.0225461 *
irrigspray   -75.875      0 28.993 28 -2.6170 0.0141421 *
irrigsprnkler -7.625      0 28.993 28 -0.2630 0.7944806
irrigtrickle  0.000      0 0.000 28
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.2.2 p72

### (24) MODEL

```

p72 = read.table("C:/G/Rt/SAS4lm/p72.txt", header=TRUE)
p72 = af(p72, c("run", "pos", "mat"))
GLM(wtloss ~ run + pos + mat, p72) # p73

```

```

$ANOVA
Response : wtloss
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       9 7076.5  786.28  12.837 0.002828 ***
RESIDUALS    6  367.5   61.25
CORRECTED TOTAL 15 7444.0
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
run   3 986.5 328.83  5.3687 0.0390130 *
pos   3 1468.5 489.50  7.9918 0.0161685 *
mat   3 4621.5 1540.50 25.1510 0.0008498 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
run   3 986.5 328.83  5.3687 0.0390130 *
pos   3 1468.5 489.50  7.9918 0.0161685 *
mat   3 4621.5 1540.50 25.1510 0.0008498 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df Sum Sq Mean Sq F value    Pr(>F)
run   3 986.5 328.83  5.3687 0.0390130 *
pos   3 1468.5 489.50  7.9918 0.0161685 *
mat   3 4621.5 1540.50 25.1510 0.0008498 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value    Pr(>|t|)
(Intercept)  210.25        0     6.1872  6 33.9815 4.325e-08 ***
run1         9.25        0     5.5340  6  1.6715 0.1456579
run2         7.00        0     5.5340  6  1.2649 0.2528101
run3        21.75        0     5.5340  6  3.9303 0.0077104 **
run4         0.00        0     0.0000  6
pos1        8.50        0     5.5340  6  1.5360 0.1754542
pos2        26.25        0     5.5340  6  4.7434 0.0031802 **
pos3        8.25        0     5.5340  6  1.4908 0.1866076
pos4         0.00        0     0.0000  6
matA        35.25        0     5.5340  6  6.3697 0.0007032 ***
matB       -10.50        0     5.5340  6 -1.8974 0.1065582
matC        11.25        0     5.5340  6  2.0329 0.0883093 .
matD         0.00        0     0.0000  6

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

GLM(shrink ~ run + pos + mat, p72) # p73

$ANOVA
Response : shrink
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       9 265.75  29.528  9.8426 0.005775 **
RESIDUALS    6  18.00   3.000
CORRECTED TOTAL 15 283.75
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
run   3 33.25  11.083  3.6944 0.081254 .
pos   3 60.25  20.083  6.6944 0.024212 *
mat   3 172.25 57.417 19.1389 0.001786 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
run   3 33.25  11.083  3.6944 0.081254 .
pos   3 60.25  20.083  6.6944 0.024212 *
mat   3 172.25 57.417 19.1389 0.001786 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
run   3 33.25  11.083  3.6944 0.081254 .
pos   3 60.25  20.083  6.6944 0.024212 *
mat   3 172.25 57.417 19.1389 0.001786 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value    Pr(>|t|)
(Intercept)  41.75        0     1.3693  6 30.4899 8.261e-08 ***
run1         0.50        0     1.2247  6   0.4082  0.697261
run2         1.25        0     1.2247  6   1.0206  0.346810
run3         3.75        0     1.2247  6   3.0619  0.022172 *
run4         0.00        0     0.0000  6
pos1         2.75        0     1.2247  6   2.2454  0.065859 .
pos2         5.00        0     1.2247  6   4.0825  0.006484 **
```

```

pos3          0.75      0   1.2247  6  0.6124  0.562764
pos4          0.00      0   0.0000  6
matA          6.75      0   1.2247  6  5.5114  0.001499 **
matB         -2.00      0   1.2247  6 -1.6330  0.153590
matC          2.75      0   1.2247  6  2.2454  0.065859 .
matD          0.00      0   0.0000  6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.2.3 p75

(25) MODEL

```

p75w = read.table("C:/G/Rt/SAS4lm/p75.txt", header=TRUE)
p75l = reshape(p75w,
               direction = "long",
               varying = list(names(p75w)[4:9]),
               v.names = "Y",
               idvar = c("method", "variety", "trt"),
               timevar = "yield",
               times = 1:6)
p75l = af(p75l, c("variety", "yield"))
GLM(Y ~ method*variety, p75l) # p78

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL     14 1339.0  95.645  4.8674 2.723e-06 ***
RESIDUALS 75 1473.8  19.650
CORRECTED TOTAL 89 2812.8
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
method     2 953.16  476.58 24.2531 7.525e-09 ***
variety    4   11.38    2.85  0.1448  0.96476
method:variety 8 374.49   46.81  2.3822  0.02409 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
method     2 953.16  476.58 24.2531 7.525e-09 ***
variety    4   11.38    2.85  0.1448  0.96476
method:variety 8 374.49   46.81  2.3822  0.02409 *

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

method       2 953.16 476.58 24.2531 7.525e-09 ***  

variety      4 11.38   2.85  0.1448   0.96476  

method:variety 8 374.49  46.81  2.3822   0.02409 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value    Pr(>|t|)  

(Intercept) 12.5500      0 1.8097 75 6.9348 1.23e-09 ***  

methoda      9.7833      0 2.5593 75 3.8226 0.0002707 ***  

methodb      6.6667      0 2.5593 75 2.6049 0.0110772 *  

methodc      0.0000      0 0.0000 75  

variety1     5.8667      0 2.5593 75 2.2923 0.0246955 *  

variety2     7.3667      0 2.5593 75 2.8784 0.0052049 **  

variety3     4.7667      0 2.5593 75 1.8625 0.0664519 .  

variety4     2.2833      0 2.5593 75 0.8922 0.3751569  

variety5     0.0000      0 0.0000 75  

methoda:variety1 -6.4333      0 3.6194 75 -1.7775 0.0795479 .  

methoda:variety2 -7.8500      0 3.6194 75 -2.1689 0.0332634 *  

methoda:variety3 -3.9667      0 3.6194 75 -1.0959 0.2766108  

methoda:variety4  1.3500      0 3.6194 75 0.3730 0.7102090  

methoda:variety5  0.0000      0 0.0000 75  

methodb:variety1 -10.0000     0 3.6194 75 -2.7629 0.0072031 **  

methodb:variety2 -11.3500     0 3.6194 75 -3.1359 0.0024473 **  

methodb:variety3 -8.5333      0 3.6194 75 -2.3577 0.0210000 *  

methodb:variety4 -8.0000      0 3.6194 75 -2.2103 0.0301340 *  

methodb:variety5  0.0000      0 0.0000 75  

methodc:variety1  0.0000      0 0.0000 75  

methodc:variety2  0.0000      0 0.0000 75  

methodc:variety3  0.0000      0 0.0000 75  

methodc:variety4  0.0000      0 0.0000 75  

methodc:variety5  0.0000      0 0.0000 75  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.3 Chapter 4

### 5.3.1 p94

(26) MODEL

```

p94w = read.table("C:/G/Rt/SAS4lm/p94.txt", head=TRUE)
p94l = reshape(p94w,
  direction = "long",
  varying = list(names(p94w)[3:8]),
  v.names = "ct",
  idvar = c("package"),
  timevar = "sample",
  times = 1:6)
p94l$sampleA = floor((p94l$sample + 1)/2)
p94l$sampleB = 2 - (p94l$sample) %% 2
p94l$logct = log10(p94l$ct)
p94l = af(p94l, c("sample", "sampleA", "sampleB", "package"))
GLM(logct ~ package + sampleA %in% package, p94l) # p97

```

\$ANOVA

Response : logct

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	59	50.463	0.85531	22.229	< 2.2e-16 ***
RESIDUALS	60	2.309	0.03848		
CORRECTED TOTAL	119	52.772			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
package	19	30.529	1.60680	41.760	< 2.2e-16 ***
package:sampleA	40	19.934	0.49836	12.952	< 2.2e-16 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
package	19	30.529	1.60680	41.760	< 2.2e-16 ***
package:sampleA	40	19.934	0.49836	12.952	< 2.2e-16 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
package	19	30.529	1.60680	41.760	< 2.2e-16 ***
package:sampleA	40	19.934	0.49836	12.952	< 2.2e-16 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	4.0380	0	0.13870	60	29.1124	< 2.2e-16 ***

package1	-0.6942	0	0.19616 60 -3.5391 0.0007825 ***
package2	-1.4062	0	0.19616 60 -7.1689 1.288e-09 ***
package3	-0.8099	0	0.19616 60 -4.1290 0.0001143 ***
package4	-0.4040	0	0.19616 60 -2.0595 0.0437975 *
package5	-1.3788	0	0.19616 60 -7.0292 2.231e-09 ***
package6	-1.6673	0	0.19616 60 -8.4999 6.910e-12 ***
package7	-0.2562	0	0.19616 60 -1.3063 0.1964519
package8	-1.7274	0	0.19616 60 -8.8062 2.094e-12 ***
package9	-1.0124	0	0.19616 60 -5.1611 2.924e-06 ***
package10	-1.7144	0	0.19616 60 -8.7402 2.707e-12 ***
package11	-0.9731	0	0.19616 60 -4.9609 6.100e-06 ***
package12	-0.8359	0	0.19616 60 -4.2616 7.279e-05 ***
package13	-0.7625	0	0.19616 60 -3.8873 0.0002560 ***
package14	-1.5190	0	0.19616 60 -7.7440 1.340e-10 ***
package15	-1.3985	0	0.19616 60 -7.1297 1.503e-09 ***
package16	0.0540	0	0.19616 60 0.2751 0.7841687
package17	-1.0624	0	0.19616 60 -5.4160 1.132e-06 ***
package18	-1.4658	0	0.19616 60 -7.4729 3.896e-10 ***
package19	-0.0892	0	0.19616 60 -0.4546 0.6510110
package20	0.0000	0	0.00000 60
package1:sampleA1	-0.5257	0	0.19616 60 -2.6800 0.0094902 **
package1:sampleA2	-1.0912	0	0.19616 60 -5.5631 6.503e-07 ***
package1:sampleA3	0.0000	0	0.00000 60
package2:sampleA1	0.7757	0	0.19616 60 3.9548 0.0002049 ***
package2:sampleA2	0.9866	0	0.19616 60 5.0298 4.741e-06 ***
package2:sampleA3	0.0000	0	0.00000 60
package3:sampleA1	-0.3974	0	0.19616 60 -2.0262 0.0472007 *
package3:sampleA2	-0.2931	0	0.19616 60 -1.4940 0.1404174
package3:sampleA3	0.0000	0	0.00000 60
package4:sampleA1	-0.3198	0	0.19616 60 -1.6301 0.1083175
package4:sampleA2	-1.6365	0	0.19616 60 -8.3426 1.278e-11 ***
package4:sampleA3	0.0000	0	0.00000 60
package5:sampleA1	0.8826	0	0.19616 60 4.4993 3.188e-05 ***
package5:sampleA2	0.6156	0	0.19616 60 3.1382 0.0026355 **
package5:sampleA3	0.0000	0	0.00000 60
package6:sampleA1	-0.7341	0	0.19616 60 -3.7422 0.0004105 ***
package6:sampleA2	-0.4318	0	0.19616 60 -2.2011 0.0315906 *
package6:sampleA3	0.0000	0	0.00000 60
package7:sampleA1	-0.5654	0	0.19616 60 -2.8825 0.0054684 **
package7:sampleA2	-0.0688	0	0.19616 60 -0.3508 0.7269701
package7:sampleA3	0.0000	0	0.00000 60
package8:sampleA1	-0.1137	0	0.19616 60 -0.5795 0.5644332
package8:sampleA2	0.3757	0	0.19616 60 1.9153 0.0602278 .
package8:sampleA3	0.0000	0	0.00000 60
package9:sampleA1	-0.2718	0	0.19616 60 -1.3854 0.1710573
package9:sampleA2	-0.0803	0	0.19616 60 -0.4095 0.6836214
package9:sampleA3	0.0000	0	0.00000 60
package10:sampleA1	0.3684	0	0.19616 60 1.8779 0.0652619 .

```

package10:sampleA2 -0.5756      0  0.19616 60 -2.9345 0.0047275 **
package10:sampleA3  0.0000      0  0.00000 60
package11:sampleA1  0.3030      0  0.19616 60  1.5446 0.1277034
package11:sampleA2  0.3470      0  0.19616 60  1.7690 0.0819836 .
package11:sampleA3  0.0000      0  0.00000 60
package12:sampleA1  0.4875      0  0.19616 60  2.4851 0.0157584 *
package12:sampleA2  0.4577      0  0.19616 60  2.3333 0.0230013 *
package12:sampleA3  0.0000      0  0.00000 60
package13:sampleA1 -0.2737      0  0.19616 60 -1.3953 0.1680716
package13:sampleA2 -1.2309      0  0.19616 60 -6.2752 4.243e-08 ***
package13:sampleA3  0.0000      0  0.00000 60
package14:sampleA1  0.6523      0  0.19616 60  3.3256 0.0015089 **
package14:sampleA2  1.6004      0  0.19616 60  8.1590 2.625e-11 ***
package14:sampleA3  0.0000      0  0.00000 60
package15:sampleA1  0.8492      0  0.19616 60  4.3291 5.770e-05 ***
package15:sampleA2 -0.5446      0  0.19616 60 -2.7764 0.0073206 **
package15:sampleA3  0.0000      0  0.00000 60
package16:sampleA1  0.6186      0  0.19616 60  3.1538 0.0025178 **
package16:sampleA2 -0.1946      0  0.19616 60 -0.9923 0.3250282
package16:sampleA3  0.0000      0  0.00000 60
package17:sampleA1  0.3223      0  0.19616 60  1.6429 0.1056276
package17:sampleA2 -0.7938      0  0.19616 60 -4.0467 0.0001508 ***
package17:sampleA3  0.0000      0  0.00000 60
package18:sampleA1  0.9477      0  0.19616 60  4.8314 9.762e-06 ***
package18:sampleA2  0.1888      0  0.19616 60  0.9623 0.3397458
package18:sampleA3  0.0000      0  0.00000 60
package19:sampleA1 -0.1623      0  0.19616 60 -0.8273 0.4113450
package19:sampleA2 -0.8111      0  0.19616 60 -4.1352 0.0001120 ***
package19:sampleA3  0.0000      0  0.00000 60
package20:sampleA1 -1.0114      0  0.19616 60 -5.1560 2.980e-06 ***
package20:sampleA2 -0.5923      0  0.19616 60 -3.0197 0.0037126 **
package20:sampleA3  0.0000      0  0.00000 60
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.3.2 p116

#### (27) MODEL

```
GLM(Y ~ method + variety + method:variety, p751) # p116
```

```
$ANOVA
Response : Y
              Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          14 1339.0  95.645  4.8674 2.723e-06 ***
RESIDUALS       75 1473.8  19.650

```

CORRECTED TOTAL 89 2812.8

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
method	2	953.16	476.58	24.2531	7.525e-09 ***
variety	4	11.38	2.85	0.1448	0.96476
method:variety	8	374.49	46.81	2.3822	0.02409 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
method	2	953.16	476.58	24.2531	7.525e-09 ***
variety	4	11.38	2.85	0.1448	0.96476
method:variety	8	374.49	46.81	2.3822	0.02409 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
method	2	953.16	476.58	24.2531	7.525e-09 ***
variety	4	11.38	2.85	0.1448	0.96476
method:variety	8	374.49	46.81	2.3822	0.02409 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	12.5500	0	1.8097	75	6.9348	1.23e-09 ***
methoda	9.7833	0	2.5593	75	3.8226	0.0002707 ***
methodb	6.6667	0	2.5593	75	2.6049	0.0110772 *
methodc	0.0000	0	0.0000	75		
variety1	5.8667	0	2.5593	75	2.2923	0.0246955 *
variety2	7.3667	0	2.5593	75	2.8784	0.0052049 **
variety3	4.7667	0	2.5593	75	1.8625	0.0664519 .
variety4	2.2833	0	2.5593	75	0.8922	0.3751569
variety5	0.0000	0	0.0000	75		
methoda:variety1	-6.4333	0	3.6194	75	-1.7775	0.0795479 .
methoda:variety2	-7.8500	0	3.6194	75	-2.1689	0.0332634 *
methoda:variety3	-3.9667	0	3.6194	75	-1.0959	0.2766108
methoda:variety4	1.3500	0	3.6194	75	0.3730	0.7102090
methoda:variety5	0.0000	0	0.0000	75		
methodb:variety1	-10.0000	0	3.6194	75	-2.7629	0.0072031 **
methodb:variety2	-11.3500	0	3.6194	75	-3.1359	0.0024473 **
methodb:variety3	-8.5333	0	3.6194	75	-2.3577	0.0210000 *
methodb:variety4	-8.0000	0	3.6194	75	-2.2103	0.0301340 *

```

methoddb:variety5 0.0000      0 0.0000 75
methoddc:variety1 0.0000      0 0.0000 75
methoddc:variety2 0.0000      0 0.0000 75
methoddc:variety3 0.0000      0 0.0000 75
methoddc:variety4 0.0000      0 0.0000 75
methoddc:variety5 0.0000      0 0.0000 75
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.3.3 p122

#### (28) MODEL

```

p122 = read.table("C:/G/Rt/SAS4lm/p122.txt", header=TRUE)
p122 = af(p122, c("et", "wafer", "pos"))
GLM(resista ~ et + wafer %in% et + pos + et:pos, p122)

```

\$ANOVA

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	23	9.3250	0.40544	3.6477	0.001263 **
RESIDUALS	24	2.6676	0.11115		
CORRECTED TOTAL	47	11.9926			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
et	3	3.1122	1.03739	9.3333	0.0002851 ***
et:wafer	8	4.2745	0.53431	4.8071	0.0012742 **
pos	3	1.1289	0.37630	3.3855	0.0345139 *
et:pos	9	0.8095	0.08994	0.8092	0.6125279

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
et	3	3.1122	1.03739	9.3333	0.0002851 ***
et:wafer	8	4.2745	0.53431	4.8071	0.0012742 **
pos	3	1.1289	0.37630	3.3855	0.0345139 *
et:pos	9	0.8095	0.08994	0.8092	0.6125279

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

et      3 3.1122 1.03739  9.3333 0.0002851 ***
et:wafer 8 4.2745 0.53431  4.8071 0.0012742 **
pos     3 1.1289 0.37630  3.3855 0.0345139 *
et:pos   9 0.8095 0.08994  0.8092 0.6125279
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
            Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  6.1775        0    0.23574 24 26.2044 < 2.2e-16 ***
et1         -0.8017        0    0.33339 24 -2.4046  0.024265 *
et2         -0.1792        0    0.33339 24 -0.5374  0.595934
et3         -0.0467        0    0.33339 24 -0.1400  0.889847
et4          0.0000        0    0.00000 24
et1:wafer1  0.7025        0    0.23574 24  2.9799  0.006508 **
et1:wafer2  0.8300        0    0.23574 24  3.5208  0.001750 **
et1:wafer3  0.0000        0    0.00000 24
et2:wafer1  -0.0800       0    0.23574 24 -0.3394  0.737295
et2:wafer2  -0.1650       0    0.23574 24 -0.6999  0.490709
et2:wafer3  0.0000        0    0.00000 24
et3:wafer1  -0.5125       0    0.23574 24 -2.1740  0.039796 *
et3:wafer2  0.4000        0    0.23574 24  1.6968  0.102675
et3:wafer3  0.0000        0    0.00000 24
et4:wafer1  0.6850        0    0.23574 24  2.9057  0.007755 **
et4:wafer2  0.4025        0    0.23574 24  1.7074  0.100660
et4:wafer3  0.0000        0    0.00000 24
pos1        -0.2000       0    0.27221 24 -0.7347  0.469628
pos2         0.0133       0    0.27221 24  0.0490  0.961339
pos3        -0.6433       0    0.27221 24 -2.3634  0.026551 *
pos4          0.0000       0    0.00000 24
et1:pos1   -0.0733       0    0.38497 24 -0.1905  0.850525
et1:pos2   -0.4500       0    0.38497 24 -1.1689  0.253910
et1:pos3   0.3100        0    0.38497 24  0.8053  0.428573
et1:pos4   0.0000       0    0.00000 24
et2:pos1   0.2767        0    0.38497 24  0.7187  0.479279
et2:pos2   0.2567        0    0.38497 24  0.6667  0.511307
et2:pos3   0.4933        0    0.38497 24  1.2815  0.212262
et2:pos4   0.0000       0    0.00000 24
et3:pos1   0.2433        0    0.38497 24  0.6321  0.533304
et3:pos2   0.2400        0    0.38497 24  0.6234  0.538882
et3:pos3   0.3233        0    0.38497 24  0.8399  0.409254
et3:pos4   0.0000       0    0.00000 24
et4:pos1   0.0000       0    0.00000 24
et4:pos2   0.0000       0    0.00000 24
et4:pos3   0.0000       0    0.00000 24
et4:pos4   0.0000       0    0.00000 24
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.3.4 p136

(29) MODEL

```
p136 = read.table("C:/G/Rt/SAS4lm/p136.txt", header=TRUE)
p136 = af(p136, "rep")
GLM(drywt ~ rep + cult + rep:cult + inoc + cult:inoc, p136)
```

\$ANOVA

```
Response : drywt
            Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL          11 157.208 14.2917   20.26 4.594e-06 ***
RESIDUALS      12   8.465  0.7054
CORRECTED TOTAL 23 165.673
```

---

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

```
            Df  Sum Sq Mean Sq F value    Pr(>F)
rep        3  25.320   8.440 11.9646 0.0006428 ***
cult       1   2.407   2.407  3.4117 0.0895283 .
rep:cult   3   9.480   3.160  4.4796 0.0249095 *
inoc       2 118.176  59.088 83.7631 8.919e-08 ***
cult:inoc  2   1.826   0.913  1.2942 0.3097837
```

---

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

```
            Df  Sum Sq Mean Sq F value    Pr(>F)
rep        3  25.320   8.440 11.9646 0.0006428 ***
cult       1   2.407   2.407  3.4117 0.0895283 .
rep:cult   3   9.480   3.160  4.4796 0.0249095 *
inoc       2 118.176  59.088 83.7631 8.919e-08 ***
cult:inoc  2   1.826   0.913  1.2942 0.3097837
```

---

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

```
            Df  Sum Sq Mean Sq F value    Pr(>F)
rep        3  25.320   8.440 11.9646 0.0006428 ***
cult       1   2.407   2.407  3.4117 0.0895283 .
rep:cult   3   9.480   3.160  4.4796 0.0249095 *
inoc       2 118.176  59.088 83.7631 8.919e-08 ***
cult:inoc  2   1.826   0.913  1.2942 0.3097837
```

---

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 31.4917      0  0.59389 12 53.0259 1.332e-15 ***
rep1         3.4000      0  0.68577 12  4.9579 0.0003319 ***
rep2         3.8000      0  0.68577 12  5.5412 0.0001275 ***
rep3         0.9333      0  0.68577 12  1.3610 0.1985240
rep4         0.0000      0  0.00000 12
cultA        0.6917      0  0.83989 12  0.8235 0.4262768
cultB        0.0000      0  0.00000 12
rep1:cultA  -2.0000      0  0.96982 12 -2.0622 0.0615275 .
rep1:cultB  0.0000      0  0.00000 12
rep2:cultA  -2.6000      0  0.96982 12 -2.6809 0.0200035 *
rep2:cultB  0.0000      0  0.00000 12
rep3:cultA  0.3333      0  0.96982 12  0.3437 0.7370149
rep3:cultB  0.0000      0  0.00000 12
rep4:cultA  0.0000      0  0.00000 12
rep4:cultB  0.0000      0  0.00000 12
inocCON     -5.5000      0  0.59389 12 -9.2609 8.156e-07 ***
inocDEA     -2.8750      0  0.59389 12 -4.8409 0.0004044 ***
inocLIV     0.0000      0  0.00000 12
cultA:inocCON 0.2500      0  0.83989 12  0.2977 0.7710547
cultA:inocDEA -1.0250      0  0.83989 12 -1.2204 0.2457544
cultA:inocLIV 0.0000      0  0.00000 12
cultB:inocCON 0.0000      0  0.00000 12
cultB:inocDEA 0.0000      0  0.00000 12
cultB:inocLIV 0.0000      0  0.00000 12
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.4 Chapter 5

### 5.4.1 p142

#### (30) MODEL

```

p142 = read.table("C:/G/Rt/SAS4lm/p142.txt", header=TRUE, na.strings=".")
p142 = af(p142, c("STUDY", "PATIENT"))
GLM(FLUSH ~ STUDY + TRT, p142) # Incomplete data, 56 lines are truncated.

```

```

$ANOVA
Response : FLUSH
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      5 3619.9 723.98  2.392 0.04607 *
RESIDUALS  71 21489.2 302.67
CORRECTED TOTAL 76 25109.1
---

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

      Df Sum Sq Mean Sq F value Pr(>F)  

STUDY  4 3553.9 888.46 2.9355 0.02638 *  

TRT    1   66.0   66.04  0.2182 0.64185  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

STUDY  4 3599.4 899.85 2.9731 0.02496 *  

TRT    1   66.0   66.04  0.2182 0.64185  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

STUDY  4 3599.4 899.85 2.9731 0.02496 *  

TRT    1   66.0   66.04  0.2182 0.64185  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 20.7038        0     5.1627 71  4.0103 0.0001481 ***  

STUDY42     18.8049        0    11.1730 71  1.6831 0.0967562 .  

STUDY43     3.3539        0     5.8408 71  0.5742 0.5676300  

STUDY44     -9.6707       0     7.1273 71 -1.3569 0.1791234  

STUDY45     9.6932        0     6.0879 71  1.5922 0.1157835  

STUDY46     0.0000        0     0.0000 71  

TRTA       -1.8583        0     3.9782 71 -0.4671 0.6418492  

TRTB       0.0000        0     0.0000 71  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (31) MODEL

```
GLM(FLUSH ~ TRT + STUDY + TRT:STUDY, p142) # Different data
```

```
$ANOVA  

Response : FLUSH  

      Df Sum Sq Mean Sq F value Pr(>F)  

MODEL          9 4093.7 454.86 1.4501 0.1851  

RESIDUALS      67 21015.4 313.66  

CORRECTED TOTAL 76 25109.1
```

```
$`Type I`  

      Df Sum Sq Mean Sq F value Pr(>F)  

TRT       1   20.5   20.49  0.0653 0.79906  

STUDY     4 3599.4  899.85  2.8688 0.02956 *  

TRT:STUDY 4  473.8  118.45  0.3776 0.82383  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

TRT       1   66.0   66.04  0.2105 0.64783  

STUDY     4 3599.4  899.85  2.8688 0.02956 *  

TRT:STUDY 4  473.8  118.45  0.3776 0.82383  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

TRT       1    1.9    1.93  0.0062 0.9377  

STUDY     4 3339.4  834.85  2.6616 0.0400 *  

TRT:STUDY 4  473.8  118.45  0.3776 0.8238  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 24.2321        0    6.6940 67  3.6200 0.0005671 ***  

TRTA       -9.5030        0    9.8532 67 -0.9645 0.3382875  

TRTB        0.0000        0    0.0000 67  

STUDY42     4.1012        0   18.9334 67  0.2166 0.8291705  

STUDY43     0.3108        0    8.1984 67  0.0379 0.9698723  

STUDY44    -12.8822        0    9.8532 67 -1.3074 0.1955439  

STUDY45     4.1451        0    8.5629 67  0.4841 0.6299091  

STUDY46     0.0000        0    0.0000 67  

TRTA:STUDY42 24.4078        0   23.8240 67  1.0245 0.3092815  

TRTA:STUDY43  6.6743        0   11.9120 67  0.5603 0.5771416  

TRTA:STUDY44  6.9476        0   14.5635 67  0.4771 0.6348740  

TRTA:STUDY45 11.6841        0   12.4143 67  0.9412 0.3499931  

TRTA:STUDY46  0.0000        0    0.0000 67  

TRTB:STUDY42  0.0000        0    0.0000 67  

TRTB:STUDY43  0.0000        0    0.0000 67  

TRTB:STUDY44  0.0000        0    0.0000 67  

TRTB:STUDY45  0.0000        0    0.0000 67  

TRTB:STUDY46  0.0000        0    0.0000 67  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 5.5 Chapter 6

### 5.5.1 p171

(32) MODEL

```
p171 = read.table("C:/G/Rt/SAS4lm/p171.txt", header=TRUE)
GLM(score2 ~ teach, p171) # p173 Output 6.2, p174 Output 6.5
```

```
$ANOVA
Response : score2
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL       2   49.74  24.868  0.5598 0.5776
RESIDUALS    28 1243.94  44.426
CORRECTED TOTAL 30 1293.68

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
teach  2 49.736  24.868  0.5598 0.5776

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
teach  2 49.736  24.868  0.5598 0.5776

$`Type III` 
      Df Sum Sq Mean Sq F value Pr(>F)
teach  2 49.736  24.868  0.5598 0.5776

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  72.455        0     2.0097 28 36.0530 <2e-16 ***
teachJAY      3.545        0     3.3828 28  1.0481  0.3036
teachPAT      0.903        0     2.6855 28  0.3361  0.7393
teachROBIN    0.000        0     0.0000 28
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### 5.5.2 p188

(33) MODEL

```
p188 = read.table("C:/G/Rt/SAS4lm/p188.txt", header=TRUE)
p188 = af(p188, c("a", "b"))
GLM(y ~ a + b + a:b, p188) # p189
```

\$ANOVA

```

Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      5 63.711 12.7422   5.866 0.005724 ***
RESIDUALS 12 26.067  2.1722
CORRECTED TOTAL 17 89.778
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
a     1 7.803  7.8028  3.5921 0.082395 .
b     2 20.492 10.2459  4.7168 0.030798 *
a:b   2 35.416 17.7082  8.1521 0.005807 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
          Df Sum Sq Mean Sq F value    Pr(>F)
a     1 15.850 15.850  7.2968 0.019265 *
b     2 20.492 10.246  4.7168 0.030798 *
a:b   2 35.416 17.708  8.1521 0.005807 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
          Df Sum Sq Mean Sq F value    Pr(>F)
a     1 9.641  9.6407  4.4382 0.056865 .
b     2 30.866 15.4330  7.1047 0.009212 **
a:b   2 35.416 17.7082  8.1521 0.005807 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value    Pr(>|t|)
(Intercept) 5.4000        0    0.65912 12  8.1927 2.944e-06 ***
a1         -4.4000        0    1.61452 12 -2.7253  0.018427 *
a2         0.0000        0    0.00000 12
b1         -2.9000        0    1.23311 12 -2.3518  0.036594 *
b2         2.9333        0    1.07634 12  2.7253  0.018427 *
b3         0.0000        0    0.00000 12
a1:b1      7.4000        0    2.18607 12  3.3851  0.005417 **
a1:b2      0.6667        0    1.94041 12  0.3436  0.737114
a1:b3      0.0000        0    0.00000 12
a2:b1      0.0000        0    0.00000 12
a2:b2      0.0000        0    0.00000 12
a2:b3      0.0000        0    0.00000 12
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.5.3 p203

#### (34) MODEL

```
GLM(y ~ a + b + a:b, p188[-8,])

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      4 45.816 11.4539  5.2729 0.01097 *
RESIDUALS   12 26.067  2.1722
CORRECTED TOTAL 16 71.882
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
a      1 2.9252 2.9252  1.3466 0.268432
b      2 13.3224 6.6612  3.0665 0.083997 .
a:b    1 29.5681 29.5681 13.6119 0.003095 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
a      1 5.5652 5.5652  2.5620 0.135442
b      2 13.3224 6.6612  3.0665 0.083997 .
a:b    1 29.5681 29.5681 13.6119 0.003095 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
a      1 0.3507 0.3507  0.1615 0.694881
b      2 16.0733 8.0367  3.6997 0.056021 .
a:b    1 29.5681 29.5681 13.6119 0.003095 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 5.4000        0  0.65912 12  8.1927 2.944e-06 ***
a1          -3.7333       0  1.07634 12 -3.4685  0.004644 **
a2          0.0000       0  0.00000 12
b1          -2.9000       0  1.23311 12 -2.3518  0.036594 *
b2          2.9333       0  1.07634 12  2.7253  0.018427 *
b3          0.0000       0  0.00000 12
```

```

a1:b1      6.7333      0   1.82503 12  3.6894  0.003095 **
a1:b2      0.0000      0   0.00000 12
a1:b3          0
a2:b1      0.0000      0   0.00000 12
a2:b2      0.0000      0   0.00000 12
a2:b3      0.0000      0   0.00000 12
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.5.4 p215

(35) MODEL

```

p215 = read.table("C:/G/Rt/SAS4lm/p215.txt", header=TRUE)
p215 = af(p215, c("irrig", "reps"))
GLM(yield ~ irrig/reps + cult + irrig:cult, p215) # p216 Book is wrong.

```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      11 67.662  6.1511  0.6253 0.7636
RESIDUALS     6 59.023  9.8372
CORRECTED TOTAL 17 126.685

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
irrig       2 7.320  3.6600  0.3721 0.7042
irrig:reps  6 59.870  9.9783  1.0143 0.4933
cult        1 0.467  0.4672  0.0475 0.8347
irrig:cult   2 0.004  0.0022  0.0002 0.9998

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
irrig       2 7.320  3.6600  0.3721 0.7042
irrig:reps  6 59.870  9.9783  1.0143 0.4933
cult        1 0.467  0.4672  0.0475 0.8347
irrig:cult   2 0.004  0.0022  0.0002 0.9998

```

```

$`Type III` 
      Df Sum Sq Mean Sq F value Pr(>F)
irrig       2 7.320  3.6600  0.3721 0.7042
irrig:reps  6 59.870  9.9783  1.0143 0.4933
cult        1 0.467  0.4672  0.0475 0.8347
irrig:cult   2 0.004  0.0022  0.0002 0.9998

```

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )					
(Intercept)	30.6667	0	2.5609	6	11.9750	2.055e-05 ***					
irrig1	2.6333	0	3.6216	6	0.7271	0.4945					
irrig2	3.5833	0	3.6216	6	0.9894	0.3607					
irrig3	0.0000	0	0.0000	6							
irrig1:reps1	-4.9000	0	3.1364	6	-1.5623	0.1692					
irrig1:reps2	-1.5000	0	3.1364	6	-0.4783	0.6494					
irrig1:reps3	0.0000	0	0.0000	6							
irrig2:reps1	-5.6000	0	3.1364	6	-1.7855	0.1244					
irrig2:reps2	-3.3500	0	3.1364	6	-1.0681	0.3266					
irrig2:reps3	0.0000	0	0.0000	6							
irrig3:reps1	-1.7000	0	3.1364	6	-0.5420	0.6073					
irrig3:reps2	-0.8000	0	3.1364	6	-0.2551	0.8072					
irrig3:reps3	0.0000	0	0.0000	6							
cultA	0.3667	0	2.5609	6	0.1432	0.8908					
cultB	0.0000	0	0.0000	6							
irrig1:cultA	-0.0667	0	3.6216	6	-0.0184	0.9859					
irrig1:cultB	0.0000	0	0.0000	6							
irrig2:cultA	-0.0667	0	3.6216	6	-0.0184	0.9859					
irrig2:cultB	0.0000	0	0.0000	6							
irrig3:cultA	0.0000	0	0.0000	6							
irrig3:cultB	0.0000	0	0.0000	6							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

# Compare with SAS output

### (36) MODEL

```
GLM(yield ~ reps + irrig + reps:irrig + cult + cult:irrig, p215)
```

```
$ANOVA
Response : yield
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      11 67.662 6.1511 0.6253 0.7636
RESIDUALS   6 59.023 9.8372
CORRECTED TOTAL 17 126.685
```

```
$`Type I` 
          Df Sum Sq Mean Sq F value Pr(>F)
reps       2 49.703 24.8517 2.5263 0.1600
irrig      2  7.320  3.6600 0.3721 0.7042
reps:irrig 4 10.167  2.5417 0.2584 0.8944
cult       1  0.467  0.4672 0.0475 0.8347
irrig:cult 2  0.004  0.0022 0.0002 0.9998
```

```
$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

reps       2 49.703 24.8517  2.5263 0.1600  

irrig      2  7.320  3.6600  0.3721 0.7042  

reps:irrig 4 10.167  2.5417  0.2584 0.8944  

cult       1  0.467  0.4672  0.0475 0.8347  

irrig:cult 2  0.004  0.0022  0.0002 0.9998  

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

reps       2 49.703 24.8517  2.5263 0.1600  

irrig      2  7.320  3.6600  0.3721 0.7042  

reps:irrig 4 10.167  2.5417  0.2584 0.8944  

cult       1  0.467  0.4672  0.0475 0.8347  

irrig:cult 2  0.004  0.0022  0.0002 0.9998  

$Parameter  

            Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 30.6667        0    2.5609  6 11.9750 2.055e-05 ***  

reps1       -1.7000        0    3.1364  6 -0.5420  0.6073  

reps2       -0.8000        0    3.1364  6 -0.2551  0.8072  

reps3        0.0000        0    0.0000  6  

irrig1       2.6333        0    3.6216  6  0.7271  0.4945  

irrig2       3.5833        0    3.6216  6  0.9894  0.3607  

irrig3        0.0000        0    0.0000  6  

reps1:irrig1 -3.2000        0    4.4356  6 -0.7214  0.4978  

reps1:irrig2 -3.9000        0    4.4356  6 -0.8793  0.4131  

reps1:irrig3  0.0000        0    0.0000  6  

reps2:irrig1 -0.7000        0    4.4356  6 -0.1578  0.8798  

reps2:irrig2 -2.5500        0    4.4356  6 -0.5749  0.5863  

reps2:irrig3  0.0000        0    0.0000  6  

reps3:irrig1  0.0000        0    0.0000  6  

reps3:irrig2  0.0000        0    0.0000  6  

reps3:irrig3  0.0000        0    0.0000  6  

cultA        0.3667        0    2.5609  6  0.1432  0.8908  

cultB        0.0000        0    0.0000  6  

irrig1:cultA -0.0667        0    3.6216  6 -0.0184  0.9859  

irrig1:cultB  0.0000        0    0.0000  6  

irrig2:cultA -0.0667        0    3.6216  6 -0.0184  0.9859  

irrig2:cultB  0.0000        0    0.0000  6  

irrig3:cultA  0.0000        0    0.0000  6  

irrig3:cultB  0.0000        0    0.0000  6  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 5.6 Chapter 7

### 5.6.1 p232

(37) MODEL

```
p232 = read.table("C:/G/Rt/SAS4lm/p232.txt", header=TRUE)
p232 = af(p232, c("trt", "rep"))
GLM(final ~ trt + initial, p232) # p233
```

```
$ANOVA
Response : final
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      5 354.45 70.889  235.05 5.493e-13 ***
RESIDUALS   14   4.22   0.302
CORRECTED TOTAL 19 358.67
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt      4 198.41 49.602 164.47 1.340e-11 ***
initial  1 156.04 156.040 517.38 1.867e-12 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt      4 12.089   3.022 10.021 0.0004819 ***
initial  1 156.040 156.040 517.384 1.867e-12 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt      4 12.089   3.022 10.021 0.0004819 ***
initial  1 156.040 156.040 517.384 1.867e-12 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
              Estimate Estimable Std. Error Df t value    Pr(>|t|)
(Intercept)  2.49486       0     1.02786 14  2.4272  0.029298 *
trt1        -0.24446       0     0.57658 14 -0.4240  0.678022
trt2        -0.28027       0     0.49291 14 -0.5686  0.578630
trt3         1.65476       0     0.42943 14  3.8534  0.001756 **
trt4         1.10711       0     0.47175 14  2.3468  0.034170 *
```

```

trt5      0.00000      0    0.00000 14
initial   1.08318      1    0.04762 14 22.7461 1.867e-12 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.6.2 p240

### (38) MODEL

```
GLM(final ~ initial + trt + trt:initial, p232) # p240
```

```

$ANOVA
Response : final
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      9 355.84 39.537 139.51 2.572e-09 ***
RESIDUALS  10    2.83   0.283
CORRECTED TOTAL 19 358.67
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
initial     1 342.36 342.36 1208.0336 9.211e-12 ***
trt         4  12.09   3.02   10.6645  0.001247 **
initial:trt 4   1.39   0.35    1.2247  0.360175
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
initial     1 156.040 156.040 550.5987 4.478e-10 ***
trt         4  12.089   3.022   10.6645  0.001247 **
initial:trt 4   1.388   0.347    1.2247  0.360175
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
initial     1 68.529  68.529 241.8091 2.472e-08 ***
trt         4   1.696   0.424   1.4963   0.2752
initial:trt 4   1.388   0.347    1.2247   0.3602
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)
```

```

(Intercept) -0.4318      0    2.1328 10 -0.2025      0.8436
initial      1.2239      0    0.1017 10 12.0298 2.854e-07 ***
trt1         5.6731      0    3.5715 10  1.5884      0.1433
trt2        -8.7175      0    8.9578 10 -0.9732      0.3534
trt3         5.2498      0    3.4875 10  1.5053      0.1632
trt4         4.7276      0    2.9399 10  1.6081      0.1389
trt5         0.0000      0    0.0000 10
initial:trt1 -0.2412      0    0.1398 10 -1.7256      0.1151
initial:trt2  0.2775      0    0.3358 10  0.8263      0.4279
initial:trt3 -0.1678      0    0.1509 10 -1.1123      0.2920
initial:trt4 -0.1670      0    0.1269 10 -1.3153      0.2178
initial:trt5  0.0000      0    0.0000 10
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.6.3 p241

#### (39) MODEL

```

p241 = read.table("C:/G/Rt/SAS4lm/p241.txt", header=TRUE)
p241 = af(p241, c("STORE", "DAY"))
GLM(Q1 ~ P1 + DAY + P1:DAY, p241) # p242

```

```

$ANOVA
Response : Q1
          Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL       11 1111.52 101.048  4.6445 0.0008119 ***
RESIDUALS   24  522.15  21.756
CORRECTED TOTAL 35 1633.68
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df  Sum Sq Mean Sq F value    Pr(>F)
P1          1  516.59  516.59 23.7444 5.739e-05 ***
DAY         5  430.54   86.11  3.9578  0.009275 **
P1:DAY     5  164.39   32.88  1.5112  0.223566
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
          Df  Sum Sq Mean Sq F value    Pr(>F)
P1          1  696.73  696.73 32.0243 7.925e-06 ***
DAY         5  430.54   86.11  3.9578  0.009275 **
P1:DAY     5  164.39   32.88  1.5112  0.223566
---

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

P1       1 554.79 554.79 25.4999 3.665e-05 ***  

DAY      5 201.17 40.23  1.8493   0.1412  

P1:DAY  5 164.39 32.88  1.5112   0.2236  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept) 73.273        0 13.4837 24 5.4341 1.39e-05 ***  

P1          -1.225        0 0.2652 24 -4.6199 0.0001092 ***  

DAY1        -54.597        0 19.7355 24 -2.7664 0.0107321 *  

DAY2        -34.786        0 20.2511 24 -1.7177 0.0987253 .  

DAY3        -27.943        0 29.4284 24 -0.9495 0.3518193  

DAY4        -24.123        0 21.3933 24 -1.1276 0.2706307  

DAY5         4.626        0 30.6284 24 0.1510 0.8812016  

DAY6         0.000        0 0.0000 24  

P1:DAY1     1.005        0 0.3941 24 2.5494 0.0175983 *  

P1:DAY2     0.602        0 0.3988 24 1.5088 0.1444129  

P1:DAY3     0.614        0 0.5703 24 1.0768 0.2922646  

P1:DAY4     0.430        0 0.4151 24 1.0349 0.3110314  

P1:DAY5     0.029        0 0.5703 24 0.0515 0.9593643  

P1:DAY6     0.000        0 0.0000 24  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.6.4 p243

### (40) MODEL

```
GLM(Q1 ~ DAY + DAY:P1, p241)
```

```

$ANOVA  

Response : Q1  

      Df Sum Sq Mean Sq F value    Pr(>F)  

MODEL      11 1111.52 101.048 4.6445 0.0008119 ***  

RESIDUALS  24 522.15 21.756  

CORRECTED TOTAL 35 1633.68  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

      Df Sum Sq Mean Sq F value    Pr(>F)

```

```

DAY      5 250.40 50.079 2.3018 0.0764717 .
DAY:P1   6 861.13 143.521 6.5967 0.0003239 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
  Df Sum Sq Mean Sq F value    Pr(>F)
DAY      5 250.40 50.079 2.3018 0.0764717 .
DAY:P1   6 861.13 143.521 6.5967 0.0003239 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
  Df Sum Sq Mean Sq F value    Pr(>F)
DAY      5 201.17 40.234 1.8493 0.1411648
DAY:P1   6 861.13 143.521 6.5967 0.0003239 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
  Estimate Estimable Std. Error Df t value  Pr(>|t|)
(Intercept) 73.273        0 13.4837 24 5.4341 1.39e-05 ***
DAY1        -54.597       0 19.7355 24 -2.7664 0.0107321 *
DAY2        -34.786       0 20.2511 24 -1.7177 0.0987253 .
DAY3        -27.943       0 29.4284 24 -0.9495 0.3518193
DAY4        -24.123       0 21.3933 24 -1.1276 0.2706307
DAY5         4.626       0 30.6284 24 0.1510 0.8812016
DAY6         0.000       0 0.0000 24
DAY1:P1     -0.220       1 0.2915 24 -0.7562 0.4568599
DAY2:P1     -0.624       1 0.2978 24 -2.0940 0.0470031 *
DAY3:P1     -0.611       1 0.5049 24 -1.2102 0.2379998
DAY4:P1     -0.796       1 0.3193 24 -2.4914 0.0200350 *
DAY5:P1     -1.196       1 0.5049 24 -2.3683 0.0262648 *
DAY6:P1     -1.225       1 0.2652 24 -4.6199 0.0001092 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

`REG(Q1 ~ DAY + DAY:P1 - 1, p241) # Output 7.10`

	Estimate	Std. Error	Df	t value	Pr(> t )
DAY1	18.675	14.4110	24	1.2959	0.2073286
DAY2	38.487	15.1094	24	2.5472	0.0176863 *
DAY3	45.330	26.1576	24	1.7329	0.0959384 .
DAY4	49.149	16.6092	24	2.9592	0.0068366 **
DAY5	77.899	27.5007	24	2.8326	0.0092034 **
DAY6	73.273	13.4837	24	5.4341	1.39e-05 ***
DAY1:P1	-0.220	0.2915	24	-0.7562	0.4568599

```

DAY2:P1   -0.624    0.2978 24 -2.0940 0.0470031 *
DAY3:P1   -0.611    0.5049 24 -1.2102 0.2379998
DAY4:P1   -0.796    0.3193 24 -2.4914 0.0200350 *
DAY5:P1   -1.196    0.5049 24 -2.3683 0.0262648 *
DAY6:P1   -1.225    0.2652 24 -4.6199 0.0001092 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(41) MODEL

```
GLM(Q1 ~ P1 + DAY + P1:DAY, p241)
```

```

$ANOVA
Response : Q1
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       11 1111.52 101.048  4.6445 0.0008119 ***
RESIDUALS    24  522.15  21.756
CORRECTED TOTAL 35 1633.68
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
P1        1 516.59 516.59 23.7444 5.739e-05 ***
DAY       5 430.54  86.11  3.9578  0.009275 **
P1:DAY    5 164.39   32.88  1.5112  0.223566
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
P1        1 696.73 696.73 32.0243 7.925e-06 ***
DAY       5 430.54  86.11  3.9578  0.009275 **
P1:DAY    5 164.39   32.88  1.5112  0.223566
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
P1        1 554.79 554.79 25.4999 3.665e-05 ***
DAY       5 201.17  40.23  1.8493    0.1412
P1:DAY    5 164.39   32.88  1.5112    0.2236
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)

```

```

(Intercept) 73.273      0   13.4837 24  5.4341  1.39e-05 ***
P1          -1.225      0   0.2652 24 -4.6199  0.0001092 ***
DAY1        -54.597     0   19.7355 24 -2.7664  0.0107321 *
DAY2        -34.786     0   20.2511 24 -1.7177  0.0987253 .
DAY3        -27.943     0   29.4284 24 -0.9495  0.3518193
DAY4        -24.123     0   21.3933 24 -1.1276  0.2706307
DAY5         4.626      0   30.6284 24  0.1510  0.8812016
DAY6         0.000      0   0.0000 24
P1:DAY1     1.005      0   0.3941 24  2.5494  0.0175983 *
P1:DAY2     0.602      0   0.3988 24  1.5088  0.1444129
P1:DAY3     0.614      0   0.5703 24  1.0768  0.2922646
P1:DAY4     0.430      0   0.4151 24  1.0349  0.3110314
P1:DAY5     0.029      0   0.5703 24  0.0515  0.9593643
P1:DAY6     0.000      0   0.0000 24
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### (42) MODEL

```
GLM(Q1 ~ STORE + DAY + P1 + P2, p241)
```

```

$ANOVA
Response : Q1
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL   12 1225.37 102.114  5.7521 0.0001688 ***
RESIDUALS 23  408.31  17.753
CORRECTED TOTAL 35 1633.68
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
STORE   5 313.42  62.68  3.5310  0.01629 *
DAY     5 250.40  50.08  2.8210  0.03957 *
P1      1 622.01  622.01 35.0377 4.924e-06 ***
P2      1  39.54   39.54  2.2274  0.14917
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
STORE   5 223.83  44.77  2.5217  0.058346 .
DAY     5 433.10  86.62  4.8793  0.003456 **
P1      1 538.17  538.17 30.3150 1.342e-05 ***
P2      1  39.54   39.54  2.2274  0.149171
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

STORE   5 223.83   44.77  2.5217  0.058346 .  

DAY     5 433.10   86.62  4.8793  0.003456 **  

P1      1 538.17  538.17 30.3150 1.342e-05 ***  

P2      1 39.54   39.54  2.2274  0.149171  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter  

      Estimate Estimable Std. Error Df t value    Pr(>|t|)  

(Intercept) 51.700        0     9.7910 23  5.2803 2.333e-05 ***  

STORE1      -7.645        0     2.6919 23 -2.8401 0.009273 **  

STORE2      -5.602        0     2.4642 23 -2.2735 0.032650 *  

STORE3      -7.363        0     2.4642 23 -2.9880 0.006573 **  

STORE4      -4.365        0     2.4875 23 -1.7547 0.092620 .  

STORE5      -5.021        0     2.4361 23 -2.0609 0.050799 .  

STORE6       0.000        0     0.0000 23  

DAY1        -5.830        0     2.5193 23 -2.3143 0.029934 *  

DAY2        -4.900        0     2.4471 23 -2.0024 0.057172 .  

DAY3         2.270        0     2.5403 23  0.8935 0.380834  

DAY4        -2.652        0     2.4467 23 -1.0841 0.289545  

DAY5         4.047        0     2.5566 23  1.5830 0.127078  

DAY6       0.000        0     0.0000 23  

P1          -0.830        1     0.1508 23 -5.5059 1.342e-05 ***  

P2          0.149        1     0.0997 23  1.4925 0.149171  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 5.6.5 p250

### (43) MODEL

```
p250 = read.table("C:/G/Rt/SAS4lm/p250.txt", header=TRUE)
p250 = af(p250, c("variety", "spacing", "plant"))
GLM(lint ~ bollwt + variety + spacing + variety:spacing + variety:spacing:plant,
    p250) # p252 Output 7.18, Parameter is different due to different order
```

```
$ANOVA
Response : lint
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      8 31.160  3.8950  80.704 < 2.2e-16 ***
RESIDUALS  40  1.931  0.0483
CORRECTED TOTAL 48 33.091
---
```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	29.0693	29.0693	602.3107	< 2.2e-16 ***
variety	1	1.2635	1.2635	26.1802	8.158e-06 ***
spacing	1	0.4666	0.4666	9.6689	0.003447 **
variety:spacing	1	0.0933	0.0933	1.9325	0.172169
variety:spacing:plant	4	0.2673	0.0668	1.3847	0.256548

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	11.1186	11.1186	230.3745	< 2.2e-16 ***
variety	1	1.1973	1.1973	24.8084	1.259e-05 ***
spacing	1	0.4666	0.4666	9.6689	0.003447 **
variety:spacing	1	0.0933	0.0933	1.9325	0.172169
variety:spacing:plant	4	0.2673	0.0668	1.3847	0.256548

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
bollwt	1	11.1186	11.1186	230.3745	< 2.2e-16 ***
variety	1	0.9424	0.9424	19.5269	7.379e-05 ***
spacing	1	0.3748	0.3748	7.7666	0.008101 **
variety:spacing	1	0.0479	0.0479	0.9915	0.325350
variety:spacing:plant	4	0.2673	0.0668	1.3847	0.256548

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	-0.27244	0	0.119340	40	-2.2829	0.027825
bollwt	0.30561	1	0.020135	40	15.1781	< 2.2e-16
variety37	0.42327	0	0.129645	40	3.2649	0.002249
variety213	0.00000	0	0.000000	40		
spacing30	0.03796	0	0.151615	40	0.2504	0.803596
spacing40	0.00000	0	0.000000	40		
variety37:spacing30	0.02364	0	0.198980	40	0.1188	0.906004
variety37:spacing40	0.00000	0	0.000000	40		
variety213:spacing30	0.00000	0	0.000000	40		
variety213:spacing40	0.00000	0	0.000000	40		
variety37:spacing30:plant0		0				
variety37:spacing30:plant3	0.08923	0	0.150334	40	0.5935	0.556164
variety37:spacing30:plant5	0.00000	0	0.000000	40		
variety37:spacing40:plant0		0				

```

variety37:spacing40:plant3 -0.02713      0  0.110857 40 -0.2447  0.807910
variety37:spacing40:plant5  0.00000      0  0.000000 40
variety213:spacing30:plant0
variety213:spacing30:plant3 0.33372      0  0.160556 40  2.0785  0.044120
variety213:spacing30:plant5 0.00000      0  0.000000 40
variety213:spacing40:plant0 -0.09849      0  0.111519 40 -0.8832  0.382418
variety213:spacing40:plant3 0.00000      0  0.000000 40
variety213:spacing40:plant5 0

(Intercept) *
bollwt      ***
variety37    **
variety213
spacing30
spacing40
variety37:spacing30
variety37:spacing40
variety213:spacing30
variety213:spacing40
variety37:spacing30:plant0
variety37:spacing30:plant3
variety37:spacing30:plant5
variety37:spacing40:plant0
variety37:spacing40:plant3
variety37:spacing40:plant5
variety213:spacing30:plant0
variety213:spacing30:plant3 *
variety213:spacing30:plant5
variety213:spacing40:plant0
variety213:spacing40:plant3
variety213:spacing40:plant5
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.6.6 p254 Output 7.20

(44) MODEL

```
GLM(lint ~ bollwt + variety + spacing, p250)
```

```
$ANOVA
Response : lint
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       3 30.799 10.2665  201.65 < 2.2e-16 ***
RESIDUALS   45  2.291  0.0509
CORRECTED TOTAL 48 33.091
```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
  Df  Sum Sq Mean Sq  F value    Pr(>F)
bollwt   1 29.0693 29.0693 570.9531 < 2.2e-16 ***
variety  1  1.2635  1.2635 24.8172 9.777e-06 ***
spacing   1  0.4666  0.4666  9.1655  0.004072 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
  Df  Sum Sq Mean Sq  F value    Pr(>F)
bollwt   1 11.5717 11.5717 227.2815 < 2.2e-16 ***
variety  1  1.1973  1.1973 23.5168 1.516e-05 ***
spacing   1  0.4666  0.4666  9.1655  0.004072 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
  Df  Sum Sq Mean Sq  F value    Pr(>F)
bollwt   1 11.5717 11.5717 227.2815 < 2.2e-16 ***
variety  1  1.1973  1.1973 23.5168 1.516e-05 ***
spacing   1  0.4666  0.4666  9.1655  0.004072 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)
(Intercept) -0.27695          0  0.103845 45 -2.6670  0.010598 *
bollwt       0.30144          1  0.019995 45 15.0759 < 2.2e-16 ***
variety37    0.41066          0  0.084682 45  4.8494 1.516e-05 ***
variety213   0.00000          0  0.000000 45
spacing30    0.20521          0  0.067782 45  3.0275  0.004072 **
spacing40    0.00000          0  0.000000 45
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.6.7 p256

### (45) MODEL

```

p256 = read.table("C:/G/Rt/SAS4lm/p256.txt", header=TRUE)
p256b = af(p256, c("bloc", "type", "logdose"))
GLM(y ~ bloc + type + logdose + type:logdose, p256b) # p258 Output 7.22

```

\$ANOVA

```

Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL          8 816.50 102.063 6.0641 0.0014 **
RESIDUALS     15 252.46 16.831
CORRECTED TOTAL 23 1068.96
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
bloc          3 538.79 179.597 10.6709 0.0005223 ***
type          1 12.04 12.042  0.7155 0.4109264
logdose        2 121.58 60.792  3.6120 0.0524231 .
type:logdose  2 144.08 72.042  4.2804 0.0338265 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
bloc          3 538.79 179.597 10.6709 0.0005223 ***
type          1 12.04 12.042  0.7155 0.4109264
logdose        2 121.58 60.792  3.6120 0.0524231 .
type:logdose  2 144.08 72.042  4.2804 0.0338265 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df Sum Sq Mean Sq F value Pr(>F)
bloc          3 538.79 179.597 10.6709 0.0005223 ***
type          1 12.04 12.042  0.7155 0.4109264
logdose        2 121.58 60.792  3.6120 0.0524231 .
type:logdose  2 144.08 72.042  4.2804 0.0338265 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|) 
(Intercept)   62.042       0    2.5123 15 24.6955 1.457e-13 ***
bloc1         7.667       0    2.3686 15  3.2368  0.005531 ** 
bloc2        -3.500       0    2.3686 15 -1.4777  0.160183  
bloc3        -4.333       0    2.3686 15 -1.8295  0.087270 .  
bloc4         0.000       0    0.0000 15 
type1        -8.000       0    2.9009 15 -2.7578  0.014656 *  
type2         0.000       0    0.0000 15 
logdose0     -11.250      0    2.9009 15 -3.8781  0.001486 ** 
logdose1      -7.750      0    2.9009 15 -2.6716  0.017423 *  
logdose2      0.000       0    0.0000 15 
type1:logdose0 11.750      0    4.1025 15  2.8641  0.011824 * 

```

```

type1:logdose1    8.000      0      4.1025 15  1.9500  0.070117 .
type1:logdose2    0.000      0      0.0000 15
type2:logdose0    0.000      0      0.0000 15
type2:logdose1    0.000      0      0.0000 15
type2:logdose2    0.000      0      0.0000 15
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.6.8 p261 Output 7.27

(46) MODEL

```

p256 = af(p256, c("bloc", "type"))
p256$logd2 = (p256$logdose)^2
GLM(y ~ bloc + type + logdose + logd2 + type:logdose + type:logd2, p256)

```

```

$ANOVA
Response : y
          Df  Sum Sq Mean Sq F value Pr(>F)
MODEL       8   816.50 102.063  6.0641 0.0014 **
RESIDUALS   15  252.46  16.831
CORRECTED TOTAL 23 1068.96
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df  Sum Sq Mean Sq F value     Pr(>F)
bloc       3  538.79 179.597 10.6709 0.0005223 ***
type       1   12.04  12.042  0.7155 0.4109264
logdose    1  115.56 115.562  6.8662 0.0193005 *
logd2      1    6.02   6.021  0.3577 0.5586917
type:logdose 1 138.06 138.062  8.2031 0.0118242 *
type:logd2  1    6.02   6.021  0.3577 0.5586917
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
          Df  Sum Sq Mean Sq F value     Pr(>F)
bloc       3  538.79 179.597 10.6709 0.0005223 ***
type       1   12.04  12.042  0.7155 0.4109264
logdose    1    0.39   0.389  0.0231 0.8811262
logd2      1    6.02   6.021  0.3577 0.5586917
type:logdose 1    0.81   0.812  0.0483 0.8290541
type:logd2  1    6.02   6.021  0.3577 0.5586917
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

bloc      3 538.79 179.597 10.6709 0.0005223 ***  

type      1 28.12  28.125  1.6711 0.2156736  

logdose   1  0.39   0.389  0.0231 0.8811262  

logd2     1  6.02   6.021  0.3577 0.5586917  

type:logdose 1  0.81   0.812  0.0483 0.8290541  

type:logd2  1  6.02   6.021  0.3577 0.5586917  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value    Pr(>|t|)  

(Intercept) 50.792        0  2.5123 15 20.2175 2.697e-12 ***  

bloc1       7.667        0  2.3686 15  3.2368 0.005531 **  

bloc2      -3.500        0  2.3686 15 -1.4777 0.160183  

bloc3      -4.333        0  2.3686 15 -1.8295 0.087270 .  

bloc4       0.000        0  0.0000 15  

type1       3.750        0  2.9009 15  1.2927 0.215674  

type2       0.000        0  0.0000 15  

logdose    1.375        0  5.2297 15  0.2629 0.796188  

logd2      2.125        0  2.5123 15  0.8459 0.410926  

type1:logdose -1.625      0  7.3959 15 -0.2197 0.829054  

type2:logdose  0.000        0  0.0000 15  

type1:logd2  -2.125      0  3.5529 15 -0.5981 0.558692  

type2:logd2  0.000        0  0.0000 15  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.6.9 p262 Output 7.28

### (47) MODEL

```
GLM(y ~ bloc + type + type:logdose, p256b)
```

```

$ANOVA  

Response : y  

      Df Sum Sq Mean Sq F value Pr(>F)  

MODEL      8 816.50 102.063  6.0641 0.0014 **  

RESIDUALS   15 252.46  16.831  

CORRECTED TOTAL 23 1068.96  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

```

          Df Sum Sq Mean Sq F value    Pr(>F)
bloc      3 538.79 179.597 10.6709 0.0005223 ***
type      1 12.04 12.042  0.7155 0.4109264
type:logdose 4 265.67 66.417  3.9462 0.0220552 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
          Df Sum Sq Mean Sq F value    Pr(>F)
bloc      3 538.79 179.597 10.6709 0.0005223 ***
type      1 12.04 12.042  0.7155 0.4109264
type:logdose 4 265.67 66.417  3.9462 0.0220552 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
          Df Sum Sq Mean Sq F value    Pr(>F)
bloc      3 538.79 179.597 10.6709 0.0005223 ***
type      1 12.04 12.042  0.7155 0.4109264
type:logdose 4 265.67 66.417  3.9462 0.0220552 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value    Pr(>|t|)
(Intercept)   62.042       0  2.5123 15 24.6955 1.457e-13 ***
bloc1        7.667       0  2.3686 15  3.2368  0.005531 **
bloc2       -3.500       0  2.3686 15 -1.4777  0.160183
bloc3       -4.333       0  2.3686 15 -1.8295  0.087270 .
bloc4        0.000       0  0.0000 15
type1       -8.000       0  2.9009 15 -2.7578  0.014656 *
type2        0.000       0  0.0000 15
type1:logdose0  0.500       0  2.9009 15  0.1724  0.865459
type1:logdose1  0.250       0  2.9009 15  0.0862  0.932463
type1:logdose2  0.000       0  0.0000 15
type2:logdose0 -11.250      0  2.9009 15 -3.8781  0.001486 **
type2:logdose1 -7.750       0  2.9009 15 -2.6716  0.017423 *
type2:logdose2  0.000       0  0.0000 15
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.7 Chapter 8

### 5.7.1 p269

(48) MODEL

```

p269 = read.csv("C:/G/Rt/SAS4lm/fev1uni.csv")
p269 = af(p269, c("drug", "hour", "patient"))
GLM(fev1 ~ drug + patient %in% drug + hour + drug:hour, p269) # p271 Output 8.3

```

\$ANOVA

Response : fev1

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	92	296.65	3.2244	51.078	< 2.2e-16 ***
RESIDUALS	483	30.49	0.0631		
CORRECTED TOTAL	575	327.14			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
drug	2	25.783	12.8913	204.212	< 2.2e-16 ***
drug:patient	69	247.412	3.5857	56.801	< 2.2e-16 ***
hour	7	17.170	2.4529	38.857	< 2.2e-16 ***
drug:hour	14	6.280	0.4486	7.106	1.923e-13 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
drug	2	25.783	12.8913	204.212	< 2.2e-16 ***
drug:patient	69	247.412	3.5857	56.801	< 2.2e-16 ***
hour	7	17.170	2.4529	38.857	< 2.2e-16 ***
drug:hour	14	6.280	0.4486	7.106	1.923e-13 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
drug	2	25.783	12.8913	204.212	< 2.2e-16 ***
drug:patient	69	247.412	3.5857	56.801	< 2.2e-16 ***
hour	7	17.170	2.4529	38.857	< 2.2e-16 ***
drug:hour	14	6.280	0.4486	7.106	1.923e-13 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	2.89349	0	0.10096	483	28.6606	< 2.2e-16 ***
druga	0.03458	0	0.14278	483	0.2422	0.8087105
drugc	0.63172	0	0.14278	483	4.4246	1.195e-05 ***
drugp	0.00000	0	0.00000	483		
druga:patient201	-0.76375	0	0.12562	483	-6.0796	2.449e-09 ***

drugA:patient202	-0.02375	0	0.12562	483	-0.1891	0.8501297
drugA:patient203	-0.90875	0	0.12562	483	-7.2338	1.855e-12 ***
drugA:patient204	0.31875	0	0.12562	483	2.5373	0.0114843 *
drugA:patient205	0.32125	0	0.12562	483	2.5572	0.0108561 *
drugA:patient206	0.20875	0	0.12562	483	1.6617	0.0972242 .
drugA:patient207	0.00875	0	0.12562	483	0.0697	0.9444998
drugA:patient208	-0.25500	0	0.12562	483	-2.0298	0.0429198 *
drugA:patient209	0.31125	0	0.12562	483	2.4776	0.0135676 *
drugA:patient210	-0.47500	0	0.12562	483	-3.7811	0.0001757 ***
drugA:patient211	0.34375	0	0.12562	483	2.7363	0.0064421 **
drugA:patient212	-1.29750	0	0.12562	483	-10.3283	< 2.2e-16 ***
drugA:patient214	0.04125	0	0.12562	483	0.3284	0.7427837
drugA:patient215	0.41000	0	0.12562	483	3.2637	0.0011777 **
drugA:patient216	0.47250	0	0.12562	483	3.7612	0.0001899 ***
drugA:patient217	-1.71625	0	0.12562	483	-13.6617	< 2.2e-16 ***
drugA:patient218	-0.35000	0	0.12562	483	-2.7861	0.0055451 **
drugA:patient219	0.07000	0	0.12562	483	0.5572	0.5776402
drugA:patient220	-0.43875	0	0.12562	483	-3.4925	0.0005224 ***
drugA:patient221	0.63125	0	0.12562	483	5.0249	7.106e-07 ***
drugA:patient222	-0.04375	0	0.12562	483	-0.3483	0.7277982
drugA:patient223	0.98500	0	0.12562	483	7.8408	2.887e-14 ***
drugA:patient224	0.83625	0	0.12562	483	6.6567	7.624e-11 ***
drugA:patient232	0.00000	0	0.00000	483		
drugC:patient201	-0.53000	0	0.12562	483	-4.2189	2.933e-05 ***
drugC:patient202	-0.42250	0	0.12562	483	-3.3632	0.0008318 ***
drugC:patient203	-1.53375	0	0.12562	483	-12.2089	< 2.2e-16 ***
drugC:patient204	-0.21000	0	0.12562	483	-1.6716	0.0952434 .
drugC:patient205	0.32375	0	0.12562	483	2.5771	0.0102586 *
drugC:patient206	0.11750	0	0.12562	483	0.9353	0.3500901
drugC:patient207	-1.72750	0	0.12562	483	-13.7512	< 2.2e-16 ***
drugC:patient208	-0.43625	0	0.12562	483	-3.4726	0.0005617 ***
drugC:patient209	-0.25500	0	0.12562	483	-2.0298	0.0429198 *
drugC:patient210	-1.08250	0	0.12562	483	-8.6169	< 2.2e-16 ***
drugC:patient211	-0.74500	0	0.12562	483	-5.9303	5.765e-09 ***
drugC:patient212	-1.72375	0	0.12562	483	-13.7214	< 2.2e-16 ***
drugC:patient214	-0.68625	0	0.12562	483	-5.4627	7.522e-08 ***
drugC:patient215	0.09875	0	0.12562	483	0.7861	0.4322131
drugC:patient216	0.05375	0	0.12562	483	0.4279	0.6689439
drugC:patient217	-1.91875	0	0.12562	483	-15.2736	< 2.2e-16 ***
drugC:patient218	-0.78250	0	0.12562	483	-6.2288	1.023e-09 ***
drugC:patient219	-0.84875	0	0.12562	483	-6.7562	4.087e-11 ***
drugC:patient220	-1.01000	0	0.12562	483	-8.0398	7.105e-15 ***
drugC:patient221	0.23250	0	0.12562	483	1.8507	0.0648170 .
drugC:patient222	-0.60625	0	0.12562	483	-4.8259	1.873e-06 ***
drugC:patient223	0.96000	0	0.12562	483	7.6418	1.164e-13 ***
drugC:patient224	0.22750	0	0.12562	483	1.8109	0.0707711 .
drugC:patient232	0.00000	0	0.00000	483		
drugP:patient201	-0.63250	0	0.12562	483	-5.0348	6.764e-07 ***

drugp:patient202	-0.04500	0	0.12562	483	-0.3582	0.7203440
drugp:patient203	-1.27250	0	0.12562	483	-10.1293	< 2.2e-16 ***
drugp:patient204	0.34750	0	0.12562	483	2.7662	0.0058894 **
drugp:patient205	0.60625	0	0.12562	483	4.8259	1.873e-06 ***
drugp:patient206	0.11500	0	0.12562	483	0.9154	0.3604275
drugp:patient207	-0.55875	0	0.12562	483	-4.4478	1.078e-05 ***
drugp:patient208	-0.57000	0	0.12562	483	-4.5373	7.199e-06 ***
drugp:patient209	0.35000	0	0.12562	483	2.7861	0.0055451 **
drugp:patient210	-0.36875	0	0.12562	483	-2.9353	0.0034909 **
drugp:patient211	-0.26375	0	0.12562	483	-2.0995	0.0362913 *
drugp:patient212	-1.18000	0	0.12562	483	-9.3930	< 2.2e-16 ***
drugp:patient214	-0.30625	0	0.12562	483	-2.4378	0.0151363 *
drugp:patient215	-0.06250	0	0.12562	483	-0.4975	0.6190549
drugp:patient216	0.24000	0	0.12562	483	1.9104	0.0566680 .
drugp:patient217	-1.80375	0	0.12562	483	-14.3582	< 2.2e-16 ***
drugp:patient218	-0.28750	0	0.12562	483	-2.2886	0.0225363 *
drugp:patient219	-0.14375	0	0.12562	483	-1.1443	0.2530759
drugp:patient220	-0.21125	0	0.12562	483	-1.6816	0.0932951 .
drugp:patient221	0.78375	0	0.12562	483	6.2388	9.646e-10 ***
drugp:patient222	-0.06500	0	0.12562	483	-0.5174	0.6051056
drugp:patient223	0.38000	0	0.12562	483	3.0249	0.0026199 **
drugp:patient224	0.79500	0	0.12562	483	6.3283	5.662e-10 ***
drugp:patient232	0.00000	0	0.00000	483		
hour1	0.09458	0	0.07253	483	1.3041	0.1928336
hour2	0.16042	0	0.07253	483	2.2117	0.0274523 *
hour3	0.16583	0	0.07253	483	2.2864	0.0226619 *
hour4	0.13917	0	0.07253	483	1.9188	0.0556048 .
hour5	0.03625	0	0.07253	483	0.4998	0.6174473
hour6	0.08333	0	0.07253	483	1.1490	0.2511439
hour7	0.05250	0	0.07253	483	0.7238	0.4695140
hour8	0.00000	0	0.00000	483		
druga:hour1	0.52083	0	0.10257	483	5.0777	5.464e-07 ***
druga:hour2	0.37833	0	0.10257	483	3.6884	0.0002513 ***
druga:hour3	0.16000	0	0.10257	483	1.5599	0.1194454
druga:hour4	0.04917	0	0.10257	483	0.4793	0.6319171
druga:hour5	0.15917	0	0.10257	483	1.5517	0.1213779
druga:hour6	0.03792	0	0.10257	483	0.3697	0.7118002
druga:hour7	-0.04208	0	0.10257	483	-0.4103	0.6817836
druga:hour8	0.00000	0	0.00000	483		
drugc:hour1	0.58625	0	0.10257	483	5.7155	1.917e-08 ***
drugc:hour2	0.45583	0	0.10257	483	4.4440	1.096e-05 ***
drugc:hour3	0.40125	0	0.10257	483	3.9119	0.0001047 ***
drugc:hour4	0.29417	0	0.10257	483	2.8679	0.0043130 **
drugc:hour5	0.20292	0	0.10257	483	1.9783	0.0484656 *
drugc:hour6	-0.00833	0	0.10257	483	-0.0812	0.9352821
drugc:hour7	-0.08583	0	0.10257	483	-0.8368	0.4031156
drugc:hour8	0.00000	0	0.00000	483		
drugp:hour1	0.00000	0	0.00000	483		

```

drugp:hour2      0.00000      0   0.00000 483
drugp:hour3      0.00000      0   0.00000 483
drugp:hour4      0.00000      0   0.00000 483
drugp:hour5      0.00000      0   0.00000 483
drugp:hour6      0.00000      0   0.00000 483
drugp:hour7      0.00000      0   0.00000 483
drugp:hour8      0.00000      0   0.00000 483
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.8 Chapter 11

### 5.8.1 p390

(49) MODEL

```

p390 = read.table("C:/G/Rt/SAS4lm/p390.txt", header=TRUE)
p390$ca = ifelse(p390$a == 0, -1, 1)
p390$cb = ifelse(p390$b == 0, -1, 1)
p390$cc = ifelse(p390$c == 0, -1, 1)
p390 = af(p390, c("rep", "blk", "a", "b", "c"))
GLM(y ~ rep blk + ca*cb*cc, p390)

```

```

$ANOVA
Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       12  81.75  6.8125 33.601 6.618e-07 ***
RESIDUALS    11   2.23  0.2027
CORRECTED TOTAL 23  83.98
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
rep        2  0.051  0.025  0.1256 0.8832237
rep:blk    3  7.432  2.477 12.2194 0.0007966 ***
ca         1 21.075 21.075 103.9487 6.090e-07 ***
cb         1  0.005  0.005  0.0224 0.8837872
ca:cb     1  1.723  1.723  8.4969 0.0140640 *
cc         1 37.776 37.776 186.3209 3.063e-08 ***
ca:cc     1  2.318  2.318 11.4332 0.0061285 **
cb:cc     1 11.340 11.340  55.9328 1.232e-05 ***
ca:cb:cc  1  0.031  0.031  0.1511 0.7049490
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$`Type II`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

rep       2  0.051   0.025   0.1256  0.883224  

rep:blk  3  1.668   0.556   2.7416  0.093789 .  

ca        1 21.075  21.075 103.9487 6.090e-07 ***  

cb        1  0.005   0.005   0.0224  0.883787  

ca:cb    1  1.723   1.723   8.4969  0.014064 *  

cc        1 37.776  37.776 186.3209 3.063e-08 ***  

ca:cc    1  2.318   2.318   11.4332  0.006129 **  

cb:cc    1 11.340  11.340  55.9328 1.232e-05 ***  

ca:cb:cc 1  0.031   0.031   0.1511  0.704949  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

rep       2  0.051   0.025   0.1256  0.883224  

rep:blk  3  1.668   0.556   2.7416  0.093789 .  

ca        1 21.075  21.075 103.9487 6.090e-07 ***  

cb        1  0.005   0.005   0.0224  0.883787  

ca:cb    1  1.723   1.723   8.4969  0.014064 *  

cc        1 37.776  37.776 186.3209 3.063e-08 ***  

ca:cc    1  2.318   2.318   11.4332  0.006129 **  

cb:cc    1 11.340  11.340  55.9328 1.232e-05 ***  

ca:cb:cc 1  0.031   0.031   0.1511  0.704949  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 2.01062          0   0.25171 11  7.9879 6.627e-06 ***  

rep1         0.32813          0   0.35597 11  0.9218  0.376420  

rep2        -0.11000          0   0.35597 11 -0.3090  0.763085  

rep3         0.00000          0   0.00000 11  

rep1:blk1   0.20000          0   0.38995 11  0.5129  0.618170  

rep1:blk2   0.00000          0   0.00000 11  

rep2:blk1   0.87375          0   0.38995 11  2.2407  0.046645 *  

rep2:blk2   0.00000          0   0.00000 11  

rep3:blk1   0.66875          0   0.38995 11  1.7150  0.114346  

rep3:blk2   0.00000          0   0.00000 11  

ca          0.93708          1   0.09191 11 10.1955 6.090e-07 ***  

cb          0.01375          1   0.09191 11  0.1496  0.883787  

ca:cb     -0.26792          1   0.09191 11 -2.9149  0.014064 *  

cc          1.25458          1   0.09191 11 13.6499 3.063e-08 ***  

ca:cc     0.38062          1   0.11257 11  3.3813  0.006129 **  

cb:cc     -0.84188          1   0.11257 11 -7.4788 1.232e-05 ***  

ca:cb:cc -0.04375          1   0.11257 11 -0.3887  0.704949  

---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 5.8.2 p394

### (50) MODEL

```
p394 = read.table("C:/G/Rt/SAS4lm/p394.txt", header=TRUE)
p394 = af(p394, c("a", "b", "c", "d"))
GLM(y ~ ca*cb*cc*cd, p394)
```

```
$ANOVA
Response : y
              Df Sum Sq Mean Sq F value Pr(>F)
MODEL          7 6.3559 0.90798
RESIDUALS      0 0.0000
CORRECTED TOTAL 7 6.3559
```

```
$`Type I` 
              Df Sum Sq Mean Sq F value Pr(>F)
ca            1 2.07061 2.07061
cb            1 0.59951 0.59951
ca:cb         1 0.00031 0.00031
cc            1 0.00551 0.00551
ca:cc         1 0.80011 0.80011
cb:cc         1 2.82031 2.82031
ca:cb:cc     1 0.05951 0.05951
cd            0
ca:cd         0
cb:cd         0
ca:cb:cd     0
cc:cd         0
ca:cc:cd     0
cb:cc:cd     0
ca:cb:cc:cd  0
```

```
$`Type II` 
              Df Sum Sq Mean Sq F value Pr(>F)
ca            0
cb            0
ca:cb         0
cc            0
ca:cc         0
cb:cc         0
ca:cb:cc     0
cd            0
ca:cd         0
```

```

cb:cd      0
ca:cb:cd   0
cc:cd      0
ca:cc:cd   0
cb:cc:cd   0
ca:cb:cc:cd 0

$`Type III`
CAUTION: Singularity Exists !
      Df Sum Sq Mean Sq F value Pr(>F)
ca          0
cb          0
ca:cb      0
cc          0
ca:cc      0
cb:cc      0
ca:cb:cc   0
cd          0
ca:cd      0
cb:cd      0
ca:cb:cd   0
cc:cd      0
ca:cc:cd   0
cb:cc:cd   0
ca:cb:cc:cd 0

```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 2.68875      0          0
ca          0.50875      0          0
cb          0.27375      0          0
ca:cb      -0.00625      0          0
cc          -0.02625      0          0
ca:cc      -0.31625      0          0
cb:cc      0.59375      0          0
ca:cb:cc  -0.08625      0          0
cd          0.00000      0          0
ca:cd      0.00000      0          0
cb:cd      0.00000      0          0
ca:cb:cd  0.00000      0          0
cc:cd      0.00000      0          0
ca:cc:cd  0.00000      0          0
cb:cc:cd  0.00000      0          0
ca:cb:cc:cd 0.00000      0          0

```

(51) MODEL

```
GLM(y ~ a*b*c*d, p394)
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	6.3559	0.90798		
RESIDUALS	0	0.0000			
CORRECTED TOTAL	7	6.3559			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	1	2.07061	2.07061		
b	1	0.59951	0.59951		
a:b	1	0.00031	0.00031		
c	1	0.00551	0.00551		
a:c	1	0.80011	0.80011		
b:c	1	2.82031	2.82031		
a:b:c	1	0.05951	0.05951		
d	0				
a:d	0				
b:d	0				
a:b:d	0				
c:d	0				
a:c:d	0				
b:c:d	0				
a:b:c:d	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
a	0				
b	0				
a:b	0				
c	0				
a:c	0				
b:c	0				
a:b:c	0				
d	0				
a:d	0				
b:d	0				
a:b:d	0				
c:d	0				
a:c:d	0				
b:c:d	0				
a:b:c:d	0				

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
a	0					
b	0					
a:b	0					
c	0					
a:c	0					
b:c	0					
a:b:c	0					
d	0					
a:d	0					
b:d	0					
a:b:d	0					
c:d	0					
a:c:d	0					
b:c:d	0					
a:b:c:d	0					
 \$Parameter						
	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	3.63	0	0	0		
a0	-0.20	0	0	0		
a1	0.00	0	0	0		
b0	-1.55	0	0	0		
b1	0.00	0	0	0		
a0:b0	-0.37	0	0	0		
a0:b1	0.00	0	0	0		
a1:b0	0.00	0	0	0		
a1:b1	0.00	0	0	0		
c0	-0.33	0	0	0		
c1	0.00	0	0	0		
a0:c0	-1.61	0	0	0		
a0:c1	0.00	0	0	0		
a1:c0	0.00	0	0	0		
a1:c1	0.00	0	0	0		
b0:c0	2.03	0	0	0		
b0:c1	0.00	0	0	0		
b1:c0	0.00	0	0	0		
b1:c1	0.00	0	0	0		
a0:b0:c0	0.69	0	0	0		
a0:b0:c1	0.00	0	0	0		
a0:b1:c0	0.00	0	0	0		
a0:b1:c1	0.00	0	0	0		
a1:b0:c0	0.00	0	0	0		
a1:b0:c1	0.00	0	0	0		
a1:b1:c0	0.00	0	0	0		
a1:b1:c1	0.00	0	0	0		
d0	0.00	0	0	0		
d1	0.00	0	0	0		

a0:d0	0.00	0	0
a0:d1	0.00	0	0
a1:d0	0.00	0	0
a1:d1	0.00	0	0
b0:d0	0.00	0	0
b0:d1	0.00	0	0
b1:d0	0.00	0	0
b1:d1	0.00	0	0
a0:b0:d0	0.00	0	0
a0:b0:d1	0.00	0	0
a0:b1:d0	0.00	0	0
a0:b1:d1	0.00	0	0
a1:b0:d0	0.00	0	0
a1:b0:d1	0.00	0	0
a1:b1:d0	0.00	0	0
a1:b1:d1	0.00	0	0
c0:d0	0.00	0	0
c0:d1	0.00	0	0
c1:d0	0.00	0	0
c1:d1	0.00	0	0
a0:c0:d0	0.00	0	0
a0:c0:d1	0.00	0	0
a0:c1:d0	0.00	0	0
a0:c1:d1	0.00	0	0
a1:c0:d0	0.00	0	0
a1:c0:d1	0.00	0	0
a1:c1:d0	0.00	0	0
a1:c1:d1	0.00	0	0
b0:c0:d0	0.00	0	0
b0:c0:d1	0.00	0	0
b0:c1:d0	0.00	0	0
b0:c1:d1	0.00	0	0
b1:c0:d0	0.00	0	0
b1:c0:d1	0.00	0	0
b1:c1:d0	0.00	0	0
b1:c1:d1	0.00	0	0
a0:b0:c0:d0	0.00	0	0
a0:b0:c0:d1		0	
a0:b0:c1:d0		0	
a0:b0:c1:d1	0.00	0	0
a0:b1:c0:d0		0	
a0:b1:c0:d1	0.00	0	0
a0:b1:c1:d0	0.00	0	0
a0:b1:c1:d1	0		
a1:b0:c0:d0		0	
a1:b0:c0:d1	0.00	0	0
a1:b0:c1:d0	0.00	0	0
a1:b0:c1:d1	0		

a1:b1:c0:d0	0.00	0	0
a1:b1:c0:d1		0	
a1:b1:c1:d0		0	
a1:b1:c1:d1	0.00	0	0

### 5.8.3 p399

#### (52) MODEL

```
p399 = read.table("C:/G/Rt/SAS4lm/p399.txt", header=TRUE)
p399 = af(p399, c("blk", "trt"))
GLM(y ~ trt + blk, p399)
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	281.127	35.141	40.822	0.005606 **
RESIDUALS	3	2.583	0.861		
CORRECTED TOTAL	11	283.710			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	3	102.26	34.086	39.596	0.006515 **
blk	5	178.87	35.774	41.558	0.005691 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	3	59.018	19.673	22.853	0.014388 *
blk	5	178.871	35.774	41.558	0.005691 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
trt	3	59.017	19.672	22.853	0.014388 *
blk	5	178.871	35.774	41.558	0.005691 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	19.1375	0	1.03732	3	18.4489	0.0003475 ***

```

trt1      -6.8250      0    0.92781  3   -7.3560  0.0051925 **
trt2      -5.9750      0    0.92781  3   -6.4399  0.0075922 **
trt3      -2.7000      0    0.92781  3   -2.9101  0.0619928 .
trt4      0.0000      0    0.00000  3
blk1     -10.7875      0    1.03732  3  -10.3994  0.0018975 **
blk2      -9.9375      0    1.03732  3  -9.5799  0.0024133 **
blk3      -5.9750      0    1.03732  3  -5.7600  0.0103986 *
blk4      -4.2000      0    1.03732  3  -4.0489  0.0271308 *
blk5      -2.1750      0    1.13633  3  -1.9141  0.1515206
blk6      0.0000      0    0.00000  3
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.8.4 p403

### (53) MODEL

```

p403 = read.table("C:/G/Rt/SAS4lm/p403.txt", header=TRUE)
p403 = af(p403, c("PATIENT", "VISIT"))
GLM(HR ~ SEQUENCE + PATIENT %in% SEQUENCE + VISIT + DRUG + RESIDS + RESIDT, p403)

```

```

$ANOVA
Response : HR
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      29 6408.7  220.99  3.912 3.127e-05 ***
RESIDUALS  42 2372.6   56.49
CORRECTED TOTAL 71 8781.3
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
SEQUENCE      5  508.9  101.79  1.8019 0.133346
SEQUENCE:PATIENT 18 4692.3  260.69  4.6147 2.21e-05 ***
VISIT         2  146.8   73.39  1.2991 0.283499
DRUG          2  668.8  334.39  5.9194 0.005435 **
RESIDS        1  391.0  391.02  6.9219 0.011854 *
RESIDT        1     0.8     0.84  0.0149 0.903511
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
          Df Sum Sq Mean Sq F value    Pr(>F)
SEQUENCE      5  701.2 140.237  2.4825  0.04665 *
SEQUENCE:PATIENT 18 4692.3 260.685  4.6147 2.21e-05 ***
VISIT         2  146.8  73.389  1.2991  0.28350

```

DRUG	2	344.0	171.975	3.0443	0.05826	.					
RESIDS	1	309.2	309.174	5.4731	0.02414	*					
RESIDT	1	0.8	0.840	0.0149	0.90351						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'.'	0.1	' '	1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
SEQUENCE	5	701.2	140.237	2.4825	0.04665 *
SEQUENCE:PATIENT	18	4692.3	260.685	4.6147	2.21e-05 ***
VISIT	2	146.8	73.389	1.2991	0.28350
DRUG	2	343.9	171.975	3.0443	0.05826 .
RESIDS	1	309.2	309.174	5.4731	0.02414 *
RESIDT	1	0.8	0.840	0.0149	0.90351
---					

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	88.000	0	4.7287	42	18.6097 < 2.2e-16	***
SEQUENCEA	6.208	0	6.2319	42	0.9962	0.3248514
SEQUENCEB	-19.333	0	6.1368	42	-3.1504	0.0030025 **
SEQUENCEC	-0.479	0	6.2319	42	-0.0769	0.9390770
SEQUENCED	-1.813	0	6.2319	42	-0.2908	0.7726044
SEQUENCEE	-5.792	0	6.2319	42	-0.9294	0.3580166
SEQUENCEF	0.000	0	0.0000	42		
SEQUENCEA:PATIENT1		0				
SEQUENCEA:PATIENT2		0				
SEQUENCEA:PATIENT3		0				
SEQUENCEA:PATIENT4		0				
SEQUENCEA:PATIENT5		0				
SEQUENCEA:PATIENT6		0				
SEQUENCEA:PATIENT7	-4.000	0	6.1368	42	-0.6518	0.5180764
SEQUENCEA:PATIENT8	-29.333	0	6.1368	42	-4.7799	2.168e-05 ***
SEQUENCEA:PATIENT9		0				
SEQUENCEA:PATIENT10		0				
SEQUENCEA:PATIENT11		0				
SEQUENCEA:PATIENT12		0				
SEQUENCEA:PATIENT13		0				
SEQUENCEA:PATIENT14		0				
SEQUENCEA:PATIENT15	-13.333	0	6.1368	42	-2.1727	0.0354954 *
SEQUENCEA:PATIENT16		0				
SEQUENCEA:PATIENT17	0.000	0	0.0000	42		
SEQUENCEA:PATIENT18		0				
SEQUENCEA:PATIENT19		0				
SEQUENCEA:PATIENT20		0				
SEQUENCEA:PATIENT21		0				
SEQUENCEA:PATIENT22		0				

SEQUENCEA: PATIENT23		0				
SEQUENCEA: PATIENT24		0				
SEQUENCEB: PATIENT1	24.000	0	6.1368	42	3.9108	0.0003299 ***
SEQUENCEB: PATIENT2		0				
SEQUENCEB: PATIENT3	17.333	0	6.1368	42	2.8245	0.0072135 **
SEQUENCEB: PATIENT4		0				
SEQUENCEB: PATIENT5		0				
SEQUENCEB: PATIENT6	13.333	0	6.1368	42	2.1727	0.0354954 *
SEQUENCEB: PATIENT7		0				
SEQUENCEB: PATIENT8		0				
SEQUENCEB: PATIENT9		0				
SEQUENCEB: PATIENT10		0				
SEQUENCEB: PATIENT11		0				
SEQUENCEB: PATIENT12		0				
SEQUENCEB: PATIENT13		0				
SEQUENCEB: PATIENT14		0				
SEQUENCEB: PATIENT15		0				
SEQUENCEB: PATIENT16		0				
SEQUENCEB: PATIENT17		0				
SEQUENCEB: PATIENT18		0				
SEQUENCEB: PATIENT19		0				
SEQUENCEB: PATIENT20	0.000	0	0.0000	42		
SEQUENCEB: PATIENT21		0				
SEQUENCEB: PATIENT22		0				
SEQUENCEB: PATIENT23		0				
SEQUENCEB: PATIENT24		0				
SEQUENCEC: PATIENT1		0				
SEQUENCEC: PATIENT2		0				
SEQUENCEC: PATIENT3		0				
SEQUENCEC: PATIENT4		0				
SEQUENCEC: PATIENT5	-13.333	0	6.1368	42	-2.1727	0.0354954 *
SEQUENCEC: PATIENT6		0				
SEQUENCEC: PATIENT7		0				
SEQUENCEC: PATIENT8		0				
SEQUENCEC: PATIENT9		0				
SEQUENCEC: PATIENT10	-10.667	0	6.1368	42	-1.7382	0.0895112 .
SEQUENCEC: PATIENT11		0				
SEQUENCEC: PATIENT12		0				
SEQUENCEC: PATIENT13		0				
SEQUENCEC: PATIENT14		0				
SEQUENCEC: PATIENT15		0				
SEQUENCEC: PATIENT16		0				
SEQUENCEC: PATIENT17		0				
SEQUENCEC: PATIENT18		0				
SEQUENCEC: PATIENT19		0				
SEQUENCEC: PATIENT20		0				
SEQUENCEC: PATIENT21	9.333	0	6.1368	42	1.5209	0.1357823
SEQUENCEC: PATIENT22	0.000	0	0.0000	42		

SEQUENCEC: PATIENT23		0	
SEQUENCEC: PATIENT24		0	
SEQUENCED: PATIENT1		0	
SEQUENCED: PATIENT2		0	
SEQUENCED: PATIENT3		0	
SEQUENCED: PATIENT4	6.000	0	6.1368 42 0.9777 0.3338152
SEQUENCED: PATIENT5		0	
SEQUENCED: PATIENT6		0	
SEQUENCED: PATIENT7		0	
SEQUENCED: PATIENT8		0	
SEQUENCED: PATIENT9	7.333	0	6.1368 42 1.1950 0.2387989
SEQUENCED: PATIENT10		0	
SEQUENCED: PATIENT11		0	
SEQUENCED: PATIENT12		0	
SEQUENCED: PATIENT13	0.667	0	6.1368 42 0.1086 0.9140096
SEQUENCED: PATIENT14		0	
SEQUENCED: PATIENT15		0	
SEQUENCED: PATIENT16		0	
SEQUENCED: PATIENT17		0	
SEQUENCED: PATIENT18		0	
SEQUENCED: PATIENT19		0	
SEQUENCED: PATIENT20		0	
SEQUENCED: PATIENT21		0	
SEQUENCED: PATIENT22		0	
SEQUENCED: PATIENT23		0	
SEQUENCED: PATIENT24	0.000	0	0.0000 42
SEQUENCEE: PATIENT1		0	
SEQUENCEE: PATIENT2		0	
SEQUENCEE: PATIENT3		0	
SEQUENCEE: PATIENT4		0	
SEQUENCEE: PATIENT5		0	
SEQUENCEE: PATIENT6		0	
SEQUENCEE: PATIENT7		0	
SEQUENCEE: PATIENT8		0	
SEQUENCEE: PATIENT9		0	
SEQUENCEE: PATIENT10		0	
SEQUENCEE: PATIENT11		0	
SEQUENCEE: PATIENT12	12.000	0	6.1368 42 1.9554 0.0572081 .
SEQUENCEE: PATIENT13		0	
SEQUENCEE: PATIENT14		0	
SEQUENCEE: PATIENT15		0	
SEQUENCEE: PATIENT16	13.333	0	6.1368 42 2.1727 0.0354954 *
SEQUENCEE: PATIENT17		0	
SEQUENCEE: PATIENT18		0	
SEQUENCEE: PATIENT19	-0.667	0	6.1368 42 -0.1086 0.9140096
SEQUENCEE: PATIENT20		0	
SEQUENCEE: PATIENT21		0	
SEQUENCEE: PATIENT22		0	

SEQUENCEE:PATIENT23	0.000	0	0.0000	42
SEQUENCEE:PATIENT24		0		
SEQUENCEF:PATIENT1		0		
SEQUENCEF:PATIENT2	-18.667	0	6.1368	42 -3.0418 0.0040426 **
SEQUENCEF:PATIENT3		0		
SEQUENCEF:PATIENT4		0		
SEQUENCEF:PATIENT5		0		
SEQUENCEF:PATIENT6		0		
SEQUENCEF:PATIENT7		0		
SEQUENCEF:PATIENT8		0		
SEQUENCEF:PATIENT9		0		
SEQUENCEF:PATIENT10		0		
SEQUENCEF:PATIENT11	-8.000	0	6.1368	42 -1.3036 0.1994653
SEQUENCEF:PATIENT12		0		
SEQUENCEF:PATIENT13		0		
SEQUENCEF:PATIENT14	-2.000	0	6.1368	42 -0.3259 0.7461154
SEQUENCEF:PATIENT15		0		
SEQUENCEF:PATIENT16		0		
SEQUENCEF:PATIENT17		0		
SEQUENCEF:PATIENT18	0.000	0	0.0000	42
SEQUENCEF:PATIENT19		0		
SEQUENCEF:PATIENT20		0		
SEQUENCEF:PATIENT21		0		
SEQUENCEF:PATIENT22		0		
SEQUENCEF:PATIENT23		0		
SEQUENCEF:PATIENT24		0		
VISIT2	-2.583	0	2.1697	42 -1.1907 0.2404762
VISIT3	0.750	0	2.1697	42 0.3457 0.7313138
VISIT4	0.000	0	0.0000	42
DRUGplacebo	-5.938	0	2.4258	42 -2.4477 0.0186398 *
DRUGstandard	-3.625	0	2.4258	42 -1.4944 0.1425553
DRUGtest	0.000	0	0.0000	42
RESIDS	-4.396	1	1.8790	42 -2.3395 0.0241414 *
RESIDT	0.229	1	1.8790	42 0.1220 0.9035106
---				
Signif. codes:	0 *** 0.001 ** 0.01 * 0.05 . 0.1 ' ' 1			

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(HR ~ SEQUENCE + PATIENT %in% SEQUENCE + VISIT + DRUG + RESIDS + RESIDT,
        p403), type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients  
 sums of squares computed by model comparison

Anova Table (Type III tests)

Response: HR

	Sum Sq	Df	F value	Pr(>F)							
SEQUENCE	0.0	0									
VISIT	146.8	2	1.2991	0.28350							
DRUG	344.0	2	3.0443	0.05826 .							
RESIDS	309.2	1	5.4731	0.02414 *							
RESIDT	0.8	1	0.0149	0.90351							
SEQUENCE:PATIENT	4692.3	18	4.6147	2.21e-05 ***							
Residuals	2372.6	42									
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

### 5.8.5 p409 11.5

#### (54) MODEL

```
p409 = read.table("C:/G/Rt/SAS4lm/p409.txt", header=TRUE)
GLM(TS ~ SOURCE*AMT, p409) # p410 Output 11.21
```

\$ANOVA  
 Response : TS

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
MODEL	5	258.727	51.745	263.71	1.785e-09 ***						
RESIDUALS	9	1.766	0.196								
CORRECTED TOTAL	14	260.493									
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
SOURCE	2	98.001	49.001	249.720	1.306e-08 ***						
AMT	1	138.245	138.245	704.534	7.392e-10 ***						
SOURCE:AMT	2	22.481	11.240	57.284	7.595e-06 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
SOURCE	2	98.001	49.001	249.720	1.306e-08 ***						
AMT	1	138.245	138.245	704.534	7.392e-10 ***						
SOURCE:AMT	2	22.481	11.240	57.284	7.595e-06 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
SOURCE	2	0.070	0.035	0.179	0.839

```

AMT           1 138.245 138.245 704.534 7.392e-10 ***
SOURCE:AMT   2 22.481 11.240 57.284 7.595e-06 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)    9.49        0  0.46459  9 20.4266 7.537e-09 ***
SOURCSEA       0.33        0  0.65703  9  0.5023  0.6275
SOURCSEB      -0.02        0  0.65703  9 -0.0304  0.9764
SOURCSEC       0.00        0  0.00000  9
AMT            3.35        0  0.14008  9 23.9150 1.867e-09 ***
SOURCSEA:AMT  -1.61        0  0.19810  9 -8.1271 1.951e-05 ***
SOURCSEB:AMT  -2.00        0  0.19810  9 -10.0958 3.305e-06 ***
SOURCSEC:AMT  0.00        0  0.00000  9
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.8.6 p412

### (55) MODEL

```

p412 = read.table("C:/G/Rt/SAS4lm/p412.txt", header=TRUE)
GLM(ts ~ source:amt, p412) # p413 Output 11.24

```

```

$ANOVA
Response : ts
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      3 393.01 131.002 903.34 < 2.2e-16 ***
RESIDUALS  16   2.32   0.145
CORRECTED TOTAL 19 395.33
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
source:amt  3 393.01     131   903.34 < 2.2e-16 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
source:amt  3 393.01     131   903.34 < 2.2e-16 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

source:amt   3 393.01     131  903.34 < 2.2e-16 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$Parameter  

      Estimate Std. Error Df t value Pr(>|t|)  

(Intercept)  9.8824   0.136994 16  72.137 < 2.2e-16 ***  

sourceA:amt   1.7230   0.063503 16  27.133 8.438e-15 ***  

sourceB:amt   1.2375   0.063503 16  19.488 1.427e-12 ***  

sourceC:amt   3.2430   0.063503 16  51.068 < 2.2e-16 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### 5.8.7 p414

#### (56) MODEL

```
p414 = read.table("C:/G/Rt/SAS4lm/p414.txt", header=TRUE)  

p414 = af(p414, c("lackofit"))  

GLM(loglivcu ~ level + lackofit, p414) # p415 Output 11.26
```

```
$ANOVA  

Response : loglivcu  

      Df Sum Sq Mean Sq F value    Pr(>F)  

MODEL          3 5.2310 1.74365 155.47 5.018e-14 ***  

RESIDUALS       20 0.2243 0.01122  

CORRECTED TOTAL 23 5.4553  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

level        1 4.9859  4.9859 444.555 3.997e-15 ***  

lackofit    2 0.2450  0.1225 10.924 0.0006216 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

level        0  

lackofit    2 0.24504 0.12252 10.924 0.0006216 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$`Type III`  

CAUTION: Singularity Exists !
      Df  Sum Sq Mean Sq F value    Pr(>F)  

level      0  

lackofit  2 0.24504 0.12252  10.924 0.0006216 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value   Pr(>|t|)  

(Intercept) 1.41347          0  0.155886 20  9.0674 1.598e-08 ***  

level        0.00210          0  0.000408 20  5.1443 4.937e-05 ***  

lackofit0   -0.19544          0  0.161770 20 -1.2081  0.241091  

lackofit150 -0.34501          0  0.105903 20 -3.2578  0.003939 **  

lackofit300  0.00000          0  0.000000 20  

lackofit450  0.00000          0  0.000000 20  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.8.8 p417

### (57) MODEL

```

p417 = read.table("C:/G/Rt/SAS4lm/p417.txt", header=TRUE)
p417 = af(p417, c("TRT", "POT", "PLANT"))
GLM(Y ~ TRT + POT %in% TRT, p417) # p418 Output 11.28

```

```

$ANOVA
Response : Y
      Df  Sum Sq Mean Sq F value    Pr(>F)  

MODEL       7 267.226 38.175 12.433 7.522e-05 ***  

RESIDUALS   13  39.917   3.071  

CORRECTED TOTAL 20 307.143  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

TRT        2 236.921 118.460 38.580 3.412e-06 ***  

TRT:POT   5  30.306   6.061   1.974    0.1499  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

TRT        2 236.921 118.460 38.580 3.412e-06 ***

```

```

TRT:POT 5 30.306 6.061 1.974 0.1499
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

TRT      2 200.111 100.055 32.586 8.626e-06 ***  

TRT:POT  5 30.306 6.061 1.974 0.1499  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value   Pr(>|t|)  

(Intercept) 12.0000        0  0.78365 13 15.3130 1.070e-09 ***  

TRT1         0.0000        0  1.91954 13  0.0000  1.00000  

TRT2         8.2500        0  1.17547 13  7.0185 9.087e-06 ***  

TRT3         0.0000        0  0.00000 13  

TRT1:POT1   2.6667        0  2.02337 13  1.3179  0.21028  

TRT1:POT2   6.0000        0  2.14611 13  2.7958  0.01515 *  

TRT1:POT3   0.0000        0  0.00000 13  

TRT2:POT1   0.2500        0  1.51753 13  0.1647  0.87168  

TRT2:POT2   0.0000        0  0.00000 13  

TRT2:POT3   0  

TRT3:POT1   1.0000        0  1.27969 13  0.7814  0.44854  

TRT3:POT2   -1.0000       0  1.91954 13 -0.5210  0.61115  

TRT3:POT3   0.0000        0  0.00000 13  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ TRT + POT %in% TRT, p417), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: Y
      Sum Sq Df F values Pr(>F)
TRT      22.310  1 7.266 0.01835 *
TRT:POT  30.306  5 1.974 0.14991
Residuals 39.917 13
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 5.8.9 p431

(58) MODEL

```
p431 = read.table("C:/G/Rt/SAS4lm/p431.txt", header=TRUE)
p431 = af(p431, c("line", "sire", "agedam", "steerno"))
GLM(avdlygn ~ line + line:sire + agedam + line:agedam + age + intlw, p431)
```

\$ANOVA

```
Response : avdlygn
            Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          16 2.5275 0.157966  3.1437 0.001091 **
RESIDUALS      48 2.4119 0.050248
CORRECTED TOTAL 64 4.9394
```

---

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

```
            Df Sum Sq Mean Sq F value    Pr(>F)
line          2 0.38009 0.190046  3.7821 0.02983 *
line:sire     6 0.92634 0.154391  3.0726 0.01260 *
agedam        2 0.11894 0.059471  1.1835 0.31497
line:agedam   4 0.64889 0.162222  3.2284 0.02000 *
age           1 0.18349 0.183487  3.6516 0.06200 .
intlw         1 0.26970 0.269704  5.3674 0.02483 *
```

---

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

```
            Df Sum Sq Mean Sq F value    Pr(>F)
line          2 0.05526 0.02763  0.5498 0.580636
line:sire     6 0.97389 0.16231  3.2303 0.009543 **
agedam        2 0.33106 0.16553  3.2943 0.045640 *
line:agedam   4 0.45343 0.11336  2.2560 0.076821 .
age           1 0.38128 0.38128  7.5878 0.008277 **
intlw         1 0.26970 0.26970  5.3674 0.024830 *
```

---

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

```
            Df Sum Sq Mean Sq F value    Pr(>F)
line          2 0.13620 0.06810  1.3553 0.267560
line:sire     6 0.97389 0.16231  3.2303 0.009543 **
agedam        2 0.13011 0.06505  1.2946 0.283392
line:agedam   4 0.45343 0.11336  2.2560 0.076821 .
age           1 0.38128 0.38128  7.5878 0.008277 **
intlw         1 0.26970 0.26970  5.3674 0.024830 *
```

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	2.99627	0	0.51285	48	5.8423	4.361e-07 ***
line1	0.07182	0	0.14551	48	0.4936	0.623826
line2	0.25247	0	0.13717	48	1.8406	0.071867 .
line3	0.00000	0	0.00000	48		
line1:sire1	0.08573	0	0.13028	48	0.6580	0.513652
line1:sire2	-0.12171	0	0.13622	48	-0.8934	0.376079
line1:sire3	0.00000	0	0.00000	48		
line1:sire4		0				
line1:sire5		0				
line1:sire6		0				
line1:sire7		0				
line1:sire8		0				
line1:sire9		0				
line2:sire1		0				
line2:sire2		0				
line2:sire3		0				
line2:sire4	-0.24460	0	0.12669	48	-1.9307	0.059443 .
line2:sire5	0.00000	0	0.00000	48		
line2:sire6		0				
line2:sire7		0				
line2:sire8		0				
line2:sire9		0				
line3:sire1		0				
line3:sire2		0				
line3:sire3		0				
line3:sire4		0				
line3:sire5		0				
line3:sire6	0.10540	0	0.12909	48	0.8165	0.418267
line3:sire7	-0.01952	0	0.12038	48	-0.1622	0.871856
line3:sire8	-0.33024	0	0.12567	48	-2.6278	0.011504 *
line3:sire9	0.00000	0	0.00000	48		
agedam3	0.37039	0	0.11456	48	3.2332	0.002216 **
agedam4	0.27546	0	0.10378	48	2.6544	0.010746 *
agedam5	0.00000	0	0.00000	48		
line1:agedam3	-0.44894	0	0.19581	48	-2.2927	0.026291 *
line1:agedam4	-0.28283	0	0.16085	48	-1.7584	0.085062 .
line1:agedam5	0.00000	0	0.00000	48		
line2:agedam3	-0.26078	0	0.19529	48	-1.3354	0.188050
line2:agedam4	-0.35026	0	0.17439	48	-2.0085	0.050232 .
line2:agedam5	0.00000	0	0.00000	48		
line3:agedam3	0.00000	0	0.00000	48		
line3:agedam4	0.00000	0	0.00000	48		
line3:agedam5	0.00000	0	0.00000	48		

```

age           -0.00853      1     0.00310 48 -2.7546  0.008277 **
intlw         0.00203      1     0.00087 48  2.3168  0.024830 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

# p433 Output 11.40

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(avdlygn ~ line + line:sire + agedam + line:agedam + age + intlw, p431),
      type=3, singular.ok=TRUE) # NOT OK for line

```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: avdlygn

	Sum Sq	Df	F values	Pr(>F)
line	0.00000	0		
agedam	0.13011	2	1.2946	0.283392
age	0.38128	1	7.5878	0.008277 **
intlw	0.26970	1	5.3674	0.024830 *
line:sire	0.97389	6	3.2303	0.009543 **
line:agedam	0.45343	4	2.2560	0.076821 .
Residuals	2.41192	48		

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (59) MODEL

GLM(avdlygn ~ sire + agedam, p431) # # p434 Output 11.41

```

$ANOVA
Response : avdlygn
            Df Sum Sq Mean Sq F value Pr(>F)
MODEL        10 1.4254 0.142538  2.1904 0.03237 *
RESIDUALS    54 3.5140 0.065074
CORRECTED TOTAL 64 4.9394
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

```

$`Type I` 
            Df Sum Sq Mean Sq F value Pr(>F)
sire       8 1.30644 0.163305  2.5095 0.02138 *
agedam    2 0.11894 0.059471  0.9139 0.40707

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df  Sum Sq  Mean Sq F value Pr(>F)
sire     8 1.33017 0.166271  2.5551 0.01937 *
agedam  2 0.11894 0.059471  0.9139 0.40707
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df  Sum Sq  Mean Sq F value Pr(>F)
sire     8 1.33017 0.166271  2.5551 0.01937 *
agedam  2 0.11894 0.059471  0.9139 0.40707
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 2.46347      0  0.096216 54 25.6036 < 2e-16 ***
sire1       -0.00739      0  0.128186 54 -0.0576  0.95427
sire2       -0.21429      0  0.128606 54 -1.6662  0.10146
sire3       -0.02260      0  0.146050 54 -0.1548  0.87759
sire4       -0.02364      0  0.128186 54 -0.1844  0.85440
sire5        0.12311      0  0.132193 54  0.9313  0.35585
sire6       -0.05290      0  0.138320 54 -0.3824  0.70364
sire7       -0.14760      0  0.129061 54 -1.1436  0.25782
sire8       -0.40781      0  0.135054 54 -3.0196  0.00386 **
sire9        0.00000      0  0.000000 54
agedam3     0.11738      0  0.089117 54  1.3172  0.19334
agedam4     0.04830      0  0.077154 54  0.6260  0.53395
agedam5     0.00000      0  0.000000 54
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 5.8.10 p437 ABSORB option in SAS

#### (60) MODEL

```
GLM(avdlygn ~ line + sire + agedam + line:agedam + age + intlw, p431)
```

```
$ANOVA
Response : avdlygn
      Df  Sum Sq  Mean Sq F value Pr(>F)
MODEL      16 2.5275 0.157966  3.1437 0.001091 **
RESIDUALS   48 2.4119 0.050248
```

CORRECTED TOTAL 64 4.9394

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
line	2	0.38009	0.190046	3.7821	0.02983 *
sire	6	0.92634	0.154391	3.0726	0.01260 *
agedam	2	0.11894	0.059471	1.1835	0.31497
line:agedam	4	0.64889	0.162222	3.2284	0.02000 *
age	1	0.18349	0.183487	3.6516	0.06200 .
intlwt	1	0.26970	0.269704	5.3674	0.02483 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
line	0				
sire	6	0.97389	0.16231	3.2303	0.009543 **
agedam	2	0.33106	0.16553	3.2943	0.045640 *
line:agedam	4	0.45343	0.11336	2.2560	0.076821 .
age	1	0.38128	0.38128	7.5878	0.008277 **
intlwt	1	0.26970	0.26970	5.3674	0.024830 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
line	0				
sire	6	0.97389	0.16231	3.2303	0.009543 **
agedam	2	0.13011	0.06505	1.2946	0.283392
line:agedam	4	0.45343	0.11336	2.2560	0.076821 .
age	1	0.38128	0.38128	7.5878	0.008277 **
intlwt	1	0.26970	0.26970	5.3674	0.024830 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	2.99627	0	0.51285	48	5.8423	4.361e-07 ***
line1	0.07182	0	0.14551	48	0.4936	0.623826
line2	0.25247	0	0.13717	48	1.8406	0.071867 .
line3	0.00000	0	0.00000	48		
sire1	0.08573	0	0.13028	48	0.6580	0.513652
sire2	-0.12171	0	0.13622	48	-0.8934	0.376079
sire3	0.00000	0	0.00000	48		
sire4	-0.24460	0	0.12669	48	-1.9307	0.059443 .

sire5	0.00000	0	0.00000	48		
sire6	0.10540	0	0.12909	48	0.8165	0.418267
sire7	-0.01952	0	0.12038	48	-0.1622	0.871856
sire8	-0.33024	0	0.12567	48	-2.6278	0.011504 *
sire9	0.00000	0	0.00000	48		
agedam3	0.37039	0	0.11456	48	3.2332	0.002216 **
agedam4	0.27546	0	0.10378	48	2.6544	0.010746 *
agedam5	0.00000	0	0.00000	48		
line1:agedam3	-0.44894	0	0.19581	48	-2.2927	0.026291 *
line1:agedam4	-0.28283	0	0.16085	48	-1.7584	0.085062 .
line1:agedam5	0.00000	0	0.00000	48		
line2:agedam3	-0.26078	0	0.19529	48	-1.3354	0.188050
line2:agedam4	-0.35026	0	0.17439	48	-2.0085	0.050232 .
line2:agedam5	0.00000	0	0.00000	48		
line3:agedam3	0.00000	0	0.00000	48		
line3:agedam4	0.00000	0	0.00000	48		
line3:agedam5	0.00000	0	0.00000	48		
age	-0.00853	1	0.00310	48	-2.7546	0.008277 **
intlwt	0.00203	1	0.00087	48	2.3168	0.024830 *
---						
Signif. codes:	0 *** 0.001 ** 0.01 * 0.05 . 0.1 ' ' 1					

# p437 Output 11.43

## 6 Sahai - Unbalanced

### Reference

- Sahai H, Ojeda MM. Analysis of Variance for Random Models Volume 2 Unbalanced Data. 2005.

### 6.1 Table 11.2

(61) MODEL

```
T11.2 = read.table("C:/G/Rt/ANOVA/T11.2.txt")
colnames(T11.2) = c("Group", "Y")
T11.2 = af(T11.2, "Group")
GLM(Y ~ Group, T11.2) # p115

$ANOVA
Response : Y
      Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL       4  80.401 20.1003  5.9884 0.0004103 ***
RESIDUALS   59 198.036  3.3565
CORRECTED TOTAL 63 278.438
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df  Sum Sq Mean Sq F value    Pr(>F)
Group     4  80.401   20.1   5.9884 0.0004103 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df  Sum Sq Mean Sq F value    Pr(>F)
Group     4  80.401   20.1   5.9884 0.0004103 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df  Sum Sq Mean Sq F value    Pr(>F)
Group     4  80.401   20.1   5.9884 0.0004103 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
              Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  66.133        0   0.47304 59 139.8040 < 2.2e-16 ***
Group1       -2.952        0   0.72726 59  -4.0584 0.0001473 ***
```

```

Group2      -2.508      0     0.80208 59  -3.1273 0.0027390 **
Group3      -1.967      0     0.88498 59  -2.2223 0.0301120 *
Group4      -2.592      0     0.60301 59  -4.2979 6.547e-05 ***
Group5      0.000      0     0.00000 59
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 6.2 Table 12.6

(62) MODEL

```

T12.6 = read.table("C:/G/Rt/ANOVA/T12.6.txt")
colnames(T12.6) = c("Location", "Family", "Y")
T12.6 = af(T12.6, c("Location", "Family"))
GLM(Y ~ Location + Family, T12.6) # p184

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       7 1.6144 0.230636 8.9562 7.223e-07 ***
RESIDUALS   45 1.1588 0.025752
CORRECTED TOTAL 52 2.7733
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
Location  3 0.74036 0.24679 9.5833 5.219e-05 ***
Family    4 0.87410 0.21852 8.4859 3.436e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
Location  3 0.83765 0.27921 10.8426 1.753e-05 ***
Family    4 0.87410 0.21852 8.4859 3.436e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
Location  3 0.83765 0.27921 10.8426 1.753e-05 ***
Family    4 0.87410 0.21852 8.4859 3.436e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 0.42999      0 0.079313 45 5.4214 2.236e-06 ***
Location1   0.27409      0 0.066143 45 4.1438 0.0001487 ***
Location2   0.07118      0 0.065245 45 1.0910 0.2810986
Location3   -0.06869     0 0.061950 45 -1.1088 0.2734048
Location4   0.00000      0 0.000000 45
Family1     0.18733      0 0.077778 45 2.4085 0.0201753 *
Family2     -0.02753     0 0.079595 45 -0.3458 0.7310768
Family3     0.31264      0 0.079951 45 3.9103 0.0003080 ***
Family4     0.14331      0 0.093203 45 1.5376 0.1311397
Family5     0.00000      0 0.000000 45
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 6.3 Table 13.6

#### (63) MODEL

```

T13.6 = read.table("C:/G/Rt/ANOVA/T13.6.txt")
colnames(T13.6) = c("Site", "Worker", "Y")
T13.6 = af(T13.6, c("Site", "Worker"))
GLM(Y ~ Site + Worker + Site:Worker, T13.6)

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      11 2643.11 240.283 60.323 < 2.2e-16 ***
RESIDUALS   35 139.42   3.983
CORRECTED TOTAL 46 2782.52
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Site       2 1281.55 640.77 160.866 < 2.2e-16 ***
Worker     3 399.27 133.09  33.412 2.234e-10 ***
Site:Worker 6 962.29 160.38  40.264 2.720e-14 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Site       2 1322.24 661.12 165.973 < 2.2e-16 ***
Worker     3 399.27 133.09  33.412 2.234e-10 ***
Site:Worker 6 962.29 160.38  40.264 2.720e-14 ***

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

Site       2 804.83  402.42 101.026 2.887e-15 ***  

Worker     3 430.88  143.63 36.058 8.310e-11 ***  

Site:Worker 6 962.29  160.38 40.264 2.720e-14 ***  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value    Pr(>|t|)  

(Intercept) 78.560        0   0.89256 35 88.0168 < 2.2e-16 ***  

Site1        6.340        0   1.26227 35  5.0227 1.498e-05 ***  

Site2        2.460        0   1.26227 35  1.9489  0.059362 .  

Site3        0.000        0   0.00000 35  

Worker1      3.640        0   1.45754 35  2.4974  0.017365 *  

Worker2      3.840        0   1.26227 35  3.0421  0.004433 **  

Worker3      15.565       0   1.33883 35 11.6258 1.430e-13 ***  

Worker4      0.000        0   0.00000 35  

Site1:Worker1 -5.940       0   2.62762 35 -2.2606  0.030108 *  

Site1:Worker2  9.720        0   1.78511 35  5.4450 4.165e-06 ***  

Site1:Worker3 -9.690       0   1.89340 35 -5.1178 1.124e-05 ***  

Site1:Worker4  0.000        0   0.00000 35  

Site2:Worker1 -11.960       0   2.62762 35 -4.5517 6.165e-05 ***  

Site2:Worker2 -12.960       0   1.84005 35 -7.0433 3.360e-08 ***  

Site2:Worker3 -16.365       0   1.84005 35 -8.8938 1.660e-10 ***  

Site2:Worker4  0.000        0   0.00000 35  

Site3:Worker1  0.000        0   0.00000 35  

Site3:Worker2  0.000        0   0.00000 35  

Site3:Worker3  0.000        0   0.00000 35  

Site3:Worker4  0.000        0   0.00000 35
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 6.4 Table 14.2

### (64) MODEL

```

T14.2 = read.csv("C:/G/Rt/ANOVA/T14.2.csv")
T14.2 = T14.2[!is.na(T14.2$Y),]
T14.2 = af(T14.2, c("Day", "Machine", "Operator"))
GLM(Y ~ Day + Machine + Operator, T14.2)

```

\$ANOVA

```

Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          7 6345.4  906.48  8.1297 5.931e-08 ***
RESIDUALS     110 12265.3   111.50
CORRECTED TOTAL 117 18610.6
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Day       2 3737.8 1868.90 16.7611 4.426e-07 ***
Machine   2 2440.7 1220.33 10.9445 4.625e-05 ***
Operator  3 166.9   55.63  0.4989    0.6838
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Day       2 3795.1 1897.56 17.0181 3.636e-07 ***
Machine   2 2464.8 1232.39 11.0526 4.227e-05 ***
Operator  3 166.9   55.63  0.4989    0.6838
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Day       2 3795.1 1897.56 17.0181 3.636e-07 ***
Machine   2 2464.8 1232.39 11.0526 4.227e-05 ***
Operator  3 166.9   55.63  0.4989    0.6838
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|) 
(Intercept) 194.520        0     2.8292 110 68.7541 < 2.2e-16 ***
Day1         -1.395        0     2.5210 110 -0.5535    0.5811 
Day2         -12.591       0     2.4293 110 -5.1831 9.994e-07 ***
Day3          0.000        0     0.0000 110
Machine1     10.446       0     2.4410 110  4.2795 4.015e-05 ***
Machine2     1.301        0     2.3888 110  0.5447    0.5871 
Machine3     0.000        0     0.0000 110
Operator1    -3.048        0     2.8546 110 -1.0677    0.2880 
Operator2    -0.076        0     2.6570 110 -0.0287    0.9771 
Operator3    -0.275        0     2.7474 110 -0.0999    0.9206 
Operator4     0.000        0     0.0000 110
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 6.5 Table 15.3

(65) MODEL

```
T15.3 = read.table("C:/G/Rt/ANOVA/T15.3.txt")
colnames(T15.3) = c("Dam", "Sire", "pH")
T15.3 = af(T15.3, c("Dam", "Sire"))
GLM(pH ~ Dam/Sire, T15.3) # p301

$ANOVA
Response : pH
            Df  Sum Sq  Mean Sq F value Pr(>F)
MODEL          36 0.25804 0.0071678 2.8977 7.2e-06 ***
RESIDUALS      123 0.30425 0.0024736
CORRECTED TOTAL 159 0.56229
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
            Df  Sum Sq  Mean Sq F value Pr(>F)
Dam           14 0.178017 0.0127155 5.1405 1.563e-07 ***
Dam:Sire     22 0.080024 0.0036374 1.4705 0.09662 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
            Df  Sum Sq  Mean Sq F value Pr(>F)
Dam           14 0.178017 0.0127155 5.1405 1.563e-07 ***
Dam:Sire     22 0.080024 0.0036374 1.4705 0.09662 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
            Df  Sum Sq  Mean Sq F value Pr(>F)
Dam           14 0.179405 0.0128146 5.1805 1.347e-07 ***
Dam:Sire     22 0.080024 0.0036374 1.4705 0.09662 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
            Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 7.5020        0  0.022242 123 337.2849 < 2.2e-16 ***
Dam1        -0.0445        0  0.033363 123 -1.3338 0.1847360
Dam2        -0.0670        0  0.033363 123 -2.0082 0.0468144 *
Dam3        -0.0600        0  0.031455 123 -1.9075 0.0587923 .
Dam4        -0.1170        0  0.033363 123 -3.5068 0.0006338 ***
Dam5         0.0513        0  0.036322 123  1.4133 0.1600927
```

Dam6	-0.0420	0	0.031455	123	-1.3352	0.1842689	
Dam7	-0.0580	0	0.031455	123	-1.8439	0.0676071	.
Dam8	-0.0440	0	0.031455	123	-1.3988	0.1643876	
Dam9	-0.0895	0	0.033363	123	-2.6826	0.0083104	**
Dam10	-0.0545	0	0.033363	123	-1.6335	0.1049163	
Dam11	-0.0140	0	0.031455	123	-0.4451	0.6570480	
Dam12	-0.0870	0	0.033363	123	-2.6076	0.0102452	*
Dam13	-0.0495	0	0.033363	123	-1.4837	0.1404576	
Dam14	-0.0340	0	0.031455	123	-1.0809	0.2818582	
Dam15	0.0000	0	0.000000	123			
Dam1:Sire1	0.0475	0	0.035168	123	1.3507	0.1792866	
Dam1:Sire2	0.0000	0	0.000000	123			
Dam1:Sire3		0					
Dam2:Sire1	-0.0010	0	0.033363	123	-0.0300	0.9761373	
Dam2:Sire2	0.0000	0	0.000000	123			
Dam2:Sire3		0					
Dam3:Sire1	-0.0045	0	0.033363	123	-0.1349	0.8929288	
Dam3:Sire2	-0.0320	0	0.033363	123	-0.9591	0.3393736	
Dam3:Sire3	0.0000	0	0.000000	123			
Dam4:Sire1	0.0550	0	0.037986	123	1.4479	0.1501886	
Dam4:Sire2	0.0000	0	0.000000	123			
Dam4:Sire3		0					
Dam5:Sire1	-0.0593	0	0.036322	123	-1.6336	0.1049091	
Dam5:Sire2	-0.0608	0	0.037986	123	-1.6015	0.1118387	
Dam5:Sire3	0.0000	0	0.000000	123			
Dam6:Sire1	-0.0450	0	0.033363	123	-1.3488	0.1798857	
Dam6:Sire2	0.0075	0	0.033363	123	0.2248	0.8225105	
Dam6:Sire3	0.0000	0	0.000000	123			
Dam7:Sire1	-0.0290	0	0.033363	123	-0.8692	0.3864232	
Dam7:Sire2	-0.0340	0	0.031455	123	-1.0809	0.2818582	
Dam7:Sire3	0.0000	0	0.000000	123			
Dam8:Sire1	0.0520	0	0.036322	123	1.4317	0.1547783	
Dam8:Sire2	0.0000	0	0.000000	123			
Dam8:Sire3		0					
Dam9:Sire1	-0.0225	0	0.035168	123	-0.6398	0.5235039	
Dam9:Sire2	0.0000	0	0.000000	123			
Dam9:Sire3		0					
Dam10:Sire1	-0.0695	0	0.033363	123	-2.0831	0.0393121	*
Dam10:Sire2	0.0000	0	0.000000	123			
Dam10:Sire3		0					
Dam11:Sire1	0.0460	0	0.031455	123	1.4624	0.1461852	
Dam11:Sire2	0.0000	0	0.000000	123			
Dam11:Sire3		0					
Dam12:Sire1	0.0470	0	0.033363	123	1.4087	0.1614391	
Dam12:Sire2	0.0000	0	0.000000	123			
Dam12:Sire3		0					
Dam13:Sire1	-0.0645	0	0.033363	123	-1.9333	0.0555032	.
Dam13:Sire2	-0.0358	0	0.037986	123	-0.9433	0.3473613	

```

Dam13:Sire3  0.0000      0  0.000000 123
Dam14:Sire1  0.0245      0  0.033363 123  0.7343 0.4641417
Dam14:Sire2 -0.0180      0  0.033363 123 -0.5395 0.5905089
Dam14:Sire3  0.0000      0  0.000000 123
Dam15:Sire1 -0.0500      0  0.031455 123 -1.5896 0.1145028
Dam15:Sire2 -0.0580      0  0.031455 123 -1.8439 0.0676071 .
Dam15:Sire3  0.0000      0  0.000000 123
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(pH ~ Dam/Sire, T15.3), type=3, singular.ok=TRUE) # NOT OK

```

```

Note: model has aliased coefficients
      sums of squares computed by model comparison

```

Anova Table (Type III tests)

```

Response: pH
    Sum Sq Df F values   Pr(>F)
Dam     0.081011  6 5.4584 4.898e-05 ***
Dam:Sire 0.080024 22 1.4705  0.09662 .
Residuals 0.304253 123
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 6.6 Table 16.3

(66) MODEL

```

T16.3 = read.csv("C:/G/Rt/ANOVA/T16.3.csv")
colnames(T16.3) = c("Plot", "Sample", "Subsample", "Residue")
T16.3 = af(T16.3, c("Plot", "Sample", "Subsample"))
GLM(Residue ~ Plot/Sample/Subsample, T16.3) # p344

```

```

$ANOVA
Response : Residue
          Df Sum Sq Mean Sq F value   Pr(>F)
MODEL      54 3.1897 0.059069 5.8842 1.476e-05 ***
RESIDUALS  22 0.2208 0.010039
CORRECTED TOTAL 76 3.4106
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
$`Type I`
```

```

Df   Sum Sq  Mean Sq F value    Pr(>F)
Plot          10 1.84041 0.184041 18.3332 1.929e-08 ***
Plot:Sample    22 0.99175 0.045079  4.4906 0.0004209 ***
Plot:Sample:Subsample 22 0.35757 0.016253  1.6191 0.1330632
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
Df   Sum Sq  Mean Sq F value    Pr(>F)
Plot          10 1.84041 0.184041 18.3332 1.929e-08 ***
Plot:Sample    22 0.99175 0.045079  4.4906 0.0004209 ***
Plot:Sample:Subsample 22 0.35757 0.016253  1.6191 0.1330632
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
Df   Sum Sq  Mean Sq F value    Pr(>F)
Plot          10 1.78686 0.178686 17.7998 2.547e-08 ***
Plot:Sample    22 0.99175 0.045079  4.4906 0.0004209 ***
Plot:Sample:Subsample 22 0.35757 0.016253  1.6191 0.1330632
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)      0.390      0  0.10019 22  3.8925 0.0007836 ***
Plot1            0.130      0  0.14169 22  0.9175 0.3688465
Plot2            0.690      0  0.14169 22  4.8696 7.227e-05 ***
Plot3           -0.100      0  0.14169 22 -0.7057 0.4877535
Plot4           -0.290      0  0.14169 22 -2.0467 0.0528230 .
Plot5            0.530      0  0.14169 22  3.7404 0.0011335 **
Plot6            0.020      0  0.14169 22  0.1411 0.8890368
Plot7            0.050      0  0.14169 22  0.3529 0.7275426
Plot8           -0.030      0  0.14169 22 -0.2117 0.8342720
Plot9            0.530      0  0.14169 22  3.7404 0.0011335 **
Plot10           0.130      0  0.14169 22  0.9175 0.3688465
Plot11           0.000      0  0.00000 22
Plot1:Sample1   -0.060      0  0.12271 22 -0.4890 0.6297131
Plot1:Sample2   0.020      0  0.14169 22  0.1411 0.8890368
Plot1:Sample3   0.000      0  0.00000 22
Plot2:Sample1   -0.595      0  0.12271 22 -4.8488 7.603e-05 ***
Plot2:Sample2   -0.650      0  0.14169 22 -4.5873 0.0001437 ***
Plot2:Sample3   0.000      0  0.00000 22
Plot3:Sample1   0.095      0  0.12271 22  0.7742 0.4470663
Plot3:Sample2   0.090      0  0.14169 22  0.6352 0.5318688
Plot3:Sample3   0.000      0  0.00000 22
Plot4:Sample1   0.200      0  0.12271 22  1.6298 0.1173694
Plot4:Sample2   0.150      0  0.14169 22  1.0586 0.3012597

```

Plot4:Sample3	0.000	0	0.00000 22
Plot5:Sample1	-0.365	0	0.12271 22 -2.9745 0.0069960 **
Plot5:Sample2	-0.080	0	0.14169 22 -0.5646 0.5780606
Plot5:Sample3	0.000	0	0.00000 22
Plot6:Sample1	0.065	0	0.12271 22 0.5297 0.6016249
Plot6:Sample2	-0.150	0	0.14169 22 -1.0586 0.3012597
Plot6:Sample3	0.000	0	0.00000 22
Plot7:Sample1	0.115	0	0.12271 22 0.9372 0.3588500
Plot7:Sample2	0.060	0	0.14169 22 0.4234 0.6760804
Plot7:Sample3	0.000	0	0.00000 22
Plot8:Sample1	0.305	0	0.12271 22 2.4855 0.0210209 *
Plot8:Sample2	0.180	0	0.14169 22 1.2703 0.2172344
Plot8:Sample3	0.000	0	0.00000 22
Plot9:Sample1	-0.355	0	0.12271 22 -2.8930 0.0084403 **
Plot9:Sample2	-0.210	0	0.14169 22 -1.4821 0.1525064
Plot9:Sample3	0.000	0	0.00000 22
Plot10:Sample1	-0.020	0	0.12271 22 -0.1630 0.8720183
Plot10:Sample2	0.000	0	0.14169 22 0.0000 1.0000000
Plot10:Sample3	0.000	0	0.00000 22
Plot11:Sample1	0.000	0	0.12271 22 0.0000 1.0000000
Plot11:Sample2	0.110	0	0.14169 22 0.7763 0.4458271
Plot11:Sample3	0.000	0	0.00000 22
Plot1:Sample1:Subsample1	0.015	0	0.10019 22 0.1497 0.8823566
Plot1:Sample1:Subsample2	0.000	0	0.00000 22
Plot1:Sample2:Subsample1	-0.280	0	0.14169 22 -1.9761 0.0608176 .
Plot1:Sample2:Subsample2	0.000	0	0.00000 22
Plot1:Sample3:Subsample1	0.000	0	0.00000 22
Plot1:Sample3:Subsample2		0	
Plot2:Sample1:Subsample1	0.060	0	0.10019 22 0.5988 0.5553935
Plot2:Sample1:Subsample2	0.000	0	0.00000 22
Plot2:Sample2:Subsample1	-0.390	0	0.14169 22 -2.7524 0.0116232 *
Plot2:Sample2:Subsample2	0.000	0	0.00000 22
Plot2:Sample3:Subsample1	0.000	0	0.00000 22
Plot2:Sample3:Subsample2		0	
Plot3:Sample1:Subsample1	-0.085	0	0.10019 22 -0.8484 0.4053723
Plot3:Sample1:Subsample2	0.000	0	0.00000 22
Plot3:Sample2:Subsample1	-0.130	0	0.14169 22 -0.9175 0.3688465
Plot3:Sample2:Subsample2	0.000	0	0.00000 22
Plot3:Sample3:Subsample1	0.000	0	0.00000 22
Plot3:Sample3:Subsample2		0	
Plot4:Sample1:Subsample1	-0.090	0	0.10019 22 -0.8983 0.3787697
Plot4:Sample1:Subsample2	0.000	0	0.00000 22
Plot4:Sample2:Subsample1	-0.120	0	0.14169 22 -0.8469 0.4061732
Plot4:Sample2:Subsample2	0.000	0	0.00000 22
Plot4:Sample3:Subsample1	0.000	0	0.00000 22
Plot4:Sample3:Subsample2		0	
Plot5:Sample1:Subsample1	0.300	0	0.10019 22 2.9942 0.0066835 **
Plot5:Sample1:Subsample2	0.000	0	0.00000 22

Plot5:Sample2:Subsample1	0.110	0	0.14169	22	0.7763	0.4458271					
Plot5:Sample2:Subsample2	0.000	0	0.00000	22							
Plot5:Sample3:Subsample1	0.000	0	0.00000	22							
Plot5:Sample3:Subsample2		0									
Plot6:Sample1:Subsample1	0.115	0	0.10019	22	1.1478	0.2633860					
Plot6:Sample1:Subsample2	0.000	0	0.00000	22							
Plot6:Sample2:Subsample1	0.070	0	0.14169	22	0.4940	0.6261876					
Plot6:Sample2:Subsample2	0.000	0	0.00000	22							
Plot6:Sample3:Subsample1	0.000	0	0.00000	22							
Plot6:Sample3:Subsample2		0									
Plot7:Sample1:Subsample1	0.110	0	0.10019	22	1.0979	0.2841276					
Plot7:Sample1:Subsample2	0.000	0	0.00000	22							
Plot7:Sample2:Subsample1	-0.060	0	0.14169	22	-0.4234	0.6760804					
Plot7:Sample2:Subsample2	0.000	0	0.00000	22							
Plot7:Sample3:Subsample1	0.000	0	0.00000	22							
Plot7:Sample3:Subsample2		0									
Plot8:Sample1:Subsample1	0.240	0	0.10019	22	2.3954	0.0255487 *					
Plot8:Sample1:Subsample2	0.000	0	0.00000	22							
Plot8:Sample2:Subsample1	0.100	0	0.14169	22	0.7057	0.4877535					
Plot8:Sample2:Subsample2	0.000	0	0.00000	22							
Plot8:Sample3:Subsample1	0.000	0	0.00000	22							
Plot8:Sample3:Subsample2		0									
Plot9:Sample1:Subsample1	0.020	0	0.10019	22	0.1996	0.8436154					
Plot9:Sample1:Subsample2	0.000	0	0.00000	22							
Plot9:Sample2:Subsample1	-0.110	0	0.14169	22	-0.7763	0.4458271					
Plot9:Sample2:Subsample2	0.000	0	0.00000	22							
Plot9:Sample3:Subsample1	0.000	0	0.00000	22							
Plot9:Sample3:Subsample2		0									
Plot10:Sample1:Subsample1	0.050	0	0.10019	22	0.4990	0.6227069					
Plot10:Sample1:Subsample2	0.000	0	0.00000	22							
Plot10:Sample2:Subsample1	-0.060	0	0.14169	22	-0.4234	0.6760804					
Plot10:Sample2:Subsample2	0.000	0	0.00000	22							
Plot10:Sample3:Subsample1	0.000	0	0.00000	22							
Plot10:Sample3:Subsample2		0									
Plot11:Sample1:Subsample1	-0.090	0	0.10019	22	-0.8983	0.3787697					
Plot11:Sample1:Subsample2	0.000	0	0.00000	22							
Plot11:Sample2:Subsample1	0.030	0	0.14169	22	0.2117	0.8342720					
Plot11:Sample2:Subsample2	0.000	0	0.00000	22							
Plot11:Sample3:Subsample1	0.000	0	0.00000	22							
Plot11:Sample3:Subsample2		0									
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'.'	0.1	' '	1

```
options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(Residue ~ Plot/Sample/Subsample, T16.3), type=3, singular.ok=TRUE)
```

Note: model has aliased coefficients

sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Residue

	Sum Sq	Df	F values	Pr(>F)
Plot	0.00000	0		
Plot:Sample	0.36613	11	3.3156	0.00805 **
Plot:Sample:Subsample	0.35758	22	1.6191	0.13306
Residuals	0.22085	22		

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

# NOT OK

## 7 Federer - Variations

*Reference*

- Federer WT, King F. Variations on Split Plot and Split Block Experiment Designs. John Wiley & Sons Inc. 2007.

### 7.1 Example 1.1

(67) MODEL

```
ex1.1 = read.table("C:/G/Rt/Split/Ex1.1-spex1.txt", header=TRUE)
ex1.1 = af(ex1.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + A:B, ex1.1)

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      27 4905.7 181.694   10.75 1.994e-10 ***
RESIDUALS   36  608.5  16.902
CORRECTED TOTAL 63 5514.2
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
R      3 223.8  74.60  4.4138  0.00963 **
A      3 194.6  64.85  3.8370  0.01756 *
R:A     9 158.2  17.58  1.0402  0.42842
B      3 4107.4 1369.13 81.0030 4.441e-16 ***
A:B     9 221.7  24.64  1.4577  0.20117
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
R      3 223.8  74.60  4.4138  0.00963 **
A      3 194.6  64.85  3.8370  0.01756 *
R:A     9 158.2  17.58  1.0402  0.42842
B      3 4107.4 1369.13 81.0030 4.441e-16 ***
A:B     9 221.7  24.64  1.4577  0.20117
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value
```

```

R     3   223.8    74.60   4.4138   0.00963  **
A     3   194.6    64.85   3.8370   0.01756  *
R:A    9   158.2    17.58   1.0402   0.42842
B     3  4107.4  1369.13  81.0030  4.441e-16 ***
A:B    9   221.7    24.64   1.4577   0.20117
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 66.700        0    2.7193 36 24.5282 < 2.2e-16 ***
R1           6.750        0    2.9071 36  2.3219  0.026009 *
R2           10.025       0    2.9071 36  3.4485  0.001453 **
R3           5.825        0    2.9071 36  2.0037  0.052669 .
R4           0.000        0    0.0000 36
A1           6.856        0    3.8457 36  1.7828  0.083048 .
A2          -4.212       0    3.8457 36 -1.0954  0.280625
A3           2.231        0    3.8457 36  0.5802  0.565398
A4           0.000        0    0.0000 36
R1:A1        -4.050       0    4.1112 36 -0.9851  0.331146
R1:A2        -3.375       0    4.1112 36 -0.8209  0.417093
R1:A3        -3.800       0    4.1112 36 -0.9243  0.361485
R1:A4        0.000        0    0.0000 36
R2:A1        -11.325      0    4.1112 36 -2.7547  0.009156 **
R2:A2        -5.150        0    4.1112 36 -1.2527  0.218403
R2:A3        -6.475        0    4.1112 36 -1.5750  0.124015
R2:A4        0.000        0    0.0000 36
R3:A1        -7.550        0    4.1112 36 -1.8364  0.074562 .
R3:A2        -5.625        0    4.1112 36 -1.3682  0.179727
R3:A3        -6.650        0    4.1112 36 -1.6175  0.114496
R3:A4        0.000        0    0.0000 36
R4:A1        0.000        0    0.0000 36
R4:A2        0.000        0    0.0000 36
R4:A3        0.000        0    0.0000 36
R4:A4        0.000        0    0.0000 36
B1           -1.800       0    2.9071 36 -0.6192  0.539698
B2          -17.100       0    2.9071 36 -5.8822  9.985e-07 ***
B3           -1.000       0    2.9071 36 -0.3440  0.732856
B4           0.000        0    0.0000 36
A1:B1        3.700        0    4.1112 36  0.9000  0.374115
A1:B2       -4.275       0    4.1112 36 -1.0398  0.305350
A1:B3       -0.250       0    4.1112 36 -0.0608  0.951848
A1:B4        0.000       0    0.0000 36
A2:B1        9.500        0    4.1112 36  2.3107  0.026687 *
A2:B2        3.850        0    4.1112 36  0.9365  0.355276
A2:B3        4.400        0    4.1112 36  1.0702  0.291635
A2:B4        0.000        0    0.0000 36
A3:B1       -1.225       0    4.1112 36 -0.2980  0.767443

```

```

A3:B2      -2.800      0      4.1112 36 -0.6811  0.500190
A3:B3      1.900      0      4.1112 36  0.4621  0.646755
A3:B4      0.000      0      0.0000 36
A4:B1      0.000      0      0.0000 36
A4:B2      0.000      0      0.0000 36
A4:B3      0.000      0      0.0000 36
A4:B4      0.000      0      0.0000 36
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.2 Example 1.2

(68) MODEL

```

ex1.2 = read.table("C:/G/Rt/Split/Ex1.2-spex2.txt", header=TRUE)
ex1.2 = af(ex1.2, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + A:B, ex1.2)

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL   47 35573  756.88 31.243 < 2.2e-16 ***
RESIDUALS 48   1163   24.23
CORRECTED TOTAL 95  36736
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
R     2   38.6   19.3   0.7963 0.4568480
A     7   763.2   109.0   4.5003 0.0006418 ***
R:A  14  1377.2    98.4   4.0608 0.0001343 ***
B     3 30774.3 10258.1 423.4386 < 2.2e-16 ***
A:B  21  2620.1   124.8   5.1502 1.327e-06 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
R     2   38.6   19.3   0.7963 0.4568480
A     7   763.2   109.0   4.5003 0.0006418 ***
R:A  14  1377.2    98.4   4.0608 0.0001343 ***
B     3 30774.3 10258.1 423.4386 < 2.2e-16 ***
A:B  21  2620.1   124.8   5.1502 1.327e-06 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

R     2    38.6   19.3   0.7963 0.4568480  

A     7   763.2   109.0   4.5003 0.0006418 ***  

R:A  14  1377.2    98.4   4.0608 0.0001343 ***  

B     3 30774.3 10258.1 423.4386 < 2.2e-16 ***  

A:B  21 2620.1   124.8   5.1502 1.327e-06 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value    Pr(>|t|)  

(Intercept) 16.000        0    3.4804 48  4.5972 3.130e-05 ***  

R1          -6.250        0    3.4804 48 -1.7958 0.0788230 .  

R2          -5.750        0    3.4804 48 -1.6521 0.1050354  

R3          0.000        0    0.0000 48  

A0          -7.083        0    4.9220 48 -1.4391 0.1566037  

A1          -4.000        0    4.9220 48 -0.8127 0.4204117  

A2          -4.500        0    4.9220 48 -0.9143 0.3651450  

A3          -6.333        0    4.9220 48 -1.2868 0.2043526  

A4          -3.500        0    4.9220 48 -0.7111 0.4804644  

A5          -1.667        0    4.9220 48 -0.3386 0.7363740  

A6          -6.250        0    4.9220 48 -1.2698 0.2102707  

A7          0.000        0    0.0000 48  

R1:A0       5.250        0    4.9220 48  1.0666 0.2914665  

R1:A1      15.000        0    4.9220 48  3.0476 0.0037444 **  

R1:A2      -0.500        0    4.9220 48 -0.1016 0.9195088  

R1:A3       7.250        0    4.9220 48  1.4730 0.1472813  

R1:A4       5.000        0    4.9220 48  1.0159 0.3147916  

R1:A5       8.000        0    4.9220 48  1.6254 0.1106329  

R1:A6      10.500        0    4.9220 48  2.1333 0.0380399 *  

R1:A7       0.000        0    0.0000 48  

R2:A0       5.000        0    4.9220 48  1.0159 0.3147916  

R2:A1      -5.000        0    4.9220 48 -1.0159 0.3147916  

R2:A2      12.000        0    4.9220 48  2.4381 0.0185190 *  

R2:A3       4.750        0    4.9220 48  0.9651 0.3393506  

R2:A4       4.500        0    4.9220 48  0.9143 0.3651450  

R2:A5      12.000        0    4.9220 48  2.4381 0.0185190 *  

R2:A6       2.250        0    4.9220 48  0.4571 0.6496363  

R2:A7       0.000        0    0.0000 48  

R3:A0       0.000        0    0.0000 48  

R3:A1       0.000        0    0.0000 48  

R3:A2       0.000        0    0.0000 48  

R3:A3       0.000        0    0.0000 48  

R3:A4       0.000        0    0.0000 48  

R3:A5       0.000        0    0.0000 48  

R3:A6       0.000        0    0.0000 48

```

R3:A7	0.000	0	0.0000 48
B0	36.000	0	4.0188 48 8.9580 8.177e-12 ***
B1	7.667	0	4.0188 48 1.9077 0.0624200 .
B2	19.333	0	4.0188 48 4.8108 1.531e-05 ***
B3	0.000	0	0.0000 48
A0:B0	22.000	0	5.6834 48 3.8709 0.0003271 ***
A0:B1	-4.333	0	5.6834 48 -0.7625 0.4495188
A0:B2	-15.333	0	5.6834 48 -2.6979 0.0096001 **
A0:B3	0.000	0	0.0000 48
A1:B0	16.000	0	5.6834 48 2.8152 0.0070497 **
A1:B1	-0.667	0	5.6834 48 -0.1173 0.9071111
A1:B2	-16.333	0	5.6834 48 -2.8739 0.0060246 **
A1:B3	0.000	0	0.0000 48
A2:B0	17.667	0	5.6834 48 3.1085 0.0031582 **
A2:B1	-6.333	0	5.6834 48 -1.1144 0.2706743
A2:B2	-4.333	0	5.6834 48 -0.7625 0.4495188
A2:B3	0.000	0	0.0000 48
A3:B0	4.667	0	5.6834 48 0.8211 0.4156454
A3:B1	-7.333	0	5.6834 48 -1.2903 0.2031245
A3:B2	-15.000	0	5.6834 48 -2.6393 0.0111717 *
A3:B3	0.000	0	0.0000 48
A4:B0	1.667	0	5.6834 48 0.2933 0.7705935
A4:B1	-3.000	0	5.6834 48 -0.5279 0.6000325
A4:B2	-20.667	0	5.6834 48 -3.6363 0.0006736 ***
A4:B3	0.000	0	0.0000 48
A5:B0	5.000	0	5.6834 48 0.8798 0.3833746
A5:B1	-16.667	0	5.6834 48 -2.9325 0.0051395 **
A5:B2	-6.667	0	5.6834 48 -1.1730 0.2465806
A5:B3	0.000	0	0.0000 48
A6:B0	0.333	0	5.6834 48 0.0587 0.9534740
A6:B1	-3.000	0	5.6834 48 -0.5279 0.6000325
A6:B2	-7.333	0	5.6834 48 -1.2903 0.2031245
A6:B3	0.000	0	0.0000 48
A7:B0	0.000	0	0.0000 48
A7:B1	0.000	0	0.0000 48
A7:B2	0.000	0	0.0000 48
A7:B3	0.000	0	0.0000 48
---			
Signif. codes:	0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1		

### 7.3 Example 2.1

(69) MODEL

```
ex2.1 = read.table("C:/G/Rt/Split/sbex.txt", header=TRUE)
colnames(ex2.1) = c("Y", "R", "A", "B")
```

```

ex2.1 = af(ex2.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + R:B + A:B, ex2.1)

$ANOVA
Response : Y
      Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL      41 274.750  6.7012  5.1475 0.0002305 ***
RESIDUALS   18 23.433  1.3019
CORRECTED TOTAL 59 298.183
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df  Sum Sq Mean Sq F value    Pr(>F)
R      1  2.817  2.8167  2.1636 0.1585807
A      9 77.683  8.6315  6.6302 0.0003456 ***
R:A    9 81.017  9.0019  6.9147 0.0002658 ***
B      2 35.433 17.7167 13.6088 0.0002510 ***
R:B    2 16.233  8.1167  6.2347 0.0087635 **
A:B   18 61.567  3.4204  2.6273 0.0236253 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df  Sum Sq Mean Sq F value    Pr(>F)
R      1  2.817  2.8167  2.1636 0.1585807
A      9 77.683  8.6315  6.6302 0.0003456 ***
R:A    9 81.017  9.0019  6.9147 0.0002658 ***
B      2 35.433 17.7167 13.6088 0.0002510 ***
R:B    2 16.233  8.1167  6.2347 0.0087635 **
A:B   18 61.567  3.4204  2.6273 0.0236253 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df  Sum Sq Mean Sq F value    Pr(>F)
R      1  2.817  2.8167  2.1636 0.1585807
A      9 77.683  8.6315  6.6302 0.0003456 ***
R:A    9 81.017  9.0019  6.9147 0.0002658 ***
B      2 35.433 17.7167 13.6088 0.0002510 ***
R:B    2 16.233  8.1167  6.2347 0.0087635 **
A:B   18 61.567  3.4204  2.6273 0.0236253 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate  Estimable Std. Error Df t value  Pr(>|t|)
```

(Intercept)	46.583	0	0.95462	18	48.7979	< 2.2e-16	***
R1	0.833	0	1.02053	18	0.8166	0.424850	
R2	0.000	0	0.00000	18			
A0	-3.833	0	1.31750	18	-2.9096	0.009350	**
A1	2.667	0	1.31750	18	2.0240	0.058068	.
A2	1.000	0	1.31750	18	0.7590	0.457669	
A3	-2.167	0	1.31750	18	-1.6445	0.117418	
A4	1.000	0	1.31750	18	0.7590	0.457669	
A5	-1.333	0	1.31750	18	-1.0120	0.324940	
A6	1.500	0	1.31750	18	1.1385	0.269830	
A7	4.500	0	1.31750	18	3.4156	0.003083	**
A8	-0.167	0	1.31750	18	-0.1265	0.900737	
A9	0.000	0	0.00000	18			
R1:A0	1.667	0	1.31750	18	1.2650	0.221996	
R1:A1	-3.333	0	1.31750	18	-2.5300	0.020955	*
R1:A2	-4.000	0	1.31750	18	-3.0361	0.007105	**
R1:A3	0.333	0	1.31750	18	0.2530	0.803131	
R1:A4	0.000	0	1.31750	18	0.0000	1.000000	
R1:A5	2.667	0	1.31750	18	2.0240	0.058068	.
R1:A6	-4.000	0	1.31750	18	-3.0361	0.007105	**
R1:A7	-3.000	0	1.31750	18	-2.2770	0.035225	*
R1:A8	-2.667	0	1.31750	18	-2.0240	0.058068	.
R1:A9	0.000	0	0.00000	18			
R2:A0	0.000	0	0.00000	18			
R2:A1	0.000	0	0.00000	18			
R2:A2	0.000	0	0.00000	18			
R2:A3	0.000	0	0.00000	18			
R2:A4	0.000	0	0.00000	18			
R2:A5	0.000	0	0.00000	18			
R2:A6	0.000	0	0.00000	18			
R2:A7	0.000	0	0.00000	18			
R2:A8	0.000	0	0.00000	18			
R2:A9	0.000	0	0.00000	18			
B1	-3.150	0	1.19668	18	-2.6323	0.016910	*
B2	-0.600	0	1.19668	18	-0.5014	0.622175	
B3	0.000	0	0.00000	18			
R1:B1	2.300	0	0.72162	18	3.1873	0.005103	**
R1:B2	0.200	0	0.72162	18	0.2772	0.784821	
R1:B3	0.000	0	0.00000	18			
R2:B1	0.000	0	0.00000	18			
R2:B2	0.000	0	0.00000	18			
R2:B3	0.000	0	0.00000	18			
A0:B1	3.000	0	1.61360	18	1.8592	0.079426	.
A0:B2	0.500	0	1.61360	18	0.3099	0.760221	
A0:B3	0.000	0	0.00000	18			
A1:B1	-3.000	0	1.61360	18	-1.8592	0.079426	.
A1:B2	-4.000	0	1.61360	18	-2.4789	0.023305	*
A1:B3	0.000	0	0.00000	18			

```

A2:B1      2.500      0   1.61360 18  1.5493  0.138705
A2:B2     -2.500      0   1.61360 18 -1.5493  0.138705
A2:B3      0.000      0   0.00000 18
A3:B1      2.000      0   1.61360 18  1.2395  0.231091
A3:B2     -0.500      0   1.61360 18 -0.3099  0.760221
A3:B3      0.000      0   0.00000 18
A4:B1     -2.000      0   1.61360 18 -1.2395  0.231091
A4:B2     -1.000      0   1.61360 18 -0.6197  0.543200
A4:B3      0.000      0   0.00000 18
A5:B1      1.000      0   1.61360 18  0.6197  0.543200
A5:B2      0.000      0   1.61360 18  0.0000  1.000000
A5:B3      0.000      0   0.00000 18
A6:B1     -1.000      0   1.61360 18 -0.6197  0.543200
A6:B2     -0.500      0   1.61360 18 -0.3099  0.760221
A6:B3      0.000      0   0.00000 18
A7:B1     -0.500      0   1.61360 18 -0.3099  0.760221
A7:B2     -2.000      0   1.61360 18 -1.2395  0.231091
A7:B3      0.000      0   0.00000 18
A8:B1      2.500      0   1.61360 18  1.5493  0.138705
A8:B2     -2.000      0   1.61360 18 -1.2395  0.231091
A8:B3      0.000      0   0.00000 18
A9:B1      0.000      0   0.00000 18
A9:B2      0.000      0   0.00000 18
A9:B3      0.000      0   0.00000 18
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.4 Example 2.2

(70) MODEL

```

ex2.2 = read.table("C:/G/Rt/Split/sbex2_2.txt", header=TRUE)
ex2.2 = af(ex2.2, c("Row", "Column", "R", "S"))
GLM(Y ~ Column + R + R:Column + S + S:Column + R:S, ex2.2)

```

```

$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      51 10328  202.51  0.8112 0.7688
RESIDUALS  48 11982  249.63
CORRECTED TOTAL 99 22310

```

```

$`Type I`
          Df Sum Sq Mean Sq F value Pr(>F)
Column    4 1318.6  329.66  1.3206 0.2758
R         4 1159.8  289.94  1.1615 0.3396

```

```

Column:R 16 2808.6 175.54 0.7032 0.7766
S         3 351.9 117.29 0.4699 0.7047
Column:S 12 3863.3 321.94 1.2897 0.2555
R:S      12 826.0 68.83 0.2757 0.9906

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Column	4	1318.6	329.66	1.3206	0.2758
R	4	1159.8	289.94	1.1615	0.3396
Column:R	16	2808.6	175.54	0.7032	0.7766
S	3	351.9	117.29	0.4699	0.7047
Column:S	12	3863.3	321.94	1.2897	0.2555
R:S	12	826.0	68.83	0.2757	0.9906

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Column	4	1318.6	329.66	1.3206	0.2758
R	4	1159.8	289.94	1.1615	0.3396
Column:R	16	2808.6	175.54	0.7032	0.7766
S	3	351.9	117.29	0.4699	0.7047
Column:S	12	3863.3	321.94	1.2897	0.2555
R:S	12	826.0	68.83	0.2757	0.9906

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	1000.52	0	11.393	48	87.8167	< 2e-16 ***
Column1	12.04	0	14.132	48	0.8522	0.39836
Column2	10.64	0	14.132	48	0.7529	0.45520
Column3	0.98	0	14.132	48	0.0696	0.94478
Column4	-12.93	0	14.132	48	-0.9149	0.36480
Column5	0.00	0	0.000	48		
R1	-13.81	0	14.132	48	-0.9774	0.33325
R2	-10.85	0	14.132	48	-0.7678	0.44636
R3	-2.17	0	14.132	48	-0.1533	0.87880
R4	-3.63	0	14.132	48	-0.2571	0.79819
R5	0.00	0	0.000	48		
Column1:R1	16.78	0	15.800	48	1.0619	0.29360
Column1:R2	5.34	0	15.800	48	0.3383	0.73661
Column1:R3	-9.13	0	15.800	48	-0.5775	0.56627
Column1:R4	-6.31	0	15.800	48	-0.3994	0.69139
Column1:R5	0.00	0	0.000	48		
Column2:R1	16.71	0	15.800	48	1.0578	0.29545
Column2:R2	-1.64	0	15.800	48	-0.1036	0.91789
Column2:R3	7.40	0	15.800	48	0.4687	0.64142
Column2:R4	11.71	0	15.800	48	0.7413	0.46212
Column2:R5	0.00	0	0.000	48		
Column3:R1	12.12	0	15.800	48	0.7671	0.44678
Column3:R2	0.27	0	15.800	48	0.0169	0.98656

Column3:R3	-14.04	0	15.800	48	-0.8885	0.37872
Column3:R4	9.01	0	15.800	48	0.5703	0.57116
Column3:R5	0.00	0	0.000	48		
Column4:R1	1.31	0	15.800	48	0.0832	0.93402
Column4:R2	-3.85	0	15.800	48	-0.2438	0.80840
Column4:R3	0.84	0	15.800	48	0.0532	0.95782
Column4:R4	9.65	0	15.800	48	0.6111	0.54402
Column4:R5	0.00	0	0.000	48		
Column5:R1	0.00	0	0.000	48		
Column5:R2	0.00	0	0.000	48		
Column5:R3	0.00	0	0.000	48		
Column5:R4	0.00	0	0.000	48		
Column5:R5	0.00	0	0.000	48		
S1	3.74	0	13.406	48	0.2789	0.78154
S2	12.15	0	13.406	48	0.9066	0.36916
S3	2.83	0	13.406	48	0.2110	0.83380
S4	0.00	0	0.000	48		
Column1:S1	-15.16	0	14.132	48	-1.0730	0.28861
Column1:S2	-31.48	0	14.132	48	-2.2278	0.03062 *
Column1:S3	1.26	0	14.132	48	0.0889	0.92955
Column1:S4	0.00	0	0.000	48		
Column2:S1	-22.54	0	14.132	48	-1.5947	0.11734
Column2:S2	-31.01	0	14.132	48	-2.1946	0.03306 *
Column2:S3	-3.56	0	14.132	48	-0.2518	0.80229
Column2:S4	0.00	0	0.000	48		
Column3:S1	-1.71	0	14.132	48	-0.1207	0.90442
Column3:S2	-14.46	0	14.132	48	-1.0229	0.31146
Column3:S3	19.65	0	14.132	48	1.3902	0.17088
Column3:S4	0.00	0	0.000	48		
Column4:S1	5.39	0	14.132	48	0.3816	0.70448
Column4:S2	-3.36	0	14.132	48	-0.2376	0.81319
Column4:S3	17.58	0	14.132	48	1.2443	0.21943
Column4:S4	0.00	0	0.000	48		
Column5:S1	0.00	0	0.000	48		
Column5:S2	0.00	0	0.000	48		
Column5:S3	0.00	0	0.000	48		
Column5:S4	0.00	0	0.000	48		
R1:S1	3.84	0	14.132	48	0.2714	0.78721
R1:S2	-1.62	0	14.132	48	-0.1148	0.90910
R1:S3	-11.37	0	14.132	48	-0.8047	0.42495
R1:S4	0.00	0	0.000	48		
R2:S1	12.02	0	14.132	48	0.8507	0.39915
R2:S2	10.32	0	14.132	48	0.7300	0.46894
R2:S3	-6.46	0	14.132	48	-0.4568	0.64984
R2:S4	0.00	0	0.000	48		
R3:S1	9.62	0	14.132	48	0.6810	0.49913
R3:S2	2.19	0	14.132	48	0.1551	0.87738
R3:S3	-8.14	0	14.132	48	-0.5760	0.56730

```

R3:S4          0.00      0    0.000 48
R4:S1          4.15      0   14.132 48  0.2939  0.77006
R4:S2          3.09      0   14.132 48  0.2189  0.82762
R4:S3         -6.44      0   14.132 48 -0.4560  0.65045
R4:S4          0.00      0    0.000 48
R5:S1          0.00      0    0.000 48
R5:S2          0.00      0    0.000 48
R5:S3          0.00      0    0.000 48
R5:S4          0.00      0    0.000 48
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (71) MODEL

```
GLM(Y ~ Row + R + Row:R + S + Column:S + R:S + Column:R:S, ex2.2)
```

```
$ANOVA
Response : Y
              Df Sum Sq Mean Sq F value Pr(>F)
MODEL           99 22310  225.36
RESIDUALS        0     0
CORRECTED TOTAL 99 22310

$`Type I`
              Df Sum Sq Mean Sq F value Pr(>F)
Row            4   147.4   36.86
R              4  1159.8  289.94
Row:R          16  3979.8  248.74
S              3   351.9  117.29
S:Column       12  3863.3  321.94
R:S            12   826.0   68.83
R:S:Column    48 11982.3  249.63

$`Type II`
              Df Sum Sq Mean Sq F value Pr(>F)
Row            0     0
R              4  1159.8  289.94
Row:R          0     0
S              3   351.9  117.29
S:Column       12  3863.3  321.94
R:S            12   826.0   68.83
R:S:Column    48 11982.3  249.63

$`Type III`
CAUTION: Singularity Exists !
              Df Sum Sq Mean Sq F value Pr(>F)
Row            0     0

```

R	4	1159.8	289.94
Row:R	0		
S	3	351.9	117.29
S:Column	12	3863.3	321.94
R:S	12	826.0	68.83
R:S:Column	48	11982.3	249.63

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	1001.61	0	0	0		
Row1	-5.98	0	0	0		
Row2	16.88	0	0	0		
Row3	19.34	0	0	0		
Row4	-24.93	0	0	0		
Row5	0.00	0	0	0		
R1	9.12	0	0	0		
R2	-18.93	0	0	0		
R3	-2.75	0	0	0		
R4	3.02	0	0	0		
R5	0.00	0	0	0		
Row1:R1	3.72	0	0	0		
Row1:R2	14.16	0	0	0		
Row1:R3	-24.63	0	0	0		
Row1:R4	3.52	0	0	0		
Row1:R5	0.00	0	0	0		
Row2:R1	-61.81	0	0	0		
Row2:R2	12.43	0	0	0		
Row2:R3	-0.94	0	0	0		
Row2:R4	-20.79	0	0	0		
Row2:R5	0.00	0	0	0		
Row3:R1	-56.60	0	0	0		
Row3:R2	-12.11	0	0	0		
Row3:R3	-30.06	0	0	0		
Row3:R4	-4.44	0	0	0		
Row3:R5	0.00	0	0	0		
Row4:R1	46.95	0	0	0		
Row4:R2	26.04	0	0	0		
Row4:R3	43.63	0	0	0		
Row4:R4	12.51	0	0	0		
Row4:R5	0.00	0	0	0		
Row5:R1	0.00	0	0	0		
Row5:R2	0.00	0	0	0		
Row5:R3	0.00	0	0	0		
Row5:R4	0.00	0	0	0		
Row5:R5	0.00	0	0	0		
S1	24.26	0	0	0		
S2	21.85	0	0	0		
S3	-7.81	0	0	0		

S4	0.00	0	0
S1:Column1	-47.84	0	0
S1:Column2	-58.48	0	0
S1:Column3	-40.38	0	0
S1:Column4	10.08	0	0
S1:Column5	0.00	0	0
S2:Column1	-40.43	0	0
S2:Column2	-13.68	0	0
S2:Column3	-58.94	0	0
S2:Column4	-15.74	0	0
S2:Column5	0.00	0	0
S3:Column1	-0.39	0	0
S3:Column2	33.69	0	0
S3:Column3	5.46	0	0
S3:Column4	49.36	0	0
S3:Column5	0.00	0	0
S4:Column1	0.00	0	0
S4:Column2	0.00	0	0
S4:Column3	0.00	0	0
S4:Column4	0.00	0	0
S4:Column5	0.00	0	0
R1:S1	-12.01	0	0
R1:S2	17.28	0	0
R1:S3	18.96	0	0
R1:S4	0.00	0	0
R2:S1	-39.64	0	0
R2:S2	-21.90	0	0
R2:S3	-31.42	0	0
R2:S4	0.00	0	0
R3:S1	-10.98	0	0
R3:S2	-21.39	0	0
R3:S3	14.46	0	0
R3:S4	0.00	0	0
R4:S1	-10.34	0	0
R4:S2	-8.49	0	0
R4:S3	18.78	0	0
R4:S4	0.00	0	0
R5:S1	0.00	0	0
R5:S2	0.00	0	0
R5:S3	0.00	0	0
R5:S4	0.00	0	0
R1:S1:Column1	54.97	0	0
R1:S1:Column2	5.27	0	0
R1:S1:Column3	10.94	0	0
R1:S1:Column4	8.05	0	0
R1:S1:Column5	0.00	0	0
R1:S2:Column1	-24.43	0	0
R1:S2:Column2	-78.73	0	0

R1:S2:Column3	15.88	0	0
R1:S2:Column4	-7.23	0	0
R1:S2:Column5	0.00	0	0
R1:S3:Column1	-11.99	0	0
R1:S3:Column2	-72.89	0	0
R1:S3:Column3	-26.10	0	0
R1:S3:Column4	-40.68	0	0
R1:S3:Column5	0.00	0	0
R1:S4:Column1	0.00	0	0
R1:S4:Column2	0.00	0	0
R1:S4:Column3	0.00	0	0
R1:S4:Column4	0.00	0	0
R1:S4:Column5	0.00	0	0
R2:S1:Column1	86.83	0	0
R2:S1:Column2	87.33	0	0
R2:S1:Column3	76.49	0	0
R2:S1:Column4	7.66	0	0
R2:S1:Column5	0.00	0	0
R2:S2:Column1	67.97	0	0
R2:S2:Column2	0.73	0	0
R2:S2:Column3	71.73	0	0
R2:S2:Column4	20.65	0	0
R2:S2:Column5	0.00	0	0
R2:S3:Column1	46.34	0	0
R2:S3:Column2	13.83	0	0
R2:S3:Column3	66.93	0	0
R2:S3:Column4	-2.28	0	0
R2:S3:Column5	0.00	0	0
R2:S4:Column1	0.00	0	0
R2:S4:Column2	0.00	0	0
R2:S4:Column3	0.00	0	0
R2:S4:Column4	0.00	0	0
R2:S4:Column5	0.00	0	0
R3:S1:Column1	7.17	0	0
R3:S1:Column2	52.01	0	0
R3:S1:Column3	51.42	0	0
R3:S1:Column4	-7.58	0	0
R3:S1:Column5	0.00	0	0
R3:S2:Column1	-5.38	0	0
R3:S2:Column2	12.88	0	0
R3:S2:Column3	83.94	0	0
R3:S2:Column4	26.47	0	0
R3:S2:Column5	0.00	0	0
R3:S3:Column1	-21.65	0	0
R3:S3:Column2	-75.11	0	0
R3:S3:Column3	32.21	0	0
R3:S3:Column4	-48.45	0	0
R3:S3:Column5	0.00	0	0

R3:S4:Column1	0.00	0	0
R3:S4:Column2	0.00	0	0
R3:S4:Column3	0.00	0	0
R3:S4:Column4	0.00	0	0
R3:S4:Column5	0.00	0	0
R4:S1:Column1	14.41	0	0
R4:S1:Column2	35.11	0	0
R4:S1:Column3	54.52	0	0
R4:S1:Column4	-31.57	0	0
R4:S1:Column5	0.00	0	0
R4:S2:Column1	6.58	0	0
R4:S2:Column2	-21.55	0	0
R4:S2:Column3	50.87	0	0
R4:S2:Column4	22.02	0	0
R4:S2:Column5	0.00	0	0
R4:S3:Column1	-4.47	0	0
R4:S3:Column2	-52.07	0	0
R4:S3:Column3	-2.11	0	0
R4:S3:Column4	-67.47	0	0
R4:S3:Column5	0.00	0	0
R4:S4:Column1	0.00	0	0
R4:S4:Column2	0.00	0	0
R4:S4:Column3	0.00	0	0
R4:S4:Column4	0.00	0	0
R4:S4:Column5	0.00	0	0
R5:S1:Column1	0.00	0	0
R5:S1:Column2	0.00	0	0
R5:S1:Column3	0.00	0	0
R5:S1:Column4	0.00	0	0
R5:S1:Column5	0.00	0	0
R5:S2:Column1	0.00	0	0
R5:S2:Column2	0.00	0	0
R5:S2:Column3	0.00	0	0
R5:S2:Column4	0.00	0	0
R5:S2:Column5	0.00	0	0
R5:S3:Column1	0.00	0	0
R5:S3:Column2	0.00	0	0
R5:S3:Column3	0.00	0	0
R5:S3:Column4	0.00	0	0
R5:S3:Column5	0.00	0	0
R5:S4:Column1	0.00	0	0
R5:S4:Column2	0.00	0	0
R5:S4:Column3	0.00	0	0
R5:S4:Column4	0.00	0	0
R5:S4:Column5	0.00	0	0

(72) MODEL

```
GLM(Y ~ Row + R + S + R:S + Row:R + Column:S + Column:R:S, ex2.2)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	99	22310	225.36		
RESIDUALS	0	0			
CORRECTED TOTAL	99	22310			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	4	147.4	36.86		
R	4	1159.8	289.94		
S	3	351.9	117.29		
R:S	12	826.0	68.83		
Row:R	16	3979.8	248.74		
S:Column	12	3863.3	321.94		
R:S:Column	48	11982.3	249.63		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	0				
R	4	1159.8	289.94		
S	3	351.9	117.29		
R:S	12	826.0	68.83		
Row:R	0				
S:Column	12	3863.3	321.94		
R:S:Column	48	11982.3	249.63		

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	0				
R	4	1159.8	289.94		
S	3	351.9	117.29		
R:S	12	826.0	68.83		
Row:R	0				
S:Column	12	3863.3	321.94		
R:S:Column	48	11982.3	249.63		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	1001.61	0	0	0		
Row1	-5.98	0	0	0		
Row2	16.88	0	0	0		
Row3	19.34	0	0	0		
Row4	-24.93	0	0	0		

Row5	0.00	0	0
R1	9.12	0	0
R2	-18.93	0	0
R3	-2.75	0	0
R4	3.02	0	0
R5	0.00	0	0
S1	24.26	0	0
S2	21.85	0	0
S3	-7.81	0	0
S4	0.00	0	0
R1:S1	-12.01	0	0
R1:S2	17.28	0	0
R1:S3	18.96	0	0
R1:S4	0.00	0	0
R2:S1	-39.64	0	0
R2:S2	-21.90	0	0
R2:S3	-31.42	0	0
R2:S4	0.00	0	0
R3:S1	-10.98	0	0
R3:S2	-21.39	0	0
R3:S3	14.46	0	0
R3:S4	0.00	0	0
R4:S1	-10.34	0	0
R4:S2	-8.49	0	0
R4:S3	18.78	0	0
R4:S4	0.00	0	0
R5:S1	0.00	0	0
R5:S2	0.00	0	0
R5:S3	0.00	0	0
R5:S4	0.00	0	0
Row1:R1	3.72	0	0
Row1:R2	14.16	0	0
Row1:R3	-24.63	0	0
Row1:R4	3.52	0	0
Row1:R5	0.00	0	0
Row2:R1	-61.81	0	0
Row2:R2	12.43	0	0
Row2:R3	-0.94	0	0
Row2:R4	-20.79	0	0
Row2:R5	0.00	0	0
Row3:R1	-56.60	0	0
Row3:R2	-12.11	0	0
Row3:R3	-30.06	0	0
Row3:R4	-4.44	0	0
Row3:R5	0.00	0	0
Row4:R1	46.95	0	0
Row4:R2	26.04	0	0
Row4:R3	43.63	0	0

Row4:R4	12.51	0	0
Row4:R5	0.00	0	0
Row5:R1	0.00	0	0
Row5:R2	0.00	0	0
Row5:R3	0.00	0	0
Row5:R4	0.00	0	0
Row5:R5	0.00	0	0
S1:Column1	-47.84	0	0
S1:Column2	-58.48	0	0
S1:Column3	-40.38	0	0
S1:Column4	10.08	0	0
S1:Column5	0.00	0	0
S2:Column1	-40.43	0	0
S2:Column2	-13.68	0	0
S2:Column3	-58.94	0	0
S2:Column4	-15.74	0	0
S2:Column5	0.00	0	0
S3:Column1	-0.39	0	0
S3:Column2	33.69	0	0
S3:Column3	5.46	0	0
S3:Column4	49.36	0	0
S3:Column5	0.00	0	0
S4:Column1	0.00	0	0
S4:Column2	0.00	0	0
S4:Column3	0.00	0	0
S4:Column4	0.00	0	0
S4:Column5	0.00	0	0
R1:S1:Column1	54.97	0	0
R1:S1:Column2	5.27	0	0
R1:S1:Column3	10.94	0	0
R1:S1:Column4	8.05	0	0
R1:S1:Column5	0.00	0	0
R1:S2:Column1	-24.43	0	0
R1:S2:Column2	-78.73	0	0
R1:S2:Column3	15.88	0	0
R1:S2:Column4	-7.23	0	0
R1:S2:Column5	0.00	0	0
R1:S3:Column1	-11.99	0	0
R1:S3:Column2	-72.89	0	0
R1:S3:Column3	-26.10	0	0
R1:S3:Column4	-40.68	0	0
R1:S3:Column5	0.00	0	0
R1:S4:Column1	0.00	0	0
R1:S4:Column2	0.00	0	0
R1:S4:Column3	0.00	0	0
R1:S4:Column4	0.00	0	0
R1:S4:Column5	0.00	0	0
R2:S1:Column1	86.83	0	0

R2:S1:Column2	87.33	0	0
R2:S1:Column3	76.49	0	0
R2:S1:Column4	7.66	0	0
R2:S1:Column5	0.00	0	0
R2:S2:Column1	67.97	0	0
R2:S2:Column2	0.73	0	0
R2:S2:Column3	71.73	0	0
R2:S2:Column4	20.65	0	0
R2:S2:Column5	0.00	0	0
R2:S3:Column1	46.34	0	0
R2:S3:Column2	13.83	0	0
R2:S3:Column3	66.93	0	0
R2:S3:Column4	-2.28	0	0
R2:S3:Column5	0.00	0	0
R2:S4:Column1	0.00	0	0
R2:S4:Column2	0.00	0	0
R2:S4:Column3	0.00	0	0
R2:S4:Column4	0.00	0	0
R2:S4:Column5	0.00	0	0
R3:S1:Column1	7.17	0	0
R3:S1:Column2	52.01	0	0
R3:S1:Column3	51.42	0	0
R3:S1:Column4	-7.58	0	0
R3:S1:Column5	0.00	0	0
R3:S2:Column1	-5.38	0	0
R3:S2:Column2	12.88	0	0
R3:S2:Column3	83.94	0	0
R3:S2:Column4	26.47	0	0
R3:S2:Column5	0.00	0	0
R3:S3:Column1	-21.65	0	0
R3:S3:Column2	-75.11	0	0
R3:S3:Column3	32.21	0	0
R3:S3:Column4	-48.45	0	0
R3:S3:Column5	0.00	0	0
R3:S4:Column1	0.00	0	0
R3:S4:Column2	0.00	0	0
R3:S4:Column3	0.00	0	0
R3:S4:Column4	0.00	0	0
R3:S4:Column5	0.00	0	0
R4:S1:Column1	14.41	0	0
R4:S1:Column2	35.11	0	0
R4:S1:Column3	54.52	0	0
R4:S1:Column4	-31.57	0	0
R4:S1:Column5	0.00	0	0
R4:S2:Column1	6.58	0	0
R4:S2:Column2	-21.55	0	0
R4:S2:Column3	50.87	0	0
R4:S2:Column4	22.02	0	0

R4:S2:Column5	0.00	0	0
R4:S3:Column1	-4.47	0	0
R4:S3:Column2	-52.07	0	0
R4:S3:Column3	-2.11	0	0
R4:S3:Column4	-67.47	0	0
R4:S3:Column5	0.00	0	0
R4:S4:Column1	0.00	0	0
R4:S4:Column2	0.00	0	0
R4:S4:Column3	0.00	0	0
R4:S4:Column4	0.00	0	0
R4:S4:Column5	0.00	0	0
R5:S1:Column1	0.00	0	0
R5:S1:Column2	0.00	0	0
R5:S1:Column3	0.00	0	0
R5:S1:Column4	0.00	0	0
R5:S1:Column5	0.00	0	0
R5:S2:Column1	0.00	0	0
R5:S2:Column2	0.00	0	0
R5:S2:Column3	0.00	0	0
R5:S2:Column4	0.00	0	0
R5:S2:Column5	0.00	0	0
R5:S3:Column1	0.00	0	0
R5:S3:Column2	0.00	0	0
R5:S3:Column3	0.00	0	0
R5:S3:Column4	0.00	0	0
R5:S3:Column5	0.00	0	0
R5:S4:Column1	0.00	0	0
R5:S4:Column2	0.00	0	0
R5:S4:Column3	0.00	0	0
R5:S4:Column4	0.00	0	0
R5:S4:Column5	0.00	0	0

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ Row + R + S + R:S + Row:R + Column:S + Column:R:S, ex2.2), type=3,
      singular.ok=TRUE) # NOT WORKING
```

## 7.5 Example 3.1

### (73) MODEL

```
ex3.1 = read.table("C:/G/Rt/Split/spedsite.txt", header=TRUE)
ex3.1 = af(ex3.1, c("Site", "A", "B", "C", "Block"))
GLM(Yield ~ Site + Site:Block + A + B + A:B + A:Site + B:Site + A:B:Site +
     A:B:Site:Block + C + A:C + B:C + A:B:C + C:Site + A:C:Site + B:C:Site +
     A:B:C:Site, ex3.1)
```

```

$ANOVA
Response : Yield
      Df   Sum Sq Mean Sq F value    Pr(>F)
MODEL       239 2724374186 11399055  23.682 < 2.2e-16 ***
RESIDUALS    240 115521933  481341
CORRECTED TOTAL 479 2839896119
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df   Sum Sq Mean Sq F value    Pr(>F)
Site        3 621230991 207076997 430.2082 < 2e-16 ***
Site:Block  8 1305369943 163171243 338.9928 < 2e-16 ***
A           1 1333205  1333205  2.7698 0.09737 .
B           4 47928577 11982144 24.8932 < 2e-16 ***
A:B         4 14849   3712   0.0077 0.99988
Site:A      3 33010   11003   0.0229 0.99531
Site:B      12 37932   3161   0.0066 1.00000
Site:A:B     12 11494   958   0.0020 1.00000
Site:Block:A:B 72 8239680 114440  0.2378 1.00000
C           3 739890389 246630130 512.3809 < 2e-16 ***
A:C         3 3233    1078   0.0022 0.99985
B:C         12 34961   2913   0.0061 1.00000
A:B:C       12 11077   923   0.0019 1.00000
Site:C      9 25983   2887   0.0060 1.00000
Site:A:C     9 22227   2470   0.0051 1.00000
Site:B:C     36 88610   2461   0.0051 1.00000
Site:A:B:C   36 98025   2723   0.0057 1.00000
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df   Sum Sq Mean Sq F value    Pr(>F)
Site        3 621230991 207076997 430.2082 < 2e-16 ***
Site:Block  8 1305369943 163171243 338.9928 < 2e-16 ***
A           1 1333205  1333205  2.7698 0.09737 .
B           4 47928577 11982144 24.8932 < 2e-16 ***
A:B         4 14849   3712   0.0077 0.99988
Site:A      3 33010   11003   0.0229 0.99531
Site:B      12 37932   3161   0.0066 1.00000
Site:A:B     12 11494   958   0.0020 1.00000
Site:Block:A:B 72 8239680 114440  0.2378 1.00000
C           3 739890389 246630130 512.3809 < 2e-16 ***
A:C         3 3233    1078   0.0022 0.99985
B:C         12 34961   2913   0.0061 1.00000
A:B:C       12 11077   923   0.0019 1.00000
Site:C      9 25983   2887   0.0060 1.00000
Site:A:C     9 22227   2470   0.0051 1.00000

```

Site:B:C	36	88610	2461	0.0051	1.00000						
Site:A:B:C	36	98025	2723	0.0057	1.00000						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

#### \$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	3	621230991	207076997	430.2082	< 2e-16 ***
Site:Block	8	1305369943	163171243	338.9928	< 2e-16 ***
A	1	1333205	1333205	2.7698	0.09737 .
B	4	47928577	11982144	24.8932	< 2e-16 ***
A:B	4	14849	3712	0.0077	0.99988
Site:A	3	33010	11003	0.0229	0.99531
Site:B	12	37932	3161	0.0066	1.00000
Site:A:B	12	11494	958	0.0020	1.00000
Site:Block:A:B	72	8239680	114440	0.2378	1.00000
C	3	739890389	246630130	512.3809	< 2e-16 ***
A:C	3	3233	1078	0.0022	0.99985
B:C	12	34961	2913	0.0061	1.00000
A:B:C	12	11077	923	0.0019	1.00000
Site:C	9	25983	2887	0.0060	1.00000
Site:A:C	9	22227	2470	0.0051	1.00000
Site:B:C	36	88610	2461	0.0051	1.00000
Site:A:B:C	36	98025	2723	0.0057	1.00000

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

#### \$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	6915.2	0	490.58	240	14.0958	< 2.2e-16 ***
Site1	-54.7	0	693.79	240	-0.0788	0.9372617
Site2	2003.4	0	693.79	240	2.8877	0.0042356 **
Site3	2418.5	0	693.79	240	3.4859	0.0005830 ***
Site4	0.0	0	0.00	240		
Site1:BlockR1	4457.0	0	490.58	240	9.0851	< 2.2e-16 ***
Site1:BlockR2	2855.5	0	490.58	240	5.8206	1.868e-08 ***
Site1:BlockR3	0.0	0	0.00	240		
Site2:BlockR1	4495.5	0	490.58	240	9.1636	< 2.2e-16 ***
Site2:BlockR2	2894.7	0	490.58	240	5.9006	1.226e-08 ***
Site2:BlockR3	0.0	0	0.00	240		
Site3:BlockR1	4527.2	0	490.58	240	9.2283	< 2.2e-16 ***
Site3:BlockR2	2863.7	0	490.58	240	5.8375	1.710e-08 ***
Site3:BlockR3	0.0	0	0.00	240		
Site4:BlockR1	4467.3	0	490.58	240	9.1060	< 2.2e-16 ***
Site4:BlockR2	2810.3	0	490.58	240	5.7284	3.022e-08 ***
Site4:BlockR3	0.0	0	0.00	240		
AA1	-91.2	0	693.79	240	-0.1315	0.8954707
AA2	0.0	0	0.00	240		

BB1	-442.7	0	693.79	240	-0.6380	0.5240537
BB2	-366.4	0	693.79	240	-0.5281	0.5978905
BB3	-224.9	0	693.79	240	-0.3242	0.7460791
BB4	-200.5	0	693.79	240	-0.2890	0.7728360
BB5	0.0	0	0.00	240		
AA1:BB1	56.4	0	981.16	240	0.0575	0.9541950
AA1:BB2	76.1	0	981.16	240	0.0775	0.9382554
AA1:BB3	-3.7	0	981.16	240	-0.0037	0.9970214
AA1:BB4	141.0	0	981.16	240	0.1437	0.8858525
AA1:BB5	0.0	0	0.00	240		
AA2:BB1	0.0	0	0.00	240		
AA2:BB2	0.0	0	0.00	240		
AA2:BB3	0.0	0	0.00	240		
AA2:BB4	0.0	0	0.00	240		
AA2:BB5	0.0	0	0.00	240		
Site1:AA1	70.5	0	981.16	240	0.0719	0.9427784
Site1:AA2	0.0	0	0.00	240		
Site2:AA1	-7.3	0	981.16	240	-0.0074	0.9941105
Site2:AA2	0.0	0	0.00	240		
Site3:AA1	64.6	0	981.16	240	0.0658	0.9475734
Site3:AA2	0.0	0	0.00	240		
Site4:AA1	0.0	0	0.00	240		
Site4:AA2	0.0	0	0.00	240		
Site1:BB1	99.7	0	981.16	240	0.1016	0.9191748
Site1:BB2	69.5	0	981.16	240	0.0708	0.9435887
Site1:BB3	127.2	0	981.16	240	0.1297	0.8969180
Site1:BB4	155.4	0	981.16	240	0.1584	0.8742746
Site1:BB5	0.0	0	0.00	240		
Site2:BB1	21.7	0	981.16	240	0.0222	0.9823327
Site2:BB2	4.6	0	981.16	240	0.0047	0.9962767
Site2:BB3	-3.7	0	981.16	240	-0.0037	0.9970214
Site2:BB4	66.5	0	981.16	240	0.0678	0.9460199
Site2:BB5	0.0	0	0.00	240		
Site3:BB1	55.6	0	981.16	240	0.0567	0.9548708
Site3:BB2	74.7	0	981.16	240	0.0762	0.9393354
Site3:BB3	53.5	0	981.16	240	0.0545	0.9565606
Site3:BB4	160.8	0	981.16	240	0.1639	0.8699313
Site3:BB5	0.0	0	0.00	240		
Site4:BB1	0.0	0	0.00	240		
Site4:BB2	0.0	0	0.00	240		
Site4:BB3	0.0	0	0.00	240		
Site4:BB4	0.0	0	0.00	240		
Site4:BB5	0.0	0	0.00	240		
Site1:AA1:BB1	-38.2	0	1387.58	240	-0.0276	0.9780312
Site1:AA1:BB2	-103.7	0	1387.58	240	-0.0747	0.9405072
Site1:AA1:BB3	-46.3	0	1387.58	240	-0.0334	0.9733901
Site1:AA1:BB4	-172.2	0	1387.58	240	-0.1241	0.9013579
Site1:AA1:BB5	0.0	0	0.00	240		

Site1:AA2:BB1	0.0	0	0.00	240	
Site1:AA2:BB2	0.0	0	0.00	240	
Site1:AA2:BB3	0.0	0	0.00	240	
Site1:AA2:BB4	0.0	0	0.00	240	
Site1:AA2:BB5	0.0	0	0.00	240	
Site2:AA1:BB1	-47.2	0	1387.58	240	-0.0340 0.9729117
Site2:AA1:BB2	-26.1	0	1387.58	240	-0.0188 0.9850180
Site2:AA1:BB3	25.0	0	1387.58	240	0.0180 0.9856402
Site2:AA1:BB4	-109.2	0	1387.58	240	-0.0787 0.9373572
Site2:AA1:BB5	0.0	0	0.00	240	
Site2:AA2:BB1	0.0	0	0.00	240	
Site2:AA2:BB2	0.0	0	0.00	240	
Site2:AA2:BB3	0.0	0	0.00	240	
Site2:AA2:BB4	0.0	0	0.00	240	
Site2:AA2:BB5	0.0	0	0.00	240	
Site3:AA1:BB1	-48.0	0	1387.58	240	-0.0346 0.9724333
Site3:AA1:BB2	-87.7	0	1387.58	240	-0.0632 0.9496282
Site3:AA1:BB3	1.3	0	1387.58	240	0.0010 0.9992341
Site3:AA1:BB4	-86.4	0	1387.58	240	-0.0623 0.9503926
Site3:AA1:BB5	0.0	0	0.00	240	
Site3:AA2:BB1	0.0	0	0.00	240	
Site3:AA2:BB2	0.0	0	0.00	240	
Site3:AA2:BB3	0.0	0	0.00	240	
Site3:AA2:BB4	0.0	0	0.00	240	
Site3:AA2:BB5	0.0	0	0.00	240	
Site4:AA1:BB1	0.0	0	0.00	240	
Site4:AA1:BB2	0.0	0	0.00	240	
Site4:AA1:BB3	0.0	0	0.00	240	
Site4:AA1:BB4	0.0	0	0.00	240	
Site4:AA1:BB5	0.0	0	0.00	240	
Site4:AA2:BB1	0.0	0	0.00	240	
Site4:AA2:BB2	0.0	0	0.00	240	
Site4:AA2:BB3	0.0	0	0.00	240	
Site4:AA2:BB4	0.0	0	0.00	240	
Site4:AA2:BB5	0.0	0	0.00	240	
Site1:BlockR1:AA1:BB1	-928.2	0	693.79	240	-1.3379 0.1821806
Site1:BlockR1:AA1:BB2	-733.2	0	693.79	240	-1.0569 0.2916292
Site1:BlockR1:AA1:BB3	-514.0	0	693.79	240	-0.7409 0.4595022
Site1:BlockR1:AA1:BB4	-350.2	0	693.79	240	-0.5048 0.6141363
Site1:BlockR1:AA1:BB5	-106.7	0	693.79	240	-0.1539 0.8778451
Site1:BlockR1:AA2:BB1	-900.7	0	693.79	240	-1.2983 0.1954278
Site1:BlockR1:AA2:BB2	-683.7	0	693.79	240	-0.9855 0.3253553
Site1:BlockR1:AA2:BB3	-415.7	0	693.79	240	-0.5992 0.5495736
Site1:BlockR1:AA2:BB4	-216.5	0	693.79	240	-0.3121 0.7552696
Site1:BlockR1:AA2:BB5	0.0	0	0.00	240	
Site1:BlockR2:AA1:BB1	-744.0	0	693.79	240	-1.0724 0.2846291
Site1:BlockR2:AA1:BB2	-533.0	0	693.79	240	-0.7682 0.4430960
Site1:BlockR2:AA1:BB3	-417.7	0	693.79	240	-0.6021 0.5476564

Site1:BlockR2:AA1:BB4	-277.7	0	693.79	240	-0.4003	0.6892633
Site1:BlockR2:AA1:BB5	-80.0	0	693.79	240	-0.1153	0.9082966
Site1:BlockR2:AA2:BB1	-713.2	0	693.79	240	-1.0281	0.3049602
Site1:BlockR2:AA2:BB2	-488.5	0	693.79	240	-0.7041	0.4820495
Site1:BlockR2:AA2:BB3	-373.2	0	693.79	240	-0.5380	0.5910833
Site1:BlockR2:AA2:BB4	-231.2	0	693.79	240	-0.3333	0.7391874
Site1:BlockR2:AA2:BB5	0.0	0	0.00	240		
Site1:BlockR3:AA1:BB1	0.0	0	0.00	240		
Site1:BlockR3:AA1:BB2	0.0	0	0.00	240		
Site1:BlockR3:AA1:BB3	0.0	0	0.00	240		
Site1:BlockR3:AA1:BB4	0.0	0	0.00	240		
Site1:BlockR3:AA1:BB5	0.0	0	0.00	240		
Site1:BlockR3:AA2:BB1	0.0	0	0.00	240		
Site1:BlockR3:AA2:BB2	0.0	0	0.00	240		
Site1:BlockR3:AA2:BB3	0.0	0	0.00	240		
Site1:BlockR3:AA2:BB4	0.0	0	0.00	240		
Site1:BlockR3:AA2:BB5	0.0	0	0.00	240		
Site2:BlockR1:AA1:BB1	-974.5	0	693.79	240	-1.4046	0.1614307
Site2:BlockR1:AA1:BB2	-779.5	0	693.79	240	-1.1235	0.2623297
Site2:BlockR1:AA1:BB3	-559.5	0	693.79	240	-0.8064	0.4207860
Site2:BlockR1:AA1:BB4	-301.0	0	693.79	240	-0.4339	0.6647869
Site2:BlockR1:AA1:BB5	-172.0	0	693.79	240	-0.2479	0.8044126
Site2:BlockR1:AA2:BB1	-878.8	0	693.79	240	-1.2666	0.2065270
Site2:BlockR1:AA2:BB2	-603.5	0	693.79	240	-0.8699	0.3852446
Site2:BlockR1:AA2:BB3	-392.3	0	693.79	240	-0.5654	0.5723471
Site2:BlockR1:AA2:BB4	-212.5	0	693.79	240	-0.3063	0.7596497
Site2:BlockR1:AA2:BB5	0.0	0	0.00	240		
Site2:BlockR2:AA1:BB1	-725.0	0	693.79	240	-1.0450	0.2970798
Site2:BlockR2:AA1:BB2	-572.5	0	693.79	240	-0.8252	0.4100886
Site2:BlockR2:AA1:BB3	-427.2	0	693.79	240	-0.6158	0.5385953
Site2:BlockR2:AA1:BB4	-278.0	0	693.79	240	-0.4007	0.6889983
Site2:BlockR2:AA1:BB5	-144.5	0	693.79	240	-0.2083	0.8351894
Site2:BlockR2:AA2:BB1	-629.5	0	693.79	240	-0.9073	0.3651382
Site2:BlockR2:AA2:BB2	-530.0	0	693.79	240	-0.7639	0.4456638
Site2:BlockR2:AA2:BB3	-304.0	0	693.79	240	-0.4382	0.6616540
Site2:BlockR2:AA2:BB4	-204.5	0	693.79	240	-0.2948	0.7684330
Site2:BlockR2:AA2:BB5	0.0	0	0.00	240		
Site2:BlockR3:AA1:BB1	0.0	0	0.00	240		
Site2:BlockR3:AA1:BB2	0.0	0	0.00	240		
Site2:BlockR3:AA1:BB3	0.0	0	0.00	240		
Site2:BlockR3:AA1:BB4	0.0	0	0.00	240		
Site2:BlockR3:AA1:BB5	0.0	0	0.00	240		
Site2:BlockR3:AA2:BB1	0.0	0	0.00	240		
Site2:BlockR3:AA2:BB2	0.0	0	0.00	240		
Site2:BlockR3:AA2:BB3	0.0	0	0.00	240		
Site2:BlockR3:AA2:BB4	0.0	0	0.00	240		
Site2:BlockR3:AA2:BB5	0.0	0	0.00	240		
Site3:BlockR1:AA1:BB1	-1029.0	0	693.79	240	-1.4832	0.1393432

Site3:BlockR1:AA1:BB2	-781.0	0	693.79	240	-1.1257	0.2614150
Site3:BlockR1:AA1:BB3	-555.2	0	693.79	240	-0.8003	0.4243187
Site3:BlockR1:AA1:BB4	-442.5	0	693.79	240	-0.6378	0.5242099
Site3:BlockR1:AA1:BB5	-152.7	0	693.79	240	-0.2202	0.8259273
Site3:BlockR1:AA2:BB1	-858.5	0	693.79	240	-1.2374	0.2171441
Site3:BlockR1:AA2:BB2	-683.7	0	693.79	240	-0.9855	0.3253553
Site3:BlockR1:AA2:BB3	-453.7	0	693.79	240	-0.6540	0.5137261
Site3:BlockR1:AA2:BB4	-213.2	0	693.79	240	-0.3074	0.7588278
Site3:BlockR1:AA2:BB5	0.0	0	0.00	240		
Site3:BlockR2:AA1:BB1	-756.0	0	693.79	240	-1.0897	0.2769512
Site3:BlockR2:AA1:BB2	-566.0	0	693.79	240	-0.8158	0.4154169
Site3:BlockR2:AA1:BB3	-354.5	0	693.79	240	-0.5110	0.6098465
Site3:BlockR2:AA1:BB4	-266.2	0	693.79	240	-0.3838	0.7014939
Site3:BlockR2:AA1:BB5	-87.2	0	693.79	240	-0.1258	0.9000280
Site3:BlockR2:AA2:BB1	-619.2	0	693.79	240	-0.8926	0.3729847
Site3:BlockR2:AA2:BB2	-448.2	0	693.79	240	-0.6461	0.5188377
Site3:BlockR2:AA2:BB3	-261.0	0	693.79	240	-0.3762	0.7071037
Site3:BlockR2:AA2:BB4	-175.7	0	693.79	240	-0.2533	0.8002381
Site3:BlockR2:AA2:BB5	0.0	0	0.00	240		
Site3:BlockR3:AA1:BB1	0.0	0	0.00	240		
Site3:BlockR3:AA1:BB2	0.0	0	0.00	240		
Site3:BlockR3:AA1:BB3	0.0	0	0.00	240		
Site3:BlockR3:AA1:BB4	0.0	0	0.00	240		
Site3:BlockR3:AA1:BB5	0.0	0	0.00	240		
Site3:BlockR3:AA2:BB1	0.0	0	0.00	240		
Site3:BlockR3:AA2:BB2	0.0	0	0.00	240		
Site3:BlockR3:AA2:BB3	0.0	0	0.00	240		
Site3:BlockR3:AA2:BB4	0.0	0	0.00	240		
Site3:BlockR3:AA2:BB5	0.0	0	0.00	240		
Site4:BlockR1:AA1:BB1	-920.0	0	693.79	240	-1.3261	0.1860824
Site4:BlockR1:AA1:BB2	-756.0	0	693.79	240	-1.0897	0.2769512
Site4:BlockR1:AA1:BB3	-550.5	0	693.79	240	-0.7935	0.4282876
Site4:BlockR1:AA1:BB4	-312.5	0	693.79	240	-0.4504	0.6528099
Site4:BlockR1:AA1:BB5	-94.0	0	693.79	240	-0.1355	0.8923395
Site4:BlockR1:AA2:BB1	-825.8	0	693.79	240	-1.1902	0.2351416
Site4:BlockR1:AA2:BB2	-603.3	0	693.79	240	-0.8695	0.3854412
Site4:BlockR1:AA2:BB3	-425.0	0	693.79	240	-0.6126	0.5407345
Site4:BlockR1:AA2:BB4	-154.8	0	693.79	240	-0.2231	0.8236856
Site4:BlockR1:AA2:BB5	0.0	0	0.00	240		
Site4:BlockR2:AA1:BB1	-664.5	0	693.79	240	-0.9578	0.3391346
Site4:BlockR2:AA1:BB2	-552.3	0	693.79	240	-0.7960	0.4268228
Site4:BlockR2:AA1:BB3	-366.0	0	693.79	240	-0.5275	0.5983068
Site4:BlockR2:AA1:BB4	-213.3	0	693.79	240	-0.3074	0.7588278
Site4:BlockR2:AA1:BB5	-1.3	0	693.79	240	-0.0018	0.9985639
Site4:BlockR2:AA2:BB1	-547.3	0	693.79	240	-0.7888	0.4310156
Site4:BlockR2:AA2:BB2	-434.5	0	693.79	240	-0.6263	0.5317316
Site4:BlockR2:AA2:BB3	-320.3	0	693.79	240	-0.4616	0.6447888
Site4:BlockR2:AA2:BB4	-79.8	0	693.79	240	-0.1149	0.9085819

Site4:BlockR2:AA2:BB5	0.0	0	0.00	240			
Site4:BlockR3:AA1:BB1	0.0	0	0.00	240			
Site4:BlockR3:AA1:BB2	0.0	0	0.00	240			
Site4:BlockR3:AA1:BB3	0.0	0	0.00	240			
Site4:BlockR3:AA1:BB4	0.0	0	0.00	240			
Site4:BlockR3:AA1:BB5	0.0	0	0.00	240			
Site4:BlockR3:AA2:BB1	0.0	0	0.00	240			
Site4:BlockR3:AA2:BB2	0.0	0	0.00	240			
Site4:BlockR3:AA2:BB3	0.0	0	0.00	240			
Site4:BlockR3:AA2:BB4	0.0	0	0.00	240			
Site4:BlockR3:AA2:BB5	0.0	0	0.00	240			
CC1	-3320.7	0	566.48	240	-5.8620	1.503e-08	***
CC2	-2205.0	0	566.48	240	-3.8925	0.0001286	***
CC3	-1108.0	0	566.48	240	-1.9560	0.0516306	.
CC4	0.0	0	0.00	240			
AA1:CC1	-1.7	0	801.12	240	-0.0021	0.9983418	
AA1:CC2	-17.0	0	801.12	240	-0.0212	0.9830875	
AA1:CC3	21.7	0	801.12	240	0.0270	0.9784459	
AA1:CC4	0.0	0	0.00	240			
AA2:CC1	0.0	0	0.00	240			
AA2:CC2	0.0	0	0.00	240			
AA2:CC3	0.0	0	0.00	240			
AA2:CC4	0.0	0	0.00	240			
BB1:CC1	-36.7	0	801.12	240	-0.0458	0.9635321	
BB1:CC2	-13.0	0	801.12	240	-0.0162	0.9870665	
BB1:CC3	13.3	0	801.12	240	0.0166	0.9867349	
BB1:CC4	0.0	0	0.00	240			
BB2:CC1	-28.0	0	801.12	240	-0.0350	0.9721477	
BB2:CC2	27.7	0	801.12	240	0.0345	0.9724791	
BB2:CC3	62.0	0	801.12	240	0.0774	0.9383762	
BB2:CC4	0.0	0	0.00	240			
BB3:CC1	-21.0	0	801.12	240	-0.0262	0.9791089	
BB3:CC2	20.3	0	801.12	240	0.0254	0.9797720	
BB3:CC3	36.3	0	801.12	240	0.0454	0.9638634	
BB3:CC4	0.0	0	0.00	240			
BB4:CC1	18.7	0	801.12	240	0.0233	0.9814297	
BB4:CC2	28.0	0	801.12	240	0.0350	0.9721477	
BB4:CC3	84.3	0	801.12	240	0.1053	0.9162497	
BB4:CC4	0.0	0	0.00	240			
BB5:CC1	0.0	0	0.00	240			
BB5:CC2	0.0	0	0.00	240			
BB5:CC3	0.0	0	0.00	240			
BB5:CC4	0.0	0	0.00	240			
AA1:BB1:CC1	51.7	0	1132.95	240	0.0456	0.9636641	
AA1:BB1:CC2	7.7	0	1132.95	240	0.0068	0.9946064	
AA1:BB1:CC3	-16.0	0	1132.95	240	-0.0141	0.9887440	
AA1:BB1:CC4	0.0	0	0.00	240			
AA1:BB2:CC1	51.3	0	1132.95	240	0.0453	0.9638984	

AA1:BB2:CC2	-52.3	0	1132.95	240	-0.0462	0.9631956
AA1:BB2:CC3	-88.3	0	1132.95	240	-0.0780	0.9379189
AA1:BB2:CC4	0.0	0	0.00	240		
AA1:BB3:CC1	97.3	0	1132.95	240	0.0859	0.9316085
AA1:BB3:CC2	74.0	0	1132.95	240	0.0653	0.9479766
AA1:BB3:CC3	-26.7	0	1132.95	240	-0.0235	0.9812412
AA1:BB3:CC4	0.0	0	0.00	240		
AA1:BB4:CC1	-78.0	0	1132.95	240	-0.0688	0.9451689
AA1:BB4:CC2	-27.7	0	1132.95	240	-0.0244	0.9805379
AA1:BB4:CC3	-67.3	0	1132.95	240	-0.0594	0.9526576
AA1:BB4:CC4	0.0	0	0.00	240		
AA1:BB5:CC1	0.0	0	0.00	240		
AA1:BB5:CC2	0.0	0	0.00	240		
AA1:BB5:CC3	0.0	0	0.00	240		
AA1:BB5:CC4	0.0	0	0.00	240		
AA2:BB1:CC1	0.0	0	0.00	240		
AA2:BB1:CC2	0.0	0	0.00	240		
AA2:BB1:CC3	0.0	0	0.00	240		
AA2:BB1:CC4	0.0	0	0.00	240		
AA2:BB2:CC1	0.0	0	0.00	240		
AA2:BB2:CC2	0.0	0	0.00	240		
AA2:BB2:CC3	0.0	0	0.00	240		
AA2:BB2:CC4	0.0	0	0.00	240		
AA2:BB3:CC1	0.0	0	0.00	240		
AA2:BB3:CC2	0.0	0	0.00	240		
AA2:BB3:CC3	0.0	0	0.00	240		
AA2:BB3:CC4	0.0	0	0.00	240		
AA2:BB4:CC1	0.0	0	0.00	240		
AA2:BB4:CC2	0.0	0	0.00	240		
AA2:BB4:CC3	0.0	0	0.00	240		
AA2:BB4:CC4	0.0	0	0.00	240		
Site1:CC1	31.3	0	801.12	240	0.0391	0.9688336
Site1:CC2	26.7	0	801.12	240	0.0333	0.9734735
Site1:CC3	26.7	0	801.12	240	0.0333	0.9734735
Site1:CC4	0.0	0	0.00	240		
Site2:CC1	-29.0	0	801.12	240	-0.0362	0.9711534
Site2:CC2	-72.3	0	801.12	240	-0.0903	0.9281316
Site2:CC3	-10.3	0	801.12	240	-0.0129	0.9897194
Site2:CC4	0.0	0	0.00	240		
Site3:CC1	1.7	0	801.12	240	0.0021	0.9983418
Site3:CC2	-7.0	0	801.12	240	-0.0087	0.9930356
Site3:CC3	-15.7	0	801.12	240	-0.0196	0.9844138
Site3:CC4	0.0	0	0.00	240		
Site4:CC1	0.0	0	0.00	240		

Site4:CC2	0.0	0	0.00	240		
Site4:CC3	0.0	0	0.00	240		
Site4:CC4	0.0	0	0.00	240		
Site1:AA1:CC1	-10.0	0	1132.95	240	-0.0088	0.9929649
Site1:AA1:CC2	-15.0	0	1132.95	240	-0.0132	0.9894475
Site1:AA1:CC3	-29.0	0	1132.95	240	-0.0256	0.9796001
Site1:AA1:CC4	0.0	0	0.00	240		
Site1:AA2:CC1	0.0	0	0.00	240		
Site1:AA2:CC2	0.0	0	0.00	240		
Site1:AA2:CC3	0.0	0	0.00	240		
Site1:AA2:CC4	0.0	0	0.00	240		
Site2:AA1:CC1	62.0	0	1132.95	240	0.0547	0.9564036
Site2:AA1:CC2	156.7	0	1132.95	240	0.1383	0.8901335
Site2:AA1:CC3	-20.7	0	1132.95	240	-0.0182	0.9854614
Site2:AA1:CC4	0.0	0	0.00	240		
Site2:AA2:CC1	0.0	0	0.00	240		
Site2:AA2:CC2	0.0	0	0.00	240		
Site2:AA2:CC3	0.0	0	0.00	240		
Site2:AA2:CC4	0.0	0	0.00	240		
Site3:AA1:CC1	-48.0	0	1132.95	240	-0.0424	0.9662412
Site3:AA1:CC2	9.0	0	1132.95	240	0.0079	0.9936684
Site3:AA1:CC3	48.7	0	1132.95	240	0.0430	0.9657726
Site3:AA1:CC4	0.0	0	0.00	240		
Site3:AA2:CC1	0.0	0	0.00	240		
Site3:AA2:CC2	0.0	0	0.00	240		
Site3:AA2:CC3	0.0	0	0.00	240		
Site3:AA2:CC4	0.0	0	0.00	240		
Site4:AA1:CC1	0.0	0	0.00	240		
Site4:AA1:CC2	0.0	0	0.00	240		
Site4:AA1:CC3	0.0	0	0.00	240		
Site4:AA1:CC4	0.0	0	0.00	240		
Site4:AA2:CC1	0.0	0	0.00	240		
Site4:AA2:CC2	0.0	0	0.00	240		
Site4:AA2:CC3	0.0	0	0.00	240		
Site4:AA2:CC4	0.0	0	0.00	240		
Site1:BB1:CC1	-6.0	0	1132.95	240	-0.0053	0.9957789
Site1:BB1:CC2	-62.0	0	1132.95	240	-0.0547	0.9564036
Site1:BB1:CC3	6.3	0	1132.95	240	0.0056	0.9955444
Site1:BB1:CC4	0.0	0	0.00	240		
Site1:BB2:CC1	61.0	0	1132.95	240	0.0538	0.9571061
Site1:BB2:CC2	-57.0	0	1132.95	240	-0.0503	0.9599163
Site1:BB2:CC3	-38.0	0	1132.95	240	-0.0335	0.9732713
Site1:BB2:CC4	0.0	0	0.00	240		
Site1:BB3:CC1	-85.7	0	1132.95	240	-0.0756	0.9397894
Site1:BB3:CC2	-116.0	0	1132.95	240	-0.1024	0.9185346
Site1:BB3:CC3	-108.3	0	1132.95	240	-0.0956	0.9239018
Site1:BB3:CC4	0.0	0	0.00	240		
Site1:BB4:CC1	-74.7	0	1132.95	240	-0.0659	0.9475086

Site1:BB4:CC2	-36.7	0	1132.95	240	-0.0324	0.9742088
Site1:BB4:CC3	-138.3	0	1132.95	240	-0.1221	0.9029220
Site1:BB4:CC4	0.0	0	0.00	240		
Site1:BB5:CC1	0.0	0	0.00	240		
Site1:BB5:CC2	0.0	0	0.00	240		
Site1:BB5:CC3	0.0	0	0.00	240		
Site1:BB5:CC4	0.0	0	0.00	240		
Site2:BB1:CC1	59.3	0	1132.95	240	0.0524	0.9582769
Site2:BB1:CC2	43.0	0	1132.95	240	0.0380	0.9697559
Site2:BB1:CC3	18.7	0	1132.95	240	0.0165	0.9868682
Site2:BB1:CC4	0.0	0	0.00	240		
Site2:BB2:CC1	54.3	0	1132.95	240	0.0480	0.9617901
Site2:BB2:CC2	95.3	0	1132.95	240	0.0841	0.9330104
Site2:BB2:CC3	-54.0	0	1132.95	240	-0.0477	0.9620243
Site2:BB2:CC4	0.0	0	0.00	240		
Site2:BB3:CC1	-55.3	0	1132.95	240	-0.0488	0.9610874
Site2:BB3:CC2	81.3	0	1132.95	240	0.0718	0.9428297
Site2:BB3:CC3	-2.3	0	1132.95	240	-0.0021	0.9983585
Site2:BB3:CC4	0.0	0	0.00	240		
Site2:BB4:CC1	-32.0	0	1132.95	240	-0.0282	0.9774904
Site2:BB4:CC2	13.0	0	1132.95	240	0.0115	0.9908544
Site2:BB4:CC3	-63.0	0	1132.95	240	-0.0556	0.9557011
Site2:BB4:CC4	0.0	0	0.00	240		
Site2:BB5:CC1	0.0	0	0.00	240		
Site2:BB5:CC2	0.0	0	0.00	240		
Site2:BB5:CC3	0.0	0	0.00	240		
Site2:BB5:CC4	0.0	0	0.00	240		
Site3:BB1:CC1	39.3	0	1132.95	240	0.0347	0.9723338
Site3:BB1:CC2	19.0	0	1132.95	240	0.0168	0.9866337
Site3:BB1:CC3	19.3	0	1132.95	240	0.0171	0.9863993
Site3:BB1:CC4	0.0	0	0.00	240		
Site3:BB2:CC1	73.3	0	1132.95	240	0.0647	0.9484447
Site3:BB2:CC2	-66.0	0	1132.95	240	-0.0583	0.9535940
Site3:BB2:CC3	-28.3	0	1132.95	240	-0.0250	0.9800690
Site3:BB2:CC4	0.0	0	0.00	240		
Site3:BB3:CC1	1.3	0	1132.95	240	0.0012	0.9990620
Site3:BB3:CC2	-49.0	0	1132.95	240	-0.0432	0.9655383
Site3:BB3:CC3	26.7	0	1132.95	240	0.0235	0.9812412
Site3:BB3:CC4	0.0	0	0.00	240		
Site3:BB4:CC1	-61.0	0	1132.95	240	-0.0538	0.9571061
Site3:BB4:CC2	-65.7	0	1132.95	240	-0.0580	0.9538281
Site3:BB4:CC3	-103.7	0	1132.95	240	-0.0915	0.9271704
Site3:BB4:CC4	0.0	0	0.00	240		
Site3:BB5:CC1	0.0	0	0.00	240		
Site3:BB5:CC2	0.0	0	0.00	240		
Site3:BB5:CC3	0.0	0	0.00	240		
Site3:BB5:CC4	0.0	0	0.00	240		
Site4:BB1:CC1	0.0	0	0.00	240		

Site4:BB1:CC2	0.0	0	0.00	240	
Site4:BB1:CC3	0.0	0	0.00	240	
Site4:BB1:CC4	0.0	0	0.00	240	
Site4:BB2:CC1	0.0	0	0.00	240	
Site4:BB2:CC2	0.0	0	0.00	240	
Site4:BB2:CC3	0.0	0	0.00	240	
Site4:BB2:CC4	0.0	0	0.00	240	
Site4:BB3:CC1	0.0	0	0.00	240	
Site4:BB3:CC2	0.0	0	0.00	240	
Site4:BB3:CC3	0.0	0	0.00	240	
Site4:BB3:CC4	0.0	0	0.00	240	
Site4:BB4:CC1	0.0	0	0.00	240	
Site4:BB4:CC2	0.0	0	0.00	240	
Site4:BB4:CC3	0.0	0	0.00	240	
Site4:BB4:CC4	0.0	0	0.00	240	
Site4:BB5:CC1	0.0	0	0.00	240	
Site4:BB5:CC2	0.0	0	0.00	240	
Site4:BB5:CC3	0.0	0	0.00	240	
Site4:BB5:CC4	0.0	0	0.00	240	
Site1:AA1:BB1:CC1	-66.7	0	1602.23	240	-0.0416 0.9668453
Site1:AA1:BB1:CC2	-16.3	0	1602.23	240	-0.0102 0.9918749
Site1:AA1:BB1:CC3	-86.0	0	1602.23	240	-0.0537 0.9572387
Site1:AA1:BB1:CC4	0.0	0	0.00	240	
Site1:AA1:BB2:CC1	-31.0	0	1602.23	240	-0.0193 0.9845796
Site1:AA1:BB2:CC2	81.3	0	1602.23	240	0.0508 0.9595570
Site1:AA1:BB2:CC3	58.3	0	1602.23	240	0.0364 0.9709877
Site1:AA1:BB2:CC4	0.0	0	0.00	240	
Site1:AA1:BB3:CC1	-103.3	0	1602.23	240	-0.0645 0.9486311
Site1:AA1:BB3:CC2	-3.7	0	1602.23	240	-0.0023 0.9981760
Site1:AA1:BB3:CC3	45.3	0	1602.23	240	0.0283 0.9774513
Site1:AA1:BB3:CC4	0.0	0	0.00	240	
Site1:AA1:BB4:CC1	137.3	0	1602.23	240	0.0857 0.9317655
Site1:AA1:BB4:CC2	69.3	0	1602.23	240	0.0433 0.9655200
Site1:AA1:BB4:CC3	137.0	0	1602.23	240	0.0855 0.9319307
Site1:AA1:BB4:CC4	0.0	0	0.00	240	
Site1:AA1:BB5:CC1	0.0	0	0.00	240	
Site1:AA1:BB5:CC2	0.0	0	0.00	240	
Site1:AA1:BB5:CC3	0.0	0	0.00	240	
Site1:AA1:BB5:CC4	0.0	0	0.00	240	
Site1:AA2:BB1:CC1	0.0	0	0.00	240	
Site1:AA2:BB1:CC2	0.0	0	0.00	240	
Site1:AA2:BB1:CC3	0.0	0	0.00	240	
Site1:AA2:BB1:CC4	0.0	0	0.00	240	
Site1:AA2:BB2:CC1	0.0	0	0.00	240	
Site1:AA2:BB2:CC2	0.0	0	0.00	240	
Site1:AA2:BB2:CC3	0.0	0	0.00	240	
Site1:AA2:BB2:CC4	0.0	0	0.00	240	
Site1:AA2:BB3:CC1	0.0	0	0.00	240	

Site1:AA2:BB3:CC2	0.0	0	0.00	240	
Site1:AA2:BB3:CC3	0.0	0	0.00	240	
Site1:AA2:BB3:CC4	0.0	0	0.00	240	
Site1:AA2:BB4:CC1	0.0	0	0.00	240	
Site1:AA2:BB4:CC2	0.0	0	0.00	240	
Site1:AA2:BB4:CC3	0.0	0	0.00	240	
Site1:AA2:BB4:CC4	0.0	0	0.00	240	
Site1:AA2:BB5:CC1	0.0	0	0.00	240	
Site1:AA2:BB5:CC2	0.0	0	0.00	240	
Site1:AA2:BB5:CC3	0.0	0	0.00	240	
Site1:AA2:BB5:CC4	0.0	0	0.00	240	
Site2:AA1:BB1:CC1	-130.0	0	1602.23	240	-0.0811 0.9354009
Site2:AA1:BB1:CC2	-79.0	0	1602.23	240	-0.0493 0.9607163
Site2:AA1:BB1:CC3	17.7	0	1602.23	240	0.0110 0.9912116
Site2:AA1:BB1:CC4	0.0	0	0.00	240	
Site2:AA1:BB2:CC1	-128.0	0	1602.23	240	-0.0799 0.9363925
Site2:AA1:BB2:CC2	-92.0	0	1602.23	240	-0.0574 0.9542585
Site2:AA1:BB2:CC3	160.3	0	1602.23	240	0.1001 0.9203734
Site2:AA1:BB2:CC4	0.0	0	0.00	240	
Site2:AA1:BB3:CC1	-49.0	0	1602.23	240	-0.0306 0.9756281
Site2:AA1:BB3:CC2	-220.3	0	1602.23	240	-0.1375 0.8907380
Site2:AA1:BB3:CC3	51.3	0	1602.23	240	0.0320 0.9744679
Site2:AA1:BB3:CC4	0.0	0	0.00	240	
Site2:AA1:BB4:CC1	60.7	0	1602.23	240	0.0379 0.9698278
Site2:AA1:BB4:CC2	-81.7	0	1602.23	240	-0.0510 0.9593914
Site2:AA1:BB4:CC3	37.7	0	1602.23	240	0.0235 0.9812639
Site2:AA1:BB4:CC4	0.0	0	0.00	240	
Site2:AA1:BB5:CC1	0.0	0	0.00	240	
Site2:AA1:BB5:CC2	0.0	0	0.00	240	
Site2:AA1:BB5:CC3	0.0	0	0.00	240	
Site2:AA1:BB5:CC4	0.0	0	0.00	240	
Site2:AA2:BB1:CC1	0.0	0	0.00	240	
Site2:AA2:BB1:CC2	0.0	0	0.00	240	
Site2:AA2:BB1:CC3	0.0	0	0.00	240	
Site2:AA2:BB1:CC4	0.0	0	0.00	240	
Site2:AA2:BB2:CC1	0.0	0	0.00	240	
Site2:AA2:BB2:CC2	0.0	0	0.00	240	
Site2:AA2:BB2:CC3	0.0	0	0.00	240	
Site2:AA2:BB2:CC4	0.0	0	0.00	240	
Site2:AA2:BB3:CC1	0.0	0	0.00	240	
Site2:AA2:BB3:CC2	0.0	0	0.00	240	
Site2:AA2:BB3:CC3	0.0	0	0.00	240	
Site2:AA2:BB3:CC4	0.0	0	0.00	240	
Site2:AA2:BB4:CC1	0.0	0	0.00	240	
Site2:AA2:BB4:CC2	0.0	0	0.00	240	
Site2:AA2:BB4:CC3	0.0	0	0.00	240	
Site2:AA2:BB4:CC4	0.0	0	0.00	240	
Site2:AA2:BB5:CC1	0.0	0	0.00	240	

Site2:AA2:BB5:CC2	0.0	0	0.00	240		
Site2:AA2:BB5:CC3	0.0	0	0.00	240		
Site2:AA2:BB5:CC4	0.0	0	0.00	240		
Site3:AA1:BB1:CC1	60.7	0	1602.23	240	0.0379	0.9698278
Site3:AA1:BB1:CC2	-3.3	0	1602.23	240	-0.0021	0.9983418
Site3:AA1:BB1:CC3	-8.3	0	1602.23	240	-0.0052	0.9958545
Site3:AA1:BB1:CC4	0.0	0	0.00	240		
Site3:AA1:BB2:CC1	-47.3	0	1602.23	240	-0.0295	0.9764568
Site3:AA1:BB2:CC2	138.0	0	1602.23	240	0.0861	0.9314351
Site3:AA1:BB2:CC3	44.3	0	1602.23	240	0.0277	0.9779486
Site3:AA1:BB2:CC4	0.0	0	0.00	240		
Site3:AA1:BB3:CC1	-51.7	0	1602.23	240	-0.0322	0.9743022
Site3:AA1:BB3:CC2	-49.0	0	1602.23	240	-0.0306	0.9756281
Site3:AA1:BB3:CC3	-70.7	0	1602.23	240	-0.0441	0.9648573
Site3:AA1:BB3:CC4	0.0	0	0.00	240		
Site3:AA1:BB4:CC1	114.0	0	1602.23	240	0.0712	0.9433371
Site3:AA1:BB4:CC2	45.0	0	1602.23	240	0.0281	0.9776171
Site3:AA1:BB4:CC3	19.7	0	1602.23	240	0.0123	0.9902168
Site3:AA1:BB4:CC4	0.0	0	0.00	240		
Site3:AA1:BB5:CC1	0.0	0	0.00	240		
Site3:AA1:BB5:CC2	0.0	0	0.00	240		
Site3:AA1:BB5:CC3	0.0	0	0.00	240		
Site3:AA1:BB5:CC4	0.0	0	0.00	240		
Site3:AA2:BB1:CC1	0.0	0	0.00	240		
Site3:AA2:BB1:CC2	0.0	0	0.00	240		
Site3:AA2:BB1:CC3	0.0	0	0.00	240		
Site3:AA2:BB1:CC4	0.0	0	0.00	240		
Site3:AA2:BB2:CC1	0.0	0	0.00	240		
Site3:AA2:BB2:CC2	0.0	0	0.00	240		
Site3:AA2:BB2:CC3	0.0	0	0.00	240		
Site3:AA2:BB2:CC4	0.0	0	0.00	240		
Site3:AA2:BB3:CC1	0.0	0	0.00	240		
Site3:AA2:BB3:CC2	0.0	0	0.00	240		
Site3:AA2:BB3:CC3	0.0	0	0.00	240		
Site3:AA2:BB3:CC4	0.0	0	0.00	240		
Site3:AA2:BB4:CC1	0.0	0	0.00	240		
Site3:AA2:BB4:CC2	0.0	0	0.00	240		
Site3:AA2:BB4:CC3	0.0	0	0.00	240		
Site3:AA2:BB4:CC4	0.0	0	0.00	240		
Site3:AA2:BB5:CC1	0.0	0	0.00	240		
Site3:AA2:BB5:CC2	0.0	0	0.00	240		
Site3:AA2:BB5:CC3	0.0	0	0.00	240		
Site3:AA2:BB5:CC4	0.0	0	0.00	240		
Site4:AA1:BB1:CC1	0.0	0	0.00	240		
Site4:AA1:BB1:CC2	0.0	0	0.00	240		
Site4:AA1:BB1:CC3	0.0	0	0.00	240		
Site4:AA1:BB1:CC4	0.0	0	0.00	240		
Site4:AA1:BB2:CC1	0.0	0	0.00	240		

Site4:AA1:BB2:CC2	0.0	0	0.00	240							
Site4:AA1:BB2:CC3	0.0	0	0.00	240							
Site4:AA1:BB2:CC4	0.0	0	0.00	240							
Site4:AA1:BB3:CC1	0.0	0	0.00	240							
Site4:AA1:BB3:CC2	0.0	0	0.00	240							
Site4:AA1:BB3:CC3	0.0	0	0.00	240							
Site4:AA1:BB3:CC4	0.0	0	0.00	240							
Site4:AA1:BB4:CC1	0.0	0	0.00	240							
Site4:AA1:BB4:CC2	0.0	0	0.00	240							
Site4:AA1:BB4:CC3	0.0	0	0.00	240							
Site4:AA1:BB4:CC4	0.0	0	0.00	240							
Site4:AA1:BB5:CC1	0.0	0	0.00	240							
Site4:AA1:BB5:CC2	0.0	0	0.00	240							
Site4:AA1:BB5:CC3	0.0	0	0.00	240							
Site4:AA1:BB5:CC4	0.0	0	0.00	240							
Site4:AA2:BB1:CC1	0.0	0	0.00	240							
Site4:AA2:BB1:CC2	0.0	0	0.00	240							
Site4:AA2:BB1:CC3	0.0	0	0.00	240							
Site4:AA2:BB1:CC4	0.0	0	0.00	240							
Site4:AA2:BB2:CC1	0.0	0	0.00	240							
Site4:AA2:BB2:CC2	0.0	0	0.00	240							
Site4:AA2:BB2:CC3	0.0	0	0.00	240							
Site4:AA2:BB2:CC4	0.0	0	0.00	240							
Site4:AA2:BB3:CC1	0.0	0	0.00	240							
Site4:AA2:BB3:CC2	0.0	0	0.00	240							
Site4:AA2:BB3:CC3	0.0	0	0.00	240							
Site4:AA2:BB3:CC4	0.0	0	0.00	240							
Site4:AA2:BB4:CC1	0.0	0	0.00	240							
Site4:AA2:BB4:CC2	0.0	0	0.00	240							
Site4:AA2:BB4:CC3	0.0	0	0.00	240							
Site4:AA2:BB4:CC4	0.0	0	0.00	240							
Site4:AA2:BB5:CC1	0.0	0	0.00	240							
Site4:AA2:BB5:CC2	0.0	0	0.00	240							
Site4:AA2:BB5:CC3	0.0	0	0.00	240							
Site4:AA2:BB5:CC4	0.0	0	0.00	240							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

#### (74) MODEL

```

ex3.1a = read.table("C:/G/Rt/Split/Ex3.1-example.txt", header=TRUE)
ex3.1a = af(ex3.1a, c("row", "P", "column", "R", "S"))
GLM(height ~ P + column + column:P + R + P:R + column:R + column:R:P + S +
    P:S + column:S + column:S:P + R:S + R:S:column + R:S:P + R:S:P:column, ex3.1a)

```

```

$ANOVA
Response : height

```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	7534.8	37.863		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	7534.8			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	253.1	253.125		
column	4	109.4	27.357		
P:column	4	207.9	51.987		
R	4	90.6	22.657		
P:R	4	505.0	126.238		
column:R	16	3357.8	209.864		
P:column:R	16	1442.6	90.163		
S	3	16.4	5.458		
P:S	3	14.3	4.765		
column:S	12	265.4	22.121		
P:column:S	12	96.5	8.044		
R:S	12	195.1	16.254		
column:R:S	48	365.5	7.615		
P:R:S	12	100.3	8.361		
P:column:R:S	48	514.7	10.723		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	253.1	253.125		
column	4	109.4	27.358		
P:column	4	208.0	51.988		
R	4	90.6	22.657		
P:R	4	504.9	126.237		
column:R	16	3357.8	209.864		
P:column:R	16	1442.6	90.162		
S	3	16.4	5.458		
P:S	3	14.3	4.765		
column:S	12	265.5	22.121		
P:column:S	12	96.5	8.044		
R:S	12	195.0	16.254		
column:R:S	48	365.5	7.615		
P:R:S	12	100.3	8.361		
P:column:R:S	48	514.7	10.723		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	253.1	253.125		
column	4	109.4	27.358		
P:column	4	208.0	51.988		
R	4	90.6	22.657		
P:R	4	505.0	126.238		

column:R	16	3357.8	209.864
P:column:R	16	1442.6	90.163
S	3	16.4	5.458
P:S	3	14.3	4.765
column:S	12	265.4	22.121
P:column:S	12	96.5	8.044
R:S	12	195.0	16.254
column:R:S	48	365.5	7.615
P:R:S	12	100.3	8.361
P:column:R:S	48	514.7	10.723

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	98	0	0	0		
P1	-2	0	0	0		
P2	0	0	0	0		
column1	-10	0	0	0		
column2	-20	0	0	0		
column3	0	0	0	0		
column4	-13	0	0	0		
column5	0	0	0	0		
P1:column1	12	0	0	0		
P1:column2	12	0	0	0		
P1:column3	1	0	0	0		
P1:column4	13	0	0	0		
P1:column5	0	0	0	0		
P2:column1	0	0	0	0		
P2:column2	0	0	0	0		
P2:column3	0	0	0	0		
P2:column4	0	0	0	0		
P2:column5	0	0	0	0		
R1	-9	0	0	0		
R2	1	0	0	0		
R3	-15	0	0	0		
R4	-1	0	0	0		
R5	0	0	0	0		
P1:R1	12	0	0	0		
P1:R2	2	0	0	0		
P1:R3	-3	0	0	0		
P1:R4	3	0	0	0		
P1:R5	0	0	0	0		
P2:R1	0	0	0	0		
P2:R2	0	0	0	0		
P2:R3	0	0	0	0		
P2:R4	0	0	0	0		
P2:R5	0	0	0	0		
column1:R1	19	0	0	0		
column1:R2	10	0	0	0		

column1:R3	28	0	0
column1:R4	1	0	0
column1:R5	0	0	0
column2:R1	21	0	0
column2:R2	7	0	0
column2:R3	33	0	0
column2:R4	20	0	0
column2:R5	0	0	0
column3:R1	7	0	0
column3:R2	-6	0	0
column3:R3	12	0	0
column3:R4	-5	0	0
column3:R5	0	0	0
column4:R1	23	0	0
column4:R2	1	0	0
column4:R3	13	0	0
column4:R4	14	0	0
column4:R5	0	0	0
column5:R1	0	0	0
column5:R2	0	0	0
column5:R3	0	0	0
column5:R4	0	0	0
column5:R5	0	0	0
P1:column1:R1	-40	0	0
P1:column1:R2	-12	0	0
P1:column1:R3	-5	0	0
P1:column1:R4	-2	0	0
P1:column1:R5	0	0	0
P1:column2:R1	-23	0	0
P1:column2:R2	-8	0	0
P1:column2:R3	-10	0	0
P1:column2:R4	-11	0	0
P1:column2:R5	0	0	0
P1:column3:R1	-9	0	0
P1:column3:R2	1	0	0
P1:column3:R3	8	0	0
P1:column3:R4	-6	0	0
P1:column3:R5	0	0	0
P1:column4:R1	-34	0	0
P1:column4:R2	0	0	0
P1:column4:R3	8	0	0
P1:column4:R4	-18	0	0
P1:column4:R5	0	0	0
P1:column5:R1	0	0	0
P1:column5:R2	0	0	0
P1:column5:R3	0	0	0
P1:column5:R4	0	0	0
P1:column5:R5	0	0	0

P2:column1:R1	0	0	0
P2:column1:R2	0	0	0
P2:column1:R3	0	0	0
P2:column1:R4	0	0	0
P2:column1:R5	0	0	0
P2:column2:R1	0	0	0
P2:column2:R2	0	0	0
P2:column2:R3	0	0	0
P2:column2:R4	0	0	0
P2:column2:R5	0	0	0
P2:column3:R1	0	0	0
P2:column3:R2	0	0	0
P2:column3:R3	0	0	0
P2:column3:R4	0	0	0
P2:column3:R5	0	0	0
P2:column4:R1	0	0	0
P2:column4:R2	0	0	0
P2:column4:R3	0	0	0
P2:column4:R4	0	0	0
P2:column4:R5	0	0	0
P2:column5:R1	0	0	0
P2:column5:R2	0	0	0
P2:column5:R3	0	0	0
P2:column5:R4	0	0	0
P2:column5:R5	0	0	0
S1	1	0	0
S2	-2	0	0
S3	-5	0	0
S4	0	0	0
P1:S1	1	0	0
P1:S2	-1	0	0
P1:S3	7	0	0
P1:S4	0	0	0
P2:S1	0	0	0
P2:S2	0	0	0
P2:S3	0	0	0
P2:S4	0	0	0
column1:S1	9	0	0
column1:S2	1	0	0
column1:S3	16	0	0
column1:S4	0	0	0
column2:S1	-2	0	0
column2:S2	4	0	0
column2:S3	6	0	0
column2:S4	0	0	0
column3:S1	-3	0	0
column3:S2	-8	0	0
column3:S3	5	0	0

column3:S4	0	0	0
column4:S1	2	0	0
column4:S2	6	0	0
column4:S3	7	0	0
column4:S4	0	0	0
column5:S1	0	0	0
column5:S2	0	0	0
column5:S3	0	0	0
column5:S4	0	0	0
P1:column1:S1	-12	0	0
P1:column1:S2	2	0	0
P1:column1:S3	-17	0	0
P1:column1:S4	0	0	0
P1:column2:S1	4	0	0
P1:column2:S2	9	0	0
P1:column2:S3	3	0	0
P1:column2:S4	0	0	0
P1:column3:S1	3	0	0
P1:column3:S2	14	0	0
P1:column3:S3	-5	0	0
P1:column3:S4	0	0	0
P1:column4:S1	-5	0	0
P1:column4:S2	-4	0	0
P1:column4:S3	-10	0	0
P1:column4:S4	0	0	0
P1:column5:S1	0	0	0
P1:column5:S2	0	0	0
P1:column5:S3	0	0	0
P1:column5:S4	0	0	0
P2:column1:S1	0	0	0
P2:column1:S2	0	0	0
P2:column1:S3	0	0	0
P2:column1:S4	0	0	0
P2:column2:S1	0	0	0
P2:column2:S2	0	0	0
P2:column2:S3	0	0	0
P2:column2:S4	0	0	0
P2:column3:S1	0	0	0
P2:column3:S2	0	0	0
P2:column3:S3	0	0	0
P2:column3:S4	0	0	0
P2:column4:S1	0	0	0
P2:column4:S2	0	0	0
P2:column4:S3	0	0	0
P2:column4:S4	0	0	0
P2:column5:S1	0	0	0
P2:column5:S2	0	0	0
P2:column5:S3	0	0	0

P2:column5:S4	0	0	0
R1:S1	8	0	0
R1:S2	11	0	0
R1:S3	15	0	0
R1:S4	0	0	0
R2:S1	-1	0	0
R2:S2	-1	0	0
R2:S3	4	0	0
R2:S4	0	0	0
R3:S1	-4	0	0
R3:S2	0	0	0
R3:S3	4	0	0
R3:S4	0	0	0
R4:S1	-8	0	0
R4:S2	-5	0	0
R4:S3	-2	0	0
R4:S4	0	0	0
R5:S1	0	0	0
R5:S2	0	0	0
R5:S3	0	0	0
R5:S4	0	0	0
column1:R1:S1	-17	0	0
column1:R1:S2	-9	0	0
column1:R1:S3	-27	0	0
column1:R1:S4	0	0	0
column1:R2:S1	-14	0	0
column1:R2:S2	-8	0	0
column1:R2:S3	-16	0	0
column1:R2:S4	0	0	0
column1:R3:S1	-7	0	0
column1:R3:S2	1	0	0
column1:R3:S3	-17	0	0
column1:R3:S4	0	0	0
column1:R4:S1	-10	0	0
column1:R4:S2	3	0	0
column1:R4:S3	-19	0	0
column1:R4:S4	0	0	0
column1:R5:S1	0	0	0
column1:R5:S2	0	0	0
column1:R5:S3	0	0	0
column1:R5:S4	0	0	0
column2:R1:S1	2	0	0
column2:R1:S2	-4	0	0
column2:R1:S3	-11	0	0
column2:R1:S4	0	0	0
column2:R2:S1	4	0	0
column2:R2:S2	1	0	0
column2:R2:S3	-4	0	0

column2:R2:S4	0	0	0
column2:R3:S1	6	0	0
column2:R3:S2	0	0	0
column2:R3:S3	-10	0	0
column2:R3:S4	0	0	0
column2:R4:S1	11	0	0
column2:R4:S2	3	0	0
column2:R4:S3	-11	0	0
column2:R4:S4	0	0	0
column2:R5:S1	0	0	0
column2:R5:S2	0	0	0
column2:R5:S3	0	0	0
column2:R5:S4	0	0	0
column3:R1:S1	-5	0	0
column3:R1:S2	1	0	0
column3:R1:S3	-17	0	0
column3:R1:S4	0	0	0
column3:R2:S1	1	0	0
column3:R2:S2	10	0	0
column3:R2:S3	-7	0	0
column3:R2:S4	0	0	0
column3:R3:S1	8	0	0
column3:R3:S2	11	0	0
column3:R3:S3	0	0	0
column3:R3:S4	0	0	0
column3:R4:S1	17	0	0
column3:R4:S2	22	0	0
column3:R4:S3	8	0	0
column3:R4:S4	0	0	0
column3:R5:S1	0	0	0
column3:R5:S2	0	0	0
column3:R5:S3	0	0	0
column3:R5:S4	0	0	0
column4:R1:S1	-13	0	0
column4:R1:S2	-15	0	0
column4:R1:S3	-18	0	0
column4:R1:S4	0	0	0
column4:R2:S1	1	0	0
column4:R2:S2	5	0	0
column4:R2:S3	6	0	0
column4:R2:S4	0	0	0
column4:R3:S1	4	0	0
column4:R3:S2	1	0	0
column4:R3:S3	-2	0	0
column4:R3:S4	0	0	0
column4:R4:S1	-4	0	0
column4:R4:S2	2	0	0
column4:R4:S3	-1	0	0

column4:R4:S4	0	0	0
column4:R5:S1	0	0	0
column4:R5:S2	0	0	0
column4:R5:S3	0	0	0
column4:R5:S4	0	0	0
column5:R1:S1	0	0	0
column5:R1:S2	0	0	0
column5:R1:S3	0	0	0
column5:R1:S4	0	0	0
column5:R2:S1	0	0	0
column5:R2:S2	0	0	0
column5:R2:S3	0	0	0
column5:R2:S4	0	0	0
column5:R3:S1	0	0	0
column5:R3:S2	0	0	0
column5:R3:S3	0	0	0
column5:R3:S4	0	0	0
column5:R4:S1	0	0	0
column5:R4:S2	0	0	0
column5:R4:S3	0	0	0
column5:R4:S4	0	0	0
column5:R5:S1	0	0	0
column5:R5:S2	0	0	0
column5:R5:S3	0	0	0
column5:R5:S4	0	0	0
P1:R1:S1	-7	0	0
P1:R1:S2	0	0	0
P1:R1:S3	-18	0	0
P1:R1:S4	0	0	0
P1:R2:S1	-2	0	0
P1:R2:S2	3	0	0
P1:R2:S3	-10	0	0
P1:R2:S4	0	0	0
P1:R3:S1	12	0	0
P1:R3:S2	10	0	0
P1:R3:S3	-6	0	0
P1:R3:S4	0	0	0
P1:R4:S1	7	0	0
P1:R4:S2	5	0	0
P1:R4:S3	0	0	0
P1:R4:S4	0	0	0
P1:R5:S1	0	0	0
P1:R5:S2	0	0	0
P1:R5:S3	0	0	0
P1:R5:S4	0	0	0
P2:R1:S1	0	0	0
P2:R1:S2	0	0	0
P2:R1:S3	0	0	0

P2:R1:S4	0	0	0
P2:R2:S1	0	0	0
P2:R2:S2	0	0	0
P2:R2:S3	0	0	0
P2:R2:S4	0	0	0
P2:R3:S1	0	0	0
P2:R3:S2	0	0	0
P2:R3:S3	0	0	0
P2:R3:S4	0	0	0
P2:R4:S1	0	0	0
P2:R4:S2	0	0	0
P2:R4:S3	0	0	0
P2:R4:S4	0	0	0
P2:R5:S1	0	0	0
P2:R5:S2	0	0	0
P2:R5:S3	0	0	0
P2:R5:S4	0	0	0
P1:column1:R1:S1	17	0	0
P1:column1:R1:S2	-1	0	0
P1:column1:R1:S3	33	0	0
P1:column1:R1:S4	0	0	0
P1:column1:R2:S1	14	0	0
P1:column1:R2:S2	4	0	0
P1:column1:R2:S3	20	0	0
P1:column1:R2:S4	0	0	0
P1:column1:R3:S1	-2	0	0
P1:column1:R3:S2	-16	0	0
P1:column1:R3:S3	16	0	0
P1:column1:R3:S4	0	0	0
P1:column1:R4:S1	9	0	0
P1:column1:R4:S2	-14	0	0
P1:column1:R4:S3	19	0	0
P1:column1:R4:S4	0	0	0
P1:column1:R5:S1	0	0	0
P1:column1:R5:S2	0	0	0
P1:column1:R5:S3	0	0	0
P1:column1:R5:S4	0	0	0
P1:column2:R1:S1	2	0	0
P1:column2:R1:S2	-8	0	0
P1:column2:R1:S3	11	0	0
P1:column2:R1:S4	0	0	0
P1:column2:R2:S1	-5	0	0
P1:column2:R2:S2	-13	0	0
P1:column2:R2:S3	-1	0	0
P1:column2:R2:S4	0	0	0
P1:column2:R3:S1	-15	0	0
P1:column2:R3:S2	-14	0	0
P1:column2:R3:S3	6	0	0

P1:column2:R3:S4	0	0	0
P1:column2:R4:S1	-13	0	0
P1:column2:R4:S2	-12	0	0
P1:column2:R4:S3	1	0	0
P1:column2:R4:S4	0	0	0
P1:column2:R5:S1	0	0	0
P1:column2:R5:S2	0	0	0
P1:column2:R5:S3	0	0	0
P1:column2:R5:S4	0	0	0
P1:column3:R1:S1	3	0	0
P1:column3:R1:S2	-18	0	0
P1:column3:R1:S3	17	0	0
P1:column3:R1:S4	0	0	0
P1:column3:R2:S1	-10	0	0
P1:column3:R2:S2	-22	0	0
P1:column3:R2:S3	14	0	0
P1:column3:R2:S4	0	0	0
P1:column3:R3:S1	-19	0	0
P1:column3:R3:S2	-26	0	0
P1:column3:R3:S3	0	0	0
P1:column3:R3:S4	0	0	0
P1:column3:R4:S1	-19	0	0
P1:column3:R4:S2	-25	0	0
P1:column3:R4:S3	-8	0	0
P1:column3:R4:S4	0	0	0
P1:column3:R5:S1	0	0	0
P1:column3:R5:S2	0	0	0
P1:column3:R5:S3	0	0	0
P1:column3:R5:S4	0	0	0
P1:column4:R1:S1	12	0	0
P1:column4:R1:S2	14	0	0
P1:column4:R1:S3	30	0	0
P1:column4:R1:S4	0	0	0
P1:column4:R2:S1	5	0	0
P1:column4:R2:S2	-7	0	0
P1:column4:R2:S3	0	0	0
P1:column4:R2:S4	0	0	0
P1:column4:R3:S1	-15	0	0
P1:column4:R3:S2	-11	0	0
P1:column4:R3:S3	3	0	0
P1:column4:R3:S4	0	0	0
P1:column4:R4:S1	7	0	0
P1:column4:R4:S2	2	0	0
P1:column4:R4:S3	9	0	0
P1:column4:R4:S4	0	0	0
P1:column4:R5:S1	0	0	0
P1:column4:R5:S2	0	0	0
P1:column4:R5:S3	0	0	0

P1:column4:R5:S4	0	0	0
P1:column5:R1:S1	0	0	0
P1:column5:R1:S2	0	0	0
P1:column5:R1:S3	0	0	0
P1:column5:R1:S4	0	0	0
P1:column5:R2:S1	0	0	0
P1:column5:R2:S2	0	0	0
P1:column5:R2:S3	0	0	0
P1:column5:R2:S4	0	0	0
P1:column5:R3:S1	0	0	0
P1:column5:R3:S2	0	0	0
P1:column5:R3:S3	0	0	0
P1:column5:R3:S4	0	0	0
P1:column5:R4:S1	0	0	0
P1:column5:R4:S2	0	0	0
P1:column5:R4:S3	0	0	0
P1:column5:R4:S4	0	0	0
P1:column5:R5:S1	0	0	0
P1:column5:R5:S2	0	0	0
P1:column5:R5:S3	0	0	0
P1:column5:R5:S4	0	0	0
P2:column1:R1:S1	0	0	0
P2:column1:R1:S2	0	0	0
P2:column1:R1:S3	0	0	0
P2:column1:R1:S4	0	0	0
P2:column1:R2:S1	0	0	0
P2:column1:R2:S2	0	0	0
P2:column1:R2:S3	0	0	0
P2:column1:R2:S4	0	0	0
P2:column1:R3:S1	0	0	0
P2:column1:R3:S2	0	0	0
P2:column1:R3:S3	0	0	0
P2:column1:R3:S4	0	0	0
P2:column1:R4:S1	0	0	0
P2:column1:R4:S2	0	0	0
P2:column1:R4:S3	0	0	0
P2:column1:R4:S4	0	0	0
P2:column1:R5:S1	0	0	0
P2:column1:R5:S2	0	0	0
P2:column1:R5:S3	0	0	0
P2:column1:R5:S4	0	0	0
P2:column2:R1:S1	0	0	0
P2:column2:R1:S2	0	0	0
P2:column2:R1:S3	0	0	0
P2:column2:R1:S4	0	0	0
P2:column2:R2:S1	0	0	0
P2:column2:R2:S2	0	0	0
P2:column2:R2:S3	0	0	0

P2:column2:R2:S4	0	0	0
P2:column2:R3:S1	0	0	0
P2:column2:R3:S2	0	0	0
P2:column2:R3:S3	0	0	0
P2:column2:R3:S4	0	0	0
P2:column2:R4:S1	0	0	0
P2:column2:R4:S2	0	0	0
P2:column2:R4:S3	0	0	0
P2:column2:R4:S4	0	0	0
P2:column2:R5:S1	0	0	0
P2:column2:R5:S2	0	0	0
P2:column2:R5:S3	0	0	0
P2:column2:R5:S4	0	0	0
P2:column3:R1:S1	0	0	0
P2:column3:R1:S2	0	0	0
P2:column3:R1:S3	0	0	0
P2:column3:R1:S4	0	0	0
P2:column3:R2:S1	0	0	0
P2:column3:R2:S2	0	0	0
P2:column3:R2:S3	0	0	0
P2:column3:R2:S4	0	0	0
P2:column3:R3:S1	0	0	0
P2:column3:R3:S2	0	0	0
P2:column3:R3:S3	0	0	0
P2:column3:R3:S4	0	0	0
P2:column3:R4:S1	0	0	0
P2:column3:R4:S2	0	0	0
P2:column3:R4:S3	0	0	0
P2:column3:R4:S4	0	0	0
P2:column3:R5:S1	0	0	0
P2:column3:R5:S2	0	0	0
P2:column3:R5:S3	0	0	0
P2:column3:R5:S4	0	0	0
P2:column4:R1:S1	0	0	0
P2:column4:R1:S2	0	0	0
P2:column4:R1:S3	0	0	0
P2:column4:R1:S4	0	0	0
P2:column4:R2:S1	0	0	0
P2:column4:R2:S2	0	0	0
P2:column4:R2:S3	0	0	0
P2:column4:R2:S4	0	0	0
P2:column4:R3:S1	0	0	0
P2:column4:R3:S2	0	0	0
P2:column4:R3:S3	0	0	0
P2:column4:R3:S4	0	0	0
P2:column4:R4:S1	0	0	0
P2:column4:R4:S2	0	0	0
P2:column4:R4:S3	0	0	0

P2:column4:R4:S4	0	0	0
P2:column4:R5:S1	0	0	0
P2:column4:R5:S2	0	0	0
P2:column4:R5:S3	0	0	0
P2:column4:R5:S4	0	0	0
P2:column5:R1:S1	0	0	0
P2:column5:R1:S2	0	0	0
P2:column5:R1:S3	0	0	0
P2:column5:R1:S4	0	0	0
P2:column5:R2:S1	0	0	0
P2:column5:R2:S2	0	0	0
P2:column5:R2:S3	0	0	0
P2:column5:R2:S4	0	0	0
P2:column5:R3:S1	0	0	0
P2:column5:R3:S2	0	0	0
P2:column5:R3:S3	0	0	0
P2:column5:R3:S4	0	0	0
P2:column5:R4:S1	0	0	0
P2:column5:R4:S2	0	0	0
P2:column5:R4:S3	0	0	0
P2:column5:R4:S4	0	0	0
P2:column5:R5:S1	0	0	0
P2:column5:R5:S2	0	0	0
P2:column5:R5:S3	0	0	0
P2:column5:R5:S4	0	0	0

## (75) MODEL

```
GLM(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
     S:R:P + R:S:P:row, ex3.1a)
```

\$ANOVA

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	7534.8	37.863		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	7534.8			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	2017.03	504.26		
R	4	90.63	22.66		
P	1	253.12	253.12		
S	3	16.38	5.46		
R:S	12	195.05	16.25		
row:P	4	167.25	41.81		
R:P	4	504.95	126.24		

row:R:P	32	2933.52	91.67
P:S	3	14.29	4.76
row:P:S	24	234.68	9.78
R:P:S	12	100.33	8.36
row:R:P:S	96	1007.52	10.49

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	2017.03	504.26		
R	4	90.63	22.66		
P	1	253.12	253.12		
S	3	16.38	5.46		
R:S	12	195.05	16.25		
row:P	4	167.25	41.81		
R:P	4	504.95	126.24		
row:R:P	32	2933.52	91.67		
P:S	3	14.29	4.76		
row:P:S	24	234.68	9.78		
R:P:S	12	100.33	8.36		
row:R:P:S	96	1007.52	10.49		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	2017.03	504.26		
R	4	90.63	22.66		
P	1	253.12	253.12		
S	3	16.38	5.46		
R:S	12	195.05	16.25		
row:P	4	167.25	41.81		
R:P	4	504.95	126.24		
row:R:P	32	2933.52	91.67		
P:S	3	14.30	4.77		
row:P:S	24	234.68	9.78		
R:P:S	12	100.33	8.36		
row:R:P:S	96	1007.52	10.50		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	88	0	0			
row1	10	0	0			
row2	10	0	0			
row3	-10	0	0			
row4	-3	0	0			
row5	0	0	0			
R1	2	0	0			
R2	11	0	0			
R3	-5	0	0			
R4	4	0	0			

R5	0	0	0
P1	10	0	0
P2	0	0	0
S1	10	0	0
S2	-1	0	0
S3	11	0	0
S4	0	0	0
R1:S1	-1	0	0
R1:S2	10	0	0
R1:S3	-6	0	0
R1:S4	0	0	0
R2:S1	-10	0	0
R2:S2	-2	0	0
R2:S3	-12	0	0
R2:S4	0	0	0
R3:S1	-7	0	0
R3:S2	6	0	0
R3:S3	-7	0	0
R3:S4	0	0	0
R4:S1	-3	0	0
R4:S2	8	0	0
R4:S3	-5	0	0
R4:S4	0	0	0
R5:S1	0	0	0
R5:S2	0	0	0
R5:S3	0	0	0
R5:S4	0	0	0
row1:P1	-11	0	0
row1:P2	0	0	0
row2:P1	-12	0	0
row2:P2	0	0	0
row3:P1	0	0	0
row3:P2	0	0	0
row4:P1	1	0	0
row4:P2	0	0	0
row5:P1	0	0	0
row5:P2	0	0	0
R1:P1	-11	0	0
R1:P2	0	0	0
R2:P1	-10	0	0
R2:P2	0	0	0
R3:P1	6	0	0
R3:P2	0	0	0
R4:P1	-14	0	0
R4:P2	0	0	0
R5:P1	0	0	0
R5:P2	0	0	0
row1:R1:P1	11	0	0

row1:R1:P2	-11	0	0
row1:R2:P1	2	0	0
row1:R2:P2	-22	0	0
row1:R3:P1	5	0	0
row1:R3:P2	8	0	0
row1:R4:P1	12	0	0
row1:R4:P2	-5	0	0
row1:R5:P1	0	0	0
row1:R5:P2	0	0	0
row2:R1:P1	11	0	0
row2:R1:P2	-4	0	0
row2:R2:P1	2	0	0
row2:R2:P2	-10	0	0
row2:R3:P1	-4	0	0
row2:R3:P2	3	0	0
row2:R4:P1	8	0	0
row2:R4:P2	-4	0	0
row2:R5:P1	0	0	0
row2:R5:P2	0	0	0
row3:R1:P1	9	0	0
row3:R1:P2	19	0	0
row3:R2:P1	6	0	0
row3:R2:P2	4	0	0
row3:R3:P1	-11	0	0
row3:R3:P2	10	0	0
row3:R4:P1	21	0	0
row3:R4:P2	6	0	0
row3:R5:P1	0	0	0
row3:R5:P2	0	0	0
row4:R1:P1	-7	0	0
row4:R1:P2	11	0	0
row4:R2:P1	-7	0	0
row4:R2:P2	-10	0	0
row4:R3:P1	2	0	0
row4:R3:P2	15	0	0
row4:R4:P1	12	0	0
row4:R4:P2	8	0	0
row4:R5:P1	0	0	0
row4:R5:P2	0	0	0
row5:R1:P1	0	0	0
row5:R1:P2	0	0	0
row5:R2:P1	0	0	0
row5:R2:P2	0	0	0
row5:R3:P1	0	0	0
row5:R3:P2	0	0	0
row5:R4:P1	0	0	0
row5:R4:P2	0	0	0
row5:R5:P1	0	0	0

row5:R5:P2	0	0	0
P1:S1	-11	0	0
P1:S2	1	0	0
P1:S3	-10	0	0
P1:S4	0	0	0
P2:S1	0	0	0
P2:S2	0	0	0
P2:S3	0	0	0
P2:S4	0	0	0
row1:P1:S1	3	0	0
row1:P1:S2	3	0	0
row1:P1:S3	1	0	0
row1:P1:S4	0	0	0
row1:P2:S1	-12	0	0
row1:P2:S2	-9	0	0
row1:P2:S3	-11	0	0
row1:P2:S4	0	0	0
row2:P1:S1	3	0	0
row2:P1:S2	-3	0	0
row2:P1:S3	1	0	0
row2:P1:S4	0	0	0
row2:P2:S1	-9	0	0
row2:P2:S2	-1	0	0
row2:P2:S3	-16	0	0
row2:P2:S4	0	0	0
row3:P1:S1	5	0	0
row3:P1:S2	10	0	0
row3:P1:S3	10	0	0
row3:P1:S4	0	0	0
row3:P2:S1	-11	0	0
row3:P2:S2	3	0	0
row3:P2:S3	-10	0	0
row3:P2:S4	0	0	0
row4:P1:S1	0	0	0
row4:P1:S2	-1	0	0
row4:P1:S3	-2	0	0
row4:P1:S4	0	0	0
row4:P2:S1	-7	0	0
row4:P2:S2	5	0	0
row4:P2:S3	-9	0	0
row4:P2:S4	0	0	0
row5:P1:S1	0	0	0
row5:P1:S2	0	0	0
row5:P1:S3	0	0	0
row5:P1:S4	0	0	0
row5:P2:S1	0	0	0
row5:P2:S2	0	0	0
row5:P2:S3	0	0	0

row5:P2:S4	0	0	0
R1:P1:S1	11	0	0
R1:P1:S2	-1	0	0
R1:P1:S3	13	0	0
R1:P1:S4	0	0	0
R1:P2:S1	0	0	0
R1:P2:S2	0	0	0
R1:P2:S3	0	0	0
R1:P2:S4	0	0	0
R2:P1:S1	10	0	0
R2:P1:S2	1	0	0
R2:P1:S3	7	0	0
R2:P1:S4	0	0	0
R2:P2:S1	0	0	0
R2:P2:S2	0	0	0
R2:P2:S3	0	0	0
R2:P2:S4	0	0	0
R3:P1:S1	4	0	0
R3:P1:S2	-7	0	0
R3:P1:S3	4	0	0
R3:P1:S4	0	0	0
R3:P2:S1	0	0	0
R3:P2:S2	0	0	0
R3:P2:S3	0	0	0
R3:P2:S4	0	0	0
R4:P1:S1	3	0	0
R4:P1:S2	-8	0	0
R4:P1:S3	4	0	0
R4:P1:S4	0	0	0
R4:P2:S1	0	0	0
R4:P2:S2	0	0	0
R4:P2:S3	0	0	0
R4:P2:S4	0	0	0
R5:P1:S1	0	0	0
R5:P1:S2	0	0	0
R5:P1:S3	0	0	0
R5:P1:S4	0	0	0
R5:P2:S1	0	0	0
R5:P2:S2	0	0	0
R5:P2:S3	0	0	0
R5:P2:S4	0	0	0
row1:R1:P1:S1	-9	0	0
row1:R1:P1:S2	-4	0	0
row1:R1:P1:S3	-10	0	0
row1:R1:P1:S4	0	0	0
row1:R1:P2:S1	12	0	0
row1:R1:P2:S2	9	0	0
row1:R1:P2:S3	16	0	0

row1:R1:P2:S4	0	0	0
row1:R2:P1:S1	0	0	0
row1:R2:P1:S2	-3	0	0
row1:R2:P1:S3	2	0	0
row1:R2:P1:S4	0	0	0
row1:R2:P2:S1	15	0	0
row1:R2:P2:S2	20	0	0
row1:R2:P2:S3	24	0	0
row1:R2:P2:S4	0	0	0
row1:R3:P1:S1	-1	0	0
row1:R3:P1:S2	-7	0	0
row1:R3:P1:S3	-1	0	0
row1:R3:P1:S4	0	0	0
row1:R3:P2:S1	8	0	0
row1:R3:P2:S2	4	0	0
row1:R3:P2:S3	5	0	0
row1:R3:P2:S4	0	0	0
row1:R4:P1:S1	-1	0	0
row1:R4:P1:S2	-2	0	0
row1:R4:P1:S3	-2	0	0
row1:R4:P1:S4	0	0	0
row1:R4:P2:S1	7	0	0
row1:R4:P2:S2	2	0	0
row1:R4:P2:S3	-7	0	0
row1:R4:P2:S4	0	0	0
row1:R5:P1:S1	0	0	0
row1:R5:P1:S2	0	0	0
row1:R5:P1:S3	0	0	0
row1:R5:P1:S4	0	0	0
row1:R5:P2:S1	0	0	0
row1:R5:P2:S2	0	0	0
row1:R5:P2:S3	0	0	0
row1:R5:P2:S4	0	0	0
row2:R1:P1:S1	-11	0	0
row2:R1:P1:S2	-9	0	0
row2:R1:P1:S3	-10	0	0
row2:R1:P1:S4	0	0	0
row2:R1:P2:S1	1	0	0
row2:R1:P2:S2	-6	0	0
row2:R1:P2:S3	9	0	0
row2:R1:P2:S4	0	0	0
row2:R2:P1:S1	-6	0	0
row2:R2:P1:S2	2	0	0
row2:R2:P1:S3	2	0	0
row2:R2:P1:S4	0	0	0
row2:R2:P2:S1	4	0	0
row2:R2:P2:S2	-6	0	0
row2:R2:P2:S3	16	0	0

row2:R2:P2:S4	0	0	0
row2:R3:P1:S1	4	0	0
row2:R3:P1:S2	10	0	0
row2:R3:P1:S3	6	0	0
row2:R3:P1:S4	0	0	0
row2:R3:P2:S1	7	0	0
row2:R3:P2:S2	-2	0	0
row2:R3:P2:S3	7	0	0
row2:R3:P2:S4	0	0	0
row2:R4:P1:S1	-1	0	0
row2:R4:P1:S2	6	0	0
row2:R4:P1:S3	4	0	0
row2:R4:P1:S4	0	0	0
row2:R4:P2:S1	-7	0	0
row2:R4:P2:S2	-5	0	0
row2:R4:P2:S3	9	0	0
row2:R4:P2:S4	0	0	0
row2:R5:P1:S1	0	0	0
row2:R5:P1:S2	0	0	0
row2:R5:P1:S3	0	0	0
row2:R5:P1:S4	0	0	0
row2:R5:P2:S1	0	0	0
row2:R5:P2:S2	0	0	0
row2:R5:P2:S3	0	0	0
row2:R5:P2:S4	0	0	0
row3:R1:P1:S1	-15	0	0
row3:R1:P1:S2	-10	0	0
row3:R1:P1:S3	-10	0	0
row3:R1:P1:S4	0	0	0
row3:R1:P2:S1	0	0	0
row3:R1:P2:S2	-12	0	0
row3:R1:P2:S3	4	0	0
row3:R1:P2:S4	0	0	0
row3:R2:P1:S1	-14	0	0
row3:R2:P1:S2	-16	0	0
row3:R2:P1:S3	-3	0	0
row3:R2:P1:S4	0	0	0
row3:R2:P2:S1	9	0	0
row3:R2:P2:S2	-1	0	0
row3:R2:P2:S3	8	0	0
row3:R2:P2:S4	0	0	0
row3:R3:P1:S1	9	0	0
row3:R3:P1:S2	-2	0	0
row3:R3:P1:S3	-8	0	0
row3:R3:P1:S4	0	0	0
row3:R3:P2:S1	5	0	0
row3:R3:P2:S2	-10	0	0
row3:R3:P2:S3	5	0	0

row3:R3:P2:S4	0	0	0
row3:R4:P1:S1	-7	0	0
row3:R4:P1:S2	-21	0	0
row3:R4:P1:S3	-11	0	0
row3:R4:P1:S4	0	0	0
row3:R4:P2:S1	-4	0	0
row3:R4:P2:S2	-13	0	0
row3:R4:P2:S3	-6	0	0
row3:R4:P2:S4	0	0	0
row3:R5:P1:S1	0	0	0
row3:R5:P1:S2	0	0	0
row3:R5:P1:S3	0	0	0
row3:R5:P1:S4	0	0	0
row3:R5:P2:S1	0	0	0
row3:R5:P2:S2	0	0	0
row3:R5:P2:S3	0	0	0
row3:R5:P2:S4	0	0	0
row4:R1:P1:S1	-9	0	0
row4:R1:P1:S2	-7	0	0
row4:R1:P1:S3	-2	0	0
row4:R1:P1:S4	0	0	0
row4:R1:P2:S1	-1	0	0
row4:R1:P2:S2	-13	0	0
row4:R1:P2:S3	3	0	0
row4:R1:P2:S4	0	0	0
row4:R2:P1:S1	1	0	0
row4:R2:P1:S2	2	0	0
row4:R2:P1:S3	6	0	0
row4:R2:P1:S4	0	0	0
row4:R2:P2:S1	9	0	0
row4:R2:P2:S2	0	0	0
row4:R2:P2:S3	11	0	0
row4:R2:P2:S4	0	0	0
row4:R3:P1:S1	3	0	0
row4:R3:P1:S2	0	0	0
row4:R3:P1:S3	4	0	0
row4:R3:P1:S4	0	0	0
row4:R3:P2:S1	6	0	0
row4:R3:P2:S2	-9	0	0
row4:R3:P2:S3	9	0	0
row4:R3:P2:S4	0	0	0
row4:R4:P1:S1	2	0	0
row4:R4:P1:S2	-2	0	0
row4:R4:P1:S3	2	0	0
row4:R4:P1:S4	0	0	0
row4:R4:P2:S1	-7	0	0
row4:R4:P2:S2	-19	0	0
row4:R4:P2:S3	-4	0	0

row4:R4:P2:S4	0	0	0
row4:R5:P1:S1	0	0	0
row4:R5:P1:S2	0	0	0
row4:R5:P1:S3	0	0	0
row4:R5:P1:S4	0	0	0
row4:R5:P2:S1	0	0	0
row4:R5:P2:S2	0	0	0
row4:R5:P2:S3	0	0	0
row4:R5:P2:S4	0	0	0
row5:R1:P1:S1	0	0	0
row5:R1:P1:S2	0	0	0
row5:R1:P1:S3	0	0	0
row5:R1:P1:S4	0	0	0
row5:R1:P2:S1	0	0	0
row5:R1:P2:S2	0	0	0
row5:R1:P2:S3	0	0	0
row5:R1:P2:S4	0	0	0
row5:R2:P1:S1	0	0	0
row5:R2:P1:S2	0	0	0
row5:R2:P1:S3	0	0	0
row5:R2:P1:S4	0	0	0
row5:R2:P2:S1	0	0	0
row5:R2:P2:S2	0	0	0
row5:R2:P2:S3	0	0	0
row5:R2:P2:S4	0	0	0
row5:R3:P1:S1	0	0	0
row5:R3:P1:S2	0	0	0
row5:R3:P1:S3	0	0	0
row5:R3:P1:S4	0	0	0
row5:R3:P2:S1	0	0	0
row5:R3:P2:S2	0	0	0
row5:R3:P2:S3	0	0	0
row5:R3:P2:S4	0	0	0
row5:R4:P1:S1	0	0	0
row5:R4:P1:S2	0	0	0
row5:R4:P1:S3	0	0	0
row5:R4:P1:S4	0	0	0
row5:R4:P2:S1	0	0	0
row5:R4:P2:S2	0	0	0
row5:R4:P2:S3	0	0	0
row5:R4:P2:S4	0	0	0
row5:R5:P1:S1	0	0	0
row5:R5:P1:S2	0	0	0
row5:R5:P1:S3	0	0	0
row5:R5:P1:S4	0	0	0
row5:R5:P2:S1	0	0	0
row5:R5:P2:S2	0	0	0
row5:R5:P2:S3	0	0	0
row5:R5:P2:S4	0	0	0

```

row5:R5:P2:S4      0      0      0

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P +
         S:P:row + S:R:P + R:S:P:row, ex3.1a), type=3, singular.ok=TRUE)
# NOT WORKING

```

```

alias(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
      S:R:P + R:S:P:row, ex3.1a) # NO ALIAS

```

Model :

```

height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P +
S:P:row + S:R:P + R:S:P:row

```

## (76) MODEL

- p94 Appendix 3.1

```

ex3.1b = read.table("C:/G/Rt/Split/spexvar3.txt", header=TRUE)
ex3.1b = af(ex3.1b, c("rep", "var", "nit", "row", "col"))
GLM(yield ~ rep + var + rep:var + nit + var:nit, ex3.1b)

```

\$ANOVA

```

Response : yield
            Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          26 44017 1692.97 9.5603 4.779e-11 ***
RESIDUALS       45   7969   177.08
CORRECTED TOTAL 71  51986
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

```

            Df Sum Sq Mean Sq F value    Pr(>F)
rep      5 15875.3 3175.1 17.9297 9.525e-10 ***
var      2 1786.4  893.2  5.0438 0.010557 *
rep:var 10 6013.3  601.3  3.3957 0.002251 **
nit      3 20020.5 6673.5 37.6856 2.458e-12 ***
var:nit  6   321.7   53.6  0.3028  0.932199
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

```

            Df Sum Sq Mean Sq F value    Pr(>F)
rep      5 15875.3 3175.1 17.9297 9.525e-10 ***
var      2 1786.4  893.2  5.0438 0.010557 *

```

```

rep:var 10 6013.3 601.3 3.3957 0.002251 **
nit      3 20020.5 6673.5 37.6856 2.458e-12 ***
var:nit  6   321.7    53.6  0.3028  0.932199
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df  Sum Sq Mean Sq F value    Pr(>F)
rep      5 15875.3 3175.1 17.9297 9.525e-10 ***
var      2 1786.4  893.2  5.0438  0.010557 *
rep:var 10 6013.3 601.3 3.3957 0.002251 **
nit      3 20020.5 6673.5 37.6856 2.458e-12 ***
var:nit  6   321.7    53.6  0.3028  0.932199
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 85.875        0     8.1490 45 10.5381 9.814e-14 ***
rep1         20.750       0     9.4097 45  2.2052 0.0325933 *
rep2        -14.000       0     9.4097 45 -1.4878 0.1437694
rep3         12.250       0     9.4097 45  1.3019 0.1995913
rep4        -23.750       0     9.4097 45 -2.5240 0.0152008 *
rep5          9.500       0     9.4097 45  1.0096 0.3180846
rep6          0.000       0     0.0000 45
var1        -22.500       0    11.5244 45 -1.9524 0.0571318 .
var2        -20.125       0    11.5244 45 -1.7463 0.0875843 .
var3          0.000       0     0.0000 45
rep1:var1   32.750       0    13.3073 45  2.4611 0.0177533 *
rep1:var2   22.250       0    13.3073 45  1.6720 0.1014609
rep1:var3   0.000       0     0.0000 45
rep2:var1   16.000       0    13.3073 45  1.2024 0.2355164
rep2:var2   31.750       0    13.3073 45  2.3859 0.0213053 *
rep2:var3   0.000       0     0.0000 45
rep3:var1  -14.500       0    13.3073 45 -1.0896 0.2816769
rep3:var2   10.750       0    13.3073 45  0.8078 0.4234387
rep3:var3   0.000       0     0.0000 45
rep4:var1   26.250       0    13.3073 45  1.9726 0.0547034 .
rep4:var2   29.000       0    13.3073 45  2.1793 0.0345870 *
rep4:var3   0.000       0     0.0000 45
rep5:var1  -16.500       0    13.3073 45 -1.2399 0.2214304
rep5:var2  -13.000       0    13.3073 45 -0.9769 0.3338365
rep5:var3   0.000       0     0.0000 45
rep6:var1   0.000       0     0.0000 45
rep6:var2   0.000       0     0.0000 45
rep6:var3   0.000       0     0.0000 45
nit1        21.833       0     7.6830 45  2.8418 0.0067187 **
nit2        30.500       0     7.6830 45  3.9698 0.0002562 ***

```

```

nit3          40.167      0    7.6830 45  5.2280 4.290e-06 ***
nit4          0.000      0    0.0000 45
var1:nit1    -3.667      0   10.8653 45 -0.3375 0.7373358
var1:nit2    8.833      0   10.8653 45  0.8130 0.4205085
var1:nit3    6.833      0   10.8653 45  0.6289 0.5325868
var1:nit4    0.000      0    0.0000 45
var2:nit1    -3.333      0   10.8653 45 -0.3068 0.7604214
var2:nit2    4.167      0   10.8653 45  0.3835 0.7031679
var2:nit3    4.667      0   10.8653 45  0.4295 0.6696087
var2:nit4    0.000      0    0.0000 45
var3:nit1    0.000      0    0.0000 45
var3:nit2    0.000      0    0.0000 45
var3:nit3    0.000      0    0.0000 45
var3:nit4    0.000      0    0.0000 45
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (77) MODEL

```
GLM(yield ~ rep + var + rep:var + nit + var:nit + row + col, ex3.1b)
```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      37 48090  1299.7  11.341 6.734e-11 ***
RESIDUALS  34   3896   114.6
CORRECTED TOTAL 71  51986
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep       5 15875.3  3175.1 27.7056 4.391e-11 ***
var       2  1786.4   893.2  7.7939 0.0016359 **
rep:var  10  6013.3   601.3  5.2472 0.0001207 ***
nit       3 20020.5  6673.5 58.2331 1.754e-13 ***
var:nit  6   321.7    53.6  0.4679 0.8271333
row       9   900.9   100.1  0.8734 0.5575581
col       2  3171.5  1585.7 13.8373 4.012e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep       2  5942.5  2971.3 25.9273 1.449e-07 ***
var       2  2799.8  1399.9 12.2155 0.0001005 ***
rep:var  4   997.8   249.4  2.1767 0.0926008 .

```

```

nit      3 12559.3 4186.4 36.5308 9.683e-11 ***
var:nit 6   477.8    79.6  0.6949 0.6553307
row     9   945.0   105.0  0.9162 0.5230151
col     2   3171.5  1585.7 13.8373 4.012e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
CAUTION: Singularity Exists !
      Df  Sum Sq Mean Sq F value    Pr(>F)
rep     2   5942.5  2971.3 25.9273 1.449e-07 ***
var     2   2799.8  1399.9 12.2155 0.0001005 ***
rep:var 4   997.8   249.4  2.1767 0.0926008 .
nit     3 11977.9  3992.6 34.8397 1.775e-10 ***
var:nit 6   477.8    79.6  0.6949 0.6553307
row     9   945.0   105.0  0.9162 0.5230151
col     2   3171.5  1585.7 13.8373 4.012e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 78.195        0   9.4953 34  8.2351 1.311e-09 ***
rep1         22.320       0   11.2116 34  1.9908 0.0545890 .
rep2         -9.827       0   9.9492 34 -0.9877 0.3302882
rep3         16.942       0   10.2780 34  1.6484 0.1084805
rep4         -24.656      0   10.6082 34 -2.3242 0.0262249 *
rep5         16.807       0   10.1264 34  1.6597 0.1061670
rep6         0.000       0   0.0000 34
var1        -23.629       0   12.0789 34 -1.9562 0.0586954 .
var2        -16.007       0   11.9933 34 -1.3346 0.1908629
var3         0.000       0   0.0000 34
rep1:var1   39.666       0   14.2816 34  2.7775 0.0088510 **
rep1:var2   24.703       0   14.1608 34  1.7445 0.0901108 .
rep1:var3   0.000       0   0.0000 34
rep2:var1   8.452        0   13.6932 34  0.6172 0.5411868
rep2:var2   35.142       0   13.4753 34  2.6079 0.0134358 *
rep2:var3   0.000       0   0.0000 34
rep3:var1  -15.615       0   15.0163 34 -1.0399 0.3057408
rep3:var2   5.214        0   14.8157 34  0.3519 0.7270537
rep3:var3   0.000       0   0.0000 34
rep4:var1   32.022       0   14.0835 34  2.2737 0.0294152 *
rep4:var2   32.597       0   14.2110 34  2.2938 0.0281056 *
rep4:var3   0.000       0   0.0000 34
rep5:var1  -29.657       0   14.2036 34 -2.0880 0.0443605 *
rep5:var2  -20.826       0   14.0023 34 -1.4873 0.1461435
rep5:var3   0.000       0   0.0000 34
rep6:var1   0.000       0   0.0000 34

```

rep6:var2	0.000	0	0.0000	34
rep6:var3	0.000	0	0.0000	34
nit1	20.904	0	6.8122	34 3.0686 0.0042045 **
nit2	25.790	0	7.9006	34 3.2643 0.0025052 **
nit3	43.888	0	8.4402	34 5.1999 9.452e-06 ***
nit4	0.000	0	0.0000	34
var1:nit1	1.136	0	9.7632	34 0.1164 0.9080219
var1:nit2	14.232	0	10.2550	34 1.3878 0.1742328
var1:nit3	-3.260	0	11.0914	34 -0.2939 0.7705879
var1:nit4	0.000	0	0.0000	34
var2:nit1	-1.428	0	9.1191	34 -0.1566 0.8764628
var2:nit2	5.784	0	11.0936	34 0.5214 0.6054692
var2:nit3	-6.461	0	11.3313	34 -0.5702 0.5722670
var2:nit4	0.000	0	0.0000	34
var3:nit1	0.000	0	0.0000	34
var3:nit2	0.000	0	0.0000	34
var3:nit3	0.000	0	0.0000	34
var3:nit4	0.000	0	0.0000	34
row1	1.613	0	9.9332	34 0.1624 0.8719639
row2	0.000	0	0.0000	34
row3	-10.016	0	8.3602	34 -1.1980 0.2391928
row4	0.000	0	0.0000	34
row5	-7.727	0	8.5301	34 -0.9059 0.3713775
row6	0.000	0	0.0000	34
row7	-3.594	0	8.6347	34 -0.4162 0.6798797
row8	0.000	0	0.0000	34
row9	13.706	0	8.4538	34 1.6213 0.1141882
row10	0.000	0	0.0000	34
row11	-14.812	0	8.7800	34 -1.6870 0.1007506
row12	0.000	0	0.0000	34
row13	2.006	0	8.3976	34 0.2389 0.8126419
row14	0.000	0	0.0000	34
row15	-4.632	0	8.4677	34 -0.5470 0.5879538
row16	0.000	0	0.0000	34
row17	-0.198	0	8.7515	34 -0.0226 0.9820790
row18	0.000	0	0.0000	34
col1	11.566	0	3.9157	34 2.9538 0.0056610 **
col2	0.000	0	0.0000	34
col3	16.517	0	4.1675	34 3.9633 0.0003597 ***
col4	0.000	0	0.0000	34
---				
Signif. codes:	0 *** 0.001 ** 0.01 * 0.05 . 0.1 ' ' 1			

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(yield ~ rep + var + rep:var + nit + var:nit + row + col, ex3.1b),
      type=3, singular.ok=TRUE) # NOT OK for var
```

Note: model has aliased coefficients

```
sums of squares computed by model comparison
```

```
Anova Table (Type III tests)
```

```
Response: yield
```

	Sum Sq	Df	F values	Pr(>F)							
rep	5942.5	2	25.9273	1.449e-07 ***							
var	0.0	0									
nit	11977.9	3	34.8397	1.775e-10 ***							
row	945.0	9	0.9162	0.5230							
col	3171.5	2	13.8373	4.012e-05 ***							
rep:var	997.8	4	2.1767	0.0926 .							
var:nit	477.8	6	0.6949	0.6553							
Residuals	3896.4	34									
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

## 7.6 Example 4.1

```
(78) MODEL
```

```
ex4.1 = read.table("C:/G/Rt/Split/Ex4.1-example.txt", header=TRUE)
ex4.1 = af(ex4.1, c("row", "P", "column", "R", "S"))
GLM(height ~ P + column + column:P + R + P:R + column:R + column:R:P + S +
    P:S + column:S + column:S:P + R:S + R:S:column + R:S:P + R:S:P:column, ex4.1)
```

```
$ANOVA
Response : height
              Df Sum Sq Mean Sq F value Pr(>F)
MODEL          199 1710.2 8.5937
RESIDUALS       0     0.0
CORRECTED TOTAL 199 1710.2
```

```
$`Type I`
              Df Sum Sq Mean Sq F value Pr(>F)
P               1 28.12 28.1250
column          4 34.33 8.5825
P:column        4 91.45 22.8625
R               4 31.03 7.7575
P:R              4 48.95 12.2375
column:R         16 467.92 29.2450
P:column:R      16 350.10 21.8813
S               3  3.77 1.2583
P:S              3  3.29 1.0983
column:S         12 74.55 6.2125
P:column:S      12 47.03 3.9192
```

R:S	12	36.65	3.0542
column:R:S	48	197.40	4.1125
P:R:S	12	26.33	2.1942
P:column:R:S	48	269.22	5.6087

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	28.13	28.1250		
column	4	34.33	8.5825		
P:column	4	91.45	22.8625		
R	4	31.03	7.7575		
P:R	4	48.95	12.2375		
column:R	16	467.92	29.2450		
P:column:R	16	350.10	21.8812		
S	3	3.77	1.2583		
P:S	3	3.30	1.0983		
column:S	12	74.55	6.2125		
P:column:S	12	47.03	3.9192		
R:S	12	36.65	3.0542		
column:R:S	48	197.40	4.1125		
P:R:S	12	26.33	2.1942		
P:column:R:S	48	269.22	5.6087		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
P	1	28.12	28.1250		
column	4	34.33	8.5825		
P:column	4	91.45	22.8625		
R	4	31.03	7.7575		
P:R	4	48.95	12.2375		
column:R	16	467.92	29.2450		
P:column:R	16	350.10	21.8813		
S	3	3.77	1.2583		
P:S	3	3.29	1.0983		
column:S	12	74.55	6.2125		
P:column:S	12	47.03	3.9192		
R:S	12	36.65	3.0542		
column:R:S	48	197.40	4.1125		
P:R:S	12	26.33	2.1942		
P:column:R:S	48	269.22	5.6088		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	8	0	0			
P1	-2	0	0			
P2	0	0	0			
column1	0	0	0			
column2	0	0	0			

column3	0	0	0
column4	-3	0	0
column5	0	0	0
P1:column1	2	0	0
P1:column2	2	0	0
P1:column3	1	0	0
P1:column4	3	0	0
P1:column5	0	0	0
P2:column1	0	0	0
P2:column2	0	0	0
P2:column3	0	0	0
P2:column4	0	0	0
P2:column5	0	0	0
R1	1	0	0
R2	1	0	0
R3	-5	0	0
R4	-1	0	0
R5	0	0	0
P1:R1	2	0	0
P1:R2	2	0	0
P1:R3	7	0	0
P1:R4	3	0	0
P1:R5	0	0	0
P2:R1	0	0	0
P2:R2	0	0	0
P2:R3	0	0	0
P2:R4	0	0	0
P2:R5	0	0	0
column1:R1	-1	0	0
column1:R2	0	0	0
column1:R3	8	0	0
column1:R4	1	0	0
column1:R5	0	0	0
column2:R1	-9	0	0
column2:R2	-3	0	0
column2:R3	3	0	0
column2:R4	0	0	0
column2:R5	0	0	0
column3:R1	-3	0	0
column3:R2	-6	0	0
column3:R3	2	0	0
column3:R4	-5	0	0
column3:R5	0	0	0
column4:R1	3	0	0
column4:R2	1	0	0
column4:R3	3	0	0
column4:R4	4	0	0
column4:R5	0	0	0

column5:R1	0	0	0
column5:R2	0	0	0
column5:R3	0	0	0
column5:R4	0	0	0
column5:R5	0	0	0
P1:column1:R1	-10	0	0
P1:column1:R2	-2	0	0
P1:column1:R3	-5	0	0
P1:column1:R4	-2	0	0
P1:column1:R5	0	0	0
P1:column2:R1	7	0	0
P1:column2:R2	-8	0	0
P1:column2:R3	-10	0	0
P1:column2:R4	-1	0	0
P1:column2:R5	0	0	0
P1:column3:R1	1	0	0
P1:column3:R2	1	0	0
P1:column3:R3	-2	0	0
P1:column3:R4	4	0	0
P1:column3:R5	0	0	0
P1:column4:R1	-4	0	0
P1:column4:R2	0	0	0
P1:column4:R3	-2	0	0
P1:column4:R4	-8	0	0
P1:column4:R5	0	0	0
P1:column5:R1	0	0	0
P1:column5:R2	0	0	0
P1:column5:R3	0	0	0
P1:column5:R4	0	0	0
P1:column5:R5	0	0	0
P2:column1:R1	0	0	0
P2:column1:R2	0	0	0
P2:column1:R3	0	0	0
P2:column1:R4	0	0	0
P2:column1:R5	0	0	0
P2:column2:R1	0	0	0
P2:column2:R2	0	0	0
P2:column2:R3	0	0	0
P2:column2:R4	0	0	0
P2:column2:R5	0	0	0
P2:column3:R1	0	0	0
P2:column3:R2	0	0	0
P2:column3:R3	0	0	0
P2:column3:R4	0	0	0
P2:column3:R5	0	0	0
P2:column4:R1	0	0	0
P2:column4:R2	0	0	0
P2:column4:R3	0	0	0

P2:column4:R4	0	0	0
P2:column4:R5	0	0	0
P2:column5:R1	0	0	0
P2:column5:R2	0	0	0
P2:column5:R3	0	0	0
P2:column5:R4	0	0	0
P2:column5:R5	0	0	0
S1	1	0	0
S2	-2	0	0
S3	-5	0	0
S4	0	0	0
P1:S1	1	0	0
P1:S2	-1	0	0
P1:S3	7	0	0
P1:S4	0	0	0
P2:S1	0	0	0
P2:S2	0	0	0
P2:S3	0	0	0
P2:S4	0	0	0
column1:S1	-1	0	0
column1:S2	1	0	0
column1:S3	6	0	0
column1:S4	0	0	0
column2:S1	-2	0	0
column2:S2	-6	0	0
column2:S3	6	0	0
column2:S4	0	0	0
column3:S1	-3	0	0
column3:S2	2	0	0
column3:S3	5	0	0
column3:S4	0	0	0
column4:S1	2	0	0
column4:S2	6	0	0
column4:S3	7	0	0
column4:S4	0	0	0
column5:S1	0	0	0
column5:S2	0	0	0
column5:S3	0	0	0
column5:S4	0	0	0
P1:column1:S1	-2	0	0
P1:column1:S2	2	0	0
P1:column1:S3	-7	0	0
P1:column1:S4	0	0	0
P1:column2:S1	-6	0	0
P1:column2:S2	9	0	0
P1:column2:S3	-7	0	0
P1:column2:S4	0	0	0
P1:column3:S1	3	0	0

P1:column3:S2	4	0	0
P1:column3:S3	-5	0	0
P1:column3:S4	0	0	0
P1:column4:S1	-5	0	0
P1:column4:S2	-4	0	0
P1:column4:S3	-10	0	0
P1:column4:S4	0	0	0
P1:column5:S1	0	0	0
P1:column5:S2	0	0	0
P1:column5:S3	0	0	0
P1:column5:S4	0	0	0
P2:column1:S1	0	0	0
P2:column1:S2	0	0	0
P2:column1:S3	0	0	0
P2:column1:S4	0	0	0
P2:column2:S1	0	0	0
P2:column2:S2	0	0	0
P2:column2:S3	0	0	0
P2:column2:S4	0	0	0
P2:column3:S1	0	0	0
P2:column3:S2	0	0	0
P2:column3:S3	0	0	0
P2:column3:S4	0	0	0
P2:column4:S1	0	0	0
P2:column4:S2	0	0	0
P2:column4:S3	0	0	0
P2:column4:S4	0	0	0
P2:column5:S1	0	0	0
P2:column5:S2	0	0	0
P2:column5:S3	0	0	0
P2:column5:S4	0	0	0
R1:S1	-2	0	0
R1:S2	1	0	0
R1:S3	5	0	0
R1:S4	0	0	0
R2:S1	-1	0	0
R2:S2	-1	0	0
R2:S3	4	0	0
R2:S4	0	0	0
R3:S1	-4	0	0
R3:S2	0	0	0
R3:S3	4	0	0
R3:S4	0	0	0
R4:S1	-8	0	0
R4:S2	-5	0	0
R4:S3	-2	0	0
R4:S4	0	0	0
R5:S1	0	0	0

R5:S2	0	0	0
R5:S3	0	0	0
R5:S4	0	0	0
column1:R1:S1	3	0	0
column1:R1:S2	1	0	0
column1:R1:S3	-7	0	0
column1:R1:S4	0	0	0
column1:R2:S1	-4	0	0
column1:R2:S2	2	0	0
column1:R2:S3	-6	0	0
column1:R2:S4	0	0	0
column1:R3:S1	3	0	0
column1:R3:S2	1	0	0
column1:R3:S3	-7	0	0
column1:R3:S4	0	0	0
column1:R4:S1	0	0	0
column1:R4:S2	3	0	0
column1:R4:S3	1	0	0
column1:R4:S4	0	0	0
column1:R5:S1	0	0	0
column1:R5:S2	0	0	0
column1:R5:S3	0	0	0
column1:R5:S4	0	0	0
column2:R1:S1	12	0	0
column2:R1:S2	16	0	0
column2:R1:S3	-1	0	0
column2:R1:S4	0	0	0
column2:R2:S1	4	0	0
column2:R2:S2	11	0	0
column2:R2:S3	-4	0	0
column2:R2:S4	0	0	0
column2:R3:S1	6	0	0
column2:R3:S2	10	0	0
column2:R3:S3	-10	0	0
column2:R3:S4	0	0	0
column2:R4:S1	11	0	0
column2:R4:S2	13	0	0
column2:R4:S3	-1	0	0
column2:R4:S4	0	0	0
column2:R5:S1	0	0	0
column2:R5:S2	0	0	0
column2:R5:S3	0	0	0
column2:R5:S4	0	0	0
column3:R1:S1	5	0	0
column3:R1:S2	1	0	0
column3:R1:S3	-7	0	0
column3:R1:S4	0	0	0
column3:R2:S1	1	0	0

column3:R2:S2	0	0	0
column3:R2:S3	-7	0	0
column3:R2:S4	0	0	0
column3:R3:S1	8	0	0
column3:R3:S2	1	0	0
column3:R3:S3	0	0	0
column3:R3:S4	0	0	0
column3:R4:S1	17	0	0
column3:R4:S2	12	0	0
column3:R4:S3	8	0	0
column3:R4:S4	0	0	0
column3:R5:S1	0	0	0
column3:R5:S2	0	0	0
column3:R5:S3	0	0	0
column3:R5:S4	0	0	0
column4:R1:S1	-3	0	0
column4:R1:S2	-5	0	0
column4:R1:S3	-8	0	0
column4:R1:S4	0	0	0
column4:R2:S1	-9	0	0
column4:R2:S2	-5	0	0
column4:R2:S3	-4	0	0
column4:R2:S4	0	0	0
column4:R3:S1	4	0	0
column4:R3:S2	1	0	0
column4:R3:S3	-2	0	0
column4:R3:S4	0	0	0
column4:R4:S1	6	0	0
column4:R4:S2	2	0	0
column4:R4:S3	-1	0	0
column4:R4:S4	0	0	0
column4:R5:S1	0	0	0
column4:R5:S2	0	0	0
column4:R5:S3	0	0	0
column4:R5:S4	0	0	0
column5:R1:S1	0	0	0
column5:R1:S2	0	0	0
column5:R1:S3	0	0	0
column5:R1:S4	0	0	0
column5:R2:S1	0	0	0
column5:R2:S2	0	0	0
column5:R2:S3	0	0	0
column5:R2:S4	0	0	0
column5:R3:S1	0	0	0
column5:R3:S2	0	0	0
column5:R3:S3	0	0	0
column5:R3:S4	0	0	0
column5:R4:S1	0	0	0

column5:R4:S2	0	0	0
column5:R4:S3	0	0	0
column5:R4:S4	0	0	0
column5:R5:S1	0	0	0
column5:R5:S2	0	0	0
column5:R5:S3	0	0	0
column5:R5:S4	0	0	0
P1:R1:S1	3	0	0
P1:R1:S2	10	0	0
P1:R1:S3	-8	0	0
P1:R1:S4	0	0	0
P1:R2:S1	-2	0	0
P1:R2:S2	3	0	0
P1:R2:S3	-10	0	0
P1:R2:S4	0	0	0
P1:R3:S1	2	0	0
P1:R3:S2	0	0	0
P1:R3:S3	-6	0	0
P1:R3:S4	0	0	0
P1:R4:S1	7	0	0
P1:R4:S2	5	0	0
P1:R4:S3	0	0	0
P1:R4:S4	0	0	0
P1:R5:S1	0	0	0
P1:R5:S2	0	0	0
P1:R5:S3	0	0	0
P1:R5:S4	0	0	0
P2:R1:S1	0	0	0
P2:R1:S2	0	0	0
P2:R1:S3	0	0	0
P2:R1:S4	0	0	0
P2:R2:S1	0	0	0
P2:R2:S2	0	0	0
P2:R2:S3	0	0	0
P2:R2:S4	0	0	0
P2:R3:S1	0	0	0
P2:R3:S2	0	0	0
P2:R3:S3	0	0	0
P2:R3:S4	0	0	0
P2:R4:S1	0	0	0
P2:R4:S2	0	0	0
P2:R4:S3	0	0	0
P2:R4:S4	0	0	0
P2:R5:S1	0	0	0
P2:R5:S2	0	0	0
P2:R5:S3	0	0	0
P2:R5:S4	0	0	0
P1:column1:R1:S1	-3	0	0

P1:column1:R1:S2	-11	0	0
P1:column1:R1:S3	13	0	0
P1:column1:R1:S4	0	0	0
P1:column1:R2:S1	4	0	0
P1:column1:R2:S2	-6	0	0
P1:column1:R2:S3	10	0	0
P1:column1:R2:S4	0	0	0
P1:column1:R3:S1	-2	0	0
P1:column1:R3:S2	-6	0	0
P1:column1:R3:S3	6	0	0
P1:column1:R3:S4	0	0	0
P1:column1:R4:S1	-1	0	0
P1:column1:R4:S2	-4	0	0
P1:column1:R4:S3	-1	0	0
P1:column1:R4:S4	0	0	0
P1:column1:R5:S1	0	0	0
P1:column1:R5:S2	0	0	0
P1:column1:R5:S3	0	0	0
P1:column1:R5:S4	0	0	0
P1:column2:R1:S1	-8	0	0
P1:column2:R1:S2	-28	0	0
P1:column2:R1:S3	1	0	0
P1:column2:R1:S4	0	0	0
P1:column2:R2:S1	5	0	0
P1:column2:R2:S2	-13	0	0
P1:column2:R2:S3	9	0	0
P1:column2:R2:S4	0	0	0
P1:column2:R3:S1	5	0	0
P1:column2:R3:S2	-4	0	0
P1:column2:R3:S3	16	0	0
P1:column2:R3:S4	0	0	0
P1:column2:R4:S1	-3	0	0
P1:column2:R4:S2	-12	0	0
P1:column2:R4:S3	1	0	0
P1:column2:R4:S4	0	0	0
P1:column2:R5:S1	0	0	0
P1:column2:R5:S2	0	0	0
P1:column2:R5:S3	0	0	0
P1:column2:R5:S4	0	0	0
P1:column3:R1:S1	-7	0	0
P1:column3:R1:S2	-18	0	0
P1:column3:R1:S3	7	0	0
P1:column3:R1:S4	0	0	0
P1:column3:R2:S1	0	0	0
P1:column3:R2:S2	-2	0	0
P1:column3:R2:S3	14	0	0
P1:column3:R2:S4	0	0	0
P1:column3:R3:S1	-9	0	0

P1:column3:R3:S2	-6	0	0
P1:column3:R3:S3	0	0	0
P1:column3:R3:S4	0	0	0
P1:column3:R4:S1	-19	0	0
P1:column3:R4:S2	-15	0	0
P1:column3:R4:S3	-8	0	0
P1:column3:R4:S4	0	0	0
P1:column3:R5:S1	0	0	0
P1:column3:R5:S2	0	0	0
P1:column3:R5:S3	0	0	0
P1:column3:R5:S4	0	0	0
P1:column4:R1:S1	2	0	0
P1:column4:R1:S2	-6	0	0
P1:column4:R1:S3	10	0	0
P1:column4:R1:S4	0	0	0
P1:column4:R2:S1	15	0	0
P1:column4:R2:S2	3	0	0
P1:column4:R2:S3	10	0	0
P1:column4:R2:S4	0	0	0
P1:column4:R3:S1	-5	0	0
P1:column4:R3:S2	-1	0	0
P1:column4:R3:S3	3	0	0
P1:column4:R3:S4	0	0	0
P1:column4:R4:S1	-3	0	0
P1:column4:R4:S2	2	0	0
P1:column4:R4:S3	9	0	0
P1:column4:R4:S4	0	0	0
P1:column4:R5:S1	0	0	0
P1:column4:R5:S2	0	0	0
P1:column4:R5:S3	0	0	0
P1:column4:R5:S4	0	0	0
P1:column5:R1:S1	0	0	0
P1:column5:R1:S2	0	0	0
P1:column5:R1:S3	0	0	0
P1:column5:R1:S4	0	0	0
P1:column5:R2:S1	0	0	0
P1:column5:R2:S2	0	0	0
P1:column5:R2:S3	0	0	0
P1:column5:R2:S4	0	0	0
P1:column5:R3:S1	0	0	0
P1:column5:R3:S2	0	0	0
P1:column5:R3:S3	0	0	0
P1:column5:R3:S4	0	0	0
P1:column5:R4:S1	0	0	0
P1:column5:R4:S2	0	0	0
P1:column5:R4:S3	0	0	0
P1:column5:R4:S4	0	0	0
P1:column5:R5:S1	0	0	0

P1:column5:R5:S2	0	0	0
P1:column5:R5:S3	0	0	0
P1:column5:R5:S4	0	0	0
P2:column1:R1:S1	0	0	0
P2:column1:R1:S2	0	0	0
P2:column1:R1:S3	0	0	0
P2:column1:R1:S4	0	0	0
P2:column1:R2:S1	0	0	0
P2:column1:R2:S2	0	0	0
P2:column1:R2:S3	0	0	0
P2:column1:R2:S4	0	0	0
P2:column1:R3:S1	0	0	0
P2:column1:R3:S2	0	0	0
P2:column1:R3:S3	0	0	0
P2:column1:R3:S4	0	0	0
P2:column1:R4:S1	0	0	0
P2:column1:R4:S2	0	0	0
P2:column1:R4:S3	0	0	0
P2:column1:R4:S4	0	0	0
P2:column1:R5:S1	0	0	0
P2:column1:R5:S2	0	0	0
P2:column1:R5:S3	0	0	0
P2:column1:R5:S4	0	0	0
P2:column2:R1:S1	0	0	0
P2:column2:R1:S2	0	0	0
P2:column2:R1:S3	0	0	0
P2:column2:R1:S4	0	0	0
P2:column2:R2:S1	0	0	0
P2:column2:R2:S2	0	0	0
P2:column2:R2:S3	0	0	0
P2:column2:R2:S4	0	0	0
P2:column2:R3:S1	0	0	0
P2:column2:R3:S2	0	0	0
P2:column2:R3:S3	0	0	0
P2:column2:R3:S4	0	0	0
P2:column2:R4:S1	0	0	0
P2:column2:R4:S2	0	0	0
P2:column2:R4:S3	0	0	0
P2:column2:R4:S4	0	0	0
P2:column2:R5:S1	0	0	0
P2:column2:R5:S2	0	0	0
P2:column2:R5:S3	0	0	0
P2:column2:R5:S4	0	0	0
P2:column3:R1:S1	0	0	0
P2:column3:R1:S2	0	0	0
P2:column3:R1:S3	0	0	0
P2:column3:R1:S4	0	0	0
P2:column3:R2:S1	0	0	0

P2:column3:R2:S2	0	0	0
P2:column3:R2:S3	0	0	0
P2:column3:R2:S4	0	0	0
P2:column3:R3:S1	0	0	0
P2:column3:R3:S2	0	0	0
P2:column3:R3:S3	0	0	0
P2:column3:R3:S4	0	0	0
P2:column3:R4:S1	0	0	0
P2:column3:R4:S2	0	0	0
P2:column3:R4:S3	0	0	0
P2:column3:R4:S4	0	0	0
P2:column3:R5:S1	0	0	0
P2:column3:R5:S2	0	0	0
P2:column3:R5:S3	0	0	0
P2:column3:R5:S4	0	0	0
P2:column4:R1:S1	0	0	0
P2:column4:R1:S2	0	0	0
P2:column4:R1:S3	0	0	0
P2:column4:R1:S4	0	0	0
P2:column4:R2:S1	0	0	0
P2:column4:R2:S2	0	0	0
P2:column4:R2:S3	0	0	0
P2:column4:R2:S4	0	0	0
P2:column4:R3:S1	0	0	0
P2:column4:R3:S2	0	0	0
P2:column4:R3:S3	0	0	0
P2:column4:R3:S4	0	0	0
P2:column4:R4:S1	0	0	0
P2:column4:R4:S2	0	0	0
P2:column4:R4:S3	0	0	0
P2:column4:R4:S4	0	0	0
P2:column4:R5:S1	0	0	0
P2:column4:R5:S2	0	0	0
P2:column4:R5:S3	0	0	0
P2:column4:R5:S4	0	0	0
P2:column5:R1:S1	0	0	0
P2:column5:R1:S2	0	0	0
P2:column5:R1:S3	0	0	0
P2:column5:R1:S4	0	0	0
P2:column5:R2:S1	0	0	0
P2:column5:R2:S2	0	0	0
P2:column5:R2:S3	0	0	0
P2:column5:R2:S4	0	0	0
P2:column5:R3:S1	0	0	0
P2:column5:R3:S2	0	0	0
P2:column5:R3:S3	0	0	0
P2:column5:R3:S4	0	0	0
P2:column5:R4:S1	0	0	0

P2:column5:R4:S2	0	0	0
P2:column5:R4:S3	0	0	0
P2:column5:R4:S4	0	0	0
P2:column5:R5:S1	0	0	0
P2:column5:R5:S2	0	0	0
P2:column5:R5:S3	0	0	0
P2:column5:R5:S4	0	0	0

(79) MODEL

```
GLM(height ~ row + R + P + S + S:R + row:P + R:P + row:R:P + S:P + S:P:row +
S:R:P + R:S:P:row, ex4.1)
```

\$ANOVA

Response : height	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	199	1710.2	8.5937		
RESIDUALS	0	0.0			
CORRECTED TOTAL	199	1710.2			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	309.43	77.357		
R	4	31.03	7.758		
P	1	28.12	28.125		
S	3	3.77	1.258		
R:S	12	36.65	3.054		
row:P	4	130.25	32.563		
R:P	4	48.95	12.237		
row:R:P	32	504.12	15.754		
P:S	3	3.29	1.098		
row:P:S	24	171.28	7.137		
R:P:S	12	26.33	2.194		
row:R:P:S	96	416.92	4.343		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	309.43	77.357		
R	4	31.03	7.757		
P	1	28.12	28.125		
S	3	3.78	1.258		
R:S	12	36.65	3.054		
row:P	4	130.25	32.563		
R:P	4	48.95	12.238		
row:R:P	32	504.12	15.754		
P:S	3	3.30	1.098		
row:P:S	24	171.28	7.137		

R:P:S	12	26.33	2.194
row:R:P:S	96	416.92	4.343

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
row	4	309.43	77.358		
R	4	31.03	7.757		
P	1	28.13	28.125		
S	3	3.78	1.258		
R:S	12	36.65	3.054		
row:P	4	130.25	32.563		
R:P	4	48.95	12.237		
row:R:P	32	504.12	15.754		
P:S	3	3.30	1.098		
row:P:S	24	171.28	7.137		
R:P:S	12	26.33	2.194		
row:R:P:S	96	416.92	4.343		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	8	0	0	0		
row1	0	0	0	0		
row2	0	0	0	0		
row3	0	0	0	0		
row4	-3	0	0	0		
row5	0	0	0	0		
R1	-8	0	0	0		
R2	1	0	0	0		
R3	-5	0	0	0		
R4	-6	0	0	0		
R5	0	0	0	0		
P1	0	0	0	0		
P2	0	0	0	0		
S1	0	0	0	0		
S2	-1	0	0	0		
S3	1	0	0	0		
S4	0	0	0	0		
R1:S1	9	0	0	0		
R1:S2	10	0	0	0		
R1:S3	4	0	0	0		
R1:S4	0	0	0	0		
R2:S1	0	0	0	0		
R2:S2	-2	0	0	0		
R2:S3	-2	0	0	0		
R2:S4	0	0	0	0		
R3:S1	3	0	0	0		
R3:S2	6	0	0	0		
R3:S3	3	0	0	0		

R3:S4	0	0	0
R4:S1	7	0	0
R4:S2	8	0	0
R4:S3	5	0	0
R4:S4	0	0	0
R5:S1	0	0	0
R5:S2	0	0	0
R5:S3	0	0	0
R5:S4	0	0	0
row1:P1	-1	0	0
row1:P2	0	0	0
row2:P1	-2	0	0
row2:P2	0	0	0
row3:P1	0	0	0
row3:P2	0	0	0
row4:P1	1	0	0
row4:P2	0	0	0
row5:P1	0	0	0
row5:P2	0	0	0
R1:P1	9	0	0
R1:P2	0	0	0
R2:P1	0	0	0
R2:P2	0	0	0
R3:P1	6	0	0
R3:P2	0	0	0
R4:P1	6	0	0
R4:P2	0	0	0
R5:P1	0	0	0
R5:P2	0	0	0
row1:R1:P1	1	0	0
row1:R1:P2	9	0	0
row1:R2:P1	2	0	0
row1:R2:P2	-2	0	0
row1:R3:P1	5	0	0
row1:R3:P2	8	0	0
row1:R4:P1	2	0	0
row1:R4:P2	5	0	0
row1:R5:P1	0	0	0
row1:R5:P2	0	0	0
row2:R1:P1	1	0	0
row2:R1:P2	6	0	0
row2:R2:P1	2	0	0
row2:R2:P2	0	0	0
row2:R3:P1	-4	0	0
row2:R3:P2	3	0	0
row2:R4:P1	-2	0	0
row2:R4:P2	6	0	0
row2:R5:P1	0	0	0

row2:R5:P2	0	0	0
row3:R1:P1	-1	0	0
row3:R1:P2	9	0	0
row3:R2:P1	-4	0	0
row3:R2:P2	-6	0	0
row3:R3:P1	-1	0	0
row3:R3:P2	0	0	0
row3:R4:P1	1	0	0
row3:R4:P2	6	0	0
row3:R5:P1	0	0	0
row3:R5:P2	0	0	0
row4:R1:P1	-7	0	0
row4:R1:P2	11	0	0
row4:R2:P1	-7	0	0
row4:R2:P2	0	0	0
row4:R3:P1	2	0	0
row4:R3:P2	5	0	0
row4:R4:P1	2	0	0
row4:R4:P2	8	0	0
row4:R5:P1	0	0	0
row4:R5:P2	0	0	0
row5:R1:P1	0	0	0
row5:R1:P2	0	0	0
row5:R2:P1	0	0	0
row5:R2:P2	0	0	0
row5:R3:P1	0	0	0
row5:R3:P2	0	0	0
row5:R4:P1	0	0	0
row5:R4:P2	0	0	0
row5:R5:P1	0	0	0
row5:R5:P2	0	0	0
P1:S1	-1	0	0
P1:S2	1	0	0
P1:S3	0	0	0
P1:S4	0	0	0
P2:S1	0	0	0
P2:S2	0	0	0
P2:S3	0	0	0
P2:S4	0	0	0
row1:P1:S1	3	0	0
row1:P1:S2	3	0	0
row1:P1:S3	1	0	0
row1:P1:S4	0	0	0
row1:P2:S1	-2	0	0
row1:P2:S2	1	0	0
row1:P2:S3	-1	0	0
row1:P2:S4	0	0	0
row2:P1:S1	3	0	0

row2:P1:S2	-3	0	0
row2:P1:S3	1	0	0
row2:P1:S4	0	0	0
row2:P2:S1	1	0	0
row2:P2:S2	-1	0	0
row2:P2:S3	-6	0	0
row2:P2:S4	0	0	0
row3:P1:S1	-5	0	0
row3:P1:S2	0	0	0
row3:P1:S3	0	0	0
row3:P1:S4	0	0	0
row3:P2:S1	-1	0	0
row3:P2:S2	-7	0	0
row3:P2:S3	0	0	0
row3:P2:S4	0	0	0
row4:P1:S1	0	0	0
row4:P1:S2	-1	0	0
row4:P1:S3	-2	0	0
row4:P1:S4	0	0	0
row4:P2:S1	3	0	0
row4:P2:S2	5	0	0
row4:P2:S3	1	0	0
row4:P2:S4	0	0	0
row5:P1:S1	0	0	0
row5:P1:S2	0	0	0
row5:P1:S3	0	0	0
row5:P1:S4	0	0	0
row5:P2:S1	0	0	0
row5:P2:S2	0	0	0
row5:P2:S3	0	0	0
row5:P2:S4	0	0	0
R1:P1:S1	-9	0	0
R1:P1:S2	-11	0	0
R1:P1:S3	-7	0	0
R1:P1:S4	0	0	0
R1:P2:S1	0	0	0
R1:P2:S2	0	0	0
R1:P2:S3	0	0	0
R1:P2:S4	0	0	0
R2:P1:S1	0	0	0
R2:P1:S2	1	0	0
R2:P1:S3	-3	0	0
R2:P1:S4	0	0	0
R2:P2:S1	0	0	0
R2:P2:S2	0	0	0
R2:P2:S3	0	0	0
R2:P2:S4	0	0	0
R3:P1:S1	-6	0	0

R3:P1:S2	-7	0	0
R3:P1:S3	-6	0	0
R3:P1:S4	0	0	0
R3:P2:S1	0	0	0
R3:P2:S2	0	0	0
R3:P2:S3	0	0	0
R3:P2:S4	0	0	0
R4:P1:S1	-7	0	0
R4:P1:S2	-8	0	0
R4:P1:S3	-6	0	0
R4:P1:S4	0	0	0
R4:P2:S1	0	0	0
R4:P2:S2	0	0	0
R4:P2:S3	0	0	0
R4:P2:S4	0	0	0
R5:P1:S1	0	0	0
R5:P1:S2	0	0	0
R5:P1:S3	0	0	0
R5:P1:S4	0	0	0
R5:P2:S1	0	0	0
R5:P2:S2	0	0	0
R5:P2:S3	0	0	0
R5:P2:S4	0	0	0
row1:R1:P1:S1	1	0	0
row1:R1:P1:S2	6	0	0
row1:R1:P1:S3	0	0	0
row1:R1:P1:S4	0	0	0
row1:R1:P2:S1	-8	0	0
row1:R1:P2:S2	-11	0	0
row1:R1:P2:S3	-4	0	0
row1:R1:P2:S4	0	0	0
row1:R2:P1:S1	0	0	0
row1:R2:P1:S2	-3	0	0
row1:R2:P1:S3	2	0	0
row1:R2:P1:S4	0	0	0
row1:R2:P2:S1	-5	0	0
row1:R2:P2:S2	0	0	0
row1:R2:P2:S3	4	0	0
row1:R2:P2:S4	0	0	0
row1:R3:P1:S1	-1	0	0
row1:R3:P1:S2	-7	0	0
row1:R3:P1:S3	-1	0	0
row1:R3:P1:S4	0	0	0
row1:R3:P2:S1	-2	0	0
row1:R3:P2:S2	-6	0	0
row1:R3:P2:S3	-5	0	0
row1:R3:P2:S4	0	0	0
row1:R4:P1:S1	-1	0	0

row1:R4:P1:S2	-2	0	0
row1:R4:P1:S3	-2	0	0
row1:R4:P1:S4	0	0	0
row1:R4:P2:S1	-3	0	0
row1:R4:P2:S2	-8	0	0
row1:R4:P2:S3	-7	0	0
row1:R4:P2:S4	0	0	0
row1:R5:P1:S1	0	0	0
row1:R5:P1:S2	0	0	0
row1:R5:P1:S3	0	0	0
row1:R5:P1:S4	0	0	0
row1:R5:P2:S1	0	0	0
row1:R5:P2:S2	0	0	0
row1:R5:P2:S3	0	0	0
row1:R5:P2:S4	0	0	0
row2:R1:P1:S1	-1	0	0
row2:R1:P1:S2	1	0	0
row2:R1:P1:S3	0	0	0
row2:R1:P1:S4	0	0	0
row2:R1:P2:S1	-9	0	0
row2:R1:P2:S2	-6	0	0
row2:R1:P2:S3	-1	0	0
row2:R1:P2:S4	0	0	0
row2:R2:P1:S1	-6	0	0
row2:R2:P1:S2	2	0	0
row2:R2:P1:S3	2	0	0
row2:R2:P1:S4	0	0	0
row2:R2:P2:S1	-6	0	0
row2:R2:P2:S2	4	0	0
row2:R2:P2:S3	6	0	0
row2:R2:P2:S4	0	0	0
row2:R3:P1:S1	4	0	0
row2:R3:P1:S2	10	0	0
row2:R3:P1:S3	6	0	0
row2:R3:P1:S4	0	0	0
row2:R3:P2:S1	-3	0	0
row2:R3:P2:S2	-2	0	0
row2:R3:P2:S3	-3	0	0
row2:R3:P2:S4	0	0	0
row2:R4:P1:S1	-1	0	0
row2:R4:P1:S2	6	0	0
row2:R4:P1:S3	4	0	0
row2:R4:P1:S4	0	0	0
row2:R4:P2:S1	-7	0	0
row2:R4:P2:S2	-5	0	0
row2:R4:P2:S3	-1	0	0
row2:R4:P2:S4	0	0	0
row2:R5:P1:S1	0	0	0

row2:R5:P1:S2	0	0	0
row2:R5:P1:S3	0	0	0
row2:R5:P1:S4	0	0	0
row2:R5:P2:S1	0	0	0
row2:R5:P2:S2	0	0	0
row2:R5:P2:S3	0	0	0
row2:R5:P2:S4	0	0	0
row3:R1:P1:S1	5	0	0
row3:R1:P1:S2	0	0	0
row3:R1:P1:S3	0	0	0
row3:R1:P1:S4	0	0	0
row3:R1:P2:S1	-10	0	0
row3:R1:P2:S2	-2	0	0
row3:R1:P2:S3	-6	0	0
row3:R1:P2:S4	0	0	0
row3:R2:P1:S1	6	0	0
row3:R2:P1:S2	4	0	0
row3:R2:P1:S3	7	0	0
row3:R2:P1:S4	0	0	0
row3:R2:P2:S1	-1	0	0
row3:R2:P2:S2	9	0	0
row3:R2:P2:S3	-2	0	0
row3:R2:P2:S4	0	0	0
row3:R3:P1:S1	9	0	0
row3:R3:P1:S2	-2	0	0
row3:R3:P1:S3	2	0	0
row3:R3:P1:S4	0	0	0
row3:R3:P2:S1	-5	0	0
row3:R3:P2:S2	0	0	0
row3:R3:P2:S3	-5	0	0
row3:R3:P2:S4	0	0	0
row3:R4:P1:S1	3	0	0
row3:R4:P1:S2	-1	0	0
row3:R4:P1:S3	-1	0	0
row3:R4:P1:S4	0	0	0
row3:R4:P2:S1	-14	0	0
row3:R4:P2:S2	-3	0	0
row3:R4:P2:S3	-6	0	0
row3:R4:P2:S4	0	0	0
row3:R5:P1:S1	0	0	0
row3:R5:P1:S2	0	0	0
row3:R5:P1:S3	0	0	0
row3:R5:P1:S4	0	0	0
row3:R5:P2:S1	0	0	0
row3:R5:P2:S2	0	0	0
row3:R5:P2:S3	0	0	0
row3:R5:P2:S4	0	0	0
row4:R1:P1:S1	1	0	0

row4:R1:P1:S2	3	0	0
row4:R1:P1:S3	8	0	0
row4:R1:P1:S4	0	0	0
row4:R1:P2:S1	-11	0	0
row4:R1:P2:S2	-13	0	0
row4:R1:P2:S3	-7	0	0
row4:R1:P2:S4	0	0	0
row4:R2:P1:S1	1	0	0
row4:R2:P1:S2	2	0	0
row4:R2:P1:S3	6	0	0
row4:R2:P1:S4	0	0	0
row4:R2:P2:S1	-1	0	0
row4:R2:P2:S2	0	0	0
row4:R2:P2:S3	1	0	0
row4:R2:P2:S4	0	0	0
row4:R3:P1:S1	3	0	0
row4:R3:P1:S2	0	0	0
row4:R3:P1:S3	4	0	0
row4:R3:P1:S4	0	0	0
row4:R3:P2:S1	-4	0	0
row4:R3:P2:S2	-9	0	0
row4:R3:P2:S3	-1	0	0
row4:R3:P2:S4	0	0	0
row4:R4:P1:S1	2	0	0
row4:R4:P1:S2	-2	0	0
row4:R4:P1:S3	2	0	0
row4:R4:P1:S4	0	0	0
row4:R4:P2:S1	-17	0	0
row4:R4:P2:S2	-19	0	0
row4:R4:P2:S3	-14	0	0
row4:R4:P2:S4	0	0	0
row4:R5:P1:S1	0	0	0
row4:R5:P1:S2	0	0	0
row4:R5:P1:S3	0	0	0
row4:R5:P1:S4	0	0	0
row4:R5:P2:S1	0	0	0
row4:R5:P2:S2	0	0	0
row4:R5:P2:S3	0	0	0
row4:R5:P2:S4	0	0	0
row5:R1:P1:S1	0	0	0
row5:R1:P1:S2	0	0	0
row5:R1:P1:S3	0	0	0
row5:R1:P1:S4	0	0	0
row5:R1:P2:S1	0	0	0
row5:R1:P2:S2	0	0	0
row5:R1:P2:S3	0	0	0
row5:R1:P2:S4	0	0	0
row5:R2:P1:S1	0	0	0

row5:R2:P1:S2	0	0	0
row5:R2:P1:S3	0	0	0
row5:R2:P1:S4	0	0	0
row5:R2:P2:S1	0	0	0
row5:R2:P2:S2	0	0	0
row5:R2:P2:S3	0	0	0
row5:R2:P2:S4	0	0	0
row5:R3:P1:S1	0	0	0
row5:R3:P1:S2	0	0	0
row5:R3:P1:S3	0	0	0
row5:R3:P1:S4	0	0	0
row5:R3:P2:S1	0	0	0
row5:R3:P2:S2	0	0	0
row5:R3:P2:S3	0	0	0
row5:R3:P2:S4	0	0	0
row5:R4:P1:S1	0	0	0
row5:R4:P1:S2	0	0	0
row5:R4:P1:S3	0	0	0
row5:R4:P1:S4	0	0	0
row5:R4:P2:S1	0	0	0
row5:R4:P2:S2	0	0	0
row5:R4:P2:S3	0	0	0
row5:R4:P2:S4	0	0	0
row5:R5:P1:S1	0	0	0
row5:R5:P1:S2	0	0	0
row5:R5:P1:S3	0	0	0
row5:R5:P1:S4	0	0	0
row5:R5:P2:S1	0	0	0
row5:R5:P2:S2	0	0	0
row5:R5:P2:S3	0	0	0
row5:R5:P2:S4	0	0	0

## 7.7 Example 5.1

(80) MODEL

```
ex5.1 = read.table("C:/G/Rt/Split/sbsp.txt", header=TRUE)
ex5.1 = af(ex5.1, c("R", "A", "C", "B", "Tx"))
GLM(Y ~ R + A + R:A + C + B + C:B + Tx + B:Tx, ex5.1)
```

```
$ANOVA
Response : Y
      Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL   20 193.583  9.6792  9.4176 2.969e-05 ***
RESIDUALS 15  15.417  1.0278
CORRECTED TOTAL 35 209.000
```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

R       2   33.500 16.7500 16.2973 0.0001734 ***  

A       1   16.000 16.0000 15.5676 0.0012951 **  

R:A     2   32.167 16.0833 15.6486 0.0002133 ***  

C       2     0.500  0.2500  0.2432 0.7871141  

B       1     1.778  1.7778  1.7297 0.2081966  

C:B    2     0.389  0.1944  0.1892 0.8295745  

Tx     5 103.333 20.6667 20.1081  3.63e-06 ***  

B:Tx   5     5.917  1.1833  1.1514 0.3770453  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

R       2   23.047 11.5236 11.2122 0.0010520 **  

A       1   12.375 12.3751 12.0406 0.0034285 **  

R:A     2   27.164 13.5819 13.2148 0.0004907 ***  

C       2     0.500  0.2500  0.2432 0.7871141  

B       1     1.778  1.7778  1.7297 0.2081966  

C:B    2     0.389  0.1944  0.1892 0.8295745  

Tx     5 103.333 20.6667 20.1081  3.63e-06 ***  

B:Tx   5     5.917  1.1833  1.1514 0.3770453  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

R       2   22.451 11.2254 10.9220 0.0011828 **  

A       1   15.001 15.0013 14.5958 0.0016719 **  

R:A     2   27.164 13.5819 13.2148 0.0004907 ***  

C       2     0.500  0.2500  0.2432 0.7871141  

B       1     1.778  1.7778  1.7297 0.2081966  

C:B    2     0.389  0.1944  0.1892 0.8295745  

Tx     5 103.333 20.6667 20.1081  3.63e-06 ***  

B:Tx   5     5.917  1.1833  1.1514 0.3770453  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept)  8.0833        0    0.86156 15  9.3822 1.149e-07 ***  

R1          -0.5417        0    0.67056 15 -0.8078 0.4318411  

R2          -0.1250        0    0.62082 15 -0.2013 0.8431323  

R3          0.0000        0    0.00000 15

```

A1	-0.4167	0	0.67056	15	-0.6214	0.5436847					
A2	0.0000	0	0.00000	15							
R1:A1	0.4375	0	0.98160	15	0.4457	0.6621795					
R1:A2	0.0000	0	0.00000	15							
R2:A1	-3.7292	0	0.91382	15	-4.0808	0.0009837 ***					
R2:A2	0.0000	0	0.00000	15							
R3:A1	0.0000	0	0.00000	15							
R3:A2	0.0000	0	0.00000	15							
C1	0.5000	0	0.58531	15	0.8542	0.4064073					
C2	0.3333	0	0.58531	15	0.5695	0.5774500					
C3	0.0000	0	0.00000	15							
B1	0.1250	0	1.03470	15	0.1208	0.9054464					
B2	0.0000	0	0.00000	15							
C1:B1	-0.5000	0	0.82776	15	-0.6040	0.5548431					
C1:B2	0.0000	0	0.00000	15							
C2:B1	-0.1667	0	0.82776	15	-0.2013	0.8431323					
C2:B2	0.0000	0	0.00000	15							
C3:B1	0.0000	0	0.00000	15							
C3:B2	0.0000	0	0.00000	15							
Tx1	-5.4792	0	0.89008	15	-6.1558	1.839e-05 ***					
Tx2	-2.7083	0	0.85323	15	-3.1742	0.0062873 **					
Tx3	-1.2292	0	0.89008	15	-1.3810	0.1875206					
Tx4	-0.9167	0	0.89008	15	-1.0299	0.3193930					
Tx5	-2.2917	0	0.89008	15	-2.5747	0.0211374 *					
Tx6	0.0000	0	0.00000	15							
B1:Tx1	1.6250	0	1.34112	15	1.2117	0.2443809					
B1:Tx2	-0.2500	0	1.24164	15	-0.2013	0.8431323					
B1:Tx3	1.1250	0	1.34112	15	0.8388	0.4147227					
B1:Tx4	1.5000	0	1.34112	15	1.1185	0.2809609					
B1:Tx5	-0.7500	0	1.34112	15	-0.5592	0.5842567					
B1:Tx6	0.0000	0	0.00000	15							
B2:Tx1	0.0000	0	0.00000	15							
B2:Tx2	0.0000	0	0.00000	15							
B2:Tx3	0.0000	0	0.00000	15							
B2:Tx4	0.0000	0	0.00000	15							
B2:Tx5	0.0000	0	0.00000	15							
B2:Tx6	0.0000	0	0.00000	15							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'.'	0.1	' '	1

### (81) MODEL

```
GLM(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx, ex5.1)
```

```
$ANOVA
Response : Y
Df  Sum Sq Mean Sq F value    Pr(>F)

```

```

MODEL           20 194.188  9.7094  9.8323 2.254e-05 ***
RESIDUALS      15 14.813   0.9875
CORRECTED TOTAL 35 209.000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
  Df  Sum Sq Mean Sq F value    Pr(>F)
R     2 33.500 16.7500 16.9620 0.0001410 ***
A     1 16.000 16.0000 16.2025 0.0011013 **
R:A   2 32.167 16.0833 16.2869 0.0001739 ***
C     2  0.500  0.2500  0.2532 0.7795913
B     1  1.778  1.7778  1.8003 0.1996385
C:B   2  0.389  0.1944  0.1969 0.8233570
Tx    5 103.333 20.6667 20.9283 2.813e-06 ***
A:Tx  5   6.521  1.3042  1.3207 0.3078554
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
  Df  Sum Sq Mean Sq F value    Pr(>F)
R     2 33.500 16.7500 16.9620 0.0001410 ***
A     1 16.000 16.0000 16.2025 0.0011013 **
R:A   2 32.167 16.0833 16.2869 0.0001739 ***
C     2  0.807  0.4037  0.4088 0.6716130
B     1  1.757  1.7574  1.7797 0.2020905
C:B   2  0.030  0.0150  0.0152 0.9849064
Tx    5 103.333 20.6667 20.9283 2.813e-06 ***
A:Tx  5   6.521  1.3042  1.3207 0.3078554
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
  Df  Sum Sq Mean Sq F value    Pr(>F)
R     2 33.500 16.7500 16.9620 0.0001410 ***
A     1 16.000 16.0000 16.2025 0.0011013 **
R:A   2 32.167 16.0833 16.2869 0.0001739 ***
C     2  0.780  0.3902  0.3952 0.6803789
B     1  1.776  1.7756  1.7980 0.1999029
C:B   2  0.030  0.0150  0.0152 0.9849064
Tx    5 103.333 20.6667 20.9283 2.813e-06 ***
A:Tx  5   6.521  1.3042  1.3207 0.3078554
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate  Estimable Std. Error Df t value  Pr(>|t|) 
(Intercept) 7.7083        0  0.84451 15  9.1276 1.638e-07 ***

```

R1	-0.3333	0	0.57373	15	-0.5810	0.569873
R2	-0.1667	0	0.57373	15	-0.2905	0.775414
R3	0.0000	0	0.00000	15		
A1	0.2292	0	1.01422	15	0.2260	0.824288
A2	0.0000	0	0.00000	15		
R1:A1	-0.3333	0	0.81138	15	-0.4108	0.687010
R1:A2	0.0000	0	0.00000	15		
R2:A1	-4.1667	0	0.81138	15	-5.1353	0.000122 ***
R2:A2	0.0000	0	0.00000	15		
R3:A1	0.0000	0	0.00000	15		
R3:A2	0.0000	0	0.00000	15		
C1	0.0625	0	0.65729	15	0.0951	0.925504
C2	0.4375	0	0.60853	15	0.7189	0.483227
C3	0.0000	0	0.00000	15		
B1	0.5938	0	0.65729	15	0.9033	0.380630
B2	0.0000	0	0.00000	15		
C1:B1	-0.0625	0	0.89574	15	-0.0698	0.945294
C1:B2	0.0000	0	0.00000	15		
C2:B1	-0.1563	0	0.89574	15	-0.1744	0.863854
C2:B2	0.0000	0	0.00000	15		
C3:B1	0.0000	0	0.00000	15		
C3:B2	0.0000	0	0.00000	15		
Tx1	-4.8854	0	0.87247	15	-5.5995	5.070e-05 ***
Tx2	-2.5208	0	0.83635	15	-3.0141	0.008719 **
Tx3	-0.8854	0	0.87247	15	-1.0148	0.326271
Tx4	0.7083	0	0.87247	15	0.8119	0.429560
Tx5	-3.2292	0	0.87247	15	-3.7012	0.002134 **
Tx6	0.0000	0	0.00000	15		
A1:Tx1	0.4375	0	1.31458	15	0.3328	0.743887
A1:Tx2	-0.6250	0	1.21707	15	-0.5135	0.615061
A1:Tx3	0.4375	0	1.31458	15	0.3328	0.743887
A1:Tx4	-1.7500	0	1.31458	15	-1.3312	0.202996
A1:Tx5	1.1250	0	1.31458	15	0.8558	0.405580
A1:Tx6	0.0000	0	0.00000	15		
A2:Tx1	0.0000	0	0.00000	15		
A2:Tx2	0.0000	0	0.00000	15		
A2:Tx3	0.0000	0	0.00000	15		
A2:Tx4	0.0000	0	0.00000	15		
A2:Tx5	0.0000	0	0.00000	15		
A2:Tx6	0.0000	0	0.00000	15		
---						

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## (82) MODEL

```
GLM(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	24	196.238	8.1766	7.0476	0.0008758 ***
RESIDUALS	11	12.762	1.1602		
CORRECTED TOTAL	35	209.000			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	33.500	16.7500	14.4373	0.0008391 ***
A	1	16.000	16.0000	13.7908	0.0034197 **
R:A	2	32.167	16.0833	13.8626	0.0009856 ***
C	2	0.500	0.2500	0.2155	0.8094766
B	1	1.778	1.7778	1.5323	0.2415358
C:B	2	0.389	0.1944	0.1676	0.8478141
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
A:Tx	5	6.521	1.3042	1.1241	0.4027183
B:Tx	4	2.050	0.5126	0.4418	0.7761730

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	23.116	11.5581	9.9622	0.003396 **
A	1	12.375	12.3751	10.6664	0.007519 **
R:A	2	27.426	13.7132	11.8197	0.001820 **
C	2	0.970	0.4850	0.4180	0.668392
B	1	1.757	1.7574	1.5148	0.244080
C:B	2	0.085	0.0424	0.0366	0.964202
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
A:Tx	4	2.655	0.6636	0.5720	0.688652
B:Tx	4	2.050	0.5126	0.4418	0.776173

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	22.186	11.0928	9.5611	0.003924 **
A	1	15.185	15.1853	13.0886	0.004042 **
R:A	2	27.426	13.7132	11.8197	0.001820 **
C	2	1.010	0.5049	0.4352	0.657839
B	1	1.792	1.7922	1.5448	0.239751
C:B	2	0.085	0.0424	0.0366	0.964202
Tx	5	103.333	20.6667	17.8131	6.055e-05 ***
A:Tx	4	2.655	0.6636	0.5720	0.688652
B:Tx	4	2.050	0.5126	0.4418	0.776173

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )	
(Intercept)	7.9545	0	0.98427	11	8.0817	5.93e-06	***
R1	-0.6318	0	0.73222	11	-0.8629	0.4066247	
R2	-0.1636	0	0.66557	11	-0.2459	0.8103184	
R3	0.0000	0	0.00000	11			
A1	0.2273	0	1.10928	11	0.2049	0.8414057	
A2	0.0000	0	0.00000	11			
R1:A1	0.4636	0	1.09010	11	0.4253	0.6788082	
R1:A2	0.0000	0	0.00000	11			
R2:A1	-3.7682	0	0.98951	11	-3.8081	0.0029022	**
R2:A2	0.0000	0	0.00000	11			
R3:A1	0.0000	0	0.00000	11			
R3:A2	0.0000	0	0.00000	11			
C1	0.2682	0	0.73222	11	0.3663	0.7211200	
C2	0.4364	0	0.66557	11	0.6556	0.5255407	
C3	0.0000	0	0.00000	11			
B1	-0.2409	0	1.17470	11	-0.2051	0.8412545	
B2	0.0000	0	0.00000	11			
C1:B1	-0.2318	0	0.98951	11	-0.2343	0.8190745	
C1:B2	0.0000	0	0.00000	11			
C2:B1	0.0318	0	0.98951	11	0.0322	0.9749241	
C2:B2	0.0000	0	0.00000	11			
C3:B1	0.0000	0	0.00000	11			
C3:B2	0.0000	0	0.00000	11			
Tx1	-5.3485	0	1.04397	11	-5.1232	0.0003318	***
Tx2	-2.5152	0	1.00973	11	-2.4909	0.0299872	*
Tx3	-1.1667	0	1.04397	11	-1.1175	0.2875828	
Tx4	0.2424	0	1.22954	11	0.1972	0.8472929	
Tx5	-2.6167	0	1.17171	11	-2.2332	0.0472599	*
Tx6	0.0000	0	0.00000	11			
A1:Tx1	-0.4182	0	1.59983	11	-0.2614	0.7986202	
A1:Tx2	-0.6182	0	1.42305	11	-0.4344	0.6723913	
A1:Tx3	-0.2000	0	1.59983	11	-0.1250	0.9027684	
A1:Tx4	-2.0091	0	1.51170	11	-1.3290	0.2107461	
A1:Tx5	-0.1000	0	1.98612	11	-0.0503	0.9607465	
A1:Tx6	0.0000	0	0.00000	11			
A2:Tx1	0.0000	0	0.00000	11			
A2:Tx2	0.0000	0	0.00000	11			
A2:Tx3	0.0000	0	0.00000	11			
A2:Tx4	0.0000	0	0.00000	11			
A2:Tx5	0.0000	0	0.00000	11			
A2:Tx6	0.0000	0	0.00000	11			
B1:Tx1	1.7818	0	1.59983	11	1.1138	0.2891291	
B1:Tx2	-0.0182	0	1.42305	11	-0.0128	0.9900347	

```

B1:Tx3      1.2000      0    1.59983 11  0.7501 0.4689466
B1:Tx4      1.1909      0    1.51170 11  0.7878 0.4474596
B1:Tx5      0.0000      0    0.00000 11
B1:Tx6      0.0000      0    0.00000 11
B2:Tx1      0.0000      0    0.00000 11
B2:Tx2      0.0000      0    0.00000 11
B2:Tx3      0.0000      0    0.00000 11
B2:Tx4      0.0000      0    0.00000 11
B2:Tx5      0.0000      0    0.00000 11
B2:Tx6      0.0000      0    0.00000 11
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
alias(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1)
```

Model :  
 $Y \sim R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx$

Complete :

	(Intercept)	R1	R2	A1	C1	C2	B1	Tx1	Tx2	Tx3	Tx4	Tx5	R1:A1
B1:Tx5	0	0	0	-1/5	0	0	-1/5	0	0	0	0	0	0
		R2:A1	C1:B1	C2:B1	A1:Tx1	A1:Tx2	A1:Tx3	A1:Tx4	A1:Tx5	B1:Tx1	B1:Tx2	B1:Tx3	
B1:Tx5	0	0	0	1/5	1/5	1/5	1/5	1/5	-1	1/5	1/5	1/5	1/5
			B1:Tx4										
B1:Tx5	1/5												

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + A:R + C + B + B:C + Tx + A:Tx + B:Tx, ex5.1),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
R	22.186	2	9.5611	0.003924 **
A	0.000	0		
C	1.010	2	0.4352	0.657839
B	0.000	0		
Tx	103.333	5	17.8131	6.055e-05 ***
R:A	27.426	2	11.8197	0.001820 **
C:B	0.085	2	0.0366	0.964202
A:Tx	2.655	4	0.5720	0.688652
B:Tx	2.050	4	0.4418	0.776173

```

Residuals 12.762 11
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (83) MODEL

```
GLM(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1)
```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      28 204.2  7.2929  10.635 0.001719 **
RESIDUALS   7   4.8  0.6857
CORRECTED TOTAL 35 209.0
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
R       2 33.500 16.7500 24.4271 0.0006969 ***
A       1 16.000 16.0000 23.3333 0.0018985 **
R:A     2 32.167 16.0833 23.4549 0.0007889 ***
C       2   0.500  0.2500  0.3646 0.7069339
B       1   1.778  1.7778  2.5926 0.1513998
C:B     2   0.389  0.1944  0.2836 0.7613494
Tx      5 103.333 20.6667 30.1389 0.0001357 ***
A:Tx    5   6.521  1.3042  1.9019 0.2123307
B:Tx    4   2.050  0.5126  0.7475 0.5896365
A:B:Tx  4   7.962  1.9905  2.9029 0.1038803
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
R       2 31.838 15.9191 23.2153 0.0008139 ***
A       1 12.375 12.3751 18.0470 0.0038017 **
R:A     1   2.017  2.0174  2.9420 0.1300172
C       2   0.500  0.2500  0.3645 0.7069558
B       1   1.757  1.7574  2.5629 0.1534298
C:B     1   0.644  0.6445  0.9399 0.3646045
Tx      5 103.333 20.6667 30.1389 0.0001357 ***
A:Tx    4   2.655  0.6636  0.9678 0.4812226
B:Tx    4   2.050  0.5126  0.7475 0.5896365
A:B:Tx  4   7.962  1.9905  2.9029 0.1038803
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	28.112	14.0562	20.4986	0.0011846 **
A	1	14.655	14.6551	21.3720	0.0024176 **
R:A	1	2.017	2.0174	2.9420	0.1300172
C	2	0.471	0.2356	0.3436	0.7205632
B	1	1.769	1.7694	2.5804	0.1522328
C:B	1	0.644	0.6445	0.9399	0.3646045
Tx	5	103.815	20.7630	30.2793	0.0001336 ***
A:Tx	4	2.951	0.7378	1.0760	0.4358837
B:Tx	4	3.553	0.8882	1.2954	0.3579988
A:B:Tx	4	7.962	1.9905	2.9029	0.1038803

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	8.5833	0	0.86189	7	9.9587	2.199e-05 ***
R1	-1.2833	0	0.79282	7	-1.6187	0.1495477
R2	-0.0500	0	0.55549	7	-0.0900	0.9308004
R3	0.0000	0	0.00000	7		
A1	-0.5833	0	0.98561	7	-0.5918	0.5725621
A2	0.0000	0	0.00000	7		
R1:A1	1.7250	0	1.00570	7	1.7152	0.1300172
R1:A2	0.0000	0	0.00000	7		
R2:A1	-3.4083	0	1.01136	7	-3.3700	0.0119197 *
R2:A2	0.0000	0	0.00000	7		
R3:A1	0.0000	0	0.00000	7		
R3:A2	0.0000	0	0.00000	7		
C1	-0.3833	0	0.79282	7	-0.4835	0.6434958
C2	0.5500	0	0.55549	7	0.9901	0.3551012
C3	0.0000	0	0.00000	7		
B1	-0.4417	0	0.94112	7	-0.4693	0.6531236
B2	0.0000	0	0.00000	7		
C1:B1	0.2833	0	0.96806	7	0.2927	0.7782513
C1:B2	0.0000	0	0.00000	7		
C2:B1	-0.6917	0	0.82462	7	-0.8388	0.4293080
C2:B2	0.0000	0	0.00000	7		
C3:B1	0.0000	0	0.00000	7		
C3:B2	0.0000	0	0.00000	7		
Tx1	-5.8333	0	0.95618	7	-6.1006	0.0004908 ***
Tx2	-2.2500	0	0.92582	7	-2.4303	0.0454020 *
Tx3	-1.8333	0	0.95618	7	-1.9173	0.0967067 .
Tx4	2.0833	0	1.37321	7	1.5171	0.1730222
Tx5	-2.6167	0	0.90079	7	-2.9048	0.0228276 *
Tx6	0.0000	0	0.00000	7		
A1:Tx1	-0.2250	0	1.75173	7	-0.1284	0.9014099

A1:Tx2	-1.3000	0	1.69706	7	-0.7660	0.4686960
A1:Tx3	0.6750	0	1.75173	7	0.3853	0.7114327
A1:Tx4	-4.8500	0	1.70713	7	-2.8410	0.0250077 *
A1:Tx5	-0.1000	0	1.52690	7	-0.0655	0.9496134
A1:Tx6	0.0000	0	0.00000	7		
A2:Tx1	0.0000	0	0.00000	7		
A2:Tx2	0.0000	0	0.00000	7		
A2:Tx3	0.0000	0	0.00000	7		
A2:Tx4	0.0000	0	0.00000	7		
A2:Tx5	0.0000	0	0.00000	7		
A2:Tx6	0.0000	0	0.00000	7		
B1:Tx1	1.9750	0	1.75173	7	1.1275	0.2967084
B1:Tx2	-0.7000	0	1.69706	7	-0.4125	0.6923283
B1:Tx3	2.0750	0	1.75173	7	1.1845	0.2748540
B1:Tx4	-1.6500	0	1.70713	7	-0.9665	0.3659742
B1:Tx5	0.0000	0	0.00000	7		
B1:Tx6	0.0000	0	0.00000	7		
B2:Tx1	0.0000	0	0.00000	7		
B2:Tx2	0.0000	0	0.00000	7		
B2:Tx3	0.0000	0	0.00000	7		
B2:Tx4	0.0000	0	0.00000	7		
B2:Tx5	0.0000	0	0.00000	7		
B2:Tx6	0.0000	0	0.00000	7		
A1:B1:Tx1	0.8750	0	2.32379	7	0.3765	0.7176693
A1:B1:Tx2	1.2500	0	2.37847	7	0.5255	0.6154343
A1:B1:Tx3	-0.6250	0	2.32379	7	-0.2690	0.7957174
A1:B1:Tx4	6.0000	0	2.02837	7	2.9580	0.0211639 *
A1:B1:Tx5		0				
A1:B1:Tx6	0.0000	0	0.00000	7		
A1:B2:Tx1	0.0000	0	0.00000	7		
A1:B2:Tx2	0.0000	0	0.00000	7		
A1:B2:Tx3	0.0000	0	0.00000	7		
A1:B2:Tx4	0.0000	0	0.00000	7		
A1:B2:Tx5	0.0000	0	0.00000	7		
A1:B2:Tx6	0.0000	0	0.00000	7		
A2:B1:Tx1	0.0000	0	0.00000	7		
A2:B1:Tx2	0.0000	0	0.00000	7		
A2:B1:Tx3	0.0000	0	0.00000	7		
A2:B1:Tx4	0.0000	0	0.00000	7		
A2:B1:Tx5	0.0000	0	0.00000	7		
A2:B1:Tx6	0.0000	0	0.00000	7		
A2:B2:Tx1	0.0000	0	0.00000	7		
A2:B2:Tx2	0.0000	0	0.00000	7		
A2:B2:Tx3	0.0000	0	0.00000	7		
A2:B2:Tx4	0.0000	0	0.00000	7		
A2:B2:Tx5		0				
A2:B2:Tx6	0.0000	0	0.00000	7		

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

```
alias(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1)
```

Model :

$Y \sim R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx$

Complete :

	(Intercept)	R1	R2	A1	C1	C2	B1	Tx1	Tx2	Tx3	Tx4	Tx5
B1:Tx5	0	0	0	-1/5	0	0	-1/5	0	0	0	0	0
A1:B1:Tx5	-1/6	0	0	0	0	0	0	1/6	1/6	1/6	1/6	-5/6
A1:B1:Tx6	0	2/3	0	4/45	2/3	-2/3	4/45	-1/3	1/3	-1/3	0	0
R1:A1	R2:A1	C1:B1	C2:B1	A1:Tx1	A1:Tx2	A1:Tx3	A1:Tx4	A1:Tx5	B1:Tx1			
B1:Tx5	0	0	0	0	1/5	1/5	1/5	1/5	-1	1/5		
A1:B1:Tx5	0	0	0	0	0	0	0	0	0	0		
A1:B1:Tx6	-2/9	4/9	-2/9	-2/9	-1/5	-1/5	-1/5	4/5	0	-1/5		
B1:Tx2	B1:Tx3	B1:Tx4	A1:B1:Tx1	A1:B1:Tx2	A1:B1:Tx3	A1:B1:Tx4						
B1:Tx5	1/5	1/5	1/5	0	0	0	0	0	0	0		
A1:B1:Tx5	0	0	0	0	0	0	0	0	0	0		
A1:B1:Tx6	-1/5	-1/5	4/5	1	-1		1		0			

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + A:R + C + B + C:B + Tx + A:Tx + B:Tx + A:B:Tx, ex5.1),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: Y

	Sum Sq	Df	F values	Pr(>F)
R	11.643	1	16.9793	0.004456 **
A	0.000	0		
C	0.002	1	0.0025	0.961483
B	0.000	0		
Tx	89.178	3	43.3503	6.87e-05 ***
R:A	2.017	1	2.9420	0.130017
C:B	0.644	1	0.9399	0.364604
A:Tx	0.543	3	0.2640	0.849381
B:Tx	3.384	3	1.6451	0.264128
A:B:Tx	7.962	4	2.9029	0.103880
Residuals	4.800	7		

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 7.8 Example 7.1

(84) MODEL

```
ex7.1 = read.table("C:/G/Rt/Split/asped.txt", header=TRUE)
```

```
ex7.1 = af(ex7.1, c("R", "G", "F"))
```

```
GLM(Y ~ R + G + R:G + F + F:G, ex7.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	95	577.83	6.0824	5.3082	1.068e-05 ***
RESIDUALS	24	27.50	1.1458		
CORRECTED TOTAL	119	605.33			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	84.76	28.2528	24.6570	1.655e-07 ***
G	27	343.48	12.7216	11.1025	4.286e-08 ***
R:G	9	11.75	1.3056	1.1394	0.3749
F	2	59.85	29.9250	26.1164	9.481e-07 ***
G:F	54	77.98	1.4441	1.2603	0.2718

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	5.75	1.9167	1.6727	0.1994
G	27	343.48	12.7216	11.1025	4.286e-08 ***
R:G	9	11.75	1.3056	1.1394	0.3749
F	2	59.85	29.9250	26.1164	9.481e-07 ***
G:F	54	77.98	1.4441	1.2603	0.2718

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	5.75	1.9167	1.6727	0.1994
G	27	343.48	12.7216	11.1025	4.286e-08 ***
R:G	9	11.75	1.3056	1.1394	0.3749
F	2	50.51	25.2525	22.0385	3.686e-06 ***
G:F	54	77.98	1.4441	1.2603	0.2718

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )	
(Intercept)	8.0000	0	0.75691	24	10.5693	1.649e-10	***
R1	0.3333	0	0.87401	24	0.3814	0.7062732	
R2	0.0000	0	0.87401	24	0.0000	1.0000000	
R3	-0.3333	0	0.87401	24	-0.3814	0.7062732	
R4	0.0000	0	0.00000	24			
G1	-1.3333	0	1.31101	24	-1.0170	0.3192843	
G2	-3.3333	0	1.31101	24	-2.5426	0.0178716	*
G3	-2.3333	0	1.31101	24	-1.7798	0.0877763	.
G4	-4.3333	0	1.31101	24	-3.3053	0.0029729	**
G5	-0.3333	0	1.31101	24	-0.2543	0.8014631	
G6	-1.3333	0	1.31101	24	-1.0170	0.3192843	
G7	-5.0000	0	1.31101	24	-3.8139	0.0008422	***
G8	-3.0000	0	1.31101	24	-2.2883	0.0312238	*
G9	-4.0000	0	1.31101	24	-3.0511	0.0054948	**
G10	-3.0000	0	1.31101	24	-2.2883	0.0312238	*
G11	0.0000	0	1.31101	24	0.0000	1.0000000	
G12	-1.0000	0	1.31101	24	-0.7628	0.4530330	
G13	1.3333	0	1.31101	24	1.0170	0.3192843	
G14	0.3333	0	1.31101	24	0.2543	0.8014631	
G15	-1.6667	0	1.31101	24	-1.2713	0.2158111	
G16	1.3333	0	1.31101	24	1.0170	0.3192843	
G17	0.3333	0	1.31101	24	0.2543	0.8014631	
G18	0.3333	0	1.31101	24	0.2543	0.8014631	
G19	1.0000	0	1.31101	24	0.7628	0.4530330	
G20	0.0000	0	1.31101	24	0.0000	1.0000000	
G21	0.0000	0	1.31101	24	0.0000	1.0000000	
G22	1.0000	0	1.31101	24	0.7628	0.4530330	
G23	1.0000	0	1.31101	24	0.7628	0.4530330	
G24	1.0000	0	1.31101	24	0.7628	0.4530330	
G25	-1.0833	0	1.07044	24	-1.0120	0.3216098	
G26	-2.3333	0	1.07044	24	-2.1798	0.0393133	*
G27	1.0833	0	1.07044	24	1.0120	0.3216098	
G28	0.0000	0	0.00000	24			
R1:G1	0.0000	0	0.00000	24			
R1:G2	0.0000	0	0.00000	24			
R1:G3	0.0000	0	0.00000	24			
R1:G4	0.0000	0	0.00000	24			
R1:G5	0.0000	0	0.00000	24			
R1:G6	0.0000	0	0.00000	24			
R1:G7	0						
R1:G8	0						
R1:G9	0						
R1:G10	0						
R1:G11	0						
R1:G12	0						
R1:G13	0						

R1:G14		0
R1:G15		0
R1:G16		0
R1:G17		0
R1:G18		0
R1:G19		0
R1:G20		0
R1:G21		0
R1:G22		0
R1:G23		0
R1:G24		0
R1:G25	-1.3333	0 1.23603 24 -1.0787 0.2914354
R1:G26	-1.3333	0 1.23603 24 -1.0787 0.2914354
R1:G27	-0.6667	0 1.23603 24 -0.5394 0.5946075
R1:G28	0.0000	0 0.00000 24
R2:G1		0
R2:G2		0
R2:G3		0
R2:G4		0
R2:G5		0
R2:G6		0
R2:G7	0.0000	0 0.00000 24
R2:G8	0.0000	0 0.00000 24
R2:G9	0.0000	0 0.00000 24
R2:G10	0.0000	0 0.00000 24
R2:G11	0.0000	0 0.00000 24
R2:G12	0.0000	0 0.00000 24
R2:G13		0
R2:G14		0
R2:G15		0
R2:G16		0
R2:G17		0
R2:G18		0
R2:G19		0
R2:G20		0
R2:G21		0
R2:G22		0
R2:G23		0
R2:G24		0
R2:G25	-0.6667	0 1.23603 24 -0.5394 0.5946075
R2:G26	-1.3333	0 1.23603 24 -1.0787 0.2914354
R2:G27	-1.0000	0 1.23603 24 -0.8090 0.4264404
R2:G28	0.0000	0 0.00000 24
R3:G1		0
R3:G2		0
R3:G3		0
R3:G4		0
R3:G5		0

R3:G6		0	
R3:G7		0	
R3:G8		0	
R3:G9		0	
R3:G10		0	
R3:G11		0	
R3:G12		0	
R3:G13	0.0000	0	0.00000 24
R3:G14	0.0000	0	0.00000 24
R3:G15	0.0000	0	0.00000 24
R3:G16	0.0000	0	0.00000 24
R3:G17	0.0000	0	0.00000 24
R3:G18	0.0000	0	0.00000 24
R3:G19		0	
R3:G20		0	
R3:G21		0	
R3:G22		0	
R3:G23		0	
R3:G24		0	
R3:G25	1.3333	0	1.23603 24 1.0787 0.2914354
R3:G26	1.0000	0	1.23603 24 0.8090 0.4264404
R3:G27	-0.6667	0	1.23603 24 -0.5394 0.5946075
R3:G28	0.0000	0	0.00000 24
R4:G1		0	
R4:G2		0	
R4:G3		0	
R4:G4		0	
R4:G5		0	
R4:G6		0	
R4:G7		0	
R4:G8		0	
R4:G9		0	
R4:G10		0	
R4:G11		0	
R4:G12		0	
R4:G13		0	
R4:G14		0	
R4:G15		0	
R4:G16		0	
R4:G17		0	
R4:G18		0	
R4:G19	0.0000	0	0.00000 24
R4:G20	0.0000	0	0.00000 24
R4:G21	0.0000	0	0.00000 24
R4:G22	0.0000	0	0.00000 24
R4:G23	0.0000	0	0.00000 24
R4:G24	0.0000	0	0.00000 24
R4:G25	0.0000	0	0.00000 24

R4:G26	0.0000	0	0.00000	24	
R4:G27	0.0000	0	0.00000	24	
R4:G28	0.0000	0	0.00000	24	
F1	0.0000	0	0.75691	24	0.0000 1.0000000
F2	0.0000	0	0.75691	24	0.0000 1.0000000
F3	0.0000	0	0.00000	24	
G1:F1	-5.0000	0	1.69251	24	-2.9542 0.0069174 **
G1:F2	-2.0000	0	1.69251	24	-1.1817 0.2489103
G1:F3	0.0000	0	0.00000	24	
G2:F1	-2.0000	0	1.69251	24	-1.1817 0.2489103
G2:F2	1.0000	0	1.69251	24	0.5908 0.5601518
G2:F3	0.0000	0	0.00000	24	
G3:F1	-2.0000	0	1.69251	24	-1.1817 0.2489103
G3:F2	1.0000	0	1.69251	24	0.5908 0.5601518
G3:F3	0.0000	0	0.00000	24	
G4:F1	1.0000	0	1.69251	24	0.5908 0.5601518
G4:F2	4.0000	0	1.69251	24	2.3634 0.0265504 *
G4:F3	0.0000	0	0.00000	24	
G5:F1	-2.0000	0	1.69251	24	-1.1817 0.2489103
G5:F2	0.0000	0	1.69251	24	0.0000 1.0000000
G5:F3	0.0000	0	0.00000	24	
G6:F1	0.0000	0	1.69251	24	0.0000 1.0000000
G6:F2	1.0000	0	1.69251	24	0.5908 0.5601518
G6:F3	0.0000	0	0.00000	24	
G7:F1	-2.0000	0	1.69251	24	-1.1817 0.2489103
G7:F2	-1.0000	0	1.69251	24	-0.5908 0.5601518
G7:F3	0.0000	0	0.00000	24	
G8:F1	-3.0000	0	1.69251	24	-1.7725 0.0890040 .
G8:F2	-2.0000	0	1.69251	24	-1.1817 0.2489103
G8:F3	0.0000	0	0.00000	24	
G9:F1	-1.0000	0	1.69251	24	-0.5908 0.5601518
G9:F2	0.0000	0	1.69251	24	0.0000 1.0000000
G9:F3	0.0000	0	0.00000	24	
G10:F1	-1.0000	0	1.69251	24	-0.5908 0.5601518
G10:F2	-1.0000	0	1.69251	24	-0.5908 0.5601518
G10:F3	0.0000	0	0.00000	24	
G11:F1	0.0000	0	1.69251	24	0.0000 1.0000000
G11:F2	0.0000	0	1.69251	24	0.0000 1.0000000
G11:F3	0.0000	0	0.00000	24	
G12:F1	-4.0000	0	1.69251	24	-2.3634 0.0265504 *
G12:F2	-2.0000	0	1.69251	24	-1.1817 0.2489103
G12:F3	0.0000	0	0.00000	24	
G13:F1	-2.0000	0	1.69251	24	-1.1817 0.2489103
G13:F2	-2.0000	0	1.69251	24	-1.1817 0.2489103
G13:F3	0.0000	0	0.00000	24	
G14:F1	-3.0000	0	1.69251	24	-1.7725 0.0890040 .
G14:F2	-2.0000	0	1.69251	24	-1.1817 0.2489103
G14:F3	0.0000	0	0.00000	24	

G15:F1	-3.0000	0	1.69251	24	-1.7725	0.0890040	.				
G15:F2	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G15:F3	0.0000	0	0.00000	24							
G16:F1	-2.0000	0	1.69251	24	-1.1817	0.2489103					
G16:F2	-2.0000	0	1.69251	24	-1.1817	0.2489103					
G16:F3	0.0000	0	0.00000	24							
G17:F1	-2.0000	0	1.69251	24	-1.1817	0.2489103					
G17:F2	0.0000	0	1.69251	24	0.0000	1.0000000					
G17:F3	0.0000	0	0.00000	24							
G18:F1	-3.0000	0	1.69251	24	-1.7725	0.0890040	.				
G18:F2	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G18:F3	0.0000	0	0.00000	24							
G19:F1	-4.0000	0	1.69251	24	-2.3634	0.0265504	*				
G19:F2	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G19:F3	0.0000	0	0.00000	24							
G20:F1	-2.0000	0	1.69251	24	-1.1817	0.2489103					
G20:F2	-2.0000	0	1.69251	24	-1.1817	0.2489103					
G20:F3	0.0000	0	0.00000	24							
G21:F1	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G21:F2	-4.0000	0	1.69251	24	-2.3634	0.0265504	*				
G21:F3	0.0000	0	0.00000	24							
G22:F1	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G22:F2	-2.0000	0	1.69251	24	-1.1817	0.2489103					
G22:F3	0.0000	0	0.00000	24							
G23:F1	0.0000	0	1.69251	24	0.0000	1.0000000					
G23:F2	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G23:F3	0.0000	0	0.00000	24							
G24:F1	0.0000	0	1.69251	24	0.0000	1.0000000					
G24:F2	-1.0000	0	1.69251	24	-0.5908	0.5601518					
G24:F3	0.0000	0	0.00000	24							
G25:F1	-3.5000	0	1.07044	24	-3.2697	0.0032428	**				
G25:F2	-2.2500	0	1.07044	24	-2.1019	0.0462352	*				
G25:F3	0.0000	0	0.00000	24							
G26:F1	-2.7500	0	1.07044	24	-2.5690	0.0168399	*				
G26:F2	-2.2500	0	1.07044	24	-2.1019	0.0462352	*				
G26:F3	0.0000	0	0.00000	24							
G27:F1	0.0000	0	1.07044	24	0.0000	1.0000000					
G27:F2	-0.2500	0	1.07044	24	-0.2335	0.8173152					
G27:F3	0.0000	0	0.00000	24							
G28:F1	0.0000	0	0.00000	24							
G28:F2	0.0000	0	0.00000	24							
G28:F3	0.0000	0	0.00000	24							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + G + R:G + F + F:G, ex7.1), type=3, singular.ok=TRUE) # NOT OK
```

```
Note: model has aliased coefficients
      sums of squares computed by model comparison
```

Anova Table (Type III tests)

```
Response: Y
  Sum Sq Df F values    Pr(>F)
R       0.000  0
G     202.417  3 58.8848 3.258e-11 ***
F      50.505  2 22.0385 3.686e-06 ***
R:G     11.750  9  1.1394    0.3749
G:F     77.983 54  1.2603    0.2718
Residuals 27.500 24
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 7.9 Example 7.2

(85) MODEL

```
ex7.2 = read.table("C:/G/Rt/Split/aspedt.txt", header=TRUE)
ex7.2 = af(ex7.2, c("R", "T", "G"))
GLM(Y ~ R + T + R:T + G + G:T, ex7.2)
```

```
$ANOVA
Response : Y
  Df Sum Sq Mean Sq F value    Pr(>F)
MODEL        99 538.70  5.4415 5.1892 1.286e-05 ***
RESIDUALS     24  25.17  1.0486
CORRECTED TOTAL 123 563.87
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I` 
  Df Sum Sq Mean Sq F value    Pr(>F)
R   3 73.255 24.4183 23.2863 2.752e-07 ***
T   3 32.000 10.6667 10.1722 0.0001645 ***
R:T  9 28.402  3.1558  3.0095 0.0149568 *
G   21 309.908 14.7575 14.0734 7.158e-09 ***
T:G 63  95.140  1.5102  1.4401 0.1617931
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II` 
  Df Sum Sq Mean Sq F value    Pr(>F)
R   3  4.229  1.4097  1.3444 0.2834998
```

```

T      3  32.000 10.6667 10.1722 0.0001645 ***
R:T    9   10.854  1.2060  1.1501 0.3684706
G     21 309.908 14.7575 14.0734 7.158e-09 ***
T:G   63   95.140  1.5102  1.4401 0.1617931
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

  Df  Sum Sq Mean Sq F value    Pr(>F)  

R     3   4.229  1.4097  1.3444  0.283500  

T     3  22.668  7.5559  7.2056  0.001299 **  

R:T   9   10.854  1.2060  1.1501 0.368471  

G    21 309.908 14.7575 14.0734 7.158e-09 ***  

T:G  63   95.140  1.5102  1.4401 0.161793
---
```

```

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### \$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	7.0833	0	0.72409	24	9.7824	7.541e-10 ***
R1	-0.6667	0	0.83611	24	-0.7973	0.433068
R2	-0.3333	0	0.83611	24	-0.3987	0.693659
R3	-1.3333	0	0.83611	24	-1.5947	0.123867
R4	0.0000	0	0.00000	24		
T1	0.3333	0	1.02402	24	0.3255	0.747612
T2	1.5833	0	1.02402	24	1.5462	0.135143
T3	0.0833	0	1.02402	24	0.0814	0.935816
T4	0.0000	0	0.00000	24		
R1:T1	-0.6667	0	1.18243	24	-0.5638	0.578115
R1:T2	0.3333	0	1.18243	24	0.2819	0.780433
R1:T3	1.6667	0	1.18243	24	1.4095	0.171508
R1:T4	0.0000	0	0.00000	24		
R2:T1	0.3333	0	1.18243	24	0.2819	0.780433
R2:T2	0.0000	0	1.18243	24	0.0000	1.000000
R2:T3	-0.6667	0	1.18243	24	-0.5638	0.578115
R2:T4	0.0000	0	0.00000	24		
R3:T1	1.0000	0	1.18243	24	0.8457	0.406066
R3:T2	0.3333	0	1.18243	24	0.2819	0.780433
R3:T3	0.6667	0	1.18243	24	0.5638	0.578115
R3:T4	0.0000	0	0.00000	24		
R4:T1	0.0000	0	0.00000	24		
R4:T2	0.0000	0	0.00000	24		
R4:T3	0.0000	0	0.00000	24		
R4:T4	0.0000	0	0.00000	24		
G1	-3.4167	0	1.25416	24	-2.7243	0.011829 *
G2	-2.4167	0	1.25416	24	-1.9269	0.065909 .
G3	-1.4167	0	1.25416	24	-1.1296	0.269819
G4	-4.4167	0	1.25416	24	-3.5216	0.001746 **

G5	-2.4167	0	1.25416 24 -1.9269	0.065909	.
G6	-1.7500	0	1.25416 24 -1.3954	0.175687	
G7	-2.7500	0	1.25416 24 -2.1927	0.038261	*
G8	-1.7500	0	1.25416 24 -1.3954	0.175687	
G9	0.2500	0	1.25416 24 0.1993	0.843679	
G10	0.2500	0	1.25416 24 0.1993	0.843679	
G11	0.2500	0	1.25416 24 0.1993	0.843679	
G12	0.2500	0	1.25416 24 0.1993	0.843679	
G13	-1.7500	0	1.25416 24 -1.3954	0.175687	
G14	-3.7500	0	1.25416 24 -2.9900	0.006354	**
G15	1.2500	0	1.25416 24 0.9967	0.328862	
G16	-1.0833	0	1.25416 24 -0.8638	0.396253	
G17	-1.0833	0	1.25416 24 -0.8638	0.396253	
G18	-0.0833	0	1.25416 24 -0.0664	0.947574	
G19	0.9167	0	1.25416 24 0.7309	0.471916	
G20	-1.0000	0	0.72409 24 -1.3810	0.179990	
G21	-2.2500	0	0.72409 24 -3.1074	0.004802	**
G22	0.0000	0	0.00000 24		
T1:G1	5.3333	0	1.77365 24 3.0070	0.006104	**
T1:G2	3.3333	0	1.77365 24 1.8794	0.072391	.
T1:G3	1.3333	0	1.77365 24 0.7517	0.459513	
T1:G4	3.3333	0	1.77365 24 1.8794	0.072391	.
T1:G5	5.3333	0	1.77365 24 3.0070	0.006104	**
T1:G6	-2.6667	0	1.77365 24 -1.5035	0.145759	
T1:G7	-1.6667	0	1.77365 24 -0.9397	0.356743	
T1:G8	-1.6667	0	1.77365 24 -0.9397	0.356743	
T1:G9	-3.6667	0	1.77365 24 -2.0673	0.049653	*
T1:G10	1.3333	0	1.77365 24 0.7517	0.459513	
T1:G11	1.6667	0	1.77365 24 0.9397	0.356743	
T1:G12	1.6667	0	1.77365 24 0.9397	0.356743	
T1:G13	-4.3333	0	1.77365 24 -2.4432	0.022292	*
T1:G14	-1.3333	0	1.77365 24 -0.7517	0.459513	
T1:G15	0.6667	0	1.77365 24 0.3759	0.710313	
T1:G16	2.6667	0	1.77365 24 1.5035	0.145759	
T1:G17	2.6667	0	1.77365 24 1.5035	0.145759	
T1:G18	1.6667	0	1.77365 24 0.9397	0.356743	
T1:G19	0.6667	0	1.77365 24 0.3759	0.710313	
T1:G20	1.0000	0	1.02402 24 0.9765	0.338535	
T1:G21	1.0000	0	1.02402 24 0.9765	0.338535	
T1:G22	0.0000	0	0.00000 24		
T2:G1	4.0833	0	1.77365 24 2.3022	0.030304	*
T2:G2	2.0833	0	1.77365 24 1.1746	0.251677	
T2:G3	-1.9167	0	1.77365 24 -1.0806	0.290600	
T2:G4	1.0833	0	1.77365 24 0.6108	0.547078	
T2:G5	2.0833	0	1.77365 24 1.1746	0.251677	
T2:G6	-3.5833	0	1.77365 24 -2.0203	0.054646	.
T2:G7	-3.5833	0	1.77365 24 -2.0203	0.054646	.
T2:G8	-4.5833	0	1.77365 24 -2.5841	0.016278	*

T2:G9	-3.5833	0	1.77365	24	-2.0203	0.054646	.
T2:G10	-1.5833	0	1.77365	24	-0.8927	0.380883	
T2:G11	1.0833	0	1.77365	24	0.6108	0.547078	
T2:G12	-0.9167	0	1.77365	24	-0.5168	0.610008	
T2:G13	-3.9167	0	1.77365	24	-2.2083	0.037026	*
T2:G14	-2.9167	0	1.77365	24	-1.6444	0.113121	
T2:G15	0.0833	0	1.77365	24	0.0470	0.962915	
T2:G16	0.4167	0	1.77365	24	0.2349	0.816263	
T2:G17	1.4167	0	1.77365	24	0.7987	0.432281	
T2:G18	-1.5833	0	1.77365	24	-0.8927	0.380883	
T2:G19	-3.5833	0	1.77365	24	-2.0203	0.054646	.
T2:G20	1.2500	0	1.02402	24	1.2207	0.234064	
T2:G21	-1.0000	0	1.02402	24	-0.9765	0.338535	
T2:G22	0.0000	0	0.00000	24			
T3:G1	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G2	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G3	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G4	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G5	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G6	-1.4167	0	1.77365	24	-0.7987	0.432281	
T3:G7	-0.4167	0	1.77365	24	-0.2349	0.816263	
T3:G8	-1.4167	0	1.77365	24	-0.7987	0.432281	
T3:G9	-0.4167	0	1.77365	24	-0.2349	0.816263	
T3:G10	0.5833	0	1.77365	24	0.3289	0.745093	
T3:G11	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G12	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G13	-1.7500	0	1.77365	24	-0.9867	0.333650	
T3:G14	-0.7500	0	1.77365	24	-0.4229	0.676165	
T3:G15	0.2500	0	1.77365	24	0.1410	0.889084	
T3:G16	0.9167	0	1.77365	24	0.5168	0.610008	
T3:G17	0.9167	0	1.77365	24	0.5168	0.610008	
T3:G18	1.9167	0	1.77365	24	1.0806	0.290600	
T3:G19	0.9167	0	1.77365	24	0.5168	0.610008	
T3:G20	0.5000	0	1.02402	24	0.4883	0.629788	
T3:G21	0.2500	0	1.02402	24	0.2441	0.809200	
T3:G22	0.0000	0	0.00000	24			
T4:G1	0.0000	0	0.00000	24			
T4:G2	0.0000	0	0.00000	24			
T4:G3	0.0000	0	0.00000	24			
T4:G4	0.0000	0	0.00000	24			
T4:G5	0.0000	0	0.00000	24			
T4:G6	0.0000	0	0.00000	24			
T4:G7	0.0000	0	0.00000	24			
T4:G8	0.0000	0	0.00000	24			
T4:G9	0.0000	0	0.00000	24			
T4:G10	0.0000	0	0.00000	24			
T4:G11	0.0000	0	0.00000	24			
T4:G12	0.0000	0	0.00000	24			

```

T4:G13      0.0000      0  0.00000 24
T4:G14      0.0000      0  0.00000 24
T4:G15      0.0000      0  0.00000 24
T4:G16      0.0000      0  0.00000 24
T4:G17      0.0000      0  0.00000 24
T4:G18      0.0000      0  0.00000 24
T4:G19      0.0000      0  0.00000 24
T4:G20      0.0000      0  0.00000 24
T4:G21      0.0000      0  0.00000 24
T4:G22      0.0000      0  0.00000 24
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.10 Example 7.3

(86) MODEL

```

ex7.3 = read.table("C:/G/Rt/Split/assped.txt", header=TRUE)
ex7.3 = af(ex7.3, c("R", "T", "G", "F"))
GLM(Y ~ R + T + R:T + G + G:T + R:T:G + F + F:T + F:G + F:G:T, ex7.3)

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL     155 656.12  4.2330 13.446 3.997e-14 ***
RESIDUALS   36 11.33  0.3148
CORRECTED TOTAL 191 667.45
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
R       3 27.06  9.019  28.6489 1.203e-09 ***
T       1 10.55 10.547  33.5018 1.334e-06 ***
R:T     3  2.97  0.991   3.1489  0.036705 *
G      22 389.01 17.682  56.1668 < 2.2e-16 ***
T:G    22 18.42  0.837   2.6601  0.004445 **
R:T:G 12  8.78  0.731   2.3235  0.025315 *
F       2 164.28 82.141 260.9173 < 2.2e-16 ***
T:F     2  0.84  0.422   1.3401  0.274574
G:F    44 23.47  0.533   1.6943  0.053191 .
T:G:F 44 10.74  0.244   0.7753  0.790640
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
R	3	12.49	4.162	13.2206	5.655e-06 ***						
T	1	10.55	10.547	33.5018	1.334e-06 ***						
R:T	3	1.15	0.384	1.2206	0.316281						
G	22	389.01	17.682	56.1668	< 2.2e-16 ***						
T:G	22	18.42	0.837	2.6601	0.004445 **						
R:T:G	12	8.78	0.731	2.3235	0.025315 *						
F	2	164.28	82.141	260.9173	< 2.2e-16 ***						
T:F	2	0.84	0.422	1.3401	0.274574						
G:F	44	23.47	0.533	1.6943	0.053191 .						
T:G:F	44	10.74	0.244	0.7753	0.790640						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

#### \$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
R	3	12.49	4.162	13.2206	5.655e-06 ***						
T	1	11.16	11.158	35.4430	8.021e-07 ***						
R:T	3	1.15	0.384	1.2206	0.316281						
G	22	389.01	17.682	56.1668	< 2.2e-16 ***						
T:G	22	18.42	0.837	2.6601	0.004445 **						
R:T:G	12	8.78	0.731	2.3235	0.025315 *						
F	2	120.56	60.282	191.4828	< 2.2e-16 ***						
T:F	2	0.82	0.411	1.3060	0.283432						
G:F	44	23.47	0.533	1.6943	0.053191 .						
T:G:F	44	10.74	0.244	0.7753	0.790640						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

#### \$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	9.0000	0	0.39675	36	22.6845	< 2.2e-16 ***
R1	-1.0000	0	0.45812	36	-2.1828	0.0356525 *
R2	-1.0000	0	0.45812	36	-2.1828	0.0356525 *
R3	0.0000	0	0.45812	36	0.0000	1.0000000
R4	0.0000	0	0.00000	36		
T1	-0.2500	0	0.56108	36	-0.4456	0.6585786
T2	0.0000	0	0.00000	36		
R1:T1	0.3333	0	0.64788	36	0.5145	0.6100498
R1:T2	0.0000	0	0.00000	36		
R2:T1	0.6667	0	0.64788	36	1.0290	0.3103479
R2:T2	0.0000	0	0.00000	36		
R3:T1	0.0000	0	0.64788	36	0.0000	1.0000000
R3:T2	0.0000	0	0.00000	36		
R4:T1	0.0000	0	0.00000	36		
R4:T2	0.0000	0	0.00000	36		
G1	-3.0000	0	0.68718	36	-4.3656	0.0001024 ***
G2	0.0000	0	0.68718	36	0.0000	1.0000000

G3	1.0000	0	0.68718	36	1.4552	0.1542753
G4	1.0000	0	0.68718	36	1.4552	0.1542753
G5	1.0000	0	0.68718	36	1.4552	0.1542753
G6	-1.0000	0	0.68718	36	-1.4552	0.1542753
G7	-1.0000	0	0.68718	36	-1.4552	0.1542753
G8	0.0000	0	0.68718	36	0.0000	1.0000000
G9	1.0000	0	0.68718	36	1.4552	0.1542753
G10	-1.0000	0	0.68718	36	-1.4552	0.1542753
G11	-3.0000	0	0.68718	36	-4.3656	0.0001024 ***
G12	0.0000	0	0.68718	36	0.0000	1.0000000
G13	0.0000	0	0.68718	36	0.0000	1.0000000
G14	-1.0000	0	0.68718	36	-1.4552	0.1542753
G15	-2.0000	0	0.68718	36	-2.9104	0.0061560 **
G16	-5.0000	0	0.68718	36	-7.2761	1.431e-08 ***
G17	-3.0000	0	0.68718	36	-4.3656	0.0001024 ***
G18	-2.0000	0	0.68718	36	-2.9104	0.0061560 **
G19	-2.0000	0	0.68718	36	-2.9104	0.0061560 **
G20	-1.0000	0	0.68718	36	-1.4552	0.1542753
G21	-2.0000	0	0.56108	36	-3.5645	0.0010508 **
G22	-0.3333	0	0.56108	36	-0.5941	0.5561681
G23	0.0000	0	0.00000	36		
T1:G1	0.9167	0	0.97183	36	0.9432	0.3518445
T1:G2	-1.0833	0	0.97183	36	-1.1147	0.2723483
T1:G3	-0.0833	0	0.97183	36	-0.0857	0.9321409
T1:G4	-0.0833	0	0.97183	36	-0.0857	0.9321409
T1:G5	-0.0833	0	0.97183	36	-0.0857	0.9321409
T1:G6	-1.4167	0	0.97183	36	-1.4577	0.1535818
T1:G7	0.5833	0	0.97183	36	0.6002	0.5521031
T1:G8	0.5833	0	0.97183	36	0.6002	0.5521031
T1:G9	-0.4167	0	0.97183	36	-0.4287	0.6706625
T1:G10	-1.4167	0	0.97183	36	-1.4577	0.1535818
T1:G11	0.2500	0	0.97183	36	0.2572	0.7984521
T1:G12	-0.7500	0	0.97183	36	-0.7717	0.4453029
T1:G13	-1.7500	0	0.97183	36	-1.8007	0.0801274 .
T1:G14	1.2500	0	0.97183	36	1.2862	0.2065706
T1:G15	-2.7500	0	0.97183	36	-2.8297	0.0075715 **
T1:G16	1.2500	0	0.97183	36	1.2862	0.2065706
T1:G17	-0.7500	0	0.97183	36	-0.7717	0.4453029
T1:G18	-0.7500	0	0.97183	36	-0.7717	0.4453029
T1:G19	0.2500	0	0.97183	36	0.2572	0.7984521
T1:G20	-0.7500	0	0.97183	36	-0.7717	0.4453029
T1:G21	1.1667	0	0.79349	36	1.4703	0.1501689
T1:G22	-1.0000	0	0.79349	36	-1.2603	0.2156865
T1:G23	0.0000	0	0.00000	36		
T2:G1	0.0000	0	0.00000	36		
T2:G2	0.0000	0	0.00000	36		
T2:G3	0.0000	0	0.00000	36		
T2:G4	0.0000	0	0.00000	36		

T2:G5	0.0000	0	0.00000	36
T2:G6	0.0000	0	0.00000	36
T2:G7	0.0000	0	0.00000	36
T2:G8	0.0000	0	0.00000	36
T2:G9	0.0000	0	0.00000	36
T2:G10	0.0000	0	0.00000	36
T2:G11	0.0000	0	0.00000	36
T2:G12	0.0000	0	0.00000	36
T2:G13	0.0000	0	0.00000	36
T2:G14	0.0000	0	0.00000	36
T2:G15	0.0000	0	0.00000	36
T2:G16	0.0000	0	0.00000	36
T2:G17	0.0000	0	0.00000	36
T2:G18	0.0000	0	0.00000	36
T2:G19	0.0000	0	0.00000	36
T2:G20	0.0000	0	0.00000	36
T2:G21	0.0000	0	0.00000	36
T2:G22	0.0000	0	0.00000	36
T2:G23	0.0000	0	0.00000	36
R1:T1:G1	0.0000	0	0.00000	36
R1:T1:G2	0.0000	0	0.00000	36
R1:T1:G3	0.0000	0	0.00000	36
R1:T1:G4	0.0000	0	0.00000	36
R1:T1:G5	0.0000	0	0.00000	36
R1:T1:G6		0		
R1:T1:G7		0		
R1:T1:G8		0		
R1:T1:G9		0		
R1:T1:G10		0		
R1:T1:G11		0		
R1:T1:G12		0		
R1:T1:G13		0		
R1:T1:G14		0		
R1:T1:G15		0		
R1:T1:G16		0		
R1:T1:G17		0		
R1:T1:G18		0		
R1:T1:G19		0		
R1:T1:G20		0		
R1:T1:G21	-1.0000	0	0.64788	36 -1.5435 0.1314585
R1:T1:G22	0.0000	0	0.64788	36 0.0000 1.0000000
R1:T1:G23	0.0000	0	0.00000	36
R1:T2:G1	0.0000	0	0.00000	36
R1:T2:G2	0.0000	0	0.00000	36
R1:T2:G3	0.0000	0	0.00000	36
R1:T2:G4	0.0000	0	0.00000	36
R1:T2:G5	0.0000	0	0.00000	36
R1:T2:G6		0		

R1:T2:G7		0				
R1:T2:G8		0				
R1:T2:G9		0				
R1:T2:G10		0				
R1:T2:G11		0				
R1:T2:G12		0				
R1:T2:G13		0				
R1:T2:G14		0				
R1:T2:G15		0				
R1:T2:G16		0				
R1:T2:G17		0				
R1:T2:G18		0				
R1:T2:G19		0				
R1:T2:G20		0				
R1:T2:G21	0.6667	0	0.64788	36	1.0290	0.3103479
R1:T2:G22	0.0000	0	0.64788	36	0.0000	1.0000000
R1:T2:G23	0.0000	0	0.00000	36		
R2:T1:G1		0				
R2:T1:G2		0				
R2:T1:G3		0				
R2:T1:G4		0				
R2:T1:G5		0				
R2:T1:G6	0.0000	0	0.00000	36		
R2:T1:G7	0.0000	0	0.00000	36		
R2:T1:G8	0.0000	0	0.00000	36		
R2:T1:G9	0.0000	0	0.00000	36		
R2:T1:G10	0.0000	0	0.00000	36		
R2:T1:G11		0				
R2:T1:G12		0				
R2:T1:G13		0				
R2:T1:G14		0				
R2:T1:G15		0				
R2:T1:G16		0				
R2:T1:G17		0				
R2:T1:G18		0				
R2:T1:G19		0				
R2:T1:G20		0				
R2:T1:G21	-1.0000	0	0.64788	36	-1.5435	0.1314585
R2:T1:G22	-0.3333	0	0.64788	36	-0.5145	0.6100498
R2:T1:G23	0.0000	0	0.00000	36		
R2:T2:G1		0				
R2:T2:G2		0				
R2:T2:G3		0				
R2:T2:G4		0				
R2:T2:G5		0				
R2:T2:G6	0.0000	0	0.00000	36		
R2:T2:G7	0.0000	0	0.00000	36		
R2:T2:G8	0.0000	0	0.00000	36		

R2:T2:G9	0.0000	0	0.00000	36
R2:T2:G10	0.0000	0	0.00000	36
R2:T2:G11		0		
R2:T2:G12		0		
R2:T2:G13		0		
R2:T2:G14		0		
R2:T2:G15		0		
R2:T2:G16		0		
R2:T2:G17		0		
R2:T2:G18		0		
R2:T2:G19		0		
R2:T2:G20		0		
R2:T2:G21	-1.0000	0	0.64788	36 -1.5435 0.1314585
R2:T2:G22	0.3333	0	0.64788	36 0.5145 0.6100498
R2:T2:G23	0.0000	0	0.00000	36
R3:T1:G1		0		
R3:T1:G2		0		
R3:T1:G3		0		
R3:T1:G4		0		
R3:T1:G5		0		
R3:T1:G6		0		
R3:T1:G7		0		
R3:T1:G8		0		
R3:T1:G9		0		
R3:T1:G10		0		
R3:T1:G11	0.0000	0	0.00000	36
R3:T1:G12	0.0000	0	0.00000	36
R3:T1:G13	0.0000	0	0.00000	36
R3:T1:G14	0.0000	0	0.00000	36
R3:T1:G15	0.0000	0	0.00000	36
R3:T1:G16		0		
R3:T1:G17		0		
R3:T1:G18		0		
R3:T1:G19		0		
R3:T1:G20		0		
R3:T1:G21	-1.6667	0	0.64788	36 -2.5725 0.0143678 *
R3:T1:G22	0.6667	0	0.64788	36 1.0290 0.3103479
R3:T1:G23	0.0000	0	0.00000	36
R3:T2:G1		0		
R3:T2:G2		0		
R3:T2:G3		0		
R3:T2:G4		0		
R3:T2:G5		0		
R3:T2:G6		0		
R3:T2:G7		0		
R3:T2:G8		0		
R3:T2:G9		0		
R3:T2:G10		0		

R3:T2:G11	0.0000	0	0.00000	36
R3:T2:G12	0.0000	0	0.00000	36
R3:T2:G13	0.0000	0	0.00000	36
R3:T2:G14	0.0000	0	0.00000	36
R3:T2:G15	0.0000	0	0.00000	36
R3:T2:G16		0		
R3:T2:G17		0		
R3:T2:G18		0		
R3:T2:G19		0		
R3:T2:G20		0		
R3:T2:G21	-0.6667	0	0.64788	36 -1.0290 0.3103479
R3:T2:G22	0.0000	0	0.64788	36 0.0000 1.0000000
R3:T2:G23	0.0000	0	0.00000	36
R4:T1:G1		0		
R4:T1:G2		0		
R4:T1:G3		0		
R4:T1:G4		0		
R4:T1:G5		0		
R4:T1:G6		0		
R4:T1:G7		0		
R4:T1:G8		0		
R4:T1:G9		0		
R4:T1:G10		0		
R4:T1:G11		0		
R4:T1:G12		0		
R4:T1:G13		0		
R4:T1:G14		0		
R4:T1:G15		0		
R4:T1:G16	0.0000	0	0.00000	36
R4:T1:G17	0.0000	0	0.00000	36
R4:T1:G18	0.0000	0	0.00000	36
R4:T1:G19	0.0000	0	0.00000	36
R4:T1:G20	0.0000	0	0.00000	36
R4:T1:G21	0.0000	0	0.00000	36
R4:T1:G22	0.0000	0	0.00000	36
R4:T1:G23	0.0000	0	0.00000	36
R4:T2:G1		0		
R4:T2:G2		0		
R4:T2:G3		0		
R4:T2:G4		0		
R4:T2:G5		0		
R4:T2:G6		0		
R4:T2:G7		0		
R4:T2:G8		0		
R4:T2:G9		0		
R4:T2:G10		0		
R4:T2:G11		0		
R4:T2:G12		0		

R4:T2:G13	0					
R4:T2:G14	0					
R4:T2:G15	0					
R4:T2:G16	0.0000	0	0.00000	36		
R4:T2:G17	0.0000	0	0.00000	36		
R4:T2:G18	0.0000	0	0.00000	36		
R4:T2:G19	0.0000	0	0.00000	36		
R4:T2:G20	0.0000	0	0.00000	36		
R4:T2:G21	0.0000	0	0.00000	36		
R4:T2:G22	0.0000	0	0.00000	36		
R4:T2:G23	0.0000	0	0.00000	36		
F1	-2.0000	0	0.39675	36	-5.0410	1.325e-05 ***
F2	-1.0000	0	0.39675	36	-2.5205	0.0162919 *
F3	0.0000	0	0.00000	36		
T1:F1	-0.2500	0	0.56108	36	-0.4456	0.6585786
T1:F2	0.0000	0	0.56108	36	0.0000	1.0000000
T1:F3	0.0000	0	0.00000	36		
T2:F1	0.0000	0	0.00000	36		
T2:F2	0.0000	0	0.00000	36		
T2:F3	0.0000	0	0.00000	36		
G1:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G1:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G1:F3	0.0000	0	0.00000	36		
G2:F1	-2.0000	0	0.88715	36	-2.2544	0.0303508 *
G2:F2	-1.0000	0	0.88715	36	-1.1272	0.2671137
G2:F3	0.0000	0	0.00000	36		
G3:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G3:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G3:F3	0.0000	0	0.00000	36		
G4:F1	2.0000	0	0.88715	36	2.2544	0.0303508 *
G4:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G4:F3	0.0000	0	0.00000	36		
G5:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G5:F2	1.0000	0	0.88715	36	1.1272	0.2671137
G5:F3	0.0000	0	0.00000	36		
G6:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G6:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G6:F3	0.0000	0	0.00000	36		
G7:F1	1.0000	0	0.88715	36	1.1272	0.2671137
G7:F2	1.0000	0	0.88715	36	1.1272	0.2671137
G7:F3	0.0000	0	0.00000	36		
G8:F1	1.0000	0	0.88715	36	1.1272	0.2671137
G8:F2	2.0000	0	0.88715	36	2.2544	0.0303508 *
G8:F3	0.0000	0	0.00000	36		
G9:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G9:F2	-1.0000	0	0.88715	36	-1.1272	0.2671137
G9:F3	0.0000	0	0.00000	36		
G10:F1	-1.0000	0	0.88715	36	-1.1272	0.2671137

G10:F2	-1.0000	0	0.88715	36	-1.1272	0.2671137
G10:F3	0.0000	0	0.00000	36		
G11:F1	1.0000	0	0.88715	36	1.1272	0.2671137
G11:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G11:F3	0.0000	0	0.00000	36		
G12:F1	1.0000	0	0.88715	36	1.1272	0.2671137
G12:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G12:F3	0.0000	0	0.00000	36		
G13:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G13:F2	-1.0000	0	0.88715	36	-1.1272	0.2671137
G13:F3	0.0000	0	0.00000	36		
G14:F1	1.0000	0	0.88715	36	1.1272	0.2671137
G14:F2	1.0000	0	0.88715	36	1.1272	0.2671137
G14:F3	0.0000	0	0.00000	36		
G15:F1	-1.0000	0	0.88715	36	-1.1272	0.2671137
G15:F2	-1.0000	0	0.88715	36	-1.1272	0.2671137
G15:F3	0.0000	0	0.00000	36		
G16:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G16:F2	-1.0000	0	0.88715	36	-1.1272	0.2671137
G16:F3	0.0000	0	0.00000	36		
G17:F1	-1.0000	0	0.88715	36	-1.1272	0.2671137
G17:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G17:F3	0.0000	0	0.00000	36		
G18:F1	-1.0000	0	0.88715	36	-1.1272	0.2671137
G18:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G18:F3	0.0000	0	0.00000	36		
G19:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G19:F2	1.0000	0	0.88715	36	1.1272	0.2671137
G19:F3	0.0000	0	0.00000	36		
G20:F1	0.0000	0	0.88715	36	0.0000	1.0000000
G20:F2	0.0000	0	0.88715	36	0.0000	1.0000000
G20:F3	0.0000	0	0.00000	36		
G21:F1	-1.2500	0	0.56108	36	-2.2278	0.0322306 *
G21:F2	0.2500	0	0.56108	36	0.4456	0.6585786
G21:F3	0.0000	0	0.00000	36		
G22:F1	0.0000	0	0.56108	36	0.0000	1.0000000
G22:F2	0.0000	0	0.56108	36	0.0000	1.0000000
G22:F3	0.0000	0	0.00000	36		
G23:F1	0.0000	0	0.00000	36		
G23:F2	0.0000	0	0.00000	36		
G23:F3	0.0000	0	0.00000	36		
T1:G1:F1	-1.7500	0	1.25462	36	-1.3948	0.1716105
T1:G1:F2	-1.0000	0	1.25462	36	-0.7971	0.4306457
T1:G1:F3	0.0000	0	0.00000	36		
T1:G2:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G2:F2	0.0000	0	1.25462	36	0.0000	1.0000000
T1:G2:F3	0.0000	0	0.00000	36		
T1:G3:F1	0.2500	0	1.25462	36	0.1993	0.8431780

T1:G3:F2	-1.0000	0	1.25462	36	-0.7971	0.4306457
T1:G3:F3	0.0000	0	0.00000	36		
T1:G4:F1	-0.7500	0	1.25462	36	-0.5978	0.5537222
T1:G4:F2	0.0000	0	1.25462	36	0.0000	1.0000000
T1:G4:F3	0.0000	0	0.00000	36		
T1:G5:F1	1.2500	0	1.25462	36	0.9963	0.3257463
T1:G5:F2	-1.0000	0	1.25462	36	-0.7971	0.4306457
T1:G5:F3	0.0000	0	0.00000	36		
T1:G6:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G6:F2	0.0000	0	1.25462	36	0.0000	1.0000000
T1:G6:F3	0.0000	0	0.00000	36		
T1:G7:F1	-0.7500	0	1.25462	36	-0.5978	0.5537222
T1:G7:F2	-1.0000	0	1.25462	36	-0.7971	0.4306457
T1:G7:F3	0.0000	0	0.00000	36		
T1:G8:F1	-0.7500	0	1.25462	36	-0.5978	0.5537222
T1:G8:F2	-2.0000	0	1.25462	36	-1.5941	0.1196553
T1:G8:F3	0.0000	0	0.00000	36		
T1:G9:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G9:F2	1.0000	0	1.25462	36	0.7971	0.4306457
T1:G9:F3	0.0000	0	0.00000	36		
T1:G10:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G10:F2	1.0000	0	1.25462	36	0.7971	0.4306457
T1:G10:F3	0.0000	0	0.00000	36		
T1:G11:F1	-0.7500	0	1.25462	36	-0.5978	0.5537222
T1:G11:F2	0.0000	0	1.25462	36	0.0000	1.0000000
T1:G11:F3	0.0000	0	0.00000	36		
T1:G12:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G12:F2	1.0000	0	1.25462	36	0.7971	0.4306457
T1:G12:F3	0.0000	0	0.00000	36		
T1:G13:F1	1.2500	0	1.25462	36	0.9963	0.3257463
T1:G13:F2	2.0000	0	1.25462	36	1.5941	0.1196553
T1:G13:F3	0.0000	0	0.00000	36		
T1:G14:F1	-0.7500	0	1.25462	36	-0.5978	0.5537222
T1:G14:F2	-2.0000	0	1.25462	36	-1.5941	0.1196553
T1:G14:F3	0.0000	0	0.00000	36		
T1:G15:F1	1.2500	0	1.25462	36	0.9963	0.3257463
T1:G15:F2	1.0000	0	1.25462	36	0.7971	0.4306457
T1:G15:F3	0.0000	0	0.00000	36		
T1:G16:F1	-1.7500	0	1.25462	36	-1.3948	0.1716105
T1:G16:F2	0.0000	0	1.25462	36	0.0000	1.0000000
T1:G16:F3	0.0000	0	0.00000	36		
T1:G17:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G17:F2	0.0000	0	1.25462	36	0.0000	1.0000000
T1:G17:F3	0.0000	0	0.00000	36		
T1:G18:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G18:F2	-1.0000	0	1.25462	36	-0.7971	0.4306457
T1:G18:F3	0.0000	0	0.00000	36		
T1:G19:F1	-0.7500	0	1.25462	36	-0.5978	0.5537222

T1:G19:F2	-2.0000	0	1.25462	36	-1.5941	0.1196553
T1:G19:F3	0.0000	0	0.00000	36		
T1:G20:F1	0.2500	0	1.25462	36	0.1993	0.8431780
T1:G20:F2	-1.0000	0	1.25462	36	-0.7971	0.4306457
T1:G20:F3	0.0000	0	0.00000	36		
T1:G21:F1	0.2500	0	0.79349	36	0.3151	0.7545328
T1:G21:F2	-0.7500	0	0.79349	36	-0.9452	0.3508634
T1:G21:F3	0.0000	0	0.00000	36		
T1:G22:F1	0.0000	0	0.79349	36	0.0000	1.0000000
T1:G22:F2	0.0000	0	0.79349	36	0.0000	1.0000000
T1:G22:F3	0.0000	0	0.00000	36		
T1:G23:F1	0.0000	0	0.00000	36		
T1:G23:F2	0.0000	0	0.00000	36		
T1:G23:F3	0.0000	0	0.00000	36		
T2:G1:F1	0.0000	0	0.00000	36		
T2:G1:F2	0.0000	0	0.00000	36		
T2:G1:F3	0.0000	0	0.00000	36		
T2:G2:F1	0.0000	0	0.00000	36		
T2:G2:F2	0.0000	0	0.00000	36		
T2:G2:F3	0.0000	0	0.00000	36		
T2:G3:F1	0.0000	0	0.00000	36		
T2:G3:F2	0.0000	0	0.00000	36		
T2:G3:F3	0.0000	0	0.00000	36		
T2:G4:F1	0.0000	0	0.00000	36		
T2:G4:F2	0.0000	0	0.00000	36		
T2:G4:F3	0.0000	0	0.00000	36		
T2:G5:F1	0.0000	0	0.00000	36		
T2:G5:F2	0.0000	0	0.00000	36		
T2:G5:F3	0.0000	0	0.00000	36		
T2:G6:F1	0.0000	0	0.00000	36		
T2:G6:F2	0.0000	0	0.00000	36		
T2:G6:F3	0.0000	0	0.00000	36		
T2:G7:F1	0.0000	0	0.00000	36		
T2:G7:F2	0.0000	0	0.00000	36		
T2:G7:F3	0.0000	0	0.00000	36		
T2:G8:F1	0.0000	0	0.00000	36		
T2:G8:F2	0.0000	0	0.00000	36		
T2:G8:F3	0.0000	0	0.00000	36		
T2:G9:F1	0.0000	0	0.00000	36		
T2:G9:F2	0.0000	0	0.00000	36		
T2:G9:F3	0.0000	0	0.00000	36		
T2:G10:F1	0.0000	0	0.00000	36		
T2:G10:F2	0.0000	0	0.00000	36		
T2:G10:F3	0.0000	0	0.00000	36		
T2:G11:F1	0.0000	0	0.00000	36		
T2:G11:F2	0.0000	0	0.00000	36		
T2:G11:F3	0.0000	0	0.00000	36		
T2:G12:F1	0.0000	0	0.00000	36		

T2:G12:F2	0.0000	0	0.00000	36							
T2:G12:F3	0.0000	0	0.00000	36							
T2:G13:F1	0.0000	0	0.00000	36							
T2:G13:F2	0.0000	0	0.00000	36							
T2:G13:F3	0.0000	0	0.00000	36							
T2:G14:F1	0.0000	0	0.00000	36							
T2:G14:F2	0.0000	0	0.00000	36							
T2:G14:F3	0.0000	0	0.00000	36							
T2:G15:F1	0.0000	0	0.00000	36							
T2:G15:F2	0.0000	0	0.00000	36							
T2:G15:F3	0.0000	0	0.00000	36							
T2:G16:F1	0.0000	0	0.00000	36							
T2:G16:F2	0.0000	0	0.00000	36							
T2:G16:F3	0.0000	0	0.00000	36							
T2:G17:F1	0.0000	0	0.00000	36							
T2:G17:F2	0.0000	0	0.00000	36							
T2:G17:F3	0.0000	0	0.00000	36							
T2:G18:F1	0.0000	0	0.00000	36							
T2:G18:F2	0.0000	0	0.00000	36							
T2:G18:F3	0.0000	0	0.00000	36							
T2:G19:F1	0.0000	0	0.00000	36							
T2:G19:F2	0.0000	0	0.00000	36							
T2:G19:F3	0.0000	0	0.00000	36							
T2:G20:F1	0.0000	0	0.00000	36							
T2:G20:F2	0.0000	0	0.00000	36							
T2:G20:F3	0.0000	0	0.00000	36							
T2:G21:F1	0.0000	0	0.00000	36							
T2:G21:F2	0.0000	0	0.00000	36							
T2:G21:F3	0.0000	0	0.00000	36							
T2:G22:F1	0.0000	0	0.00000	36							
T2:G22:F2	0.0000	0	0.00000	36							
T2:G22:F3	0.0000	0	0.00000	36							
T2:G23:F1	0.0000	0	0.00000	36							
T2:G23:F2	0.0000	0	0.00000	36							
T2:G23:F3	0.0000	0	0.00000	36							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + T + R:T + G + G:T + R:T:G + F + F:T + F:G + F:G:T, ex7.3),
      type=3, singular.ok=TRUE) # NOT OK
```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: Y
      Sum Sq Df F values     Pr(>F)
R        0.000  0
T        0.000  0
G       73.444  2 116.6471 < 2.2e-16 ***
F      120.563  2 191.4828 < 2.2e-16 ***
R:T      0.000  0
T:G      5.778  2   9.1765 0.0006018 ***
T:F      0.822  2   1.3060 0.2834316
G:F     23.469 44   1.6943 0.0531910 .
R:T:G    8.778 12   2.3235 0.0253153 *
T:G:F   10.740 44   0.7753 0.7906401
Residuals 11.333 36
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.11 Example 8.1

### (87) MODEL

```

ex8.1 = read.table("C:/G/Rt/Split/asbed.txt", header=TRUE)
ex8.1 = af(ex8.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + B:R + A:B + A:B:R, ex8.1)

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      104 3951.8 37.999
RESIDUALS      0    0.0
CORRECTED TOTAL 104 3951.8

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
R      2 1787.68 893.84
A      12 601.24 50.10
R:A     6   24.93   4.16
B      8 156.87 19.61
R:B     4 319.87 79.97
A:B    60 1012.26 16.87
R:A:B  12   49.00   4.08

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
R      2 372.22 186.111
A      12 601.24 50.103
R:A     6   50.00   8.333

```

B	8	156.87	19.609
R:B	4	87.44	21.861
A:B	60	1012.26	16.871
R:A:B	12	49.00	4.083

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	372.22	186.111		
A	12	572.31	47.692		
R:A	6	50.00	8.333		
B	8	185.85	23.231		
R:B	4	87.44	21.861		
A:B	60	1012.26	16.871		
R:A:B	12	49.00	4.083		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	14	0	0			
R1	-10	0	0			
R2	-10	0	0			
R3	0	0	0			
A1	1	0	0			
A2	0	0	0			
A3	1	0	0			
A4	4	0	0			
A5	4	0	0			
A6	8	0	0			
A7	0	0	0			
A8	31	0	0			
A9	20	0	0			
A10	-4	0	0			
A11	0	0	0			
A12	1	0	0			
A13	0	0	0			
R1:A1	0	0	0			
R1:A2	0	0	0			
R1:A3	0	0	0			
R1:A4		0				
R1:A5		0				
R1:A6		0				
R1:A7		0				
R1:A8		0				
R1:A9		0				
R1:A10	5	0	0			
R1:A11	0	0	0			
R1:A12	0	0	0			
R1:A13	0	0	0			
R2:A1		0				

R2:A2		0
R2:A3		0
R2:A4	0	0
R2:A5	0	0
R2:A6	0	0
R2:A7		0
R2:A8		0
R2:A9		0
R2:A10	5	0
R2:A11	0	0
R2:A12	0	0
R2:A13	0	0
R3:A1		0
R3:A2		0
R3:A3		0
R3:A4		0
R3:A5		0
R3:A6		0
R3:A7	0	0
R3:A8	0	0
R3:A9	0	0
R3:A10	0	0
R3:A11	0	0
R3:A12	0	0
R3:A13	0	0
B1	5	0
B2	3	0
B3	5	0
B4	3	0
B5	-5	0
B6	3	0
B7	-1	0
B8	1	0
B9	0	0
R1:B1	0	0
R1:B2	0	0
R1:B3		0
R1:B4		0
R1:B5		0
R1:B6		0
R1:B7	0	0
R1:B8	0	0
R1:B9	0	0
R2:B1		0
R2:B2		0
R2:B3	0	0
R2:B4	0	0
R2:B5		0

R2:B6		0	
R2:B7	10	0	0
R2:B8	0	0	0
R2:B9	0	0	0
R3:B1		0	
R3:B2		0	
R3:B3		0	
R3:B4		0	
R3:B5	0	0	0
R3:B6	0	0	0
R3:B7	0	0	0
R3:B8	0	0	0
R3:B9	0	0	0
A1:B1	-1	0	0
A1:B2	-6	0	0
A1:B3		0	
A1:B4		0	
A1:B5		0	
A1:B6		0	
A1:B7	4	0	0
A1:B8	1	0	0
A1:B9	0	0	0
A2:B1	0	0	0
A2:B2	0	0	0
A2:B3		0	
A2:B4		0	
A2:B5		0	
A2:B6		0	
A2:B7	0	0	0
A2:B8	0	0	0
A2:B9	0	0	0
A3:B1	-1	0	0
A3:B2	-6	0	0
A3:B3		0	
A3:B4		0	
A3:B5		0	
A3:B6		0	
A3:B7	4	0	0
A3:B8	1	0	0
A3:B9	0	0	0
A4:B1		0	
A4:B2		0	
A4:B3	-4	0	0
A4:B4	-4	0	0
A4:B5		0	
A4:B6		0	
A4:B7	-4	0	0
A4:B8	-1	0	0

A4:B9	0	0	0
A5:B1		0	
A5:B2		0	
A5:B3	-4	0	0
A5:B4	1	0	0
A5:B5		0	
A5:B6		0	
A5:B7	-9	0	0
A5:B8	-2	0	0
A5:B9	0	0	0
A6:B1		0	
A6:B2		0	
A6:B3	-8	0	0
A6:B4	-8	0	0
A6:B5		0	
A6:B6		0	
A6:B7	-8	0	0
A6:B8	-4	0	0
A6:B9	0	0	0
A7:B1		0	
A7:B2		0	
A7:B3		0	
A7:B4		0	
A7:B5	10	0	0
A7:B6	0	0	0
A7:B7	0	0	0
A7:B8	0	0	0
A7:B9	0	0	0
A8:B1		0	
A8:B2		0	
A8:B3		0	
A8:B4		0	
A8:B5	-21	0	0
A8:B6	-36	0	0
A8:B7	-26	0	0
A8:B8	-29	0	0
A8:B9	0	0	0
A9:B1		0	
A9:B2		0	
A9:B3		0	
A9:B4		0	
A9:B5	-10	0	0
A9:B6	-20	0	0
A9:B7	-20	0	0
A9:B8	-10	0	0
A9:B9	0	0	0
A10:B1	-1	0	0
A10:B2	-7	0	0

A10:B3	-1	0	0
A10:B4	3	0	0
A10:B5	10	0	0
A10:B6	-4	0	0
A10:B7	2	0	0
A10:B8	-1	0	0
A10:B9	0	0	0
A11:B1	0	0	0
A11:B2	0	0	0
A11:B3	0	0	0
A11:B4	0	0	0
A11:B5	0	0	0
A11:B6	0	0	0
A11:B7	0	0	0
A11:B8	0	0	0
A11:B9	0	0	0
A12:B1	-1	0	0
A12:B2	-6	0	0
A12:B3	-1	0	0
A12:B4	4	0	0
A12:B5	-1	0	0
A12:B6	-6	0	0
A12:B7	-6	0	0
A12:B8	1	0	0
A12:B9	0	0	0
A13:B1	0	0	0
A13:B2	0	0	0
A13:B3	0	0	0
A13:B4	0	0	0
A13:B5	0	0	0
A13:B6	0	0	0
A13:B7	0	0	0
A13:B8	0	0	0
A13:B9	0	0	0
R1:A1:B1	0	0	0
R1:A1:B2	0	0	0
R1:A1:B3	0		
R1:A1:B4	0		
R1:A1:B5	0		
R1:A1:B6	0		
R1:A1:B7	0	0	0
R1:A1:B8	0	0	0
R1:A1:B9	0	0	0
R1:A2:B1	0	0	0
R1:A2:B2	0	0	0
R1:A2:B3	0		
R1:A2:B4	0		
R1:A2:B5	0		

R1:A2:B6		0	
R1:A2:B7	0	0	0
R1:A2:B8	0	0	0
R1:A2:B9	0	0	0
R1:A3:B1	0	0	0
R1:A3:B2	0	0	0
R1:A3:B3		0	
R1:A3:B4		0	
R1:A3:B5		0	
R1:A3:B6		0	
R1:A3:B7	0	0	0
R1:A3:B8	0	0	0
R1:A3:B9	0	0	0
R1:A4:B1		0	
R1:A4:B2		0	
R1:A4:B3		0	
R1:A4:B4		0	
R1:A4:B5		0	
R1:A4:B6		0	
R1:A4:B7		0	
R1:A4:B8		0	
R1:A4:B9		0	
R1:A5:B1		0	
R1:A5:B2		0	
R1:A5:B3		0	
R1:A5:B4		0	
R1:A5:B5		0	
R1:A5:B6		0	
R1:A5:B7		0	
R1:A5:B8		0	
R1:A5:B9		0	
R1:A6:B1		0	
R1:A6:B2		0	
R1:A6:B3		0	
R1:A6:B4		0	
R1:A6:B5		0	
R1:A6:B6		0	
R1:A6:B7		0	
R1:A6:B8		0	
R1:A6:B9		0	
R1:A7:B1		0	
R1:A7:B2		0	
R1:A7:B3		0	
R1:A7:B4		0	
R1:A7:B5		0	
R1:A7:B6		0	
R1:A7:B7		0	
R1:A7:B8		0	

R1:A7:B9		0	
R1:A8:B1		0	
R1:A8:B2		0	
R1:A8:B3		0	
R1:A8:B4		0	
R1:A8:B5		0	
R1:A8:B6		0	
R1:A8:B7		0	
R1:A8:B8		0	
R1:A8:B9		0	
R1:A9:B1		0	
R1:A9:B2		0	
R1:A9:B3		0	
R1:A9:B4		0	
R1:A9:B5		0	
R1:A9:B6		0	
R1:A9:B7		0	
R1:A9:B8		0	
R1:A9:B9		0	
R1:A10:B1	0	0	0
R1:A10:B2	0	0	0
R1:A10:B3		0	
R1:A10:B4		0	
R1:A10:B5		0	
R1:A10:B6		0	
R1:A10:B7	3	0	0
R1:A10:B8	2	0	0
R1:A10:B9	0	0	0
R1:A11:B1	0	0	0
R1:A11:B2	0	0	0
R1:A11:B3		0	
R1:A11:B4		0	
R1:A11:B5		0	
R1:A11:B6		0	
R1:A11:B7	0	0	0
R1:A11:B8	0	0	0
R1:A11:B9	0	0	0
R1:A12:B1	0	0	0
R1:A12:B2	0	0	0
R1:A12:B3		0	
R1:A12:B4		0	
R1:A12:B5		0	
R1:A12:B6		0	
R1:A12:B7	10	0	0
R1:A12:B8	0	0	0
R1:A12:B9	0	0	0
R1:A13:B1	0	0	0
R1:A13:B2	0	0	0

R1:A13:B3		0
R1:A13:B4		0
R1:A13:B5		0
R1:A13:B6		0
R1:A13:B7	0	0
R1:A13:B8	0	0
R1:A13:B9	0	0
R2:A1:B1		0
R2:A1:B2		0
R2:A1:B3		0
R2:A1:B4		0
R2:A1:B5		0
R2:A1:B6		0
R2:A1:B7		0
R2:A1:B8		0
R2:A1:B9		0
R2:A2:B1		0
R2:A2:B2		0
R2:A2:B3		0
R2:A2:B4		0
R2:A2:B5		0
R2:A2:B6		0
R2:A2:B7		0
R2:A2:B8		0
R2:A2:B9		0
R2:A3:B1		0
R2:A3:B2		0
R2:A3:B3		0
R2:A3:B4		0
R2:A3:B5		0
R2:A3:B6		0
R2:A3:B7		0
R2:A3:B8		0
R2:A3:B9		0
R2:A4:B1		0
R2:A4:B2		0
R2:A4:B3	0	0
R2:A4:B4	0	0
R2:A4:B5		0
R2:A4:B6		0
R2:A4:B7	0	0
R2:A4:B8	0	0
R2:A4:B9	0	0
R2:A5:B1		0
R2:A5:B2		0
R2:A5:B3	0	0
R2:A5:B4	0	0
R2:A5:B5		0

R2:A5:B6		0	
R2:A5:B7	0	0	0
R2:A5:B8	0	0	0
R2:A5:B9	0	0	0
R2:A6:B1		0	
R2:A6:B2		0	
R2:A6:B3	0	0	0
R2:A6:B4	0	0	0
R2:A6:B5		0	
R2:A6:B6		0	
R2:A6:B7	0	0	0
R2:A6:B8	0	0	0
R2:A6:B9	0	0	0
R2:A7:B1		0	
R2:A7:B2		0	
R2:A7:B3		0	
R2:A7:B4		0	
R2:A7:B5		0	
R2:A7:B6		0	
R2:A7:B7		0	
R2:A7:B8		0	
R2:A7:B9		0	
R2:A8:B1		0	
R2:A8:B2		0	
R2:A8:B3		0	
R2:A8:B4		0	
R2:A8:B5		0	
R2:A8:B6		0	
R2:A8:B7		0	
R2:A8:B8		0	
R2:A8:B9		0	
R2:A9:B1		0	
R2:A9:B2		0	
R2:A9:B3		0	
R2:A9:B4		0	
R2:A9:B5		0	
R2:A9:B6		0	
R2:A9:B7		0	
R2:A9:B8		0	
R2:A9:B9		0	
R2:A10:B1		0	
R2:A10:B2		0	
R2:A10:B3	0	0	0
R2:A10:B4	0	0	0
R2:A10:B5		0	
R2:A10:B6		0	
R2:A10:B7	-7	0	0
R2:A10:B8	2	0	0

R2:A10:B9	0	0	0
R2:A11:B1		0	
R2:A11:B2		0	
R2:A11:B3	0	0	0
R2:A11:B4	0	0	0
R2:A11:B5		0	
R2:A11:B6		0	
R2:A11:B7	0	0	0
R2:A11:B8	0	0	0
R2:A11:B9	0	0	0
R2:A12:B1		0	
R2:A12:B2		0	
R2:A12:B3	0	0	0
R2:A12:B4	0	0	0
R2:A12:B5		0	
R2:A12:B6		0	
R2:A12:B7	0	0	0
R2:A12:B8	0	0	0
R2:A12:B9	0	0	0
R2:A13:B1		0	
R2:A13:B2		0	
R2:A13:B3	0	0	0
R2:A13:B4	0	0	0
R2:A13:B5		0	
R2:A13:B6		0	
R2:A13:B7	0	0	0
R2:A13:B8	0	0	0
R2:A13:B9	0	0	0
R3:A1:B1		0	
R3:A1:B2		0	
R3:A1:B3		0	
R3:A1:B4		0	
R3:A1:B5		0	
R3:A1:B6		0	
R3:A1:B7		0	
R3:A1:B8		0	
R3:A1:B9		0	
R3:A2:B1		0	
R3:A2:B2		0	
R3:A2:B3		0	
R3:A2:B4		0	
R3:A2:B5		0	
R3:A2:B6		0	
R3:A2:B7		0	
R3:A2:B8		0	
R3:A2:B9		0	
R3:A3:B1		0	
R3:A3:B2		0	

R3:A3:B3	0
R3:A3:B4	0
R3:A3:B5	0
R3:A3:B6	0
R3:A3:B7	0
R3:A3:B8	0
R3:A3:B9	0
R3:A4:B1	0
R3:A4:B2	0
R3:A4:B3	0
R3:A4:B4	0
R3:A4:B5	0
R3:A4:B6	0
R3:A4:B7	0
R3:A4:B8	0
R3:A4:B9	0
R3:A5:B1	0
R3:A5:B2	0
R3:A5:B3	0
R3:A5:B4	0
R3:A5:B5	0
R3:A5:B6	0
R3:A5:B7	0
R3:A5:B8	0
R3:A5:B9	0
R3:A6:B1	0
R3:A6:B2	0
R3:A6:B3	0
R3:A6:B4	0
R3:A6:B5	0
R3:A6:B6	0
R3:A6:B7	0
R3:A6:B8	0
R3:A6:B9	0
R3:A7:B1	0
R3:A7:B2	0
R3:A7:B3	0
R3:A7:B4	0
R3:A7:B5	0
R3:A7:B6	0
R3:A7:B7	0
R3:A7:B8	0
R3:A7:B9	0
R3:A8:B1	0
R3:A8:B2	0
R3:A8:B3	0
R3:A8:B4	0
R3:A8:B5	0

R3:A8:B6	0	0	0
R3:A8:B7	0	0	0
R3:A8:B8	0	0	0
R3:A8:B9	0	0	0
R3:A9:B1		0	
R3:A9:B2		0	
R3:A9:B3		0	
R3:A9:B4		0	
R3:A9:B5	0	0	0
R3:A9:B6	0	0	0
R3:A9:B7	0	0	0
R3:A9:B8	0	0	0
R3:A9:B9	0	0	0
R3:A10:B1		0	
R3:A10:B2		0	
R3:A10:B3		0	
R3:A10:B4		0	
R3:A10:B5	0	0	0
R3:A10:B6	0	0	0
R3:A10:B7	0	0	0
R3:A10:B8	0	0	0
R3:A10:B9	0	0	0
R3:A11:B1		0	
R3:A11:B2		0	
R3:A11:B3		0	
R3:A11:B4		0	
R3:A11:B5	0	0	0
R3:A11:B6	0	0	0
R3:A11:B7	0	0	0
R3:A11:B8	0	0	0
R3:A11:B9	0	0	0
R3:A12:B1		0	
R3:A12:B2		0	
R3:A12:B3		0	
R3:A12:B4		0	
R3:A12:B5	0	0	0
R3:A12:B6	0	0	0
R3:A12:B7	0	0	0
R3:A12:B8	0	0	0
R3:A12:B9	0	0	0
R3:A13:B1		0	
R3:A13:B2		0	
R3:A13:B3		0	
R3:A13:B4		0	
R3:A13:B5	0	0	0
R3:A13:B6	0	0	0
R3:A13:B7	0	0	0
R3:A13:B8	0	0	0

```
R3:A13:B9          0          0          0
```

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(Y ~ R + A + R:A + B + B:R + A:B + A:B:R, ex8.1), type="III",
      singular.ok=TRUE) # NOT WORKING
```

## 7.12 Example 9.1

(88) MODEL

```
ex9.1 = read.table("C:/G/Rt/Split/Ex9.1-spex1.txt", header=TRUE)
ex9.1 = af(ex9.1, c("R", "A", "B"))
GLM(Y ~ R + A + R:A + B + A:B, ex9.1)
```

\$ANOVA

```
Response : Y
            Df Sum Sq Mean Sq F value    Pr(>F)
MODEL           27 4920.8 182.251 10.594 5.927e-10 ***
RESIDUALS       34  584.9  17.203
CORRECTED TOTAL 61 5505.6
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type I`

```
            Df Sum Sq Mean Sq F value    Pr(>F)
R     3   218.7   72.89  4.2369  0.01199 *
A     3   194.9   64.96  3.7760  0.01930 *
R:A   9   186.9   20.76  1.2070  0.32287
B     3 4087.4 1362.47 79.2018 1.998e-15 ***
A:B   9   233.0   25.88  1.5047  0.18602
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

```
            Df Sum Sq Mean Sq F value    Pr(>F)
R     3   157.8   52.61  3.0583  0.04134 *
A     3   227.2   75.73  4.4020  0.01014 *
R:A   9   94.5   10.50  0.6106  0.77932
B     3 4087.4 1362.47 79.2018 1.998e-15 ***
A:B   9   233.0   25.88  1.5047  0.18602
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

```
            Df Sum Sq Mean Sq F value    Pr(>F)
R     3   171.0   57.01  3.3138  0.03143 *
```

```

A     3   209.7    69.92   4.0643   0.01431 *
R:A    9    94.5    10.50   0.6106   0.77932
B     3  4089.9  1363.29  79.2493  1.998e-15 ***
A:B    9   233.0    25.88   1.5047   0.18602
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	70.167	0	4.1476	34	16.9175	< 2.2e-16 ***
R1	4.417	0	3.7862	34	1.1665	0.25152
R2	7.692	0	3.7862	34	2.0315	0.05008 .
R3	3.492	0	3.7862	34	0.9222	0.36292
R4	0.000	0	0.0000	34		
A1	3.390	0	4.9728	34	0.6816	0.50009
A2	-7.679	0	4.9728	34	-1.5442	0.13179
A3	-1.235	0	4.9728	34	-0.2484	0.80529
A4	0.000	0	0.0000	34		
R1:A1	-1.717	0	4.7892	34	-0.3584	0.72223
R1:A2	-1.042	0	4.7892	34	-0.2175	0.82912
R1:A3	-1.467	0	4.7892	34	-0.3062	0.76129
R1:A4	0.000	0	0.0000	34		
R2:A1	-8.992	0	4.7892	34	-1.8775	0.06905 .
R2:A2	-2.817	0	4.7892	34	-0.5881	0.56033
R2:A3	-4.142	0	4.7892	34	-0.8648	0.39322
R2:A4	0.000	0	0.0000	34		
R3:A1	-5.217	0	4.7892	34	-1.0893	0.28370
R3:A2	-3.292	0	4.7892	34	-0.6873	0.49655
R3:A3	-4.317	0	4.7892	34	-0.9013	0.37375
R3:A4	0.000	0	0.0000	34		
R4:A1	0.000	0	0.0000	34		
R4:A2	0.000	0	0.0000	34		
R4:A3	0.000	0	0.0000	34		
R4:A4	0.000	0	0.0000	34		
B1	-3.517	0	3.2790	34	-1.0725	0.29105
B2	-18.817	0	3.2790	34	-5.7386	1.882e-06 ***
B3	-2.100	0	3.3865	34	-0.6201	0.53932
B4	0.000	0	0.0000	34		
A1:B1	5.417	0	4.3992	34	1.2313	0.22666
A1:B2	-2.558	0	4.3992	34	-0.5815	0.56471
A1:B3	0.850	0	4.4799	34	0.1897	0.85064
A1:B4	0.000	0	0.0000	34		
A2:B1	11.217	0	4.3992	34	2.5497	0.01546 *
A2:B2	5.567	0	4.3992	34	1.2654	0.21434
A2:B3	5.500	0	4.4799	34	1.2277	0.22799
A2:B4	0.000	0	0.0000	34		
A3:B1	0.492	0	4.3992	34	0.1118	0.91167
A3:B2	-1.083	0	4.3992	34	-0.2463	0.80696

```

A3:B3      3.000      0    4.4799 34  0.6697   0.50760
A3:B4      0.000      0    0.0000 34
A4:B1      0.000      0    0.0000 34
A4:B2      0.000      0    0.0000 34
A4:B3      0.000      0    0.0000 34
A4:B4      0.000      0    0.0000 34
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 7.13 Example 9.2

(89) MODEL

```

ex9.2 = read.table("C:/G/Rt/Split/Ex9.2-sbex.txt", header=TRUE)
ex9.2 = af(ex9.2, c("rep", "hyb", "gen"))
GLM(yield ~ rep + hyb + rep:hyb + gen + gen:rep + gen:hyb, ex9.2)

```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      40 247.813 6.1953  4.4606 0.001119 **
RESIDUALS   16  22.222 1.3889
CORRECTED TOTAL 56 270.035
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep      1  0.239  0.2388  0.1719 0.6839085
hyb      9 66.796  7.4218  5.3437 0.0018370 **
rep:hyb  8 67.000  8.3750  6.0300 0.0011569 **
gen      2 36.351 18.1754 13.0863 0.0004293 ***
rep:gen  2 16.923  8.4616  6.0924 0.0107858 *
hyb:gen 18 60.504  3.3613  2.4201 0.0408545 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep      1  0.167  0.1667  0.1200 0.7335481
hyb      9 66.796  7.4218  5.3437 0.0018370 **
rep:hyb  8 67.000  8.3750  6.0300 0.0011569 **
gen      2 36.351 18.1754 13.0863 0.0004293 ***
rep:gen  2 12.111  6.0556  4.3600 0.0308015 *
hyb:gen 18 60.504  3.3613  2.4201 0.0408545 *
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	0.167	0.1667	0.1200	0.7335481
hyb	9	66.796	7.4218	5.3437	0.0018370 **
rep:hyb	8	67.000	8.3750	6.0300	0.0011569 **
gen	2	30.671	15.3356	11.0416	0.0009707 ***
rep:gen	2	12.111	6.0556	4.3600	0.0308015 *
hyb:gen	18	60.504	3.3613	2.4201	0.0408545 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	46.556	0	0.98862	16	47.0915 < 2.2e-16	***
rep1	0.889	0	1.06381	16	0.8356	0.415699
rep2	0.000	0	0.00000	16		
hyb0	-2.444	0	1.53826	16	-1.5891	0.131602
hyb1	2.667	0	1.36083	16	1.9596	0.067702 .
hyb2	1.000	0	1.36083	16	0.7348	0.473067
hyb3	-2.167	0	1.36083	16	-1.5922	0.130908
hyb4	1.000	0	1.36083	16	0.7348	0.473067
hyb5	-1.333	0	1.36083	16	-0.9798	0.341771
hyb6	1.500	0	1.36083	16	1.1023	0.286649
hyb7	4.500	0	1.36083	16	3.3068	0.004455 **
hyb8	-0.167	0	1.36083	16	-0.1225	0.904048
hyb9	0.000	0	0.00000	16		
rep1:hyb0	0.000	0	0.00000	16		
rep1:hyb1	-3.333	0	1.36083	16	-2.4495	0.026199 *
rep1:hyb2	-4.000	0	1.36083	16	-2.9394	0.009621 **
rep1:hyb3	0.333	0	1.36083	16	0.2449	0.809610
rep1:hyb4	0.000	0	1.36083	16	0.0000	1.000000
rep1:hyb5	2.667	0	1.36083	16	1.9596	0.067702 .
rep1:hyb6	-4.000	0	1.36083	16	-2.9394	0.009621 **
rep1:hyb7	-3.000	0	1.36083	16	-2.2045	0.042471 *
rep1:hyb8	-2.667	0	1.36083	16	-1.9596	0.067702 .
rep1:hyb9	0.000	0	0.00000	16		
rep2:hyb0		0				
rep2:hyb1	0.000	0	0.00000	16		
rep2:hyb2	0.000	0	0.00000	16		
rep2:hyb3	0.000	0	0.00000	16		
rep2:hyb4	0.000	0	0.00000	16		
rep2:hyb5	0.000	0	0.00000	16		
rep2:hyb6	0.000	0	0.00000	16		
rep2:hyb7	0.000	0	0.00000	16		
rep2:hyb8	0.000	0	0.00000	16		
rep2:hyb9	0.000	0	0.00000	16		

```

gen1      -3.056      0   1.24226 16 -2.4597  0.025671 *
gen2      -0.611      0   1.24226 16 -0.4919  0.629446
gen3       0.000      0   0.00000 16
rep1:gen1  2.111      0   0.78567 16  2.6870  0.016197 *
rep1:gen2  0.222      0   0.78567 16  0.2828  0.780924
rep1:gen3  0.000      0   0.00000 16
rep2:gen1  0.000      0   0.00000 16
rep2:gen2  0.000      0   0.00000 16
rep2:gen3  0.000      0   0.00000 16
hyb0:gen1  3.944      0   2.07870 16  1.8976  0.075951 .
hyb0:gen2  0.389      0   2.07870 16  0.1871  0.853947
hyb0:gen3  0.000      0   0.00000 16
hyb1:gen1  -3.000     0   1.66667 16 -1.8000  0.090743 .
hyb1:gen2  -4.000     0   1.66667 16 -2.4000  0.028919 *
hyb1:gen3  0.000      0   0.00000 16
hyb2:gen1  2.500      0   1.66667 16  1.5000  0.153088
hyb2:gen2  -2.500     0   1.66667 16 -1.5000  0.153088
hyb2:gen3  0.000      0   0.00000 16
hyb3:gen1  2.000      0   1.66667 16  1.2000  0.247607
hyb3:gen2  -0.500     0   1.66667 16 -0.3000  0.768040
hyb3:gen3  0.000      0   0.00000 16
hyb4:gen1  -2.000     0   1.66667 16 -1.2000  0.247607
hyb4:gen2  -1.000     0   1.66667 16 -0.6000  0.556909
hyb4:gen3  0.000      0   0.00000 16
hyb5:gen1  1.000      0   1.66667 16  0.6000  0.556909
hyb5:gen2  0.000      0   1.66667 16  0.0000  1.000000
hyb5:gen3  0.000      0   0.00000 16
hyb6:gen1  -1.000     0   1.66667 16 -0.6000  0.556909
hyb6:gen2  -0.500     0   1.66667 16 -0.3000  0.768040
hyb6:gen3  0.000      0   0.00000 16
hyb7:gen1  -0.500     0   1.66667 16 -0.3000  0.768040
hyb7:gen2  -2.000     0   1.66667 16 -1.2000  0.247607
hyb7:gen3  0.000      0   0.00000 16
hyb8:gen1  2.500      0   1.66667 16  1.5000  0.153088
hyb8:gen2  -2.000     0   1.66667 16 -1.2000  0.247607
hyb8:gen3  0.000      0   0.00000 16
hyb9:gen1  0.000      0   0.00000 16
hyb9:gen2  0.000      0   0.00000 16
hyb9:gen3  0.000      0   0.00000 16
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(yield ~ rep + hyb + rep:hyb + gen + gen:rep + gen:hyb, ex9.2), type=3,
      singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients

```
sums of squares computed by model comparison
```

#### Anova Table (Type III tests)

```
Response: yield
          Sum Sq Df F values    Pr(>F)
rep        0.000  0
hyb       66.704  8 6.0033 0.0011847 **
gen       30.671  2 11.0416 0.0009707 ***
rep:hyb   67.000  8 6.0300 0.0011569 **
rep:gen   12.111  2 4.3600 0.0308015 *
hyb:gen   60.504 18 2.4201 0.0408545 *
Residuals 22.222 16
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### 7.14 Example 10.1

#### (90) MODEL

```
ex10.1 = read.table("C:/G/Rt/Split/Ex10.1-new.txt", header=TRUE)
ex10.1 = af(ex10.1, c("Site", "Block", "A", "B", "C"))
f10.1 = Yield ~ Site/Block + A/Site + B/Site + A:B + A:B:Site + A:B:Site:Block +
         C + A:C + B:C + A:B:C + C:Site + A:C:Site + B:C:Site + A:B:C:Site
GLM(f10.1, ex10.1)
```

```
$ANOVA
Response : Yield
          Df      Sum Sq Mean Sq F value    Pr(>F)
MODEL      239 1639561484 6860090    2162 < 2.2e-16 ***
RESIDUALS  240     761522    3173
CORRECTED TOTAL 479 1640323006
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I` 
          Df      Sum Sq Mean Sq F value    Pr(>F)
Site        3      552717 184239 5.8064e+01 < 2e-16 ***
Site:Block  8      7062320 882790 2.7822e+02 < 2e-16 ***
A           4     1387680917 346920229 1.0933e+05 < 2e-16 ***
Site:A      12     34068     2839 8.9470e-01 0.55301
B           1     100939695 100939695 3.1812e+04 < 2e-16 ***
Site:B      3      1618      539 1.6990e-01 0.91662
A:B         4     31444008 7861002 2.4775e+03 < 2e-16 ***
Site:A:B    12     33737     2811 8.8600e-01 0.56185
Site:Block:A:B 72     186911     2596 8.1810e-01 0.84155
```

C	3	19356264	6452088	2.0334e+03	< 2e-16	***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16	***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16	***
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16	***
Site:C	9	47625	5292	1.6677e+00	0.09747	.
Site:A:C	36	104110	2892	9.1140e-01	0.61768	
Site:B:C	9	61111	6790	2.1400e+00	0.02701	*
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941	
---						

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

#### \$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Site	3	552717	184239	5.8064e+01	< 2e-16	***
Site:Block	8	7062320	882790	2.7822e+02	< 2e-16	***
A	4	1387680917	346920229	1.0933e+05	< 2e-16	***
Site:A	12	34068	2839	8.9470e-01	0.55301	
B	1	100939695	100939695	3.1812e+04	< 2e-16	***
Site:B	3	1618	539	1.6990e-01	0.91662	
A:B	4	31444008	7861002	2.4775e+03	< 2e-16	***
Site:A:B	12	33737	2811	8.8600e-01	0.56185	
Site:Block:A:B	72	186911	2596	8.1810e-01	0.84155	
C	3	19356264	6452088	2.0334e+03	< 2e-16	***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16	***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16	***
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16	***
Site:C	9	47625	5292	1.6677e+00	0.09747	.
Site:A:C	36	104110	2892	9.1140e-01	0.61768	
Site:B:C	9	61111	6790	2.1400e+00	0.02701	*
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941	
---						

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

#### \$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Site	3	552717	184239	5.8064e+01	< 2e-16	***
Site:Block	8	7062320	882790	2.7822e+02	< 2e-16	***
A	4	1387680917	346920229	1.0933e+05	< 2e-16	***
Site:A	12	34068	2839	8.9470e-01	0.55301	
B	1	100939695	100939695	3.1812e+04	< 2e-16	***
Site:B	3	1618	539	1.6990e-01	0.91662	
A:B	4	31444008	7861002	2.4775e+03	< 2e-16	***
Site:A:B	12	33737	2811	8.8600e-01	0.56185	
Site:Block:A:B	72	186911	2596	8.1810e-01	0.84155	
C	3	19356264	6452088	2.0334e+03	< 2e-16	***
A:C	12	26075792	2172983	6.8483e+02	< 2e-16	***
B:C	3	23901388	7967129	2.5109e+03	< 2e-16	***
A:B:C	12	41996729	3499727	1.1030e+03	< 2e-16	***

Site:C	9	47625	5292	1.6677e+00	0.09747	.					
Site:A:C	36	104110	2892	9.1140e-01	0.61768						
Site:B:C	9	61111	6790	2.1400e+00	0.02701	*					
Site:A:B:C	36	82475	2291	7.2200e-01	0.87941						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'.'	0.1	' '	1

#### \$Parameter

		Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)		13608.3	0	39.831	240	341.6522	< 2.2e-16 ***
Site1		-433.3	0	56.329	240	-7.6928	3.713e-13 ***
Site2		-108.3	0	56.329	240	-1.9232	0.055637 .
Site3		-116.7	0	56.329	240	-2.0711	0.039414 *
Site4		0.0	0	0.000	240		
Site1:BlockR1		175.0	0	39.831	240	4.3936	1.674e-05 ***
Site1:BlockR2		300.0	0	39.831	240	7.5318	1.013e-12 ***
Site1:BlockR3		0.0	0	0.000	240		
Site2:BlockR1		-225.0	0	39.831	240	-5.6489	4.554e-08 ***
Site2:BlockR2		-375.0	0	39.831	240	-9.4148	< 2.2e-16 ***
Site2:BlockR3		0.0	0	0.000	240		
Site3:BlockR1		-100.0	0	39.831	240	-2.5106	0.012711 *
Site3:BlockR2		-75.0	0	39.831	240	-1.8830	0.060916 .
Site3:BlockR3		0.0	0	0.000	240		
Site4:BlockR1		-250.0	0	39.831	240	-6.2765	1.605e-09 ***
Site4:BlockR2		-275.0	0	39.831	240	-6.9042	4.483e-11 ***
Site4:BlockR3		0.0	0	0.000	240		
AA1		-5705.0	0	56.329	240	-101.2791	< 2.2e-16 ***
AA2		-5020.2	0	56.329	240	-89.1230	< 2.2e-16 ***
AA3		-3336.7	0	56.329	240	-59.2363	< 2.2e-16 ***
AA4		-1241.7	0	56.329	240	-22.0429	< 2.2e-16 ***
AA5		0.0	0	0.000	240		
Site1:AA1		-2.4	0	79.662	240	-0.0303	0.975824
Site1:AA2		25.0	0	79.662	240	0.3138	0.753926
Site1:AA3		111.2	0	79.662	240	1.3965	0.163846
Site1:AA4		-16.7	0	79.662	240	-0.2092	0.834456
Site1:AA5		0.0	0	0.000	240		
Site2:AA1		91.2	0	79.662	240	1.1444	0.253590
Site2:AA2		132.4	0	79.662	240	1.6622	0.097771 .
Site2:AA3		30.7	0	79.662	240	0.3850	0.700608
Site2:AA4		-50.0	0	79.662	240	-0.6277	0.530828
Site2:AA5		0.0	0	0.000	240		
Site3:AA1		39.2	0	79.662	240	0.4917	0.623408
Site3:AA2		25.8	0	79.662	240	0.3243	0.746003
Site3:AA3		-38.3	0	79.662	240	-0.4802	0.631555
Site3:AA4		-41.7	0	79.662	240	-0.5230	0.601426
Site3:AA5		0.0	0	0.000	240		
Site4:AA1		0.0	0	0.000	240		
Site4:AA2		0.0	0	0.000	240		

Site4:AA3	0.0	0	0.000	240		
Site4:AA4	0.0	0	0.000	240		
Site4:AA5	0.0	0	0.000	240		
BB1	-1300.0	0	56.329	240	-23.0785	< 2.2e-16 ***
BB2	0.0	0	0.000	240		
Site1:BB1	-16.7	0	79.662	240	-0.2092	0.834456
Site1:BB2	0.0	0	0.000	240		
Site2:BB1	100.0	0	79.662	240	1.2553	0.210589
Site2:BB2	0.0	0	0.000	240		
Site3:BB1	0.0	0	79.662	240	0.0000	1.000000
Site3:BB2	0.0	0	0.000	240		
Site4:BB1	0.0	0	0.000	240		
Site4:BB2	0.0	0	0.000	240		
AA1:BB1	1438.0	0	79.662	240	18.0513	< 2.2e-16 ***
AA1:BB2	0.0	0	0.000	240		
AA2:BB1	1746.3	0	79.662	240	21.9218	< 2.2e-16 ***
AA2:BB2	0.0	0	0.000	240		
AA3:BB1	2470.3	0	79.662	240	31.0102	< 2.2e-16 ***
AA3:BB2	0.0	0	0.000	240		
AA4:BB1	-68.1	0	79.662	240	-0.8547	0.393595
AA4:BB2	0.0	0	0.000	240		
AA5:BB1	0.0	0	0.000	240		
AA5:BB2	0.0	0	0.000	240		
Site1:AA1:BB1	54.5	0	112.659	240	0.4838	0.628997
Site1:AA1:BB2	0.0	0	0.000	240		
Site1:AA2:BB1	-20.4	0	112.659	240	-0.1812	0.856344
Site1:AA2:BB2	0.0	0	0.000	240		
Site1:AA3:BB1	-141.2	0	112.659	240	-1.2530	0.211409
Site1:AA3:BB2	0.0	0	0.000	240		
Site1:AA4:BB1	45.6	0	112.659	240	0.4046	0.686122
Site1:AA4:BB2	0.0	0	0.000	240		
Site1:AA5:BB1	0.0	0	0.000	240		
Site1:AA5:BB2	0.0	0	0.000	240		
Site2:AA1:BB1	-90.0	0	112.659	240	-0.7989	0.425155
Site2:AA1:BB2	0.0	0	0.000	240		
Site2:AA2:BB1	-140.2	0	112.659	240	-1.2442	0.214651
Site2:AA2:BB2	0.0	0	0.000	240		
Site2:AA3:BB1	-60.0	0	112.659	240	-0.5326	0.594816
Site2:AA3:BB2	0.0	0	0.000	240		
Site2:AA4:BB1	3.5	0	112.659	240	0.0311	0.975242
Site2:AA4:BB2	0.0	0	0.000	240		
Site2:AA5:BB1	0.0	0	0.000	240		
Site2:AA5:BB2	0.0	0	0.000	240		
Site3:AA1:BB1	12.4	0	112.659	240	0.1102	0.912331
Site3:AA1:BB2	0.0	0	0.000	240		
Site3:AA2:BB1	39.4	0	112.659	240	0.3499	0.726739
Site3:AA2:BB2	0.0	0	0.000	240		
Site3:AA3:BB1	49.8	0	112.659	240	0.4423	0.658643

Site3:AA3:BB2	0.0	0	0.000	240		
Site3:AA4:BB1	32.7	0	112.659	240	0.2900	0.772097
Site3:AA4:BB2	0.0	0	0.000	240		
Site3:AA5:BB1	0.0	0	0.000	240		
Site3:AA5:BB2	0.0	0	0.000	240		
Site4:AA1:BB1	0.0	0	0.000	240		
Site4:AA1:BB2	0.0	0	0.000	240		
Site4:AA2:BB1	0.0	0	0.000	240		
Site4:AA2:BB2	0.0	0	0.000	240		
Site4:AA3:BB1	0.0	0	0.000	240		
Site4:AA3:BB2	0.0	0	0.000	240		
Site4:AA4:BB1	0.0	0	0.000	240		
Site4:AA4:BB2	0.0	0	0.000	240		
Site4:AA5:BB1	0.0	0	0.000	240		
Site4:AA5:BB2	0.0	0	0.000	240		
Site1:BlockR1:AA1:BB1	15.5	0	56.329	240	0.2752	0.783425
Site1:BlockR1:AA1:BB2	-3.5	0	56.329	240	-0.0621	0.950507
Site1:BlockR1:AA2:BB1	70.2	0	56.329	240	1.2471	0.213567
Site1:BlockR1:AA2:BB2	50.0	0	56.329	240	0.8876	0.375626
Site1:BlockR1:AA3:BB1	10.0	0	56.329	240	0.1775	0.859244
Site1:BlockR1:AA3:BB2	-62.3	0	56.329	240	-1.1051	0.270221
Site1:BlockR1:AA4:BB1	50.5	0	56.329	240	0.8965	0.370878
Site1:BlockR1:AA4:BB2	0.0	0	56.329	240	0.0000	1.000000
Site1:BlockR1:AA5:BB1	50.0	0	56.329	240	0.8876	0.375626
Site1:BlockR1:AA5:BB2	0.0	0	0.000	240		
Site1:BlockR2:AA1:BB1	17.2	0	56.329	240	0.3062	0.759692
Site1:BlockR2:AA1:BB2	53.7	0	56.329	240	0.9542	0.340939
Site1:BlockR2:AA2:BB1	61.7	0	56.329	240	1.0962	0.274077
Site1:BlockR2:AA2:BB2	77.7	0	56.329	240	1.3803	0.168787
Site1:BlockR2:AA3:BB1	29.0	0	56.329	240	0.5148	0.607147
Site1:BlockR2:AA3:BB2	-112.3	0	56.329	240	-1.9927	0.047423 *
Site1:BlockR2:AA4:BB1	42.0	0	56.329	240	0.7456	0.456631
Site1:BlockR2:AA4:BB2	75.0	0	56.329	240	1.3315	0.184303
Site1:BlockR2:AA5:BB1	0.0	0	56.329	240	0.0000	1.000000
Site1:BlockR2:AA5:BB2	0.0	0	0.000	240		
Site1:BlockR3:AA1:BB1	0.0	0	0.000	240		
Site1:BlockR3:AA1:BB2	0.0	0	0.000	240		
Site1:BlockR3:AA2:BB1	0.0	0	0.000	240		
Site1:BlockR3:AA2:BB2	0.0	0	0.000	240		
Site1:BlockR3:AA3:BB1	0.0	0	0.000	240		
Site1:BlockR3:AA3:BB2	0.0	0	0.000	240		
Site1:BlockR3:AA4:BB1	0.0	0	0.000	240		
Site1:BlockR3:AA4:BB2	0.0	0	0.000	240		
Site1:BlockR3:AA5:BB1	0.0	0	0.000	240		
Site1:BlockR3:AA5:BB2	0.0	0	0.000	240		
Site2:BlockR1:AA1:BB1	35.7	0	56.329	240	0.6347	0.526255
Site2:BlockR1:AA1:BB2	-32.3	0	56.329	240	-0.5725	0.567503
Site2:BlockR1:AA2:BB1	68.5	0	56.329	240	1.2161	0.225157

Site2:BlockR1:AA2:BB2	-37.5	0	56.329	240	-0.6657	0.506225
Site2:BlockR1:AA3:BB1	-11.0	0	56.329	240	-0.1953	0.845339
Site2:BlockR1:AA3:BB2	-30.3	0	56.329	240	-0.5370	0.591752
Site2:BlockR1:AA4:BB1	46.2	0	56.329	240	0.8211	0.412426
Site2:BlockR1:AA4:BB2	25.0	0	56.329	240	0.4438	0.657574
Site2:BlockR1:AA5:BB1	50.0	0	56.329	240	0.8876	0.375626
Site2:BlockR1:AA5:BB2	0.0	0	0.000	240		
Site2:BlockR2:AA1:BB1	56.7	0	56.329	240	1.0075	0.314726
Site2:BlockR2:AA1:BB2	-22.3	0	56.329	240	-0.3950	0.693196
Site2:BlockR2:AA2:BB1	32.5	0	56.329	240	0.5770	0.564505
Site2:BlockR2:AA2:BB2	-60.0	0	56.329	240	-1.0652	0.287873
Site2:BlockR2:AA3:BB1	-1.8	0	56.329	240	-0.0311	0.975242
Site2:BlockR2:AA3:BB2	-42.5	0	56.329	240	-0.7545	0.451295
Site2:BlockR2:AA4:BB1	22.5	0	56.329	240	0.3994	0.689927
Site2:BlockR2:AA4:BB2	50.0	0	56.329	240	0.8876	0.375626
Site2:BlockR2:AA5:BB1	50.0	0	56.329	240	0.8876	0.375626
Site2:BlockR2:AA5:BB2	0.0	0	0.000	240		
Site2:BlockR3:AA1:BB1	0.0	0	0.000	240		
Site2:BlockR3:AA1:BB2	0.0	0	0.000	240		
Site2:BlockR3:AA2:BB1	0.0	0	0.000	240		
Site2:BlockR3:AA2:BB2	0.0	0	0.000	240		
Site2:BlockR3:AA3:BB1	0.0	0	0.000	240		
Site2:BlockR3:AA3:BB2	0.0	0	0.000	240		
Site2:BlockR3:AA4:BB1	0.0	0	0.000	240		
Site2:BlockR3:AA4:BB2	0.0	0	0.000	240		
Site2:BlockR3:AA5:BB1	0.0	0	0.000	240		
Site2:BlockR3:AA5:BB2	0.0	0	0.000	240		
Site3:BlockR1:AA1:BB1	17.2	0	56.329	240	0.3062	0.759692
Site3:BlockR1:AA1:BB2	-3.8	0	56.329	240	-0.0666	0.946977
Site3:BlockR1:AA2:BB1	4.2	0	56.329	240	0.0754	0.939920
Site3:BlockR1:AA2:BB2	-1.5	0	56.329	240	-0.0266	0.978778
Site3:BlockR1:AA3:BB1	-13.0	0	56.329	240	-0.2308	0.817678
Site3:BlockR1:AA3:BB2	50.0	0	56.329	240	0.8876	0.375626
Site3:BlockR1:AA4:BB1	-18.0	0	56.329	240	-0.3195	0.749589
Site3:BlockR1:AA4:BB2	25.0	0	56.329	240	0.4438	0.657574
Site3:BlockR1:AA5:BB1	0.0	0	56.329	240	0.0000	1.000000
Site3:BlockR1:AA5:BB2	0.0	0	0.000	240		
Site3:BlockR2:AA1:BB1	21.0	0	56.329	240	0.3728	0.709621
Site3:BlockR2:AA1:BB2	15.2	0	56.329	240	0.2707	0.786832
Site3:BlockR2:AA2:BB1	-5.3	0	56.329	240	-0.0932	0.925821
Site3:BlockR2:AA2:BB2	15.7	0	56.329	240	0.2796	0.780021
Site3:BlockR2:AA3:BB1	-22.5	0	56.329	240	-0.3994	0.689927
Site3:BlockR2:AA3:BB2	75.0	0	56.329	240	1.3315	0.184303
Site3:BlockR2:AA4:BB1	-25.8	0	56.329	240	-0.4571	0.647990
Site3:BlockR2:AA4:BB2	25.0	0	56.329	240	0.4438	0.657574
Site3:BlockR2:AA5:BB1	0.0	0	56.329	240	0.0000	1.000000
Site3:BlockR2:AA5:BB2	0.0	0	0.000	240		
Site3:BlockR3:AA1:BB1	0.0	0	0.000	240		

Site3:BlockR3:AA1:BB2	0.0	0	0.000	240		
Site3:BlockR3:AA2:BB1	0.0	0	0.000	240		
Site3:BlockR3:AA2:BB2	0.0	0	0.000	240		
Site3:BlockR3:AA3:BB1	0.0	0	0.000	240		
Site3:BlockR3:AA3:BB2	0.0	0	0.000	240		
Site3:BlockR3:AA4:BB1	0.0	0	0.000	240		
Site3:BlockR3:AA4:BB2	0.0	0	0.000	240		
Site3:BlockR3:AA5:BB1	0.0	0	0.000	240		
Site3:BlockR3:AA5:BB2	0.0	0	0.000	240		
Site4:BlockR1:AA1:BB1	38.7	0	56.329	240	0.6879	0.492169
Site4:BlockR1:AA1:BB2	6.5	0	56.329	240	0.1154	0.908230
Site4:BlockR1:AA2:BB1	17.5	0	56.329	240	0.3107	0.756319
Site4:BlockR1:AA2:BB2	-13.0	0	56.329	240	-0.2308	0.817678
Site4:BlockR1:AA3:BB1	61.5	0	56.329	240	1.0918	0.276020
Site4:BlockR1:AA3:BB2	-32.3	0	56.329	240	-0.5725	0.567503
Site4:BlockR1:AA4:BB1	33.0	0	56.329	240	0.5858	0.558534
Site4:BlockR1:AA4:BB2	25.0	0	56.329	240	0.4438	0.657574
Site4:BlockR1:AA5:BB1	75.0	0	56.329	240	1.3315	0.184303
Site4:BlockR1:AA5:BB2	0.0	0	0.000	240		
Site4:BlockR2:AA1:BB1	-69.8	0	56.329	240	-1.2383	0.216833
Site4:BlockR2:AA1:BB2	-36.5	0	56.329	240	-0.6480	0.517622
Site4:BlockR2:AA2:BB1	-53.8	0	56.329	240	-0.9542	0.340939
Site4:BlockR2:AA2:BB2	-14.3	0	56.329	240	-0.2530	0.800503
Site4:BlockR2:AA3:BB1	-62.3	0	56.329	240	-1.1051	0.270221
Site4:BlockR2:AA3:BB2	-104.5	0	56.329	240	-1.8552	0.064800 .
Site4:BlockR2:AA4:BB1	-3.8	0	56.329	240	-0.0666	0.946977
Site4:BlockR2:AA4:BB2	0.0	0	56.329	240	0.0000	1.000000
Site4:BlockR2:AA5:BB1	25.0	0	56.329	240	0.4438	0.657574
Site4:BlockR2:AA5:BB2	0.0	0	0.000	240		
Site4:BlockR3:AA1:BB1	0.0	0	0.000	240		
Site4:BlockR3:AA1:BB2	0.0	0	0.000	240		
Site4:BlockR3:AA2:BB1	0.0	0	0.000	240		
Site4:BlockR3:AA2:BB2	0.0	0	0.000	240		
Site4:BlockR3:AA3:BB1	0.0	0	0.000	240		
Site4:BlockR3:AA3:BB2	0.0	0	0.000	240		
Site4:BlockR3:AA4:BB1	0.0	0	0.000	240		
Site4:BlockR3:AA4:BB2	0.0	0	0.000	240		
Site4:BlockR3:AA5:BB1	0.0	0	0.000	240		
Site4:BlockR3:AA5:BB2	0.0	0	0.000	240		
CC1	-1066.7	0	45.993	240	-23.1920 < 2.2e-16 ***	
CC2	-733.3	0	45.993	240	-15.9445 < 2.2e-16 ***	
CC3	-533.3	0	45.993	240	-11.5960 < 2.2e-16 ***	
CC4	0.0	0	0.000	240		
AA1:CC1	1551.3	0	65.044	240	23.8506 < 2.2e-16 ***	
AA1:CC2	137.7	0	65.044	240	2.1165 0.035330 *	
AA1:CC3	201.0	0	65.044	240	3.0902 0.002236 **	
AA1:CC4	0.0	0	0.000	240		
AA2:CC1	1877.7	0	65.044	240	28.8678 < 2.2e-16 ***	

AA2:CC2	1858.7	0	65.044	240	28.5757 < 2.2e-16 ***
AA2:CC3	1936.7	0	65.044	240	29.7749 < 2.2e-16 ***
AA2:CC4	0.0	0	0.000	240	
AA3:CC1	1915.7	0	65.044	240	29.4520 < 2.2e-16 ***
AA3:CC2	1315.7	0	65.044	240	20.2274 < 2.2e-16 ***
AA3:CC3	815.7	0	65.044	240	12.5403 < 2.2e-16 ***
AA3:CC4	0.0	0	0.000	240	
AA4:CC1	-66.7	0	65.044	240	-1.0250 0.306418
AA4:CC2	1200.0	0	65.044	240	18.4491 < 2.2e-16 ***
AA4:CC3	833.3	0	65.044	240	12.8119 < 2.2e-16 ***
AA4:CC4	0.0	0	0.000	240	
AA5:CC1	0.0	0	0.000	240	
AA5:CC2	0.0	0	0.000	240	
AA5:CC3	0.0	0	0.000	240	
AA5:CC4	0.0	0	0.000	240	
BB1:CC1	733.3	0	65.044	240	11.2745 < 2.2e-16 ***
BB1:CC2	166.7	0	65.044	240	2.5624 0.011007 *
BB1:CC3	200.0	0	65.044	240	3.0749 0.002350 **
BB1:CC4	0.0	0	0.000	240	
BB2:CC1	0.0	0	0.000	240	
BB2:CC2	0.0	0	0.000	240	
BB2:CC3	0.0	0	0.000	240	
BB2:CC4	0.0	0	0.000	240	
AA1:BB1:CC1	-2102.0	0	91.986	240	-22.8514 < 2.2e-16 ***
AA1:BB1:CC2	-122.3	0	91.986	240	-1.3299 0.184808
AA1:BB1:CC3	-116.7	0	91.986	240	-1.2683 0.205915
AA1:BB1:CC4	0.0	0	0.000	240	
AA1:BB2:CC1	0.0	0	0.000	240	
AA1:BB2:CC2	0.0	0	0.000	240	
AA1:BB2:CC3	0.0	0	0.000	240	
AA1:BB2:CC4	0.0	0	0.000	240	
AA2:BB1:CC1	-2365.3	0	91.986	240	-25.7142 < 2.2e-16 ***
AA2:BB1:CC2	-1887.7	0	91.986	240	-20.5213 < 2.2e-16 ***
AA2:BB1:CC3	-1849.3	0	91.986	240	-20.1046 < 2.2e-16 ***
AA2:BB1:CC4	0.0	0	0.000	240	
AA2:BB2:CC1	0.0	0	0.000	240	
AA2:BB2:CC2	0.0	0	0.000	240	
AA2:BB2:CC3	0.0	0	0.000	240	
AA2:BB2:CC4	0.0	0	0.000	240	
AA3:BB1:CC1	-4088.7	0	91.986	240	-44.4490 < 2.2e-16 ***
AA3:BB1:CC2	-2939.3	0	91.986	240	-31.9543 < 2.2e-16 ***
AA3:BB1:CC3	-2384.3	0	91.986	240	-25.9207 < 2.2e-16 ***
AA3:BB1:CC4	0.0	0	0.000	240	
AA3:BB2:CC1	0.0	0	0.000	240	
AA3:BB2:CC2	0.0	0	0.000	240	
AA3:BB2:CC3	0.0	0	0.000	240	
AA3:BB2:CC4	0.0	0	0.000	240	
AA4:BB1:CC1	-561.0	0	91.986	240	-6.0988 4.243e-09 ***

AA4:BB1:CC2	-1233.3	0	91.986	240	-13.4079 < 2.2e-16 ***
AA4:BB1:CC3	-833.3	0	91.986	240	-9.0594 < 2.2e-16 ***
AA4:BB1:CC4	0.0	0	0.000	240	
AA4:BB2:CC1	0.0	0	0.000	240	
AA4:BB2:CC2	0.0	0	0.000	240	
AA4:BB2:CC3	0.0	0	0.000	240	
AA4:BB2:CC4	0.0	0	0.000	240	
AA5:BB1:CC1	0.0	0	0.000	240	
AA5:BB1:CC2	0.0	0	0.000	240	
AA5:BB1:CC3	0.0	0	0.000	240	
AA5:BB1:CC4	0.0	0	0.000	240	
AA5:BB2:CC1	0.0	0	0.000	240	
AA5:BB2:CC2	0.0	0	0.000	240	
AA5:BB2:CC3	0.0	0	0.000	240	
AA5:BB2:CC4	0.0	0	0.000	240	
Site1:CC1	100.0	0	65.044	240	1.5374 0.125506
Site1:CC2	33.3	0	65.044	240	0.5125 0.608789
Site1:CC3	0.0	0	65.044	240	0.0000 1.000000
Site1:CC4	0.0	0	0.000	240	
Site2:CC1	133.3	0	65.044	240	2.0499 0.041461 *
Site2:CC2	133.3	0	65.044	240	2.0499 0.041461 *
Site2:CC3	66.7	0	65.044	240	1.0250 0.306418
Site2:CC4	0.0	0	0.000	240	
Site3:CC1	66.7	0	65.044	240	1.0250 0.306418
Site3:CC2	0.0	0	65.044	240	0.0000 1.000000
Site3:CC3	0.0	0	65.044	240	0.0000 1.000000
Site3:CC4	0.0	0	0.000	240	
Site4:CC1	0.0	0	0.000	240	
Site4:CC2	0.0	0	0.000	240	
Site4:CC3	0.0	0	0.000	240	
Site4:CC4	0.0	0	0.000	240	
Site1:AA1:CC1	-136.7	0	91.986	240	-1.4857 0.138660
Site1:AA1:CC2	-33.7	0	91.986	240	-0.3660 0.714688
Site1:AA1:CC3	39.0	0	91.986	240	0.4240 0.671961
Site1:AA1:CC4	0.0	0	0.000	240	
Site1:AA2:CC1	-173.3	0	91.986	240	-1.8844 0.060726 .
Site1:AA2:CC2	-174.3	0	91.986	240	-1.8952 0.059265 .
Site1:AA2:CC3	0.7	0	91.986	240	0.0072 0.994223
Site1:AA2:CC4	0.0	0	0.000	240	
Site1:AA3:CC1	-198.7	0	91.986	240	-2.1598 0.031782 *
Site1:AA3:CC2	-132.0	0	91.986	240	-1.4350 0.152587
Site1:AA3:CC3	-65.3	0	91.986	240	-0.7103 0.478235
Site1:AA3:CC4	0.0	0	0.000	240	
Site1:AA4:CC1	-33.3	0	91.986	240	-0.3624 0.717390
Site1:AA4:CC2	0.0	0	91.986	240	0.0000 1.000000
Site1:AA4:CC3	0.0	0	91.986	240	0.0000 1.000000
Site1:AA4:CC4	0.0	0	0.000	240	
Site1:AA5:CC1	0.0	0	0.000	240	

Site1:AA5:CC2	0.0	0	0.000	240		
Site1:AA5:CC3	0.0	0	0.000	240		
Site1:AA5:CC4	0.0	0	0.000	240		
Site2:AA1:CC1	-180.3	0	91.986	240	-1.9605	0.051100 .
Site2:AA1:CC2	-81.3	0	91.986	240	-0.8842	0.377475
Site2:AA1:CC3	-47.0	0	91.986	240	-0.5109	0.609856
Site2:AA1:CC4	0.0	0	0.000	240		
Site2:AA2:CC1	-196.7	0	91.986	240	-2.1380	0.033526 *
Site2:AA2:CC2	-179.3	0	91.986	240	-1.9496	0.052391 .
Site2:AA2:CC3	-124.7	0	91.986	240	-1.3553	0.176601
Site2:AA2:CC4	0.0	0	0.000	240		
Site2:AA3:CC1	-85.3	0	91.986	240	-0.9277	0.354505
Site2:AA3:CC2	-85.3	0	91.986	240	-0.9277	0.354505
Site2:AA3:CC3	-52.0	0	91.986	240	-0.5653	0.572394
Site2:AA3:CC4	0.0	0	0.000	240		
Site2:AA4:CC1	-33.3	0	91.986	240	-0.3624	0.717390
Site2:AA4:CC2	0.0	0	91.986	240	0.0000	1.000000
Site2:AA4:CC3	33.3	0	91.986	240	0.3624	0.717390
Site2:AA4:CC4	0.0	0	0.000	240		
Site2:AA5:CC1	0.0	0	0.000	240		
Site2:AA5:CC2	0.0	0	0.000	240		
Site2:AA5:CC3	0.0	0	0.000	240		
Site2:AA5:CC4	0.0	0	0.000	240		
Site3:AA1:CC1	-138.7	0	91.986	240	-1.5075	0.133002
Site3:AA1:CC2	-83.0	0	91.986	240	-0.9023	0.367794
Site3:AA1:CC3	-104.0	0	91.986	240	-1.1306	0.259347
Site3:AA1:CC4	0.0	0	0.000	240		
Site3:AA2:CC1	-61.7	0	91.986	240	-0.6704	0.503251
Site3:AA2:CC2	-71.7	0	91.986	240	-0.7791	0.436684
Site3:AA2:CC3	-68.0	0	91.986	240	-0.7392	0.460480
Site3:AA2:CC4	0.0	0	0.000	240		
Site3:AA3:CC1	-115.7	0	91.986	240	-1.2574	0.209816
Site3:AA3:CC2	-15.7	0	91.986	240	-0.1703	0.864905
Site3:AA3:CC3	-15.7	0	91.986	240	-0.1703	0.864905
Site3:AA3:CC4	0.0	0	0.000	240		
Site3:AA4:CC1	33.3	0	91.986	240	0.3624	0.717390
Site3:AA4:CC2	0.0	0	91.986	240	0.0000	1.000000
Site3:AA4:CC3	33.3	0	91.986	240	0.3624	0.717390
Site3:AA4:CC4	0.0	0	0.000	240		
Site3:AA5:CC1	0.0	0	0.000	240		
Site3:AA5:CC2	0.0	0	0.000	240		
Site3:AA5:CC3	0.0	0	0.000	240		
Site3:AA5:CC4	0.0	0	0.000	240		
Site4:AA1:CC1	0.0	0	0.000	240		
Site4:AA1:CC2	0.0	0	0.000	240		
Site4:AA1:CC3	0.0	0	0.000	240		
Site4:AA1:CC4	0.0	0	0.000	240		
Site4:AA2:CC1	0.0	0	0.000	240		

Site4:AA2:CC2	0.0	0	0.000	240		
Site4:AA2:CC3	0.0	0	0.000	240		
Site4:AA2:CC4	0.0	0	0.000	240		
Site4:AA3:CC1	0.0	0	0.000	240		
Site4:AA3:CC2	0.0	0	0.000	240		
Site4:AA3:CC3	0.0	0	0.000	240		
Site4:AA3:CC4	0.0	0	0.000	240		
Site4:AA4:CC1	0.0	0	0.000	240		
Site4:AA4:CC2	0.0	0	0.000	240		
Site4:AA4:CC3	0.0	0	0.000	240		
Site4:AA4:CC4	0.0	0	0.000	240		
Site4:AA5:CC1	0.0	0	0.000	240		
Site4:AA5:CC2	0.0	0	0.000	240		
Site4:AA5:CC3	0.0	0	0.000	240		
Site4:AA5:CC4	0.0	0	0.000	240		
Site1:BB1:CC1	0.0	0	91.986	240	0.0000	1.000000
Site1:BB1:CC2	33.3	0	91.986	240	0.3624	0.717390
Site1:BB1:CC3	33.3	0	91.986	240	0.3624	0.717390
Site1:BB1:CC4	0.0	0	0.000	240		
Site1:BB2:CC1	0.0	0	0.000	240		
Site1:BB2:CC2	0.0	0	0.000	240		
Site1:BB2:CC3	0.0	0	0.000	240		
Site1:BB2:CC4	0.0	0	0.000	240		
Site2:BB1:CC1	-166.7	0	91.986	240	-1.8119	0.071255 .
Site2:BB1:CC2	-200.0	0	91.986	240	-2.1743	0.030664 *
Site2:BB1:CC3	-233.3	0	91.986	240	-2.5366	0.011827 *
Site2:BB1:CC4	0.0	0	0.000	240		
Site2:BB2:CC1	0.0	0	0.000	240		
Site2:BB2:CC2	0.0	0	0.000	240		
Site2:BB2:CC3	0.0	0	0.000	240		
Site2:BB2:CC4	0.0	0	0.000	240		
Site3:BB1:CC1	33.3	0	91.986	240	0.3624	0.717390
Site3:BB1:CC2	33.3	0	91.986	240	0.3624	0.717390
Site3:BB1:CC3	-66.7	0	91.986	240	-0.7248	0.469311
Site3:BB1:CC4	0.0	0	0.000	240		
Site3:BB2:CC1	0.0	0	0.000	240		
Site3:BB2:CC2	0.0	0	0.000	240		
Site3:BB2:CC3	0.0	0	0.000	240		
Site3:BB2:CC4	0.0	0	0.000	240		
Site4:BB1:CC1	0.0	0	0.000	240		
Site4:BB1:CC2	0.0	0	0.000	240		
Site4:BB1:CC3	0.0	0	0.000	240		
Site4:BB1:CC4	0.0	0	0.000	240		
Site4:BB2:CC1	0.0	0	0.000	240		
Site4:BB2:CC2	0.0	0	0.000	240		
Site4:BB2:CC3	0.0	0	0.000	240		
Site4:BB2:CC4	0.0	0	0.000	240		
Site1:AA1:BB1:CC1	76.3	0	130.087	240	0.5868	0.557899

Site1:AA1:BB1:CC2	-48.0	0	130.087	240	-0.3690	0.712466
Site1:AA1:BB1:CC3	-105.3	0	130.087	240	-0.8097	0.418908
Site1:AA1:BB1:CC4	0.0	0	0.000	240		
Site1:AA1:BB2:CC1	0.0	0	0.000	240		
Site1:AA1:BB2:CC2	0.0	0	0.000	240		
Site1:AA1:BB2:CC3	0.0	0	0.000	240		
Site1:AA1:BB2:CC4	0.0	0	0.000	240		
Site1:AA2:BB1:CC1	12.3	0	130.087	240	0.0948	0.924546
Site1:AA2:BB1:CC2	120.0	0	130.087	240	0.9225	0.357217
Site1:AA2:BB1:CC3	-23.7	0	130.087	240	-0.1819	0.855792
Site1:AA2:BB1:CC4	0.0	0	0.000	240		
Site1:AA2:BB2:CC1	0.0	0	0.000	240		
Site1:AA2:BB2:CC2	0.0	0	0.000	240		
Site1:AA2:BB2:CC3	0.0	0	0.000	240		
Site1:AA2:BB2:CC4	0.0	0	0.000	240		
Site1:AA3:BB1:CC1	202.7	0	130.087	240	1.5579	0.120568
Site1:AA3:BB1:CC2	100.3	0	130.087	240	0.7713	0.441302
Site1:AA3:BB1:CC3	29.7	0	130.087	240	0.2281	0.819800
Site1:AA3:BB1:CC4	0.0	0	0.000	240		
Site1:AA3:BB2:CC1	0.0	0	0.000	240		
Site1:AA3:BB2:CC2	0.0	0	0.000	240		
Site1:AA3:BB2:CC3	0.0	0	0.000	240		
Site1:AA3:BB2:CC4	0.0	0	0.000	240		
Site1:AA4:BB1:CC1	-13.7	0	130.087	240	-0.1051	0.916418
Site1:AA4:BB1:CC2	-70.0	0	130.087	240	-0.5381	0.591007
Site1:AA4:BB1:CC3	-66.7	0	130.087	240	-0.5125	0.608789
Site1:AA4:BB1:CC4	0.0	0	0.000	240		
Site1:AA4:BB2:CC1	0.0	0	0.000	240		
Site1:AA4:BB2:CC2	0.0	0	0.000	240		
Site1:AA4:BB2:CC3	0.0	0	0.000	240		
Site1:AA4:BB2:CC4	0.0	0	0.000	240		
Site1:AA5:BB1:CC1	0.0	0	0.000	240		
Site1:AA5:BB1:CC2	0.0	0	0.000	240		
Site1:AA5:BB1:CC3	0.0	0	0.000	240		
Site1:AA5:BB1:CC4	0.0	0	0.000	240		
Site1:AA5:BB2:CC1	0.0	0	0.000	240		
Site1:AA5:BB2:CC2	0.0	0	0.000	240		
Site1:AA5:BB2:CC3	0.0	0	0.000	240		
Site1:AA5:BB2:CC4	0.0	0	0.000	240		
Site2:AA1:BB1:CC1	215.3	0	130.087	240	1.6553	0.099171 .
Site2:AA1:BB1:CC2	92.7	0	130.087	240	0.7123	0.476945
Site2:AA1:BB1:CC3	122.0	0	130.087	240	0.9378	0.349274
Site2:AA1:BB1:CC4	0.0	0	0.000	240		
Site2:AA1:BB2:CC1	0.0	0	0.000	240		
Site2:AA1:BB2:CC2	0.0	0	0.000	240		
Site2:AA1:BB2:CC3	0.0	0	0.000	240		
Site2:AA1:BB2:CC4	0.0	0	0.000	240		
Site2:AA2:BB1:CC1	143.0	0	130.087	240	1.0993	0.272755

Site2:AA2:BB1:CC2	186.0	0	130.087	240	1.4298	0.154072
Site2:AA2:BB1:CC3	288.7	0	130.087	240	2.2190	0.027421 *
Site2:AA2:BB1:CC4	0.0	0	0.000	240		
Site2:AA2:BB2:CC1	0.0	0	0.000	240		
Site2:AA2:BB2:CC2	0.0	0	0.000	240		
Site2:AA2:BB2:CC3	0.0	0	0.000	240		
Site2:AA2:BB2:CC4	0.0	0	0.000	240		
Site2:AA3:BB1:CC1	195.7	0	130.087	240	1.5041	0.133866
Site2:AA3:BB1:CC2	143.0	0	130.087	240	1.0993	0.272755
Site2:AA3:BB1:CC3	203.3	0	130.087	240	1.5631	0.119358
Site2:AA3:BB1:CC4	0.0	0	0.000	240		
Site2:AA3:BB2:CC1	0.0	0	0.000	240		
Site2:AA3:BB2:CC2	0.0	0	0.000	240		
Site2:AA3:BB2:CC3	0.0	0	0.000	240		
Site2:AA3:BB2:CC4	0.0	0	0.000	240		
Site2:AA4:BB1:CC1	136.3	0	130.087	240	1.0480	0.295686
Site2:AA4:BB1:CC2	59.0	0	130.087	240	0.4535	0.650569
Site2:AA4:BB1:CC3	66.7	0	130.087	240	0.5125	0.608789
Site2:AA4:BB1:CC4	0.0	0	0.000	240		
Site2:AA4:BB2:CC1	0.0	0	0.000	240		
Site2:AA4:BB2:CC2	0.0	0	0.000	240		
Site2:AA4:BB2:CC3	0.0	0	0.000	240		
Site2:AA4:BB2:CC4	0.0	0	0.000	240		
Site2:AA5:BB1:CC1	0.0	0	0.000	240		
Site2:AA5:BB1:CC2	0.0	0	0.000	240		
Site2:AA5:BB1:CC3	0.0	0	0.000	240		
Site2:AA5:BB1:CC4	0.0	0	0.000	240		
Site2:AA5:BB2:CC1	0.0	0	0.000	240		
Site2:AA5:BB2:CC2	0.0	0	0.000	240		
Site2:AA5:BB2:CC3	0.0	0	0.000	240		
Site2:AA5:BB2:CC4	0.0	0	0.000	240		
Site3:AA1:BB1:CC1	42.0	0	130.087	240	0.3229	0.747082
Site3:AA1:BB1:CC2	-74.0	0	130.087	240	-0.5688	0.569991
Site3:AA1:BB1:CC3	96.3	0	130.087	240	0.7405	0.459703
Site3:AA1:BB1:CC4	0.0	0	0.000	240		
Site3:AA1:BB2:CC1	0.0	0	0.000	240		
Site3:AA1:BB2:CC2	0.0	0	0.000	240		
Site3:AA1:BB2:CC3	0.0	0	0.000	240		
Site3:AA1:BB2:CC4	0.0	0	0.000	240		
Site3:AA2:BB1:CC1	-113.3	0	130.087	240	-0.8712	0.384510
Site3:AA2:BB1:CC2	9.0	0	130.087	240	0.0692	0.944901
Site3:AA2:BB1:CC3	83.7	0	130.087	240	0.6432	0.520736
Site3:AA2:BB1:CC4	0.0	0	0.000	240		
Site3:AA2:BB2:CC1	0.0	0	0.000	240		
Site3:AA2:BB2:CC2	0.0	0	0.000	240		
Site3:AA2:BB2:CC3	0.0	0	0.000	240		
Site3:AA2:BB2:CC4	0.0	0	0.000	240		
Site3:AA3:BB1:CC1	36.3	0	130.087	240	0.2793	0.780255

Site3:AA3:BB1:CC2	-46.7	0	130.087	240	-0.3587	0.720110
Site3:AA3:BB1:CC3	82.0	0	130.087	240	0.6303	0.529068
Site3:AA3:BB1:CC4	0.0	0	0.000	240		
Site3:AA3:BB2:CC1	0.0	0	0.000	240		
Site3:AA3:BB2:CC2	0.0	0	0.000	240		
Site3:AA3:BB2:CC3	0.0	0	0.000	240		
Site3:AA3:BB2:CC4	0.0	0	0.000	240		
Site3:AA4:BB1:CC1	-89.0	0	130.087	240	-0.6842	0.494537
Site3:AA4:BB1:CC2	-100.0	0	130.087	240	-0.7687	0.442819
Site3:AA4:BB1:CC3	33.3	0	130.087	240	0.2562	0.797986
Site3:AA4:BB1:CC4	0.0	0	0.000	240		
Site3:AA4:BB2:CC1	0.0	0	0.000	240		
Site3:AA4:BB2:CC2	0.0	0	0.000	240		
Site3:AA4:BB2:CC3	0.0	0	0.000	240		
Site3:AA4:BB2:CC4	0.0	0	0.000	240		
Site3:AA5:BB1:CC1	0.0	0	0.000	240		
Site3:AA5:BB1:CC2	0.0	0	0.000	240		
Site3:AA5:BB1:CC3	0.0	0	0.000	240		
Site3:AA5:BB1:CC4	0.0	0	0.000	240		
Site3:AA5:BB2:CC1	0.0	0	0.000	240		
Site3:AA5:BB2:CC2	0.0	0	0.000	240		
Site3:AA5:BB2:CC3	0.0	0	0.000	240		
Site3:AA5:BB2:CC4	0.0	0	0.000	240		
Site4:AA1:BB1:CC1	0.0	0	0.000	240		
Site4:AA1:BB1:CC2	0.0	0	0.000	240		
Site4:AA1:BB1:CC3	0.0	0	0.000	240		
Site4:AA1:BB1:CC4	0.0	0	0.000	240		
Site4:AA1:BB2:CC1	0.0	0	0.000	240		
Site4:AA1:BB2:CC2	0.0	0	0.000	240		
Site4:AA1:BB2:CC3	0.0	0	0.000	240		
Site4:AA1:BB2:CC4	0.0	0	0.000	240		
Site4:AA2:BB1:CC1	0.0	0	0.000	240		
Site4:AA2:BB1:CC2	0.0	0	0.000	240		
Site4:AA2:BB1:CC3	0.0	0	0.000	240		
Site4:AA2:BB1:CC4	0.0	0	0.000	240		
Site4:AA2:BB2:CC1	0.0	0	0.000	240		
Site4:AA2:BB2:CC2	0.0	0	0.000	240		
Site4:AA2:BB2:CC3	0.0	0	0.000	240		
Site4:AA2:BB2:CC4	0.0	0	0.000	240		
Site4:AA3:BB1:CC1	0.0	0	0.000	240		
Site4:AA3:BB1:CC2	0.0	0	0.000	240		
Site4:AA3:BB1:CC3	0.0	0	0.000	240		
Site4:AA3:BB1:CC4	0.0	0	0.000	240		
Site4:AA3:BB2:CC1	0.0	0	0.000	240		
Site4:AA3:BB2:CC2	0.0	0	0.000	240		
Site4:AA3:BB2:CC3	0.0	0	0.000	240		
Site4:AA3:BB2:CC4	0.0	0	0.000	240		
Site4:AA4:BB1:CC1	0.0	0	0.000	240		

Site4:AA4:BB1:CC2	0.0	0	0.000	240							
Site4:AA4:BB1:CC3	0.0	0	0.000	240							
Site4:AA4:BB1:CC4	0.0	0	0.000	240							
Site4:AA4:BB2:CC1	0.0	0	0.000	240							
Site4:AA4:BB2:CC2	0.0	0	0.000	240							
Site4:AA4:BB2:CC3	0.0	0	0.000	240							
Site4:AA4:BB2:CC4	0.0	0	0.000	240							
Site4:AA5:BB1:CC1	0.0	0	0.000	240							
Site4:AA5:BB1:CC2	0.0	0	0.000	240							
Site4:AA5:BB1:CC3	0.0	0	0.000	240							
Site4:AA5:BB1:CC4	0.0	0	0.000	240							
Site4:AA5:BB2:CC1	0.0	0	0.000	240							
Site4:AA5:BB2:CC2	0.0	0	0.000	240							
Site4:AA5:BB2:CC3	0.0	0	0.000	240							
Site4:AA5:BB2:CC4	0.0	0	0.000	240							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

```
options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(f10.1, ex10.1), type=3, singular.ok=TRUE) # NOT OK for Site:Block
```

Note: model has aliased coefficients  
 sums of squares computed by model comparison

#### Anova Table (Type III tests)

Response: Yield

	Sum Sq	Df	F values	Pr(>F)
Site	552717	3	5.8064e+01	< 2e-16 ***
A	1387680917	4	1.0933e+05	< 2e-16 ***
B	100939695	1	3.1812e+04	< 2e-16 ***
C	19356264	3	2.0334e+03	< 2e-16 ***
Site:Block	0	0		
Site:A	34068	12	8.9470e-01	0.55301
Site:B	1618	3	1.6990e-01	0.91662
A:B	31444008	4	2.4775e+03	< 2e-16 ***
A:C	26075792	12	6.8483e+02	< 2e-16 ***
B:C	23901388	3	2.5109e+03	< 2e-16 ***
Site:C	47625	9	1.6677e+00	0.09747 .
Site:A:B	33737	12	8.8600e-01	0.56185
A:B:C	41996729	12	1.1030e+03	< 2e-16 ***
Site:A:C	104110	36	9.1140e-01	0.61768
Site:B:C	61111	9	2.1400e+00	0.02701 *
Site:Block:A:B	186911	72	8.1810e-01	0.84155
Site:A:B:C	82475	36	7.2200e-01	0.87941
Residuals	761522	240		
---				

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 7.15 Example 10.2

(91) MODEL

```
ex10.2 = read.table("C:/G/Rt/Split/Ex10.2-spbsite.txt", header=TRUE)
ex10.2 = af(ex10.2, c("Site", "Block", "A", "B"))
GLM(Yield ~ Site + Site:Block + A + A:Site + A:Site:Block + B + B:Site +
     B:Site:Block + A:B + A:B:Site, ex10.2)
```

\$ANOVA

Response : Yield

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	227	6370995084	28066058	10814	< 2.2e-16 ***
RESIDUALS	252	654049	2595		
CORRECTED TOTAL	479	6371649132			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	2	523573968	261786984	1.0086e+05	< 2.2e-16 ***
Site:Block	9	3756646710	417405190	1.6082e+05	< 2.2e-16 ***
A	4	29288163	7322041	2.8211e+03	< 2.2e-16 ***
Site:A	8	247899	30987	1.1939e+01	1.998e-14 ***
Site:Block:A	36	1783391	49539	1.9087e+01	< 2.2e-16 ***
B	7	1937592291	276798899	1.0665e+05	< 2.2e-16 ***
Site:B	14	15903698	1135978	4.3768e+02	< 2.2e-16 ***
Site:Block:B	63	105727288	1678211	6.4660e+02	< 2.2e-16 ***
A:B	28	91141	3255	1.2541e+00	0.1838
Site:A:B	56	140534	2510	9.6690e-01	0.5461

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Site	2	523573968	261786984	1.0086e+05	< 2.2e-16 ***
Site:Block	9	3756646710	417405190	1.6082e+05	< 2.2e-16 ***
A	4	29288163	7322041	2.8211e+03	< 2.2e-16 ***
Site:A	8	247899	30987	1.1939e+01	1.998e-14 ***
Site:Block:A	36	1783391	49539	1.9087e+01	< 2.2e-16 ***
B	7	1937592291	276798899	1.0665e+05	< 2.2e-16 ***
Site:B	14	15903698	1135978	4.3768e+02	< 2.2e-16 ***
Site:Block:B	63	105727288	1678211	6.4660e+02	< 2.2e-16 ***
A:B	28	91141	3255	1.2541e+00	0.1838
Site:A:B	56	140534	2510	9.6690e-01	0.5461

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
Site	2	523573968	261786984	1.0086e+05	< 2.2e-16 ***						
Site:Block	9	3756646710	417405190	1.6082e+05	< 2.2e-16 ***						
A	4	29288163	7322041	2.8211e+03	< 2.2e-16 ***						
Site:A	8	247899	30987	1.1939e+01	1.998e-14 ***						
Site:Block:A	36	1783391	49539	1.9087e+01	< 2.2e-16 ***						
B	7	1937592291	276798899	1.0665e+05	< 2.2e-16 ***						
Site:B	14	15903698	1135978	4.3768e+02	< 2.2e-16 ***						
Site:Block:B	63	105727288	1678211	6.4660e+02	< 2.2e-16 ***						
A:B	28	91141	3255	1.2541e+00	0.1838						
Site:A:B	56	140534	2510	9.6690e-01	0.5461						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	13975.4	0	35.112	252	398.0266	< 2.2e-16 ***
Site1	-3964.6	0	49.655	252	-79.8426	< 2.2e-16 ***
Site2	-6027.2	0	49.655	252	-121.3814	< 2.2e-16 ***
Site3	0.0	0	0.000	252		
Site1:BlockR1	5969.7	0	39.462	252	151.2767	< 2.2e-16 ***
Site1:BlockR2	3993.2	0	39.462	252	101.1914	< 2.2e-16 ***
Site1:BlockR3	7976.0	0	39.462	252	202.1185	< 2.2e-16 ***
Site1:BlockR4	0.0	0	0.000	252		
Site2:BlockR1	1983.1	0	39.462	252	50.2533	< 2.2e-16 ***
Site2:BlockR2	8050.7	0	39.462	252	204.0115	< 2.2e-16 ***
Site2:BlockR3	9979.6	0	39.462	252	252.8913	< 2.2e-16 ***
Site2:BlockR4	0.0	0	0.000	252		
Site3:BlockR1	-1977.8	0	39.462	252	-50.1183	< 2.2e-16 ***
Site3:BlockR2	4028.8	0	39.462	252	102.0941	< 2.2e-16 ***
Site3:BlockR3	6011.4	0	39.462	252	152.3335	< 2.2e-16 ***
Site3:BlockR4	0.0	0	0.000	252		
AA1	-558.7	0	42.242	252	-13.2267	< 2.2e-16 ***
AA2	-438.8	0	42.242	252	-10.3889	< 2.2e-16 ***
AA3	-240.1	0	42.242	252	-5.6838	3.632e-08 ***
AA4	-153.3	0	42.242	252	-3.6279	0.0003458 ***
AA5	0.0	0	0.000	252		
Site1:AA1	-38.1	0	59.739	252	-0.6377	0.5242659
Site1:AA2	0.8	0	59.739	252	0.0131	0.9895761
Site1:AA3	-98.2	0	59.739	252	-1.6436	0.1015027
Site1:AA4	-21.4	0	59.739	252	-0.3583	0.7203955
Site1:AA5	0.0	0	0.000	252		
Site2:AA1	413.1	0	59.739	252	6.9145	3.844e-11 ***
Site2:AA2	368.4	0	59.739	252	6.1670	2.752e-09 ***
Site2:AA3	138.4	0	59.739	252	2.3163	0.0213427 *
Site2:AA4	164.4	0	59.739	252	2.7516	0.0063618 **

Site2:AA5	0.0	0	0.000	252		
Site3:AA1	0.0	0	0.000	252		
Site3:AA2	0.0	0	0.000	252		
Site3:AA3	0.0	0	0.000	252		
Site3:AA4	0.0	0	0.000	252		
Site3:AA5	0.0	0	0.000	252		
Site1:BlockR1:AA1	-190.6	0	36.024	252	-5.2916	2.635e-07 ***
Site1:BlockR1:AA2	-131.1	0	36.024	252	-3.6400	0.0003308 ***
Site1:BlockR1:AA3	-76.1	0	36.024	252	-2.1132	0.0355682 *
Site1:BlockR1:AA4	-52.6	0	36.024	252	-1.4608	0.1453053
Site1:BlockR1:AA5	0.0	0	0.000	252		
Site1:BlockR2:AA1	-188.1	0	36.024	252	-5.2222	3.702e-07 ***
Site1:BlockR2:AA2	-148.4	0	36.024	252	-4.1188	5.168e-05 ***
Site1:BlockR2:AA3	-43.6	0	36.024	252	-1.2110	0.2270282
Site1:BlockR2:AA4	-33.0	0	36.024	252	-0.9161	0.3605109
Site1:BlockR2:AA5	0.0	0	0.000	252		
Site1:BlockR3:AA1	-234.0	0	36.024	252	-6.4957	4.379e-10 ***
Site1:BlockR3:AA2	-133.3	0	36.024	252	-3.6989	0.0002658 ***
Site1:BlockR3:AA3	-82.1	0	36.024	252	-2.2797	0.0234592 *
Site1:BlockR3:AA4	-87.8	0	36.024	252	-2.4359	0.0155490 *
Site1:BlockR3:AA5	0.0	0	0.000	252		
Site1:BlockR4:AA1	0.0	0	0.000	252		
Site1:BlockR4:AA2	0.0	0	0.000	252		
Site1:BlockR4:AA3	0.0	0	0.000	252		
Site1:BlockR4:AA4	0.0	0	0.000	252		
Site1:BlockR4:AA5	0.0	0	0.000	252		
Site2:BlockR1:AA1	-382.5	0	36.024	252	-10.6180	< 2.2e-16 ***
Site2:BlockR1:AA2	-261.9	0	36.024	252	-7.2695	4.528e-12 ***
Site2:BlockR1:AA3	-171.6	0	36.024	252	-4.7642	3.204e-06 ***
Site2:BlockR1:AA4	-74.5	0	36.024	252	-2.0681	0.0396533 *
Site2:BlockR1:AA5	0.0	0	0.000	252		
Site2:BlockR2:AA1	-634.4	0	36.024	252	-17.6099	< 2.2e-16 ***
Site2:BlockR2:AA2	-508.7	0	36.024	252	-14.1226	< 2.2e-16 ***
Site2:BlockR2:AA3	-288.9	0	36.024	252	-8.0190	3.997e-14 ***
Site2:BlockR2:AA4	-183.6	0	36.024	252	-5.0973	6.768e-07 ***
Site2:BlockR2:AA5	0.0	0	0.000	252		
Site2:BlockR3:AA1	-607.5	0	36.024	252	-16.8638	< 2.2e-16 ***
Site2:BlockR3:AA2	-466.6	0	36.024	252	-12.9532	< 2.2e-16 ***
Site2:BlockR3:AA3	-249.6	0	36.024	252	-6.9294	3.517e-11 ***
Site2:BlockR3:AA4	-166.4	0	36.024	252	-4.6185	6.169e-06 ***
Site2:BlockR3:AA5	0.0	0	0.000	252		
Site2:BlockR4:AA1	0.0	0	0.000	252		
Site2:BlockR4:AA2	0.0	0	0.000	252		
Site2:BlockR4:AA3	0.0	0	0.000	252		
Site2:BlockR4:AA4	0.0	0	0.000	252		
Site2:BlockR4:AA5	0.0	0	0.000	252		
Site3:BlockR1:AA1	11.6	0	36.024	252	0.3227	0.7471876
Site3:BlockR1:AA2	-27.1	0	36.024	252	-0.7530	0.4521683

Site3:BlockR1:AA3	-8.9	0	36.024	252	-0.2464	0.8056004
Site3:BlockR1:AA4	51.3	0	36.024	252	1.4227	0.1560685
Site3:BlockR1:AA5	0.0	0	0.000	252		
Site3:BlockR2:AA1	-237.6	0	36.024	252	-6.5963	2.463e-10 ***
Site3:BlockR2:AA2	-200.2	0	36.024	252	-5.5588	6.907e-08 ***
Site3:BlockR2:AA3	-142.0	0	36.024	252	-3.9418	0.0001048 ***
Site3:BlockR2:AA4	-55.4	0	36.024	252	-1.5372	0.1255045
Site3:BlockR2:AA5	0.0	0	0.000	252		
Site3:BlockR3:AA1	-207.1	0	36.024	252	-5.7497	2.578e-08 ***
Site3:BlockR3:AA2	-232.2	0	36.024	252	-6.4471	5.769e-10 ***
Site3:BlockR3:AA3	-127.7	0	36.024	252	-3.5463	0.0004657 ***
Site3:BlockR3:AA4	-66.9	0	36.024	252	-1.8564	0.0645621 .
Site3:BlockR3:AA5	0.0	0	0.000	252		
Site3:BlockR4:AA1	0.0	0	0.000	252		
Site3:BlockR4:AA2	0.0	0	0.000	252		
Site3:BlockR4:AA3	0.0	0	0.000	252		
Site3:BlockR4:AA4	0.0	0	0.000	252		
Site3:BlockR4:AA5	0.0	0	0.000	252		
BB1	-5364.0	0	45.567	252	-117.7159 < 2.2e-16 ***	
BB2	-4564.7	0	45.567	252	-100.1746 < 2.2e-16 ***	
BB3	-3808.6	0	45.567	252	-83.5815 < 2.2e-16 ***	
BB4	-3070.7	0	45.567	252	-67.3877 < 2.2e-16 ***	
BB5	-2308.1	0	45.567	252	-50.6519 < 2.2e-16 ***	
BB6	-1561.6	0	45.567	252	-34.2694 < 2.2e-16 ***	
BB7	-704.7	0	45.567	252	-15.4641 < 2.2e-16 ***	
BB8	0.0	0	0.000	252		
Site1:BB1	-87.2	0	64.441	252	-1.3539	0.1769672
Site1:BB2	-63.8	0	64.441	252	-0.9900	0.3231006
Site1:BB3	-48.9	0	64.441	252	-0.7588	0.4486638
Site1:BB4	-16.6	0	64.441	252	-0.2576	0.7969270
Site1:BB5	17.3	0	64.441	252	0.2677	0.7891606
Site1:BB6	16.3	0	64.441	252	0.2529	0.8005184
Site1:BB7	-127.0	0	64.441	252	-1.9716	0.0497538 *
Site1:BB8	0.0	0	0.000	252		
Site2:BB1	3583.2	0	64.441	252	55.6033 < 2.2e-16 ***	
Site2:BB2	3099.2	0	64.441	252	48.0926 < 2.2e-16 ***	
Site2:BB3	2577.7	0	64.441	252	39.9999 < 2.2e-16 ***	
Site2:BB4	2111.0	0	64.441	252	32.7585 < 2.2e-16 ***	
Site2:BB5	1589.0	0	64.441	252	24.6581 < 2.2e-16 ***	
Site2:BB6	1116.0	0	64.441	252	17.3173 < 2.2e-16 ***	
Site2:BB7	555.1	0	64.441	252	8.6133	8.882e-16 ***
Site2:BB8	0.0	0	0.000	252		
Site3:BB1	0.0	0	0.000	252		
Site3:BB2	0.0	0	0.000	252		
Site3:BB3	0.0	0	0.000	252		
Site3:BB4	0.0	0	0.000	252		
Site3:BB5	0.0	0	0.000	252		
Site3:BB6	0.0	0	0.000	252		

Site3:BB7	0.0	0	0.000	252		
Site3:BB8	0.0	0	0.000	252		
Site1:BlockR1:BB1	-1733.0	0	45.567	252	-38.0320 < 2.2e-16	***
Site1:BlockR1:BB2	-1498.6	0	45.567	252	-32.8879 < 2.2e-16	***
Site1:BlockR1:BB3	-1281.4	0	45.567	252	-28.1213 < 2.2e-16	***
Site1:BlockR1:BB4	-984.4	0	45.567	252	-21.6034 < 2.2e-16	***
Site1:BlockR1:BB5	-743.6	0	45.567	252	-16.3189 < 2.2e-16	***
Site1:BlockR1:BB6	-499.4	0	45.567	252	-10.9597 < 2.2e-16	***
Site1:BlockR1:BB7	-196.2	0	45.567	252	-4.3058	2.385e-05 ***
Site1:BlockR1:BB8	0.0	0	0.000	252		
Site1:BlockR2:BB1	-1721.2	0	45.567	252	-37.7730 < 2.2e-16	***
Site1:BlockR2:BB2	-1606.0	0	45.567	252	-35.2449 < 2.2e-16	***
Site1:BlockR2:BB3	-1267.6	0	45.567	252	-27.8184 < 2.2e-16	***
Site1:BlockR2:BB4	-1005.4	0	45.567	252	-22.0642 < 2.2e-16	***
Site1:BlockR2:BB5	-800.4	0	45.567	252	-17.5654 < 2.2e-16	***
Site1:BlockR2:BB6	-486.4	0	45.567	252	-10.6744 < 2.2e-16	***
Site1:BlockR2:BB7	-233.8	0	45.567	252	-5.1309	5.761e-07 ***
Site1:BlockR2:BB8	0.0	0	0.000	252		
Site1:BlockR3:BB1	-1709.0	0	45.567	252	-37.5053 < 2.2e-16	***
Site1:BlockR3:BB2	-1522.6	0	45.567	252	-33.4146 < 2.2e-16	***
Site1:BlockR3:BB3	-1220.2	0	45.567	252	-26.7782 < 2.2e-16	***
Site1:BlockR3:BB4	-965.2	0	45.567	252	-21.1820 < 2.2e-16	***
Site1:BlockR3:BB5	-767.8	0	45.567	252	-16.8499 < 2.2e-16	***
Site1:BlockR3:BB6	-476.2	0	45.567	252	-10.4506 < 2.2e-16	***
Site1:BlockR3:BB7	-220.2	0	45.567	252	-4.8325	2.345e-06 ***
Site1:BlockR3:BB8	0.0	0	0.000	252		
Site1:BlockR4:BB1	0.0	0	0.000	252		
Site1:BlockR4:BB2	0.0	0	0.000	252		
Site1:BlockR4:BB3	0.0	0	0.000	252		
Site1:BlockR4:BB4	0.0	0	0.000	252		
Site1:BlockR4:BB5	0.0	0	0.000	252		
Site1:BlockR4:BB6	0.0	0	0.000	252		
Site1:BlockR4:BB7	0.0	0	0.000	252		
Site1:BlockR4:BB8	0.0	0	0.000	252		
Site2:BlockR1:BB1	-3519.6	0	45.567	252	-77.2402 < 2.2e-16	***
Site2:BlockR1:BB2	-3097.8	0	45.567	252	-67.9835 < 2.2e-16	***
Site2:BlockR1:BB3	-2563.0	0	45.567	252	-56.2469 < 2.2e-16	***
Site2:BlockR1:BB4	-2044.0	0	45.567	252	-44.8571 < 2.2e-16	***
Site2:BlockR1:BB5	-1539.6	0	45.567	252	-33.7877 < 2.2e-16	***
Site2:BlockR1:BB6	-1052.8	0	45.567	252	-23.1045 < 2.2e-16	***
Site2:BlockR1:BB7	-552.0	0	45.567	252	-12.1141 < 2.2e-16	***
Site2:BlockR1:BB8	0.0	0	0.000	252		
Site2:BlockR2:BB1	-5360.8	0	45.567	252	-117.6467 < 2.2e-16	***
Site2:BlockR2:BB2	-4648.0	0	45.567	252	-102.0038 < 2.2e-16	***
Site2:BlockR2:BB3	-3890.2	0	45.567	252	-85.3733 < 2.2e-16	***
Site2:BlockR2:BB4	-3094.2	0	45.567	252	-67.9045 < 2.2e-16	***
Site2:BlockR2:BB5	-2335.6	0	45.567	252	-51.2565 < 2.2e-16	***
Site2:BlockR2:BB6	-1556.2	0	45.567	252	-34.1520 < 2.2e-16	***

Site2:BlockR2:BB7	-830.8	0	45.567	252	-18.2325 < 2.2e-16 ***
Site2:BlockR2:BB8	0.0	0	0.000	252	
Site2:BlockR3:BB1	-5309.4	0	45.567	252	-116.5187 < 2.2e-16 ***
Site2:BlockR3:BB2	-4604.2	0	45.567	252	-101.0426 < 2.2e-16 ***
Site2:BlockR3:BB3	-3827.2	0	45.567	252	-83.9907 < 2.2e-16 ***
Site2:BlockR3:BB4	-3058.2	0	45.567	252	-67.1145 < 2.2e-16 ***
Site2:BlockR3:BB5	-2281.6	0	45.567	252	-50.0714 < 2.2e-16 ***
Site2:BlockR3:BB6	-1466.6	0	45.567	252	-32.1856 < 2.2e-16 ***
Site2:BlockR3:BB7	-795.8	0	45.567	252	-17.4644 < 2.2e-16 ***
Site2:BlockR3:BB8	0.0	0	0.000	252	
Site2:BlockR4:BB1	0.0	0	0.000	252	
Site2:BlockR4:BB2	0.0	0	0.000	252	
Site2:BlockR4:BB3	0.0	0	0.000	252	
Site2:BlockR4:BB4	0.0	0	0.000	252	
Site2:BlockR4:BB5	0.0	0	0.000	252	
Site2:BlockR4:BB6	0.0	0	0.000	252	
Site2:BlockR4:BB7	0.0	0	0.000	252	
Site2:BlockR4:BB8	0.0	0	0.000	252	
Site3:BlockR1:BB1	-7.4	0	45.567	252	-0.1624 0.8711222
Site3:BlockR1:BB2	26.4	0	45.567	252	0.5794 0.5628587
Site3:BlockR1:BB3	-48.4	0	45.567	252	-1.0622 0.2891736
Site3:BlockR1:BB4	-67.6	0	45.567	252	-1.4835 0.1391827
Site3:BlockR1:BB5	-35.0	0	45.567	252	-0.7681 0.4431463
Site3:BlockR1:BB6	-8.2	0	45.567	252	-0.1800 0.8573324
Site3:BlockR1:BB7	-66.6	0	45.567	252	-1.4616 0.1451004
Site3:BlockR1:BB8	0.0	0	0.000	252	
Site3:BlockR2:BB1	-1771.4	0	45.567	252	-38.8747 < 2.2e-16 ***
Site3:BlockR2:BB2	-1533.8	0	45.567	252	-33.6604 < 2.2e-16 ***
Site3:BlockR2:BB3	-1295.8	0	45.567	252	-28.4373 < 2.2e-16 ***
Site3:BlockR2:BB4	-1082.6	0	45.567	252	-23.7585 < 2.2e-16 ***
Site3:BlockR2:BB5	-796.0	0	45.567	252	-17.4688 < 2.2e-16 ***
Site3:BlockR2:BB6	-482.0	0	45.567	252	-10.5778 < 2.2e-16 ***
Site3:BlockR2:BB7	-304.2	0	45.567	252	-6.6759 1.556e-10 ***
Site3:BlockR2:BB8	0.0	0	0.000	252	
Site3:BlockR3:BB1	-1772.4	0	45.567	252	-38.8966 < 2.2e-16 ***
Site3:BlockR3:BB2	-1509.0	0	45.567	252	-33.1161 < 2.2e-16 ***
Site3:BlockR3:BB3	-1281.6	0	45.567	252	-28.1257 < 2.2e-16 ***
Site3:BlockR3:BB4	-1013.2	0	45.567	252	-22.2354 < 2.2e-16 ***
Site3:BlockR3:BB5	-751.8	0	45.567	252	-16.4988 < 2.2e-16 ***
Site3:BlockR3:BB6	-462.6	0	45.567	252	-10.1521 < 2.2e-16 ***
Site3:BlockR3:BB7	-248.6	0	45.567	252	-5.4557 1.165e-07 ***
Site3:BlockR3:BB8	0.0	0	0.000	252	
Site3:BlockR4:BB1	0.0	0	0.000	252	
Site3:BlockR4:BB2	0.0	0	0.000	252	
Site3:BlockR4:BB3	0.0	0	0.000	252	
Site3:BlockR4:BB4	0.0	0	0.000	252	
Site3:BlockR4:BB5	0.0	0	0.000	252	
Site3:BlockR4:BB6	0.0	0	0.000	252	

Site3:BlockR4:BB7	0.0	0	0.000	252		
Site3:BlockR4:BB8	0.0	0	0.000	252		
AA1:BB1	-61.5	0	50.945	252	-1.2072	0.2284965
AA1:BB2	-140.0	0	50.945	252	-2.7480	0.0064285 **
AA1:BB3	-57.7	0	50.945	252	-1.1336	0.2580534
AA1:BB4	-29.2	0	50.945	252	-0.5741	0.5663822
AA1:BB5	-66.7	0	50.945	252	-1.3102	0.1913120
AA1:BB6	-41.5	0	50.945	252	-0.8146	0.4160716
AA1:BB7	-40.5	0	50.945	252	-0.7950	0.4273795
AA1:BB8	0.0	0	0.000	252		
AA2:BB1	-32.5	0	50.945	252	-0.6379	0.5240931
AA2:BB2	-62.7	0	50.945	252	-1.2317	0.2192050
AA2:BB3	-59.0	0	50.945	252	-1.1581	0.2479183
AA2:BB4	51.8	0	50.945	252	1.0158	0.3107018
AA2:BB5	3.8	0	50.945	252	0.0736	0.9413805
AA2:BB6	8.3	0	50.945	252	0.1619	0.8714843
AA2:BB7	6.3	0	50.945	252	0.1227	0.9024579
AA2:BB8	0.0	0	0.000	252		
AA3:BB1	-90.0	0	50.945	252	-1.7666	0.0785061 .
AA3:BB2	-122.7	0	50.945	252	-2.4094	0.0166946 *
AA3:BB3	-110.0	0	50.945	252	-2.1592	0.0317805 *
AA3:BB4	-63.0	0	50.945	252	-1.2366	0.2173799
AA3:BB5	-36.7	0	50.945	252	-0.7214	0.4713562
AA3:BB6	-11.5	0	50.945	252	-0.2257	0.8215928
AA3:BB7	-104.2	0	50.945	252	-2.0463	0.0417637 *
AA3:BB8	0.0	0	0.000	252		
AA4:BB1	-66.2	0	50.945	252	-1.3004	0.1946476
AA4:BB2	-60.2	0	50.945	252	-1.1826	0.2380667
AA4:BB3	-7.5	0	50.945	252	-0.1472	0.8830788
AA4:BB4	3.8	0	50.945	252	0.0736	0.9413805
AA4:BB5	12.0	0	50.945	252	0.2355	0.8139760
AA4:BB6	14.5	0	50.945	252	0.2846	0.7761701
AA4:BB7	-37.2	0	50.945	252	-0.7312	0.4653514
AA4:BB8	0.0	0	0.000	252		
AA5:BB1	0.0	0	0.000	252		
AA5:BB2	0.0	0	0.000	252		
AA5:BB3	0.0	0	0.000	252		
AA5:BB4	0.0	0	0.000	252		
AA5:BB5	0.0	0	0.000	252		
AA5:BB6	0.0	0	0.000	252		
AA5:BB7	0.0	0	0.000	252		
AA5:BB8	0.0	0	0.000	252		
Site1:AA1:BB1	67.2	0	72.048	252	0.9334	0.3515017
Site1:AA1:BB2	118.7	0	72.048	252	1.6482	0.1005547
Site1:AA1:BB3	49.7	0	72.048	252	0.6905	0.4905056
Site1:AA1:BB4	-13.0	0	72.048	252	-0.1804	0.8569552
Site1:AA1:BB5	77.7	0	72.048	252	1.0791	0.2815539
Site1:AA1:BB6	10.5	0	72.048	252	0.1457	0.8842456

Site1:AA1:BB7	48.7	0	72.048 252	0.6766 0.4992577
Site1:AA1:BB8	0.0	0	0.000 252	
Site1:AA2:BB1	47.5	0	72.048 252	0.6593 0.5103141
Site1:AA2:BB2	75.5	0	72.048 252	1.0479 0.2956805
Site1:AA2:BB3	35.2	0	72.048 252	0.4893 0.6250835
Site1:AA2:BB4	-56.8	0	72.048 252	-0.7877 0.4316280
Site1:AA2:BB5	-52.5	0	72.048 252	-0.7287 0.4668712
Site1:AA2:BB6	-57.3	0	72.048 252	-0.7946 0.4275862
Site1:AA2:BB7	-7.0	0	72.048 252	-0.0972 0.9226782
Site1:AA2:BB8	0.0	0	0.000 252	
Site1:AA3:BB1	172.0	0	72.048 252	2.3873 0.0177101 *
Site1:AA3:BB2	116.0	0	72.048 252	1.6100 0.1086397
Site1:AA3:BB3	123.2	0	72.048 252	1.7107 0.0883720 .
Site1:AA3:BB4	21.0	0	72.048 252	0.2915 0.7709287
Site1:AA3:BB5	64.7	0	72.048 252	0.8987 0.3696645
Site1:AA3:BB6	-24.3	0	72.048 252	-0.3366 0.7367115
Site1:AA3:BB7	182.7	0	72.048 252	2.5365 0.0118006 *
Site1:AA3:BB8	0.0	0	0.000 252	
Site1:AA4:BB1	104.5	0	72.048 252	1.4504 0.1481824
Site1:AA4:BB2	95.7	0	72.048 252	1.3290 0.1850560
Site1:AA4:BB3	73.2	0	72.048 252	1.0167 0.3102767
Site1:AA4:BB4	9.7	0	72.048 252	0.1353 0.8924613
Site1:AA4:BB5	-17.3	0	72.048 252	-0.2394 0.8109707
Site1:AA4:BB6	-30.5	0	72.048 252	-0.4233 0.6724148
Site1:AA4:BB7	141.7	0	72.048 252	1.9674 0.0502283 .
Site1:AA4:BB8	0.0	0	0.000 252	
Site1:AA5:BB1	0.0	0	0.000 252	
Site1:AA5:BB2	0.0	0	0.000 252	
Site1:AA5:BB3	0.0	0	0.000 252	
Site1:AA5:BB4	0.0	0	0.000 252	
Site1:AA5:BB5	0.0	0	0.000 252	
Site1:AA5:BB6	0.0	0	0.000 252	
Site1:AA5:BB7	0.0	0	0.000 252	
Site1:AA5:BB8	0.0	0	0.000 252	
Site2:AA1:BB1	-11.8	0	72.048 252	-0.1631 0.8705810
Site2:AA1:BB2	106.7	0	72.048 252	1.4817 0.1396805
Site2:AA1:BB3	8.7	0	72.048 252	0.1214 0.9034334
Site2:AA1:BB4	-57.5	0	72.048 252	-0.7981 0.4255737
Site2:AA1:BB5	17.5	0	72.048 252	0.2429 0.8082844
Site2:AA1:BB6	-26.3	0	72.048 252	-0.3643 0.7159080
Site2:AA1:BB7	-30.0	0	72.048 252	-0.4164 0.6774782
Site2:AA1:BB8	0.0	0	0.000 252	
Site2:AA2:BB1	-89.5	0	72.048 252	-1.2422 0.2153051
Site2:AA2:BB2	-74.3	0	72.048 252	-1.0306 0.3037314
Site2:AA2:BB3	-32.3	0	72.048 252	-0.4476 0.6548116
Site2:AA2:BB4	-151.8	0	72.048 252	-2.1062 0.0361722 *
Site2:AA2:BB5	-127.5	0	72.048 252	-1.7697 0.0779927 .
Site2:AA2:BB6	-163.5	0	72.048 252	-2.2693 0.0240938 *

Site2:AA2:BB7	-127.5	0	72.048 252	-1.7697 0.0779927 .
Site2:AA2:BB8	0.0	0	0.000 252	
Site2:AA3:BB1	57.7	0	72.048 252	0.8016 0.4235667
Site2:AA3:BB2	82.0	0	72.048 252	1.1381 0.2561446
Site2:AA3:BB3	95.2	0	72.048 252	1.3220 0.1873529
Site2:AA3:BB4	-32.0	0	72.048 252	-0.4442 0.6573149
Site2:AA3:BB5	60.2	0	72.048 252	0.8363 0.4038052
Site2:AA3:BB6	-45.0	0	72.048 252	-0.6246 0.5328074
Site2:AA3:BB7	69.7	0	72.048 252	0.9681 0.3339179
Site2:AA3:BB8	0.0	0	0.000 252	
Site2:AA4:BB1	-22.3	0	72.048 252	-0.3088 0.7577110
Site2:AA4:BB2	-49.3	0	72.048 252	-0.6836 0.4948713
Site2:AA4:BB3	-4.0	0	72.048 252	-0.0555 0.9557691
Site2:AA4:BB4	-57.8	0	72.048 252	-0.8016 0.4235667
Site2:AA4:BB5	-81.3	0	72.048 252	-1.1277 0.2605082
Site2:AA4:BB6	-111.0	0	72.048 252	-1.5406 0.1246574
Site2:AA4:BB7	-65.5	0	72.048 252	-0.9091 0.3641550
Site2:AA4:BB8	0.0	0	0.000 252	
Site2:AA5:BB1	0.0	0	0.000 252	
Site2:AA5:BB2	0.0	0	0.000 252	
Site2:AA5:BB3	0.0	0	0.000 252	
Site2:AA5:BB4	0.0	0	0.000 252	
Site2:AA5:BB5	0.0	0	0.000 252	
Site2:AA5:BB6	0.0	0	0.000 252	
Site2:AA5:BB7	0.0	0	0.000 252	
Site2:AA5:BB8	0.0	0	0.000 252	
Site3:AA1:BB1	0.0	0	0.000 252	
Site3:AA1:BB2	0.0	0	0.000 252	
Site3:AA1:BB3	0.0	0	0.000 252	
Site3:AA1:BB4	0.0	0	0.000 252	
Site3:AA1:BB5	0.0	0	0.000 252	
Site3:AA1:BB6	0.0	0	0.000 252	
Site3:AA1:BB7	0.0	0	0.000 252	
Site3:AA1:BB8	0.0	0	0.000 252	
Site3:AA2:BB1	0.0	0	0.000 252	
Site3:AA2:BB2	0.0	0	0.000 252	
Site3:AA2:BB3	0.0	0	0.000 252	
Site3:AA2:BB4	0.0	0	0.000 252	
Site3:AA2:BB5	0.0	0	0.000 252	
Site3:AA2:BB6	0.0	0	0.000 252	
Site3:AA2:BB7	0.0	0	0.000 252	
Site3:AA2:BB8	0.0	0	0.000 252	
Site3:AA3:BB1	0.0	0	0.000 252	
Site3:AA3:BB2	0.0	0	0.000 252	
Site3:AA3:BB3	0.0	0	0.000 252	
Site3:AA3:BB4	0.0	0	0.000 252	
Site3:AA3:BB5	0.0	0	0.000 252	
Site3:AA3:BB6	0.0	0	0.000 252	

```

Site3:AA3:BB7      0.0      0      0.000 252
Site3:AA3:BB8      0.0      0      0.000 252
Site3:AA4:BB1      0.0      0      0.000 252
Site3:AA4:BB2      0.0      0      0.000 252
Site3:AA4:BB3      0.0      0      0.000 252
Site3:AA4:BB4      0.0      0      0.000 252
Site3:AA4:BB5      0.0      0      0.000 252
Site3:AA4:BB6      0.0      0      0.000 252
Site3:AA4:BB7      0.0      0      0.000 252
Site3:AA4:BB8      0.0      0      0.000 252
Site3:AA5:BB1      0.0      0      0.000 252
Site3:AA5:BB2      0.0      0      0.000 252
Site3:AA5:BB3      0.0      0      0.000 252
Site3:AA5:BB4      0.0      0      0.000 252
Site3:AA5:BB5      0.0      0      0.000 252
Site3:AA5:BB6      0.0      0      0.000 252
Site3:AA5:BB7      0.0      0      0.000 252
Site3:AA5:BB8      0.0      0      0.000 252
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.16 Example 11.1

### (92) MODEL

```

ex11.1 = read.table("C:/G/Rt/Split/Ex11.1-cov.txt", header=TRUE)
ex11.1 = af(ex11.1, c("R", "T", "S"))
GLM(Y ~ R + T + R:T + S + S:T, ex11.1)

```

```

$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      11   328  29.8182  3.1948 0.02875 *
RESIDUALS  12   112   9.3333
CORRECTED TOTAL 23   440
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
          Df Sum Sq Mean Sq F value Pr(>F)
R      2     48     24  2.5714 0.11765
T      1     24     24  2.5714 0.13479
R:T    2     16      8  0.8571 0.44880
S      3    156     52  5.5714 0.01251 *
T:S    3     84     28  3.0000 0.07277 .
---

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

R     2     48     24  2.5714 0.11765  

T     1     24     24  2.5714 0.13479  

R:T   2     16      8  0.8571 0.44880  

S     3    156     52  5.5714 0.01251 *  

T:S   3     84     28  3.0000 0.07277 .  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

R     2     48     24  2.5714 0.11765  

T     1     24     24  2.5714 0.13479  

R:T   2     16      8  0.8571 0.44880  

S     3    156     52  5.5714 0.01251 *  

T:S   3     84     28  3.0000 0.07277 .  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 17          0     2.1602 12  7.8695 4.448e-06 ***  

R1           -5          0     2.1602 12 -2.3146 0.0391521 *  

R2           -1          0     2.1602 12 -0.4629 0.6517110  

R3            0          0     0.0000 12  

T1           -10         0     3.0551 12 -3.2733 0.0066627 **  

T2            0          0     0.0000 12  

R1:T1        4           0     3.0551 12  1.3093 0.2149461  

R1:T2        0           0     0.0000 12  

R2:T1        2           0     3.0551 12  0.6547 0.5250404  

R2:T2        0           0     0.0000 12  

R3:T1        0           0     0.0000 12  

R3:T2        0           0     0.0000 12  

S1           -8          0     2.4944 12 -3.2071 0.0075321 **  

S2           -9          0     2.4944 12 -3.6080 0.0035926 **  

S3           -11         0     2.4944 12 -4.4098 0.0008506 ***  

S4            0          0     0.0000 12  

T1:S1        6           0     3.5277 12  1.7008 0.1147185  

T1:S2        10          0     3.5277 12  2.8347 0.0150430 *  

T1:S3        8           0     3.5277 12  2.2678 0.0426079 *  

T1:S4        0           0     0.0000 12  

T2:S1        0           0     0.0000 12  

T2:S2        0           0     0.0000 12  

T2:S3        0           0     0.0000 12  

T2:S4        0           0     0.0000 12

```

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

### (93) MODEL

```
GLM(Z ~ R + T + R:T + S + S:T, ex11.1)
```

\$ANOVA  
Response : Z

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	46	4.1818	2.5091	0.06452 .
RESIDUALS	12	20	1.6667		
CORRECTED TOTAL	23	66			

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	9	4.5	2.7	0.1076
T	1	6	6.0	3.6	0.0821 .
R:T	2	1	0.5	0.3	0.7462
S	3	9	3.0	1.8	0.2008
T:S	3	21	7.0	4.2	0.0301 *

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	9	4.5	2.7	0.1076
T	1	6	6.0	3.6	0.0821 .
R:T	2	1	0.5	0.3	0.7462
S	3	9	3.0	1.8	0.2008
T:S	3	21	7.0	4.2	0.0301 *

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	9	4.5	2.7	0.1076
T	1	6	6.0	3.6	0.0821 .
R:T	2	1	0.5	0.3	0.7462
S	3	9	3.0	1.8	0.2008
T:S	3	21	7.0	4.2	0.0301 *

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )					
(Intercept)	6.0	0	0.91287	12	6.5727	2.641e-05 ***					
R1	-2.0	0	0.91287	12	-2.1909	0.048930 *					
R2	-1.0	0	0.91287	12	-1.0954	0.294821					
R3	0.0	0	0.00000	12							
T1	-3.5	0	1.29099	12	-2.7111	0.018917 *					
T2	0.0	0	0.00000	12							
R1:T1	1.0	0	1.29099	12	0.7746	0.453571					
R1:T2	0.0	0	0.00000	12							
R2:T1	0.5	0	1.29099	12	0.3873	0.705317					
R2:T2	0.0	0	0.00000	12							
R3:T1	0.0	0	0.00000	12							
R3:T2	0.0	0	0.00000	12							
S1	-2.0	0	1.05409	12	-1.8974	0.082097 .					
S2	-4.0	0	1.05409	12	-3.7947	0.002554 **					
S3	-2.0	0	1.05409	12	-1.8974	0.082097 .					
S4	0.0	0	0.00000	12							
T1:S1	2.0	0	1.49071	12	1.3416	0.204550					
T1:S2	5.0	0	1.49071	12	3.3541	0.005736 **					
T1:S3	1.0	0	1.49071	12	0.6708	0.515039					
T1:S4	0.0	0	0.00000	12							
T2:S1	0.0	0	0.00000	12							
T2:S2	0.0	0	0.00000	12							
T2:S3	0.0	0	0.00000	12							
T2:S4	0.0	0	0.00000	12							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

#### (94) MODEL

```
GLM(Y ~ R + T + R:T + S + S:T + Z, ex11.1)
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	12	342.45	28.5375	3.218	0.03116 *
RESIDUALS	11	97.55	8.8682		
CORRECTED TOTAL	23	440.00			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	2	48.00	24.00	2.7063	0.11071
T	1	24.00	24.00	2.7063	0.12820
R:T	2	16.00	8.00	0.9021	0.43373
S	3	156.00	52.00	5.8637	0.01211 *

```

T:S 3 84.00 28.00 3.1574 0.06828 .
Z 1 14.45 14.45 1.6294 0.22807
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
  Df Sum Sq Mean Sq F value Pr(>F)
R 2 18.300 9.1500 1.0318 0.38844
T 1 2.679 2.6786 0.3020 0.59359
R:T 2 9.450 4.7250 0.5328 0.60137
S 3 79.196 26.3985 2.9768 0.07822 .
T:S 3 37.474 12.4915 1.4086 0.29234
Z 1 14.450 14.4500 1.6294 0.22807
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
  Df Sum Sq Mean Sq F value Pr(>F)
R 2 20.209 10.1043 1.1394 0.35505
T 1 6.104 6.1038 0.6883 0.42439
R:T 2 9.450 4.7250 0.5328 0.60137
S 3 84.243 28.0810 3.1665 0.06782 .
T:S 3 37.474 12.4915 1.4086 0.29234
Z 1 14.450 14.4500 1.6294 0.22807
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 11.900 0 4.5163 11 2.6349 0.023203 *
R1 -3.300 0 2.4915 11 -1.3245 0.212200
R2 -0.150 0 2.2085 11 -0.0679 0.947069
R3 0.000 0 0.0000 11
T1 -7.025 0 3.7815 11 -1.8577 0.090160 .
T2 0.000 0 0.0000 11
R1:T1 3.150 0 3.0515 11 1.0323 0.324102
R1:T2 0.000 0 0.0000 11
R2:T1 1.575 0 2.9965 11 0.5256 0.609590
R2:T2 0.000 0 0.0000 11
R3:T1 0.000 0 0.0000 11
R3:T2 0.000 0 0.0000 11
S1 -6.300 0 2.7723 11 -2.2725 0.044116 *
S2 -5.600 0 3.6065 11 -1.5528 0.148760
S3 -9.300 0 2.7723 11 -3.3546 0.006425 **
S4 0.000 0 0.0000 11
T1:S1 4.300 0 3.6875 11 1.1661 0.268238
T1:S2 5.750 0 4.7864 11 1.2013 0.254853
T1:S3 7.150 0 3.5025 11 2.0414 0.065946 .

```

```

T1:S4      0.000      0      0.0000 11
T2:S1      0.000      0      0.0000 11
T2:S2      0.000      0      0.0000 11
T2:S3      0.000      0      0.0000 11
T2:S4      0.000      0      0.0000 11
Z          0.850      1      0.6659 11  1.2765 0.228074
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.17 Example 11.2

(95) MODEL

```

ex11.2a = read.table("C:/G/Rt/Split/Ex11.2-sp3.txt", header=TRUE)
ex11.2a = af(ex11.2a, "A")
ex11.2a$MY = (ex11.2a$Y1 + ex11.2a$Y2)/sqrt(2)
ex11.2a$Z = 2*ex11.2a$Z/sqrt(2)
GLM(MY ~ Z + A, ex11.2a)

```

```

$ANOVA
Response : MY
      Df  Sum Sq Mean Sq F value Pr(>F)
MODEL       2  234.639   117.32  9.5696 0.01953 *
RESIDUALS    5   61.298    12.26
CORRECTED TOTAL 7  295.937
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df  Sum Sq Mean Sq F value Pr(>F)
Z   1  190.148 190.148 15.5101 0.01098 *
A   1   44.492  44.492  3.6291 0.11512
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df  Sum Sq Mean Sq F value Pr(>F)
Z   1  166.577 166.577 13.5874 0.0142 *
A   1   44.492  44.492  3.6291 0.1151
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df  Sum Sq Mean Sq F value Pr(>F)
Z   1  166.577 166.577 13.5874 0.0142 *
A   1   44.492  44.492  3.6291 0.1151

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 15.3934        0    2.70222 5  5.6966 0.002326 **
Z            1.0219        1    0.27724 5  3.6861 0.014203 *
A1           -4.7497       0    2.49325 5 -1.9050 0.115119
A2           0.0000       0    0.00000 5
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### (96) MODEL

```

ex11.2b = read.table("C:/G/Rt/Split/Ex11.2-two.txt", header=TRUE)
ex11.2b = af(ex11.2b, c("sub", "A", "B"))
GLM(Y ~ A + A:sub + B + A:B, ex11.2b)
```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      9 382.06  42.451  39.954 0.0001135 ***
RESIDUALS   6   6.38   1.062
CORRECTED TOTAL 15 388.44
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
A      1 68.062  68.062 64.0588 0.0002029 ***
A:sub  6 227.875 37.979 35.7451 0.0001934 ***
B      1 85.562  85.562 80.5294 0.0001070 ***
A:B     1   0.562   0.562  0.5294 0.4942562
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
A      1 68.062  68.062 64.0588 0.0002029 ***
A:sub  6 227.875 37.979 35.7451 0.0001934 ***
B      1 85.562  85.562 80.5294 0.0001070 ***
A:B     1   0.562   0.562  0.5294 0.4942562
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
```

```

A      1 68.062 68.062 64.0588 0.0002029 ***
A:sub  6 227.875 37.979 35.7451 0.0001934 ***
B      1 85.562 85.562 80.5294 0.0001070 ***
A:B    1  0.562   0.562  0.5294 0.4942562
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
            Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 10.000      0     0.81490  6 12.2714 1.784e-05 ***
A1          -3.125      0     1.15244  6 -2.7116 0.0350301 *
A2          0.000      0     0.00000  6
A1:sub1     0.000      0     1.03078  6  0.0000 1.0000000
A1:sub2     4.500      0     1.03078  6  4.3656 0.0047414 **
A1:sub3     8.000      0     1.03078  6  7.7611 0.0002406 ***
A1:sub4     0.000      0     0.00000  6
A1:sub5     0          0
A1:sub6     0          0
A1:sub7     0          0
A1:sub8     0          0
A2:sub1     0          0
A2:sub2     0          0
A2:sub3     0          0
A2:sub4     0          0
A2:sub5     0.000      0     1.03078  6  0.0000 1.0000000
A2:sub6    10.000      0     1.03078  6  9.7014 6.883e-05 ***
A2:sub7     5.000      0     1.03078  6  4.8507 0.0028496 **
A2:sub8     0.000      0     0.00000  6
B1          5.000      0     0.72887  6  6.8599 0.0004725 ***
B2          0.000      0     0.00000  6
A1:B1     -0.750      0     1.03078  6 -0.7276 0.4942562
A1:B2     0.000      0     0.00000  6
A2:B1     0.000      0     0.00000  6
A2:B2     0.000      0     0.00000  6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (97) MODEL

```

ex11.2c = read.table("C:/G/Rt/Split/Ex11.2-spcov2.txt", header=TRUE)
ex11.2c = af(ex11.2c, c("block", "whole", "split"))
GLM(Y ~ block + whole + block:whole + split + split:whole, ex11.2c)

```

```

$ANOVA
Response : Y
            Df Sum Sq Mean Sq F value Pr(>F)
MODEL        11    328  29.8182  3.1948 0.02875 *

```

```

RESIDUALS      12     112  9.3333
CORRECTED TOTAL 23     440
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
block      2    48    24  2.5714 0.11765
whole      1    24    24  2.5714 0.13479
block:white 2    16     8  0.8571 0.44880
split      3   156    52  5.5714 0.01251 *
whole:split 3    84    28  3.0000 0.07277 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
block      2    48    24  2.5714 0.11765
whole      1    24    24  2.5714 0.13479
block:white 2    16     8  0.8571 0.44880
split      3   156    52  5.5714 0.01251 *
whole:split 3    84    28  3.0000 0.07277 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df Sum Sq Mean Sq F value Pr(>F)
block      2    48    24  2.5714 0.11765
whole      1    24    24  2.5714 0.13479
block:white 2    16     8  0.8571 0.44880
split      3   156    52  5.5714 0.01251 *
whole:split 3    84    28  3.0000 0.07277 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)      17        0   2.1602 12  7.8695 4.448e-06 ***
block1          -5        0   2.1602 12 -2.3146 0.0391521 *
block2          -1        0   2.1602 12 -0.4629 0.6517110
block3           0        0   0.0000 12
whole1         -10        0   3.0551 12 -3.2733 0.0066627 **
whole2           0        0   0.0000 12
block1:white1      4        0   3.0551 12  1.3093 0.2149461
block1:white2      0        0   0.0000 12
block2:white1      2        0   3.0551 12  0.6547 0.5250404
block2:white2      0        0   0.0000 12
block3:white1      0        0   0.0000 12

```

```

block3:whole2          0      0  0.0000 12
split1                -8     0  2.4944 12 -3.2071 0.0075321 **
split2                -9     0  2.4944 12 -3.6080 0.0035926 **
split3                -11    0  2.4944 12 -4.4098 0.0008506 ***
split4                  0     0  0.0000 12
whole1:split1           6     0  3.5277 12  1.7008 0.1147185
whole1:split2           10    0  3.5277 12  2.8347 0.0150430 *
whole1:split3            8    0  3.5277 12  2.2678 0.0426079 *
whole1:split4            0    0  0.0000 12
whole2:split1            0    0  0.0000 12
whole2:split2            0    0  0.0000 12
whole2:split3            0    0  0.0000 12
whole2:split4            0    0  0.0000 12
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (98) MODEL

```
GLM(Z ~ block + whole + block:whole + split + split:whole, ex11.2c)
```

```

$ANOVA
Response : Z
      Df Sum Sq Mean Sq   F value   Pr(>F)
MODEL      11    38  3.4545 3.5903e+15 < 2.2e-16 ***
RESIDUALS  12     0  0.0000
CORRECTED TOTAL 23    38
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq   F value   Pr(>F)
block       2 36.000 18.0000 1.8707e+16 <2e-16 ***
whole       1  0.667  0.6667 6.9286e+14 <2e-16 ***
block:whole  2  1.333  0.6667 6.9286e+14 <2e-16 ***
split       3  0.000  0.0000 0.0000e+00      1
whole:split  3  0.000  0.0000 0.0000e+00      1
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq   F value   Pr(>F)
block       2 36.000 18.0000 1.8707e+16 <2e-16 ***
whole       1  0.667  0.6667 6.9286e+14 <2e-16 ***
block:whole  2  1.333  0.6667 6.9286e+14 <2e-16 ***
split       3  0.000  0.0000 0.0000e+00      1
whole:split  3  0.000  0.0000 0.0000e+00      1
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	2	36.000	18.0000	1.8707e+16	<2e-16 ***
whole	1	0.667	0.6667	6.9286e+14	<2e-16 ***
block:whole	2	1.333	0.6667	6.9286e+14	<2e-16 ***
split	3	0.000	0.0000	0.0000e+00	1
whole:split	3	0.000	0.0000	0.0000e+00	1

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter
```

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	5	0	2.1934e-08	12	227957476	<2e-16 ***
block1	-3	0	2.1934e-08	12	-136774486	<2e-16 ***
block2	-1	0	2.1934e-08	12	-45591495	<2e-16 ***
block3	0	0	0.0000e+00	12		
whole1	0	0	3.1019e-08	12	0	1
whole2	0	0	0.0000e+00	12		
block1:whole1	0	0	3.1019e-08	12	0	1
block1:whole2	0	0	0.0000e+00	12		
block2:whole1	-1	0	3.1019e-08	12	-32238055	<2e-16 ***
block2:whole2	0	0	0.0000e+00	12		
block3:whole1	0	0	0.0000e+00	12		
block3:whole2	0	0	0.0000e+00	12		
split1	0	0	2.5327e-08	12	0	1
split2	0	0	2.5327e-08	12	0	1
split3	0	0	2.5327e-08	12	0	1
split4	0	0	0.0000e+00	12		
whole1:split1	0	0	3.5818e-08	12	0	1
whole1:split2	0	0	3.5818e-08	12	0	1
whole1:split3	0	0	3.5818e-08	12	0	1
whole1:split4	0	0	0.0000e+00	12		
whole2:split1	0	0	0.0000e+00	12		
whole2:split2	0	0	0.0000e+00	12		
whole2:split3	0	0	0.0000e+00	12		
whole2:split4	0	0	0.0000e+00	12		

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

(99) MODEL

```
GLM(Y ~ block + whole + block:whole + split + split:whole + Z, ex11.2c)
```

```
$ANOVA
```

```
Response : Y
```

```

Df Sum Sq Mean Sq F value Pr(>F)
MODEL          11     328 29.8182 3.1948 0.02875 *
RESIDUALS      12     112  9.3333
CORRECTED TOTAL 23     440
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
Df Sum Sq Mean Sq F value Pr(>F)
block          2      48      24  2.5714 0.11765
whole          1      24      24  2.5714 0.13479
block:white    2      16       8  0.8571 0.44880
split          3     156      52  5.5714 0.01251 *
whole:split    3      84      28  3.0000 0.07277 .
Z              0
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
Df Sum Sq Mean Sq F value Pr(>F)
block          2   13.286   6.643  0.7117 0.51039
whole          1   16.000  16.000  1.7143 0.21495
block:white    1   16.000  16.000  1.7143 0.21495
split          3 156.000  52.000  5.5714 0.01251 *
whole:split    3   84.000  28.000  3.0000 0.07277 .
Z              0
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
CAUTION: Singularity Exists !
Df Sum Sq Mean Sq F value Pr(>F)
block          2   13.286   6.643  0.7117 0.51039
whole          1   16.000  16.000  1.7143 0.21495
block:white    1   16.000  16.000  1.7143 0.21495
split          3 156.000  52.000  5.5714 0.01251 *
whole:split    3   84.000  28.000  3.0000 0.07277 .
Z              0
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)      17      0     2.1602 12  7.8695 4.448e-06 ***
block1           -5      0     2.1602 12 -2.3146 0.0391521 *
block2           -1      0     2.1602 12 -0.4629 0.6517110
block3            0      0     0.0000 12
whole1          -10      0     3.0551 12 -3.2733 0.0066627 **

```

```

whole2          0      0      0.0000 12
block1:whole1   4      0      3.0551 12  1.3093 0.2149461
block1:whole2   0      0      0.0000 12
block2:whole1   2      0      3.0551 12  0.6547 0.5250404
block2:whole2   0      0      0.0000 12
block3:whole1   0      0      0.0000 12
block3:whole2   0      0      0.0000 12
split1          -8     0      2.4944 12 -3.2071 0.0075321 **
split2          -9     0      2.4944 12 -3.6080 0.0035926 **
split3          -11    0      2.4944 12 -4.4098 0.0008506 ***
split4          0      0      0.0000 12
whole1:split1   6      0      3.5277 12  1.7008 0.1147185
whole1:split2   10     0      3.5277 12  2.8347 0.0150430 *
whole1:split3   8      0      3.5277 12  2.2678 0.0426079 *
whole1:split4   0      0      0.0000 12
whole2:split1   0      0      0.0000 12
whole2:split2   0      0      0.0000 12
whole2:split3   0      0      0.0000 12
whole2:split4   0      0      0.0000 12
Z               0      0      0.0000 12
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 7.18 Example 11.3

(100) MODEL

```

ex11.3 = read.table("C:/G/Rt/Split/Ex11.3-sbcov.txt", header=TRUE)
ex11.3 = af(ex11.3, c("block", "A", "B"))
GLM(Y ~ block + A + block:A + B + block:B + A:B, ex11.3)

```

```

$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      17 16.833  0.9902  1.9804 0.2038
RESIDUALS   6  3.000  0.5000
CORRECTED TOTAL 23 19.833

```

```

$`Type I` 
          Df Sum Sq Mean Sq F value Pr(>F)
block      3 4.5000  1.5000  3.0000 0.11696
A          1 1.5000  1.5000  3.0000 0.13397
block:A    3 0.5000  0.1667  0.3333 0.80220
B          2 8.3333  4.1667  8.3333 0.01855 *
block:B    6 1.0000  0.1667  0.3333 0.89648
A:B        2 1.0000  0.5000  1.0000 0.42188

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
block    3 4.5000 1.5000 3.0000 0.11696
A        1 1.5000 1.5000 3.0000 0.13397
block:A  3 0.5000 0.1667 0.3333 0.80220
B        2 8.3333 4.1667 8.3333 0.01855 *
block:B  6 1.0000 0.1667 0.3333 0.89648
A:B     2 1.0000 0.5000 1.0000 0.42188
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
block    3 4.5000 1.5000 3.0000 0.11696
A        1 1.5000 1.5000 3.0000 0.13397
block:A  3 0.5000 0.1667 0.3333 0.80220
B        2 8.3333 4.1667 8.3333 0.01855 *
block:B  6 1.0000 0.1667 0.3333 0.89648
A:B     2 1.0000 0.5000 1.0000 0.42188
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|) 
(Intercept) 4.5000      0   0.61237  6  7.3485 0.000325 ***
block1       -1.3333     0   0.81650  6 -1.6330 0.153590
block2       -0.3333     0   0.81650  6 -0.4082 0.697261
block3       -0.3333     0   0.81650  6 -0.4082 0.697261
block4       0.0000     0   0.00000  6
A1          -1.0000     0   0.70711  6 -1.4142 0.207031
A2          0.0000     0   0.00000  6
block1:A1    0.6667     0   0.81650  6  0.8165 0.445416
block1:A2    0.0000     0   0.00000  6
block2:A1    0.6667     0   0.81650  6  0.8165 0.445416
block2:A2    0.0000     0   0.00000  6
block3:A1    0.6667     0   0.81650  6  0.8165 0.445416
block3:A2    0.0000     0   0.00000  6
block4:A1    0.0000     0   0.00000  6
block4:A2    0.0000     0   0.00000  6
B1          -0.7500     0   0.79057  6 -0.9487 0.379410
B2          -1.7500     0   0.79057  6 -2.2136 0.068802 .
B3          0.0000     0   0.00000  6
block1:B1   -0.5000     0   1.00000  6 -0.5000 0.634880
block1:B2   0.5000     0   1.00000  6  0.5000 0.634880
block1:B3   0.0000     0   0.00000  6
```

```

block2:B1    -0.5000      0   1.00000 6 -0.5000 0.634880
block2:B2    0.5000      0   1.00000 6  0.5000 0.634880
block2:B3    0.0000      0   0.00000 6
block3:B1    0.0000      0   1.00000 6  0.0000 1.000000
block3:B2    0.0000      0   1.00000 6  0.0000 1.000000
block3:B3    0.0000      0   0.00000 6
block4:B1    0.0000      0   0.00000 6
block4:B2    0.0000      0   0.00000 6
block4:B3    0.0000      0   0.00000 6
A1:B1      -0.5000      0   0.70711 6 -0.7071 0.506021
A1:B2      0.5000      0   0.70711 6  0.7071 0.506021
A1:B3      0.0000      0   0.00000 6
A2:B1      0.0000      0   0.00000 6
A2:B2      0.0000      0   0.00000 6
A2:B3      0.0000      0   0.00000 6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (101) MODEL

```
GLM(Z ~ block + A + block:A + B + block:B + A:B, ex11.3)
```

```

$ANOVA
Response : Z
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL       17 31.167 1.83333     3.3 0.07324 .
RESIDUALS    6  3.333 0.55556
CORRECTED TOTAL 23 34.500
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
          Df Sum Sq Mean Sq F value Pr(>F)
block      3 6.8333 2.2778     4.1 0.06689 .
A         1 6.0000 6.0000    10.8 0.01669 *
block:A    3 1.6667 0.55556    1.0 0.45472
B         2 13.0000 6.5000    11.7 0.00850 **
block:B    6 3.6667 0.6111    1.1 0.45542
A:B       2 0.0000 0.0000    0.0 1.00000
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
          Df Sum Sq Mean Sq F value Pr(>F)
block      3 6.8333 2.2778     4.1 0.06689 .
A         1 6.0000 6.0000    10.8 0.01669 *
block:A    3 1.6667 0.55556    1.0 0.45472

```

```

B      2 13.0000 6.5000    11.7 0.00850 **
block:B 6  3.6667 0.6111    1.1 0.45542
A:B     2  0.0000 0.0000    0.0 1.00000
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

      Df  Sum Sq Mean Sq F value Pr(>F)  

block   3  6.8333 2.2778    4.1 0.06689 .  

A       1  6.0000 6.0000   10.8 0.01669 *  

block:A 3  1.6667 0.5556    1.0 0.45472  

B      2 13.0000 6.5000    11.7 0.00850 **  

block:B 6  3.6667 0.6111    1.1 0.45542  

A:B     2  0.0000 0.0000    0.0 1.00000
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 2.83333      0  0.64550  6  4.3894 0.004621 **  

block1       0.00000      0  0.86066  6  0.0000 1.000000  

block2       1.83333      0  0.86066  6  2.1301 0.077194 .  

block3      -0.16667      0  0.86066  6 -0.1936 0.852840  

block4       0.00000      0  0.00000  6  

A1        -1.66667      0  0.74536  6 -2.2361 0.066707 .  

A2       0.00000      0  0.00000  6  

block1:A1    1.00000      0  0.86066  6  1.1619 0.289403  

block1:A2    0.00000      0  0.00000  6  

block2:A1    0.33333      0  0.86066  6  0.3873 0.711901  

block2:A2    0.00000      0  0.00000  6  

block3:A1    1.33333      0  0.86066  6  1.5492 0.172308  

block3:A2    0.00000      0  0.00000  6  

block4:A1    0.00000      0  0.00000  6  

block4:A2    0.00000      0  0.00000  6  

B1        -0.50000      0  0.83333  6 -0.6000 0.570456  

B2       -1.00000      0  0.83333  6 -1.2000 0.275367  

B3       0.00000      0  0.00000  6  

block1:B1   -2.00000      0  1.05409  6 -1.8974 0.106558  

block1:B2   0.00000      0  1.05409  6  0.0000 1.000000  

block1:B3   0.00000      0  0.00000  6  

block2:B1   -2.00000      0  1.05409  6 -1.8974 0.106558  

block2:B2   -0.50000      0  1.05409  6 -0.4743 0.652027  

block2:B3   0.00000      0  0.00000  6  

block3:B1   -1.00000      0  1.05409  6 -0.9487 0.379410  

block3:B2   -0.50000      0  1.05409  6 -0.4743 0.652027  

block3:B3   0.00000      0  0.00000  6  

block4:B1   0.00000      0  0.00000  6  

block4:B2   0.00000      0  0.00000  6

```

```

block4:B3      0.00000      0    0.00000   6
A1:B1        0.00000      0    0.74536   6  0.0000 1.000000
A1:B2        0.00000      0    0.74536   6  0.0000 1.000000
A1:B3        0.00000      0    0.00000   6
A2:B1        0.00000      0    0.00000   6
A2:B2        0.00000      0    0.00000   6
A2:B3        0.00000      0    0.00000   6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (102) MODEL

```
GLM(Y ~ block + A + block:A + B + block:B + A:B + Z, ex11.3)
```

```
$ANOVA
Response : Y
          Df  Sum Sq Mean Sq F value Pr(>F)
MODEL       18 17.8417 0.99120 2.4884 0.1589
RESIDUALS     5  1.9917 0.39833
CORRECTED TOTAL 23 19.8333
```

```
$`Type I` 
          Df  Sum Sq Mean Sq F value Pr(>F)
block      3 4.5000 1.5000 3.7657 0.09378 .
A          1 1.5000 1.5000 3.7657 0.10999
block:A    3 0.5000 0.1667 0.4184 0.74788
B          2 8.3333 4.1667 10.4603 0.01634 *
block:B    6 1.0000 0.1667 0.4184 0.84059
A:B        2 1.0000 0.5000 1.2552 0.36163
Z          1 1.0083 1.0083 2.5314 0.17248
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II` 
          Df  Sum Sq Mean Sq F value Pr(>F)
block      3 3.6203 1.20678 3.0296 0.1319
A          1 0.0000 0.00000 0.0000 1.0000
block:A    3 0.2583 0.08611 0.2162 0.8813
B          2 1.0317 0.51587 1.2951 0.3522
block:B    6 0.4210 0.07017 0.1762 0.9717
A:B        2 1.0000 0.50000 1.2552 0.3616
Z          1 1.0083 1.00833 2.5314 0.1725
```

```
$`Type III` 
          Df  Sum Sq Mean Sq F value Pr(>F)
block      3 3.6613 1.22045 3.0639 0.1297
A          1 0.0054 0.00536 0.0134 0.9122
```

block:A	3	0.2583	0.08611	0.2162	0.8813
B	2	0.7685	0.38427	0.9647	0.4423
block:B	6	0.4210	0.07017	0.1762	0.9717
A:B	2	1.0000	0.50000	1.2552	0.3616
Z	1	1.0083	1.00833	2.5314	0.1725

\$Parameter

		Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)		2.94167	0	1.12164	5	2.6227	0.04695 *
block1		-1.33333	0	0.72877	5	-1.8296	0.12684
block2		-1.34167	0	0.96580	5	-1.3892	0.22347
block3		-0.24167	0	0.73105	5	-0.3306	0.75437
block4		0.00000	0	0.00000	5		
A1		-0.08333	0	0.85456	5	-0.0975	0.92611
A2		0.00000	0	0.00000	5		
block1:A1		0.11667	0	0.80660	5	0.1446	0.89065
block1:A2		0.00000	0	0.00000	5		
block2:A1		0.48333	0	0.73783	5	0.6551	0.54135
block2:A2		0.00000	0	0.00000	5		
block3:A1		-0.06667	0	0.86230	5	-0.0773	0.94137
block3:A2		0.00000	0	0.00000	5		
block4:A1		0.00000	0	0.00000	5		
block4:A2		0.00000	0	0.00000	5		
B1		-0.47500	0	0.72649	5	-0.6538	0.54210
B2		-1.20000	0	0.78576	5	-1.5272	0.18725
B3		0.00000	0	0.00000	5		
block1:B1		0.60000	0	1.12901	5	0.5314	0.61787
block1:B2		0.50000	0	0.89256	5	0.5602	0.59952
block1:B3		0.00000	0	0.00000	5		
block2:B1		0.60000	0	1.12901	5	0.5314	0.61787
block2:B2		0.77500	0	0.90914	5	0.8525	0.43289
block2:B3		0.00000	0	0.00000	5		
block3:B1		0.55000	0	0.95717	5	0.5746	0.59044
block3:B2		0.27500	0	0.90914	5	0.3025	0.77446
block3:B3		0.00000	0	0.00000	5		
block4:B1		0.00000	0	0.00000	5		
block4:B2		0.00000	0	0.00000	5		
block4:B3		0.00000	0	0.00000	5		
A1:B1		-0.50000	0	0.63114	5	-0.7922	0.46414
A1:B2		0.50000	0	0.63114	5	0.7922	0.46414
A1:B3		0.00000	0	0.00000	5		
A2:B1		0.00000	0	0.00000	5		
A2:B2		0.00000	0	0.00000	5		
A2:B3		0.00000	0	0.00000	5		
Z		0.55000	1	0.34569	5	1.5910	0.17248

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 8 Hinkelmann & Kempthorne - Volume 1

### Reference

- Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 1 Introduction to Experimental Design. 2e. John Wiley & Sons Inc. 2008.

### 8.1 Chapter 6

#### 8.1.1 p202

(103) MODEL

```
v1p202 = read.table("C:/G/Rt/Kemp/v1p202.txt", head=TRUE)
v1p202 = af(v1p202,c("brand"))
GLM(miles ~ brand, v1p202) # OK

$ANOVA
Response : miles
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL     4 47.234 11.809  15.661 0.004924 ***
RESIDUALS   5  3.770  0.754
CORRECTED TOTAL  9 51.004
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
brand    4 47.234 11.809  15.661 0.004924 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
brand    4 47.234 11.809  15.661 0.004924 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
brand    4 47.234 11.809  15.661 0.004924 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate  Estimable Std. Error Df t value  Pr(>|t|)
```

```

(Intercept) 25.90      0   0.61400 5 42.1822 1.413e-07 ***
brand1     -1.05      0   0.86833 5 -1.2092   0.28063
brand2      2.30      0   0.86833 5  2.6488   0.04549 *
brand3     -2.75      0   0.86833 5 -3.1670   0.02490 *
brand4      3.20      0   0.86833 5  3.6852   0.01422 *
brand5      0.00      0   0.00000 5
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.1.2 p205

(104) MODEL

```

v1p205 = read.table("C:/G/Rt/Kemp/v1p205.txt", head=TRUE)
v1p205 = af(v1p205,c("brand", "car"))
GLM(miles ~ brand + car %in% brand, v1p205) # OK

```

```

$ANOVA
Response : miles
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      9 140.05 15.561  80.21 1.017e-13 ***
RESIDUALS  20   3.88   0.194
CORRECTED TOTAL 29 143.93
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
brand      4 133.243 33.311 171.7053 3.553e-15 ***
brand:car  5   6.803   1.361   7.0137 0.0006214 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
brand      4 133.243 33.311 171.7053 3.553e-15 ***
brand:car  5   6.803   1.361   7.0137 0.0006214 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
brand      4 133.243 33.311 171.7053 3.553e-15 ***
brand:car  5   6.803   1.361   7.0137 0.0006214 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 25.9000      0  0.25430 20 101.8496 < 2.2e-16 ***
brand1      -2.0333      0  0.35963 20 -5.6540 1.559e-05 ***
brand2       2.2333      0  0.35963 20  6.2101 4.580e-06 ***
brand3      -2.3667      0  0.35963 20 -6.5808 2.068e-06 ***
brand4       2.9333      0  0.35963 20  8.1565 8.629e-08 ***
brand5       0.0000      0  0.00000 20
brand1:car1  1.9333      0  0.35963 20  5.3759 2.915e-05 ***
brand1:car2  0.0000      0  0.00000 20
brand2:car1  0.1667      0  0.35963 20  0.4634  0.64805
brand2:car2  0.0000      0  0.00000 20
brand3:car1 -0.8667      0  0.35963 20 -2.4099  0.02571 *
brand3:car2  0.0000      0  0.00000 20
brand4:car1 -0.1333      0  0.35963 20 -0.3708  0.71472
brand4:car2  0.0000      0  0.00000 20
brand5:car1  0.0333      0  0.35963 20  0.0927  0.92707
brand5:car2  0.0000      0  0.00000 20
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.2 Chapter 7

### 8.2.1 p232

(105) MODEL

```

v1p232 = read.table("C:/G/Rt/Kemp/v1p232.txt", head=TRUE)
v1p232 = af(v1p232,c("trt"))
GLM(yield ~ trt, v1p232) # OK

```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      4 59.174 14.793 28.781 0.0012 **
RESIDUALS  5  2.570   0.514
CORRECTED TOTAL 9 61.744
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
trt  4 59.174 14.793 28.781 0.0012 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

  Df Sum Sq Mean Sq F value Pr(>F)  

trt  4 59.174 14.793 28.781 0.0012 **  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$`Type III`  

  Df Sum Sq Mean Sq F value Pr(>F)  

trt  4 59.174 14.793 28.781 0.0012 **  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 13.35        0    0.50695  5 26.3339 1.476e-06 ***  

trtA1        4.85        0    0.71694  5  6.7649 0.0010724 **  

trtA2       -0.20        0    0.71694  5 -0.2790 0.7914426  

trtB1        5.75        0    0.71694  5  8.0202 0.0004871 ***  

trtB2        2.55        0    0.71694  5  3.5568 0.0162698 *  

trtC         0.00        0    0.00000  5  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.2.2 p235

### (106) MODEL

```

v1p235 = read.table("C:/G/Rt/Kemp/v1p235.txt", head=TRUE)
v1p235 = af(v1p235,c("density"))
GLM(yield ~ density, v1p235) # OK

```

```

$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value     Pr(>F)
MODEL      4 88.007 22.0017 32.198 1.095e-05 ***
RESIDUALS 10  6.833  0.6833
CORRECTED TOTAL 14 94.840
---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$`Type I`  

      Df Sum Sq Mean Sq F value     Pr(>F)
density   4 88.007 22.002 32.198 1.095e-05 ***  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

density  4 88.007 22.002 32.198 1.095e-05 ***  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$`Type III`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

density  4 88.007 22.002 32.198 1.095e-05 ***  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$Parameter  

      Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept) 16.9667        0   0.47726 10 35.5501 7.362e-12 ***  

density10    -4.9667        0   0.67495 10 -7.3586 2.429e-05 ***  

density20    -0.9667        0   0.67495 10 -1.4322  0.1826  

density30     2.0667        0   0.67495 10  3.0620  0.0120 *  

density40     1.0333        0   0.67495 10  1.5310  0.1568  

density50     0.0000        0   0.00000 10  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.3 Chapter 8

### 8.3.1 p265

(107) MODEL

```

v1p265 = read.table("C:/G/Rt/Kemp/v1p265.txt", head=TRUE)
v1p265 = af(v1p265,c("trt"))
GLM(y ~ trt + x, v1p265) # OK

```

```

$ANOVA  

Response : y  

      Df Sum Sq Mean Sq F value    Pr(>F)  

MODEL          3 84.678 28.2260 36.866 4.941e-06 ***  

RESIDUALS       11  8.422  0.7656  

CORRECTED TOTAL 14 93.100  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1  

  

$`Type I`  

      Df Sum Sq Mean Sq F value    Pr(>F)  

trt   2 66.868 33.434 43.668 5.858e-06 ***

```

```

x     1 17.810 17.810 23.262 0.0005333 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

trt  2 83.147 41.573 54.299 1.996e-06 ***  

x     1 17.810 17.810 23.262 0.0005333 ***  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

trt  2 83.147 41.573 54.299 1.996e-06 ***  

x     1 17.810 17.810 23.262 0.0005333 ***  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept) 2.7154          0   0.81801 11  3.3196 0.0068363 **  

trt1        6.2245          0   0.60214 11 10.3374 5.301e-07 ***  

trt2        2.9315          0   0.56116 11  5.2239 0.0002838 ***  

trt3        0.0000          0   0.00000 11  

x           0.7733          1   0.16034 11  4.8230 0.0005333 ***  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.3.2 p272

#### (108) MODEL

```
GLM(y ~ trt + x %in% trt, v1p265) # OK
```

```
$ANOVA  

Response : y  

  Df Sum Sq Mean Sq F value    Pr(>F)  

MODEL       5 85.711 17.142 20.881 0.0001046 ***  

RESIDUALS    9  7.389  0.821  

CORRECTED TOTAL 14 93.100  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

trt      2 66.868 33.434 40.7254 3.092e-05 ***
```

```

trt:x 3 18.843 6.281 7.6509 0.007578 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt     2 66.868 33.434 40.7254 3.092e-05 ***
trt:x  3 18.843 6.281 7.6509 0.007578 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
trt     2 6.1392 3.0696 3.7390 0.065769 .
trt:x  3 18.8433 6.2811 7.6509 0.007578 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 3.7395          0 1.25360 9 2.9830 0.015375 *
trt1        4.5929          0 1.73483 9 2.6475 0.026586 *
trt2        1.2883          0 1.85702 9 0.6937 0.505359
trt3        0.0000          0 0.00000 9
trt1:x      0.9759          1 0.37622 9 2.5938 0.029031 *
trt2:x      0.8957          1 0.25864 9 3.4630 0.007127 **
trt3:x      0.5448          1 0.26480 9 2.0572 0.069793 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.3.3 p273

(109) MODEL

```
GLM(y ~ trt + x + x %in% trt, v1p265) # OK
```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      5 85.711 17.142 20.881 0.0001046 ***
RESIDUALS   9  7.389  0.821
CORRECTED TOTAL 14 93.100
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`

```

```

Df Sum Sq Mean Sq F value    Pr(>F)
trt     2 66.868 33.434 40.7254 3.092e-05 ***
x       1 17.810 17.810 21.6940  0.001189 **
trt:x  2  1.033   0.517  0.6294  0.554843
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`:
Df Sum Sq Mean Sq F value    Pr(>F)
trt     2 83.147 41.573 50.6397 1.267e-05 ***
x       1 17.810 17.810 21.6940  0.001189 **
trt:x  2  1.033   0.517  0.6294  0.554843
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`:
Df Sum Sq Mean Sq F value    Pr(>F)
trt     2  6.1392 3.0696  3.7390 0.065769 .
x       1 17.2071 17.2071 20.9597 0.001331 **
trt:x  2  1.0334 0.5167  0.6294  0.554843
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 3.7395        0 1.25360  9 2.9830  0.01537 *
trt1         4.5929        0 1.73483  9 2.6475  0.02659 *
trt2         1.2883        0 1.85702  9 0.6937  0.50536
trt3         0.0000        0 0.00000  9
x            0.5448        0 0.26480  9 2.0572  0.06979 .
trt1:x       0.4311        0 0.46007  9 0.9370  0.37320
trt2:x       0.3509        0 0.37016  9 0.9481  0.36785
trt3:x       0.0000        0 0.00000  9
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.4 Chapter 9

### 8.4.1 p344

(110) MODEL

```

v1p344 = read.table("C:/G/Rt/Kemp/v1p344.txt", head=TRUE)
v1p344 = af(v1p344,c("diet", "litter"))
GLM(gain ~ litter + diet, v1p344)

```

\$ANOVA

```

Response : gain
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          9 4915.6  546.18  15.544 3.363e-07 ***
RESIDUALS     20  702.8   35.14
CORRECTED TOTAL 29 5618.4
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
litter       5 4438.0   887.6 25.2608 5.298e-08 ***
diet        4  477.6   119.4  3.3981  0.02824 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
litter       5 4438.0   887.6 25.2608 5.298e-08 ***
diet        4  477.6   119.4  3.3981  0.02824 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
litter       5 4438.0   887.6 25.2608 5.298e-08 ***
diet        4  477.6   119.4  3.3981  0.02824 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)
(Intercept)  54.357        0   3.4224 20 15.8828 8.344e-13 ***
litter1      19.940        0   3.7490 20  5.3187 3.318e-05 ***
litter2      17.100        0   3.7490 20  4.5612 0.0001897 ***
litter3      20.920        0   3.7490 20  5.5801 1.839e-05 ***
litter4      26.360        0   3.7490 20  7.0312 8.062e-07 ***
litter5      41.040        0   3.7490 20 10.9469 6.767e-10 ***
litter6      0.000        0   0.0000 20
diet1       -12.367        0   3.4224 20 -3.6135 0.0017332 **
diet2       -7.650        0   3.4224 20 -2.2353 0.0369629 *
diet3       -8.100        0   3.4224 20 -2.3668 0.0281448 *
diet4       -6.567        0   3.4224 20 -1.9188 0.0694012 .
diet5       0.000        0   0.0000 20
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.4.2 p349

### (111) MODEL

```
v1p349 = read.table("C:/G/Rt/Kemp/v1p349.txt", head=TRUE)
v1p349 = af(v1p349,c("subject", "exercise"))
GLM(diast ~ subject + exercise + subject:exercise, v1p349) # OK
```

```
$ANOVA
Response : diast
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      14 1541.5 110.105 28.475 2.953e-08 ***
RESIDUALS   15   58.0   3.867
CORRECTED TOTAL 29 1599.5
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
subject      4 905.13 226.283 58.5216 5.672e-09 ***
exercise     2 591.27 295.633 76.4569 1.357e-08 ***
subject:exercise 8 45.07   5.633   1.4569    0.2522
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
subject      4 905.13 226.283 58.5216 5.672e-09 ***
exercise     2 591.27 295.633 76.4569 1.357e-08 ***
subject:exercise 8 45.07   5.633   1.4569    0.2522
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
subject      4 905.13 226.283 58.5216 5.672e-09 ***
exercise     2 591.27 295.633 76.4569 1.357e-08 ***
subject:exercise 8 45.07   5.633   1.4569    0.2522
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)
(Intercept) 135.0        0     1.3904 15 97.0913 < 2.2e-16 ***
subject1      0.5        0     1.9664 15  0.2543 0.8027368
subject2      5.0        0     1.9664 15  2.5427 0.0225198 *
subject3     -5.5        0     1.9664 15 -2.7970 0.0135411 *
```

```

subject4          10.0      0    1.9664 15  5.0855 0.0001343 ***
subject5          0.0       0    0.0000 15
exercise1        -12.0     0    1.9664 15 -6.1026 2.023e-05 ***
exercise2         0.5       0    1.9664 15  0.2543 0.8027368
exercise3         0.0       0    0.0000 15
subject1:exercise1 4.0       0    2.7809 15  1.4384 0.1708608
subject1:exercise2 0.0       0    2.7809 15  0.0000 1.0000000
subject1:exercise3 0.0       0    0.0000 15
subject2:exercise1 8.0       0    2.7809 15  2.8768 0.0115245 *
subject2:exercise2 2.0       0    2.7809 15  0.7192 0.4830757
subject2:exercise3 0.0       0    0.0000 15
subject3:exercise1 2.0       0    2.7809 15  0.7192 0.4830757
subject3:exercise2 2.0       0    2.7809 15  0.7192 0.4830757
subject3:exercise3 0.0       0    0.0000 15
subject4:exercise1 2.5       0    2.7809 15  0.8990 0.3828608
subject4:exercise2 0.0       0    2.7809 15  0.0000 1.0000000
subject4:exercise3 0.0       0    0.0000 15
subject5:exercise1 0.0       0    0.0000 15
subject5:exercise2 0.0       0    0.0000 15
subject5:exercise3 0.0       0    0.0000 15
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.4.3 p354

(112) MODEL

```

v1p354 = read.table("C:/G/Rt/Kemp/v1p354.txt", head=TRUE)
v1p354 = af(v1p354,c("loc", "block", "HSF"))
GLM(height ~ loc + block %in% loc + HSF + loc:HSF + block:loc:HSF, v1p354) # OK

```

```

$ANOVA
Response : height
            Df Sum Sq Mean Sq F value    Pr(>F)
MODEL        23 40782 1773.12 80.444 < 2.2e-16 ***
RESIDUALS    24   529   22.04
CORRECTED TOTAL 47  41311
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
            Df Sum Sq Mean Sq F value    Pr(>F)
loc           1 20336.3 20336.3 922.6314 < 2.2e-16 ***
loc:block     6  1462.3   243.7 11.0573 6.408e-06 ***
HSF          2 12170.7  6085.3 276.0832 < 2.2e-16 ***
loc:HSF      2  6511.2  3255.6 147.7013 3.242e-14 ***

```

```

loc:block:HSF 12    301.2    25.1    1.1386    0.3769
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df  Sum Sq Mean Sq  F value    Pr(>F)
loc        1 20336.3 20336.3 922.6314 < 2.2e-16 ***
loc:block   6  1462.3   243.7 11.0573 6.408e-06 ***
HSF        2 12170.7  6085.3 276.0832 < 2.2e-16 ***
loc:HSF     2  6511.2  3255.6 147.7013 3.242e-14 ***
loc:block:HSF 12    301.2    25.1    1.1386    0.3769
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df  Sum Sq Mean Sq  F value    Pr(>F)
loc        1 20336.3 20336.3 922.6314 < 2.2e-16 ***
loc:block   6  1462.3   243.7 11.0573 6.408e-06 ***
HSF        2 12170.7  6085.3 276.0832 < 2.2e-16 ***
loc:HSF     2  6511.2  3255.6 147.7013 3.242e-14 ***
loc:block:HSF 12    301.2    25.1    1.1386    0.3769
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)
(Intercept)    191.0       0    3.3198 24 57.5342 < 2.2e-16 ***
loc1           22.5       0    4.6949 24  4.7925 7.039e-05 ***
loc2            0.0       0    0.0000 24
loc1:block1   -20.0       0    4.6949 24 -4.2600 0.0002727 ***
loc1:block2   -8.0       0    4.6949 24 -1.7040 0.1012979
loc1:block3   -9.0       0    4.6949 24 -1.9170 0.0672189 .
loc1:block4   0.0       0    0.0000 24
loc2:block1  -10.5       0    4.6949 24 -2.2365 0.0348764 *
loc2:block2  -4.5       0    4.6949 24 -0.9585 0.3473697
loc2:block3   10.0       0    4.6949 24  2.1300 0.0436248 *
loc2:block4   0.0       0    0.0000 24
HSF1          -3.0       0    4.6949 24 -0.6390 0.5288766
HSF2           9.5       0    4.6949 24  2.0235 0.0542951 .
HSF3           0.0       0    0.0000 24
loc1:HSF1     17.0       0    6.6395 24  2.5604 0.0171697 *
loc1:HSF2     53.5       0    6.6395 24  8.0578 2.778e-08 ***
loc1:HSF3     0.0       0    0.0000 24
loc2:HSF1     0.0       0    0.0000 24
loc2:HSF2     0.0       0    0.0000 24
loc2:HSF3     0.0       0    0.0000 24
loc1:block1:HSF1  8.0       0    6.6395 24  1.2049 0.2399873
loc1:block1:HSF2 -0.5       0    6.6395 24 -0.0753 0.9405950

```

```

loc1:block1:HSF3      0.0      0  0.0000 24
loc1:block2:HSF1     -1.5      0  6.6395 24 -0.2259 0.8231768
loc1:block2:HSF2     -0.5      0  6.6395 24 -0.0753 0.9405950
loc1:block2:HSF3      0.0      0  0.0000 24
loc1:block3:HSF1      4.0      0  6.6395 24  0.6025 0.5525233
loc1:block3:HSF2      6.5      0  6.6395 24  0.9790 0.3373533
loc1:block3:HSF3      0.0      0  0.0000 24
loc1:block4:HSF1      0.0      0  0.0000 24
loc1:block4:HSF2      0.0      0  0.0000 24
loc1:block4:HSF3      0.0      0  0.0000 24
loc2:block1:HSF1     -1.0      0  6.6395 24 -0.1506 0.8815396
loc2:block1:HSF2      2.0      0  6.6395 24  0.3012 0.7658364
loc2:block1:HSF3      0.0      0  0.0000 24
loc2:block2:HSF1     -1.5      0  6.6395 24 -0.2259 0.8231768
loc2:block2:HSF2      3.5      0  6.6395 24  0.5271 0.6029315
loc2:block2:HSF3      0.0      0  0.0000 24
loc2:block3:HSF1    -12.0      0  6.6395 24 -1.8074 0.0832589 .
loc2:block3:HSF2    -13.0      0  6.6395 24 -1.9580 0.0619570 .
loc2:block3:HSF3      0.0      0  0.0000 24
loc2:block4:HSF1      0.0      0  0.0000 24
loc2:block4:HSF2      0.0      0  0.0000 24
loc2:block4:HSF3      0.0      0  0.0000 24
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### 8.4.4 p357

(113) MODEL

```

v1p357 = read.table("C:/G/Rt/Kemp/v1p357.txt", head=TRUE)
v1p357 = af(v1p357,c("var", "N"))
GLM(y ~ var + N + var:N, v1p357) # OK

```

```

$ANOVA
Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL        9 4465.5  496.16  14.116 0.000142 ***
RESIDUALS   10  351.5   35.15
CORRECTED TOTAL 19 4817.0
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
var      1 140.5  140.45  3.9957  0.073519 .
N       4 3393.7  848.42 24.1373 4.027e-05 ***

```

```

var:N 4 931.3 232.82 6.6238 0.007152 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

var     1 140.5 140.45 3.9957 0.073519 .  

N       4 3393.7 848.43 24.1373 4.027e-05 ***  

var:N 4 931.3 232.82 6.6238 0.007152 **  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

var     1 140.5 140.45 3.9957 0.073519 .  

N       4 3393.7 848.42 24.1373 4.027e-05 ***  

var:N 4 931.3 232.83 6.6238 0.007152 **  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept) 134.0        0   4.1923 10 31.9637 2.114e-11 ***  

var1         5.5        0   5.9287 10  0.9277  0.375420  

var2         0.0        0   0.0000 10  

N1          -17.5       0   5.9287 10 -2.9517  0.014492 *  

N2           25.0       0   5.9287 10  4.2167  0.001781 **  

N3           20.0       0   5.9287 10  3.3734  0.007081 **  

N4            3.5       0   5.9287 10  0.5903  0.568060  

N5            0.0       0   0.0000 10  

var1:N1      -13.0      0   8.3845 10 -1.5505  0.152072  

var1:N2      -32.5      0   8.3845 10 -3.8762  0.003078 **  

var1:N3      -15.5      0   8.3845 10 -1.8486  0.094254 .  

var1:N4        7.0       0   8.3845 10  0.8349  0.423286  

var1:N5        0.0       0   0.0000 10  

var2:N1        0.0       0   0.0000 10  

var2:N2        0.0       0   0.0000 10  

var2:N3        0.0       0   0.0000 10  

var2:N4        0.0       0   0.0000 10  

var2:N5        0.0       0   0.0000 10  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### 8.4.5 p361

(114) MODEL

```
v1p361 = read.table("C:/G/Rt/Kemp/v1p361.txt", head=TRUE)
v1p361 = af(v1p361,c("block", "trt"))
GLM(y ~ block + trt, v1p361) # OK
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      4 241.33 60.333 40.222 0.1176
RESIDUALS   1    1.50    1.500
CORRECTED TOTAL 5 242.83

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
block  2 24.333 12.167 8.1111 0.24097
trt    2 217.000 108.500 72.3333 0.08286 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
block  2    108     54.0 36.000 0.11704
trt    2    217    108.5 72.333 0.08286 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
block  2    108     54.0 36.000 0.11704
trt    2    217    108.5 72.333 0.08286 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 19.5        0    1.1180  1 17.4413 0.03646 *
block1      -12.0       0    1.4142  1 -8.4853 0.07468 .
block2       -6.0       0    1.4142  1 -4.2426 0.14736
block3        0.0       0    0.0000  1
trt1         16.0       0    1.4142  1 11.3137 0.05612 .
trt2          3.0       0    1.4142  1  2.1213 0.28044
trt3          0.0       0    0.0000  1
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
y = model.frame(y ~ block + trt, v1p361)[,1]
x = ModelMatrix(y ~ block + trt, v1p361)
```

```

rx = lfit(x, y)
K = cbind(rep(1, 3), matrix(1/3, nrow=3, ncol=3), diag(3)) ; K

```

	[,1]	[,2]	[,3]	[,4]	[,5]	[,6]	[,7]
[1,]	1	0.3333333	0.3333333	0.3333333	1	0	0
[2,]	1	0.3333333	0.3333333	0.3333333	0	1	0
[3,]	1	0.3333333	0.3333333	0.3333333	0	0	1

```
est(K, x$X, rx)
```

	Estimate	Lower CL	Upper CL	Std. Error	t value	Df	Pr(> t )
[1,]	29.5	17.334735	41.66526	0.9574271	30.81175	1	0.02065434
[2,]	16.5	4.334735	28.66526	0.9574271	17.23369	1	0.03689905
[3,]	13.5	1.334735	25.66526	0.9574271	14.10029	1	0.04507394

attr(,"Estimability")  
[1] TRUE TRUE TRUE

## 8.5 Chapter 10

### 8.5.1 p405

(115) MODEL

```

v1p405 = read.table("C:/G/Rt/Kemp/v1p405.txt", head=TRUE)
v1p405 = af(v1p405,c("trt", "Row", "Col"))
GLM(y ~ Row + Col + trt, v1p405) # OK

```

\$ANOVA  
Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	12	4094.7	341.23	2.3416	0.07739 .
RESIDUALS	12	1748.7	145.73		
CORRECTED TOTAL	24	5843.4			

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Row	4	514.24	128.56	0.8822	0.50328
Col	4	1711.44	427.86	2.9360	0.06611 .
trt	4	1869.04	467.26	3.2064	0.05229 .

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

```

$`Type II`  

  Df  Sum Sq Mean Sq F value Pr(>F)  

Row  4  514.24 128.56  0.8822 0.50328  

Col  4 1711.44 427.86  2.9360 0.06611 .  

trt  4 1869.04 467.26  3.2064 0.05229 .  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df  Sum Sq Mean Sq F value Pr(>F)  

Row  4  514.24 128.56  0.8822 0.50328  

Col  4 1711.44 427.86  2.9360 0.06611 .  

trt  4 1869.04 467.26  3.2064 0.05229 .  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 102.16        0    8.7050 12 11.7357 6.195e-08 ***  

Row1         12.00        0    7.6348 12  1.5717 0.141991  

Row2         4.00        0    7.6348 12  0.5239 0.609878  

Row3         6.00        0    7.6348 12  0.7859 0.447183  

Row4        -0.40        0    7.6348 12 -0.0524 0.959079  

Row5         0.00        0    0.0000 12  

Col1         5.80        0    7.6348 12  0.7597 0.462112  

Col2        -6.60        0    7.6348 12 -0.8645 0.404285  

Col3        -18.80       0    7.6348 12 -2.4624 0.029907 *  

Col4        -1.80        0    7.6348 12 -0.2358 0.817593  

Col5         0.00        0    0.0000 12  

trt1        -25.00       0    7.6348 12 -3.2745 0.006648 **  

trt2        -3.20        0    7.6348 12 -0.4191 0.682525  

trt3        -7.20        0    7.6348 12 -0.9430 0.364257  

trt4        -9.00        0    7.6348 12 -1.1788 0.261321  

trt5         0.00        0    0.0000 12  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.5.2 p408

(116) MODEL

```

v1p408 = read.table("C:/G/Rt/Kemp/v1p408.txt", head=TRUE)
v1p408 = af(v1p408,c("breed", "farm", "wclass", "dosage"))
GLM(response ~ breed + breed:farm + wclass + dosage + breed:dosage, v1p408) # OK

```

\$ANOVA

```

Response : response
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          16 4470.2 279.391 140.87 2.039e-13 ***
RESIDUALS     15   29.7   1.983
CORRECTED TOTAL 31 4500.0
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
breed         1 3280.5 3280.5 1654.0336 < 2.2e-16 ***
breed:farm    6   9.0   1.5   0.7563   0.6146
wclass        3 466.8 155.6  78.4454 2.142e-09 ***
dosage        3 580.2 193.4  97.5210 4.596e-10 ***
breed:dosage  3 133.8   44.6  22.4790 8.366e-06 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
breed         1 3280.5 3280.5 1654.0336 < 2.2e-16 ***
breed:farm    6   9.0   1.5   0.7563   0.6146
wclass        3 466.7 155.6  78.4454 2.142e-09 ***
dosage        3 580.2 193.4  97.5210 4.596e-10 ***
breed:dosage  3 133.8   44.6  22.4790 8.366e-06 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
breed         1 3280.5 3280.5 1654.0336 < 2.2e-16 ***
breed:farm    6   9.0   1.5   0.7563   0.6146
wclass        3 466.8 155.6  78.4454 2.142e-09 ***
dosage        3 580.3 193.4  97.5210 4.596e-10 ***
breed:dosage  3 133.7   44.6  22.4790 8.366e-06 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value    Pr(>|t|)
(Intercept)  168.500       0   1.02647 15 164.1544 < 2.2e-16 ***
breed1      -19.750       0   1.31735 15 -14.9922 1.956e-10 ***
breed2       0.000       0   0.00000 15
breed1:farm1  0.500       0   0.99582 15   0.5021  0.6228896
breed1:farm2 -0.500       0   0.99582 15  -0.5021  0.6228896
breed1:farm3  0.500       0   0.99582 15   0.5021  0.6228896
breed1:farm4  0.000       0   0.00000 15
breed2:farm1 -0.750       0   0.99582 15  -0.7531  0.4630208

```

```

breed2:farm2      -1.750      0  0.99582 15 -1.7573 0.0992451 .
breed2:farm3      -1.000      0  0.99582 15 -1.0042 0.3312109
breed2:farm4      0.000      0  0.00000 15
wclass1          -10.375      0  0.70415 15 -14.7340 2.498e-10 ***
wclass2          -6.000      0  0.70415 15 -8.5209 3.927e-07 ***
wclass3          -3.125      0  0.70415 15 -4.4379 0.0004791 ***
wclass4          0.000      0  0.00000 15
dosageC          -1.000      0  0.99582 15 -1.0042 0.3312109
dosageH          14.000      0  0.99582 15 14.0587 4.829e-10 ***
dosageL          -0.500      0  0.99582 15 -0.5021 0.6228896
dosageM          0.000      0  0.00000 15
breed1:dosageC     1.750      0  1.40831 15 1.2426 0.2330815
breed1:dosageH    -8.500      0  1.40831 15 -6.0356 2.281e-05 ***
breed1:dosageL     0.750      0  1.40831 15 0.5326 0.6021431
breed1:dosageM     0.000      0  0.00000 15
breed2:dosageC     0.000      0  0.00000 15
breed2:dosageH     0.000      0  0.00000 15
breed2:dosageL     0.000      0  0.00000 15
breed2:dosageM     0.000      0  0.00000 15
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.5.3 p410

(117) MODEL

```

v1p410 = read.table("C:/G/Rt/Kemp/v1p410.txt", head=TRUE)
v1p410$carry = ifelse(v1p410$carry == 0, 3, v1p410$carry)
v1p410 = af(v1p410,c("period", "sequence", "steer", "trt", "carry"))
GLM(y ~ period + sequence + steer:sequence + trt + carry, v1p410) # OK

```

```

$ANOVA
Response : y
          Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL       17 1302.51  76.618  8.7402 1.572e-05 ***
RESIDUALS   18  157.79   8.766
CORRECTED TOTAL 35 1460.31
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
          Df  Sum Sq Mean Sq F value    Pr(>F)
period       2 292.06 146.028 16.6580 8.038e-05 ***
sequence     5 326.47  65.294  7.4484 0.0006072 ***
sequence:steer 6 118.50  19.750  2.2530 0.0849122 .
trt          2 549.06 274.528 31.3166 1.377e-06 ***

```

```

carry           2  16.43   8.215  0.9372 0.4100385
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
period       2 172.31  86.154  9.8279 0.0013030 **
sequence     5 318.69  63.738  7.2709 0.0006954 ***
sequence:steer 6 118.50  19.750  2.2530 0.0849122 .
trt          2 440.61 220.304 25.1311 6.164e-06 ***
carry         2  16.43   8.215  0.9372 0.4100385
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
period       2 172.31  86.154  9.8279 0.0013030 **
sequence     5 318.69  63.738  7.2709 0.0006954 ***
sequence:steer 6 118.50  19.750  2.2530 0.0849122 .
trt          2 440.61 220.304 25.1311 6.164e-06 ***
carry         2  16.43   8.215  0.9372 0.4100385
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value  Pr(>|t|)
(Intercept)  52.854      0  2.3407 18 22.5805 1.177e-14 ***
period1      -6.604      0  1.5990 18 -4.1302 0.0006286 ***
period2      -0.083      0  1.2087 18 -0.0689 0.9457953
period3       0.000      0  0.0000 18
sequence1     3.208      0  2.4919 18  1.2875 0.2142212
sequence2    -3.000      0  2.4175 18 -1.2410 0.2305478
sequence3    -6.771      0  2.4919 18 -2.7172 0.0141265 *
sequence4    -1.438      0  2.4919 18 -0.5769 0.5711674
sequence5     1.208      0  2.4919 18  0.4849 0.6335881
sequence6     0.000      0  0.0000 18
sequence1:steer1 -3.667      0  2.4175 18 -1.5167 0.1466983
sequence1:steer2  0.000      0  0.0000 18
sequence1:steer3  0
sequence1:steer4  0
sequence1:steer5  0
sequence1:steer6  0
sequence1:steer7  0
sequence1:steer8  0
sequence1:steer9  0
sequence1:steer10 0
sequence1:steer11 0
sequence1:steer12 0

```

sequence2:steer1		0
sequence2:steer2		0
sequence2:steer3	-4.333	0 2.4175 18 -1.7925 0.0898747 .
sequence2:steer4	0.000	0 0.0000 18
sequence2:steer5		0
sequence2:steer6		0
sequence2:steer7		0
sequence2:steer8		0
sequence2:steer9		0
sequence2:steer10		0
sequence2:steer11		0
sequence2:steer12		0
sequence3:steer1		0
sequence3:steer2		0
sequence3:steer3		0
sequence3:steer4		0
sequence3:steer5	-3.333	0 2.4175 18 -1.3789 0.1848347
sequence3:steer6	0.000	0 0.0000 18
sequence3:steer7		0
sequence3:steer8		0
sequence3:steer9		0
sequence3:steer10		0
sequence3:steer11		0
sequence3:steer12		0
sequence4:steer1		0
sequence4:steer2		0
sequence4:steer3		0
sequence4:steer4		0
sequence4:steer5		0
sequence4:steer6		0
sequence4:steer7	-3.333	0 2.4175 18 -1.3789 0.1848347
sequence4:steer8	0.000	0 0.0000 18
sequence4:steer9		0
sequence4:steer10		0
sequence4:steer11		0
sequence4:steer12		0
sequence5:steer1		0
sequence5:steer2		0
sequence5:steer3		0
sequence5:steer4		0
sequence5:steer5		0
sequence5:steer6		0
sequence5:steer7		0
sequence5:steer8		0
sequence5:steer9	-3.667	0 2.4175 18 -1.5167 0.1466983
sequence5:steer10	0.000	0 0.0000 18
sequence5:steer11		0
sequence5:steer12		0

```

sequence6:steer1          0
sequence6:steer2          0
sequence6:steer3          0
sequence6:steer4          0
sequence6:steer5          0
sequence6:steer6          0
sequence6:steer7          0
sequence6:steer8          0
sequence6:steer9          0
sequence6:steer10         0
sequence6:steer11        -3.333  0  2.4175 18 -1.3789 0.1848347
sequence6:steer12        0.000  0  0.0000 18
trt1                     9.542  0  1.3514 18  7.0606 1.384e-06 ***
trt2                     5.521  0  1.3514 18  4.0853 0.0006946 ***
trt3                     0.000  0  0.0000 18
carry1                   0.375  0  1.8131 18  0.2068 0.8384657
carry2                  -1.938  0  1.8131 18 -1.0686 0.2993665
carry3                   0.000  0  0.0000 18
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(y ~ period + sequence + steer:sequence + trt + carry, v1p410), type=3,
      singular.ok=TRUE) # NOT OK for sequence

```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: y
           Sum Sq Df F values    Pr(>F)
period       172.31  2  9.8279  0.001303 **
sequence     0.00   0
trt          440.61  2 25.1311 6.164e-06 ***
carry         16.43  2   0.9372  0.410038
sequence:steer 118.50  6   2.2530  0.084912 .
Residuals    157.79 18
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.6 Chapter 11

### 8.6.1 p432

(118) MODEL

```

v1p432 = read.table("C:/G/Rt/Kemp/v1p432.txt", head=TRUE)
v1p432 = af(v1p432,c("V", "Block", "A", "B", "C"))
GLM(Y ~ V + Block:V + A + B + A:B + V:A + V:B + V:A:B + Block:A:V + Block:B:V,
v1p432) # OK

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	94	261663	2783.65	30.584	2.065e-14 ***
RESIDUALS	25	2275	91.02		
CORRECTED TOTAL	119	263939			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	282.2094	< 2.2e-16 ***
V:Block	25	50019	2001	21.9825	1.588e-11 ***
A	1	18451	18451	202.7233	1.692e-13 ***
B	1	78541	78541	862.9280	< 2.2e-16 ***
A:B	1	108	108	1.1899	0.28575
V:A	4	3751	938	10.3023	4.532e-05 ***
V:B	4	307	77	0.8421	0.51168
V:A:B	4	1495	374	4.1058	0.01081 *
V:Block:A	25	3416	137	1.5011	0.15818
V:Block:B	25	2833	113	1.2451	0.29390

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	282.2094	< 2.2e-16 ***
V:Block	25	50019	2001	21.9825	1.588e-11 ***
A	1	18451	18451	202.7233	1.692e-13 ***
B	1	78541	78541	862.9280	< 2.2e-16 ***
A:B	1	108	108	1.1899	0.28575
V:A	4	3751	938	10.3023	4.532e-05 ***
V:B	4	307	77	0.8421	0.51168
V:A:B	4	1495	374	4.1058	0.01081 *
V:Block:A	25	3416	137	1.5011	0.15818
V:Block:B	25	2833	113	1.2451	0.29390

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	102743	25686	282.2094	< 2.2e-16 ***

```

V:Block 25 50019    2001 21.9825 1.588e-11 ***
A       1 18451    18451 202.7233 1.692e-13 ***
B       1 78541    78541 862.9280 < 2.2e-16 ***
A:B     1 108      108   1.1899  0.28575
V:A     4 3751     938   10.3023 4.532e-05 ***
V:B     4 307      77    0.8421  0.51168
V:A:B   4 1495     374   4.1058  0.01081 *
V:Block:A 25 3416    137   1.5011  0.15818
V:Block:B 25 2833    113   1.2451  0.29390
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 727.67        0 8.4885 25 85.7237 < 2.2e-16 ***
VAm        -89.00        0 12.0046 25 -7.4138 9.141e-08 ***
VCo        -30.58        0 12.0046 25 -2.5476 0.0173738 *
VFe        -36.62        0 12.0046 25 -3.0509 0.0053411 **
VHa        -53.37        0 12.0046 25 -4.4462 0.0001566 ***
VPi         0.00        0 0.0000 25
VAm:Block1 -65.00        0 11.6844 25 -5.5630 8.751e-06 ***
VAm:Block2 -70.75        0 11.6844 25 -6.0551 2.512e-06 ***
VAm:Block3 -38.50        0 11.6844 25 -3.2950 0.0029414 **
VAm:Block4 -43.25        0 11.6844 25 -3.7015 0.0010618 **
VAm:Block5 -21.50        0 11.6844 25 -1.8401 0.0776619 .
VAm:Block6  0.00        0 0.0000 25
VCo:Block1 -54.25        0 11.6844 25 -4.6429 9.401e-05 ***
VCo:Block2 -50.75        0 11.6844 25 -4.3434 0.0002043 ***
VCo:Block3 -54.75        0 11.6844 25 -4.6857 8.414e-05 ***
VCo:Block4 -34.25        0 11.6844 25 -2.9313 0.0071180 **
VCo:Block5 -31.50        0 11.6844 25 -2.6959 0.0123750 *
VCo:Block6  0.00        0 0.0000 25
VFe:Block1 -48.00        0 11.6844 25 -4.1080 0.0003752 ***
VFe:Block2 -46.75        0 11.6844 25 -4.0011 0.0004941 ***
VFe:Block3 -43.25        0 11.6844 25 -3.7015 0.0010618 **
VFe:Block4 -31.25        0 11.6844 25 -2.6745 0.0130019 *
VFe:Block5 -10.00        0 11.6844 25 -0.8558 0.4002135
VFe:Block6  0.00        0 0.0000 25
VHa:Block1 -57.00        0 11.6844 25 -4.8783 5.108e-05 ***
VHa:Block2 -74.50        0 11.6844 25 -6.3760 1.127e-06 ***
VHa:Block3 -57.50        0 11.6844 25 -4.9211 4.572e-05 ***
VHa:Block4 -41.25        0 11.6844 25 -3.5304 0.0016360 **
VHa:Block5 -15.50        0 11.6844 25 -1.3266 0.1966467
VHa:Block6  0.00        0 0.0000 25
VPi:Block1 -31.00        0 11.6844 25 -2.6531 0.0136586 *
VPi:Block2 -55.25        0 11.6844 25 -4.7285 7.530e-05 ***
VPi:Block3 -57.75        0 11.6844 25 -4.9425 4.325e-05 ***
VPi:Block4 -37.00        0 11.6844 25 -3.1666 0.0040322 **

```

VPi:Block5	-4.00	0	11.6844	25	-0.3423	0.7349587
VPI:Block6	0.00	0	0.0000	25		
AF	-14.33	0	10.3047	25	-1.3910	0.1764960
AM	0.00	0	0.0000	25		
BH	-52.33	0	10.3047	25	-5.0786	3.042e-05 ***
BL	0.00	0	0.0000	25		
AF:BH	-5.33	0	7.7896	25	-0.6847	0.4998485
AF:BL	0.00	0	0.0000	25		
AM:BH	0.00	0	0.0000	25		
AM:BL	0.00	0	0.0000	25		
VAm:AF	34.00	0	14.5730	25	2.3331	0.0279872 *
VAm:AM	0.00	0	0.0000	25		
VCo:AF	-29.83	0	14.5730	25	-2.0472	0.0512888 .
VCo:AM	0.00	0	0.0000	25		
VFe:AF	-26.75	0	14.5730	25	-1.8356	0.0783425 .
VFe:AM	0.00	0	0.0000	25		
VHa:AF	-21.25	0	14.5730	25	-1.4582	0.1572413
VHa:AM	0.00	0	0.0000	25		
VPi:AF	0.00	0	0.0000	25		
VPi:AM	0.00	0	0.0000	25		
VAm:BH	-5.00	0	14.5730	25	-0.3431	0.7343914
VAm:BL	0.00	0	0.0000	25		
VCo:BH	-4.83	0	14.5730	25	-0.3317	0.7429077
VCo:BL	0.00	0	0.0000	25		
VFe:BH	19.25	0	14.5730	25	1.3209	0.1984868
VFe:BL	0.00	0	0.0000	25		
VHa:BH	-17.25	0	14.5730	25	-1.1837	0.2476668
VHa:BL	0.00	0	0.0000	25		
VPi:BH	0.00	0	0.0000	25		
VPi:BL	0.00	0	0.0000	25		
VAm:AF:BH	-15.00	0	11.0161	25	-1.3616	0.1854582
VAm:AF:BL	0.00	0	0.0000	25		
VAm:AM:BH	0.00	0	0.0000	25		
VAm:AM:BL	0.00	0	0.0000	25		
VCo:AF:BH	19.67	0	11.0161	25	1.7853	0.0863588 .
VCo:AF:BL	0.00	0	0.0000	25		
VCo:AM:BH	0.00	0	0.0000	25		
VCo:AM:BL	0.00	0	0.0000	25		
VFe:AF:BH	-12.50	0	11.0161	25	-1.1347	0.2672649
VFe:AF:BL	0.00	0	0.0000	25		
VFe:AM:BH	0.00	0	0.0000	25		
VFe:AM:BL	0.00	0	0.0000	25		
VHa:AF:BH	15.50	0	11.0161	25	1.4070	0.1717311
VHa:AF:BL	0.00	0	0.0000	25		
VHa:AM:BH	0.00	0	0.0000	25		
VHa:AM:BL	0.00	0	0.0000	25		
VPi:AF:BH	0.00	0	0.0000	25		
VPi:AF:BL	0.00	0	0.0000	25		

VPi:AM:BH	0.00	0	0.0000	25
VPI:AM:BL	0.00	0	0.0000	25
VAm:Block1:AF	-14.00	0	13.4920	25 -1.0377 0.3093639
VAm:Block1:AM	0.00	0	0.0000	25
VAm:Block2:AF	-14.50	0	13.4920	25 -1.0747 0.2927668
VAm:Block2:AM	0.00	0	0.0000	25
VAm:Block3:AF	-26.00	0	13.4920	25 -1.9271 0.0654087 .
VAm:Block3:AM	0.00	0	0.0000	25
VAm:Block4:AF	-19.50	0	13.4920	25 -1.4453 0.1607920
VAm:Block4:AM	0.00	0	0.0000	25
VAm:Block5:AF	0.00	0	13.4920	25 0.0000 1.0000000
VAm:Block5:AM	0.00	0	0.0000	25
VAm:Block6:AF	0.00	0	0.0000	25
VAm:Block6:AM	0.00	0	0.0000	25
VCo:Block1:AF	6.50	0	13.4920	25 0.4818 0.6341615
VCo:Block1:AM	0.00	0	0.0000	25
VCo:Block2:AF	-10.50	0	13.4920	25 -0.7782 0.4437309
VCo:Block2:AM	0.00	0	0.0000	25
VCo:Block3:AF	1.50	0	13.4920	25 0.1112 0.9123636
VCo:Block3:AM	0.00	0	0.0000	25
VCo:Block4:AF	-2.50	0	13.4920	25 -0.1853 0.8544925
VCo:Block4:AM	0.00	0	0.0000	25
VCo:Block5:AF	21.00	0	13.4920	25 1.5565 0.1321638
VCo:Block5:AM	0.00	0	0.0000	25
VCo:Block6:AF	0.00	0	0.0000	25
VCo:Block6:AM	0.00	0	0.0000	25
VFe:Block1:AF	20.00	0	13.4920	25 1.4824 0.1507406
VFe:Block1:AM	0.00	0	0.0000	25
VFe:Block2:AF	20.50	0	13.4920	25 1.5194 0.1412033
VFe:Block2:AM	0.00	0	0.0000	25
VFe:Block3:AF	36.50	0	13.4920	25 2.7053 0.0121084 *
VFe:Block3:AM	0.00	0	0.0000	25
VFe:Block4:AF	30.50	0	13.4920	25 2.2606 0.0327423 *
VFe:Block4:AM	0.00	0	0.0000	25
VFe:Block5:AF	17.00	0	13.4920	25 1.2600 0.2193017
VFe:Block5:AM	0.00	0	0.0000	25
VFe:Block6:AF	0.00	0	0.0000	25
VFe:Block6:AM	0.00	0	0.0000	25
VHa:Block1:AF	2.00	0	13.4920	25 0.1482 0.8833455
VHa:Block1:AM	0.00	0	0.0000	25
VHa:Block2:AF	16.00	0	13.4920	25 1.1859 0.2468148
VHa:Block2:AM	0.00	0	0.0000	25
VHa:Block3:AF	19.00	0	13.4920	25 1.4082 0.1713737
VHa:Block3:AM	0.00	0	0.0000	25
VHa:Block4:AF	-0.50	0	13.4920	25 -0.0371 0.9707322
VHa:Block4:AM	0.00	0	0.0000	25
VHa:Block5:AF	-27.00	0	13.4920	25 -2.0012 0.0563396 .
VHa:Block5:AM	0.00	0	0.0000	25

VHa:Block6:AF	0.00	0	0.0000	25
VHa:Block6:AM	0.00	0	0.0000	25
VPi:Block1:AF	-16.00	0	13.4920	25 -1.1859 0.2468148
VPi:Block1:AM	0.00	0	0.0000	25
VPi:Block2:AF	-14.50	0	13.4920	25 -1.0747 0.2927668
VPi:Block2:AM	0.00	0	0.0000	25
VPi:Block3:AF	-12.50	0	13.4920	25 -0.9265 0.3630565
VPi:Block3:AM	0.00	0	0.0000	25
VPi:Block4:AF	-11.00	0	13.4920	25 -0.8153 0.4226006
VPi:Block4:AM	0.00	0	0.0000	25
VPi:Block5:AF	-16.00	0	13.4920	25 -1.1859 0.2468148
VPi:Block5:AM	0.00	0	0.0000	25
VPi:Block6:AF	0.00	0	0.0000	25
VPi:Block6:AM	0.00	0	0.0000	25
VAm:Block1:BH	30.00	0	13.4920	25 2.2235 0.0354473 *
VAm:Block1:BL	0.00	0	0.0000	25
VAm:Block2:BH	24.50	0	13.4920	25 1.8159 0.0813993 .
VAm:Block2:BL	0.00	0	0.0000	25
VAm:Block3:BH	4.00	0	13.4920	25 0.2965 0.7693182
VAm:Block3:BL	0.00	0	0.0000	25
VAm:Block4:BH	6.50	0	13.4920	25 0.4818 0.6341615
VAm:Block4:BL	0.00	0	0.0000	25
VAm:Block5:BH	1.00	0	13.4920	25 0.0741 0.9415063
VAm:Block5:BL	0.00	0	0.0000	25
VAm:Block6:BH	0.00	0	0.0000	25
VAm:Block6:BL	0.00	0	0.0000	25
VCo:Block1:BH	-12.50	0	13.4920	25 -0.9265 0.3630565
VCo:Block1:BL	0.00	0	0.0000	25
VCo:Block2:BH	-4.50	0	13.4920	25 -0.3335 0.7415143
VCo:Block2:BL	0.00	0	0.0000	25
VCo:Block3:BH	1.50	0	13.4920	25 0.1112 0.9123636
VCo:Block3:BL	0.00	0	0.0000	25
VCo:Block4:BH	-6.50	0	13.4920	25 -0.4818 0.6341615
VCo:Block4:BL	0.00	0	0.0000	25
VCo:Block5:BH	4.00	0	13.4920	25 0.2965 0.7693182
VCo:Block5:BL	0.00	0	0.0000	25
VCo:Block6:BH	0.00	0	0.0000	25
VCo:Block6:BL	0.00	0	0.0000	25
VFe:Block1:BH	-8.00	0	13.4920	25 -0.5929 0.5585441
VFe:Block1:BL	0.00	0	0.0000	25
VFe:Block2:BH	-12.50	0	13.4920	25 -0.9265 0.3630565
VFe:Block2:BL	0.00	0	0.0000	25
VFe:Block3:BH	-11.50	0	13.4920	25 -0.8524 0.4021071
VFe:Block3:BL	0.00	0	0.0000	25
VFe:Block4:BH	0.50	0	13.4920	25 0.0371 0.9707322
VFe:Block4:BL	0.00	0	0.0000	25
VFe:Block5:BH	-2.00	0	13.4920	25 -0.1482 0.8833455
VFe:Block5:BL	0.00	0	0.0000	25

```

VFe:Block6:BH    0.00      0   0.0000 25
VFe:Block6:BL    0.00      0   0.0000 25
VHa:Block1:BH    8.00      0   13.4920 25  0.5929 0.5585441
VHa:Block1:BL    0.00      0   0.0000 25
VHa:Block2:BH    15.00     0   13.4920 25  1.1118 0.2768138
VHa:Block2:BL    0.00      0   0.0000 25
VHa:Block3:BH    21.00     0   13.4920 25  1.5565 0.1321638
VHa:Block3:BL    0.00      0   0.0000 25
VHa:Block4:BH    33.50     0   13.4920 25  2.4830 0.0200965 *
VHa:Block4:BL    0.00      0   0.0000 25
VHa:Block5:BH    14.00     0   13.4920 25  1.0377 0.3093639
VHa:Block5:BL    0.00      0   0.0000 25
VHa:Block6:BH    0.00      0   0.0000 25
VHa:Block6:BL    0.00      0   0.0000 25
VPi:Block1:BH   -14.00     0   13.4920 25  -1.0377 0.3093639
VPi:Block1:BL    0.00      0   0.0000 25
VPi:Block2:BH    17.50     0   13.4920 25  1.2971 0.2064513
VPi:Block2:BL    0.00      0   0.0000 25
VPi:Block3:BH    24.50     0   13.4920 25  1.8159 0.0813993 .
VPi:Block3:BL    0.00      0   0.0000 25
VPi:Block4:BH    8.00      0   13.4920 25  0.5929 0.5585441
VPi:Block4:BL    0.00      0   0.0000 25
VPi:Block5:BH   -3.00      0   13.4920 25  -0.2224 0.8258445
VPi:Block5:BL    0.00      0   0.0000 25
VPi:Block6:BH    0.00      0   0.0000 25
VPi:Block6:BL    0.00      0   0.0000 25
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.6.2 p434

(119) MODEL

```
GLM(Y ~ V + Block:V + A + B + A:B + V:A + V:B + V:A:B, v1p432) # OK
```

```

$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      44 255415  5804.9  51.075 < 2.2e-16 ***
RESIDUALS  75  8524   113.7
CORRECTED TOTAL 119 263939
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)

```

```

V        4 102743   25686 225.9988 < 2.2e-16 ***
V:Block 25 50019     2001  17.6040 < 2.2e-16 ***
A        1 18451    18451 162.3447 < 2.2e-16 ***
B        1 78541    78541 691.0494 < 2.2e-16 ***
A:B      1    108     108   0.9529   0.33212
V:A      4    3751     938   8.2503 1.435e-05 ***
V:B      4     307      77   0.6744   0.61182
V:A:B    4    1495     374   3.2880   0.01541 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

V        4 102743   25686 225.9988 < 2.2e-16 ***  

V:Block 25 50019     2001  17.6040 < 2.2e-16 ***  

A        1 18451    18451 162.3447 < 2.2e-16 ***  

B        1 78541    78541 691.0494 < 2.2e-16 ***  

A:B      1    108     108   0.9529   0.33212  

V:A      4    3751     938   8.2503 1.435e-05 ***  

V:B      4     307      77   0.6744   0.61182  

V:A:B    4    1495     374   3.2880   0.01541 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

V        4 102743   25686 225.9988 < 2.2e-16 ***  

V:Block 25 50019     2001  17.6040 < 2.2e-16 ***  

A        1 18451    18451 162.3447 < 2.2e-16 ***  

B        1 78541    78541 691.0494 < 2.2e-16 ***  

A:B      1    108     108   0.9529   0.33212  

V:A      4    3751     938   8.2503 1.435e-05 ***  

V:B      4     307      77   0.6744   0.61182  

V:A:B    4    1495     374   3.2880   0.01541 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept)  730.75       0    6.5284 75 111.9335 < 2.2e-16 ***  

VAm        -91.42       0    9.2326 75 -9.9015 2.887e-15 ***  

VCo        -33.50       0    9.2326 75 -3.6284 0.0005179 ***  

VFe        -47.29       0    9.2326 75 -5.1223 2.269e-06 ***  

VHa        -64.87       0    9.2326 75 -7.0267 8.274e-10 ***  

VPi         0.00       0    0.0000 75  

VAm:Block1 -57.00       0    7.5384 75 -7.5613 8.123e-11 ***  

VAm:Block2 -65.75       0    7.5384 75 -8.7220 5.032e-13 ***  

VAm:Block3 -49.50       0    7.5384 75 -6.5664 5.963e-09 ***

```

VAm:Block4	-49.75	0	7.5384	75	-6.5996	5.177e-09	***
VAm:Block5	-21.00	0	7.5384	75	-2.7857	0.0067590	**
VAm:Block6	0.00	0	0.0000	75			
VCo:Block1	-57.25	0	7.5384	75	-7.5945	7.029e-11	***
VCo:Block2	-58.25	0	7.5384	75	-7.7271	3.938e-11	***
VCo:Block3	-53.25	0	7.5384	75	-7.0638	7.048e-10	***
VCo:Block4	-38.75	0	7.5384	75	-5.1404	2.113e-06	***
VCo:Block5	-19.00	0	7.5384	75	-2.5204	0.0138466	*
VCo:Block6	0.00	0	0.0000	75			
VFe:Block1	-42.00	0	7.5384	75	-5.5715	3.771e-07	***
VFe:Block2	-42.75	0	7.5384	75	-5.6710	2.515e-07	***
VFe:Block3	-30.75	0	7.5384	75	-4.0791	0.0001116	***
VFe:Block4	-15.75	0	7.5384	75	-2.0893	0.0400719	*
VFe:Block5	-2.50	0	7.5384	75	-0.3316	0.7410890	
VFe:Block6	0.00	0	0.0000	75			
VHa:Block1	-52.00	0	7.5384	75	-6.8980	1.441e-09	***
VHa:Block2	-59.00	0	7.5384	75	-7.8266	2.549e-11	***
VHa:Block3	-37.50	0	7.5384	75	-4.9745	4.038e-06	***
VHa:Block4	-24.75	0	7.5384	75	-3.2832	0.0015606	**
VHa:Block5	-22.00	0	7.5384	75	-2.9184	0.0046415	**
VHa:Block6	0.00	0	0.0000	75			
VPi:Block1	-46.00	0	7.5384	75	-6.1021	4.234e-08	***
VPi:Block2	-53.75	0	7.5384	75	-7.1302	5.290e-10	***
VPi:Block3	-51.75	0	7.5384	75	-6.8649	1.662e-09	***
VPi:Block4	-38.50	0	7.5384	75	-5.1072	2.407e-06	***
VPi:Block5	-13.50	0	7.5384	75	-1.7908	0.0773547	.
VPi:Block6	0.00	0	0.0000	75			
AF	-26.00	0	6.1551	75	-4.2242	6.669e-05	***
AM	0.00	0	0.0000	75			
BH	-46.83	0	6.1551	75	-7.6089	6.600e-11	***
BL	0.00	0	0.0000	75			
AF:BH	-5.33	0	8.7046	75	-0.6127	0.5419251	
AF:BL	0.00	0	0.0000	75			
AM:BH	0.00	0	0.0000	75			
AM:BL	0.00	0	0.0000	75			
VAm:AF	33.33	0	8.7046	75	3.8294	0.0002645	***
VAm:AM	0.00	0	0.0000	75			
VCo:AF	-15.50	0	8.7046	75	-1.7807	0.0790155	.
VCo:AM	0.00	0	0.0000	75			
VFe:AF	5.67	0	8.7046	75	0.6510	0.5170370	
VFe:AM	0.00	0	0.0000	75			
VHa:AF	-8.00	0	8.7046	75	-0.9191	0.3610122	
VHa:AM	0.00	0	0.0000	75			
VPi:AF	0.00	0	0.0000	75			
VPi:AM	0.00	0	0.0000	75			
VAm:BH	0.50	0	8.7046	75	0.0574	0.9543466	
VAm:BL	0.00	0	0.0000	75			
VCo:BH	-13.33	0	8.7046	75	-1.5318	0.1297887	

```

VCo:BL      0.00      0   0.0000 75
VFe:BH      8.17      0   8.7046 75   0.9382 0.3511512
VFe:BL      0.00      0   0.0000 75
VHa:BH     -7.50      0   8.7046 75   -0.8616 0.3916454
VHa:BL      0.00      0   0.0000 75
VPi:BH      0.00      0   0.0000 75
VPi:BL      0.00      0   0.0000 75
VAm:AF:BH   -15.00      0   12.3101 75   -1.2185 0.2268497
VAm:AF:BL   0.00      0   0.0000 75
VAm:AM:BH   0.00      0   0.0000 75
VAm:AM:BL   0.00      0   0.0000 75
VCo:AF:BH   19.67      0   12.3101 75   1.5976 0.1143369
VCo:AF:BL   0.00      0   0.0000 75
VCo:AM:BH   0.00      0   0.0000 75
VCo:AM:BL   0.00      0   0.0000 75
VFe:AF:BH   -12.50      0   12.3101 75   -1.0154 0.3131683
VFe:AF:BL   0.00      0   0.0000 75
VFe:AM:BH   0.00      0   0.0000 75
VFe:AM:BL   0.00      0   0.0000 75
VHa:AF:BH   15.50      0   12.3101 75   1.2591 0.2118897
VHa:AF:BL   0.00      0   0.0000 75
VHa:AM:BH   0.00      0   0.0000 75
VHa:AM:BL   0.00      0   0.0000 75
VPi:AF:BH   0.00      0   0.0000 75
VPi:AF:BL   0.00      0   0.0000 75
VPi:AM:BH   0.00      0   0.0000 75
VPi:AM:BL   0.00      0   0.0000 75
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.6.3 p438

(120) MODEL

```
GLM(Y ~ V + Block:V + C + V:C, v1p432) # OK
```

```

$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      44 255415  5804.9  51.075 < 2.2e-16 ***
RESIDUALS   75   8524    113.7
CORRECTED TOTAL 119 263939
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
V	4	102743	25686	225.9988	< 2.2e-16 ***						
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***						
C	3	97100	32367	284.7823	< 2.2e-16 ***						
V:C	12	5552	463	4.0709	7.23e-05 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
V	4	102743	25686	225.9988	< 2.2e-16 ***						
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***						
C	3	97100	32367	284.7823	< 2.2e-16 ***						
V:C	12	5552	463	4.0709	7.23e-05 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
V	4	102743	25686	225.9988	< 2.2e-16 ***						
V:Block	25	50019	2001	17.6040	< 2.2e-16 ***						
C	3	97100	32367	284.7823	< 2.2e-16 ***						
V:C	12	5552	463	4.0709	7.23e-05 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	730.75	0	6.5284	75	111.9335	< 2.2e-16 ***
VAm	-91.42	0	9.2326	75	-9.9015	2.887e-15 ***
VCo	-33.50	0	9.2326	75	-3.6284	0.0005179 ***
VFe	-47.29	0	9.2326	75	-5.1223	2.269e-06 ***
VHa	-64.87	0	9.2326	75	-7.0267	8.274e-10 ***
VPi	0.00	0	0.0000	75		
VAm:Block1	-57.00	0	7.5384	75	-7.5613	8.123e-11 ***
VAm:Block2	-65.75	0	7.5384	75	-8.7220	5.032e-13 ***
VAm:Block3	-49.50	0	7.5384	75	-6.5664	5.963e-09 ***
VAm:Block4	-49.75	0	7.5384	75	-6.5996	5.177e-09 ***
VAm:Block5	-21.00	0	7.5384	75	-2.7857	0.0067590 **
VAm:Block6	0.00	0	0.0000	75		
VCo:Block1	-57.25	0	7.5384	75	-7.5945	7.029e-11 ***
VCo:Block2	-58.25	0	7.5384	75	-7.7271	3.938e-11 ***
VCo:Block3	-53.25	0	7.5384	75	-7.0638	7.048e-10 ***
VCo:Block4	-38.75	0	7.5384	75	-5.1404	2.113e-06 ***
VCo:Block5	-19.00	0	7.5384	75	-2.5204	0.0138466 *
VCo:Block6	0.00	0	0.0000	75		
VFe:Block1	-42.00	0	7.5384	75	-5.5715	3.771e-07 ***
VFe:Block2	-42.75	0	7.5384	75	-5.6710	2.515e-07 ***

VFe:Block3	-30.75	0	7.5384	75	-4.0791	0.0001116	***				
VFe:Block4	-15.75	0	7.5384	75	-2.0893	0.0400719	*				
VFe:Block5	-2.50	0	7.5384	75	-0.3316	0.7410890					
VFe:Block6	0.00	0	0.0000	75							
VHa:Block1	-52.00	0	7.5384	75	-6.8980	1.441e-09	***				
VHa:Block2	-59.00	0	7.5384	75	-7.8266	2.549e-11	***				
VHa:Block3	-37.50	0	7.5384	75	-4.9745	4.038e-06	***				
VHa:Block4	-24.75	0	7.5384	75	-3.2832	0.0015606	**				
VHa:Block5	-22.00	0	7.5384	75	-2.9184	0.0046415	**				
VHa:Block6	0.00	0	0.0000	75							
VPi:Block1	-46.00	0	7.5384	75	-6.1021	4.234e-08	***				
VPi:Block2	-53.75	0	7.5384	75	-7.1302	5.290e-10	***				
VPi:Block3	-51.75	0	7.5384	75	-6.8649	1.662e-09	***				
VPi:Block4	-38.50	0	7.5384	75	-5.1072	2.407e-06	***				
VPi:Block5	-13.50	0	7.5384	75	-1.7908	0.0773547	.				
VPi:Block6	0.00	0	0.0000	75							
C1	-78.17	0	6.1551	75	-12.6996	< 2.2e-16	***				
C2	-26.00	0	6.1551	75	-4.2242	6.669e-05	***				
C3	-46.83	0	6.1551	75	-7.6089	6.600e-11	***				
C4	0.00	0	0.0000	75							
VAm:C1	18.83	0	8.7046	75	2.1636	0.0336791	*				
VAm:C2	33.33	0	8.7046	75	3.8294	0.0002645	***				
VAm:C3	0.50	0	8.7046	75	0.0574	0.9543466					
VAm:C4	0.00	0	0.0000	75							
VCo:C1	-9.17	0	8.7046	75	-1.0531	0.2956825					
VCo:C2	-15.50	0	8.7046	75	-1.7807	0.0790155	.				
VCo:C3	-13.33	0	8.7046	75	-1.5318	0.1297887					
VCo:C4	0.00	0	0.0000	75							
VFe:C1	1.33	0	8.7046	75	0.1532	0.8786707					
VFe:C2	5.67	0	8.7046	75	0.6510	0.5170370					
VFe:C3	8.17	0	8.7046	75	0.9382	0.3511512					
VFe:C4	0.00	0	0.0000	75							
VHa:C1	0.00	0	8.7046	75	0.0000	1.0000000					
VHa:C2	-8.00	0	8.7046	75	-0.9191	0.3610122					
VHa:C3	-7.50	0	8.7046	75	-0.8616	0.3916454					
VHa:C4	0.00	0	0.0000	75							
VPi:C1	0.00	0	0.0000	75							
VPi:C2	0.00	0	0.0000	75							
VPi:C3	0.00	0	0.0000	75							
VPi:C4	0.00	0	0.0000	75							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'. '	0.1	' '	1

#### 8.6.4 p444

(121) MODEL

```
v1p444 = v1p432[v1p432$Block==5,]
GLM(Y ~ V + A + B + A:B + V:A, v1p444) # OK
```

\$ANOVA  
 Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	11	39278	3570.8	59.787	1.897e-06 ***
RESIDUALS	8	478	59.7		
CORRECTED TOTAL	19	39756			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	19287.7	4821.9	80.7355	1.674e-06 ***
A	1	3380.0	3380.0	56.5927	6.780e-05 ***
B	1	14045.0	14045.0	235.1612	3.247e-07 ***
A:B	1	115.2	115.2	1.9288	0.202326
V:A	4	2450.5	612.6	10.2574	0.003081 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	19287.7	4821.9	80.7355	1.674e-06 ***
A	1	3380.0	3380.0	56.5927	6.780e-05 ***
B	1	14045.0	14045.0	235.1612	3.247e-07 ***
A:B	1	115.2	115.2	1.9288	0.202326
V:A	4	2450.5	612.6	10.2574	0.003081 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
V	4	19287.7	4821.9	80.7355	1.674e-06 ***
A	1	3380.0	3380.0	56.5927	6.780e-05 ***
B	1	14045.0	14045.0	235.1612	3.247e-07 ***
A:B	1	115.2	115.2	1.9288	0.202326
V:A	4	2450.5	612.6	10.2574	0.003081 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	720.1	0	5.9862	8	120.2927	2.554e-14 ***
VAm	-107.0	0	7.7282	8	-13.8454	7.159e-07 ***
VCo	-57.0	0	7.7282	8	-7.3756	7.800e-05 ***

VFe	-32.5	0	7.7282	8	-4.2054	0.002975	**				
VHa	-65.0	0	7.7282	8	-8.4108	3.040e-05	***				
VPi	0.0	0	0.0000	8							
AF	-28.2	0	8.4658	8	-3.3310	0.010368	*				
AM	0.0	0	0.0000	8							
BH	-48.2	0	4.8877	8	-9.8614	9.419e-06	***				
BL	0.0	0	0.0000	8							
AF:BH	-9.6	0	6.9123	8	-1.3888	0.202326					
AF:BL	0.0	0	0.0000	8							
AM:BH	0.0	0	0.0000	8							
AM:BL	0.0	0	0.0000	8							
VAm:AF	42.5	0	10.9293	8	3.8886	0.004618	**				
VAm:AM	0.0	0	0.0000	8							
VCo:AF	17.0	0	10.9293	8	1.5554	0.158449					
VCo:AM	0.0	0	0.0000	8							
VFe:AF	0.0	0	10.9293	8	0.0000	1.000000					
VFe:AM	0.0	0	0.0000	8							
VHa:AF	-24.5	0	10.9293	8	-2.2417	0.055281	.				
VHa:AM	0.0	0	0.0000	8							
VPi:AF	0.0	0	0.0000	8							
VPi:AM	0.0	0	0.0000	8							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

### 8.6.5 p482

(122) MODEL

```
v1p482 = read.table("C:/G/Rt/Kemp/v1p482.txt", head=TRUE)
v1p482 = af(v1p482,c("block", "A", "B"))
GLM(y ~ block + A + B + A:B, v1p482) # OK
```

```
$ANOVA
Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      8 156.88 19.6094 9.8871 9.377e-05 ***
RESIDUALS 15  29.75  1.9833
CORRECTED TOTAL 23 186.62
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
block     5 108.38 21.675 10.9286 0.0001415 ***
A         1   4.00   4.000  2.0168 0.1760166
B         1  42.25  42.250 21.3025 0.0003365 ***
```

```

A:B     1    2.25   2.250  1.1345  0.3036727
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
block  5 31.417   6.283  3.1681 0.0377804 *
A       1  4.000   4.000  2.0168 0.1760166
B       1 42.250  42.250 21.3025 0.0003365 ***
A:B     1  2.250   2.250  1.1345  0.3036727
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
block  5 31.417   6.283  3.1681 0.0377804 *
A       1  4.000   4.000  2.0168 0.1760166
B       1 42.250  42.250 21.3025 0.0003365 ***
A:B     1  2.250   2.250  1.1345  0.3036727
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  9.000        0  0.86241 15 10.4359 2.842e-08 ***
block1       -1.375        0  1.11337 15 -1.2350  0.23583
block2        1.125        0  1.11337 15  1.0104  0.32830
block3       -0.125        0  1.11337 15 -0.1123  0.91210
block4        2.875        0  1.11337 15  2.5823  0.02082 *
block5        1.250        0  1.21963 15  1.0249  0.32166
block6        0.000        0  0.00000 15
A0          -0.250        0  0.99582 15 -0.2510  0.80518
A1          0.000        0  0.00000 15
B0         -2.500        0  0.99582 15 -2.5105  0.02400 *
B1          0.000        0  0.00000 15
A0:B0       -1.500        0  1.40831 15 -1.0651  0.30367
A0:B1        0.000        0  0.00000 15
A1:B0        0.000        0  0.00000 15
A1:B1        0.000        0  0.00000 15
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.7 Chapter 12

### 8.7.1 p525

(123) MODEL

```
v1p525 = read.table("C:/G/Rt/Kemp/v1p525.txt", head=TRUE)
REG(y ~ x1 + x2 + x3, v1p525)
```

	Estimate	Std. Error	Df	t value	Pr(> t )						
(Intercept)	14.2125	0.10383	12	136.8787	< 2.2e-16 ***						
x1	0.7875	0.10383	12	7.5843	6.465e-06 ***						
x2	1.3875	0.10383	12	13.3628	1.446e-08 ***						
x3	1.6625	0.10383	12	16.0113	1.839e-09 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

```
GLM(y ~ x1 + x2 + x3, v1p525) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
MODEL	3	84.948	28.3158	164.15	5.26e-10 ***						
RESIDUALS	12	2.070	0.1725								
CORRECTED TOTAL	15	87.018									
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
x1	1	9.923	9.923	57.522	6.465e-06 ***						
x2	1	30.803	30.803	178.565	1.446e-08 ***						
x3	1	44.223	44.223	256.362	1.839e-09 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
x1	1	9.923	9.923	57.522	6.465e-06 ***						
x2	1	30.803	30.803	178.565	1.446e-08 ***						
x3	1	44.223	44.223	256.362	1.839e-09 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)						
x1	1	9.923	9.923	57.522	6.465e-06 ***						
x2	1	30.803	30.803	178.565	1.446e-08 ***						
x3	1	44.223	44.223	256.362	1.839e-09 ***						
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

```

$Parameter
      Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 14.2125    0.10383 12 136.8787 < 2.2e-16 ***
x1          0.7875    0.10383 12   7.5843 6.465e-06 ***
x2          1.3875    0.10383 12  13.3628 1.446e-08 ***
x3          1.6625    0.10383 12  16.0113 1.839e-09 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.7.2 p527

(124) MODEL

```
v1p527 = read.table("C:/G/Rt/Kemp/v1p527.txt", head=TRUE)
GLM(y ~ A + B, v1p527) # OK
```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL       2 22.99 11.4952 4.8917 0.04686 *
RESIDUALS    7 16.45  2.3499
CORRECTED TOTAL 9 39.44
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A 1 10.364 10.364 4.4103 0.07386 .
B 1 12.626 12.626 5.3730 0.05355 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A 1 10.364 10.364 4.4103 0.07386 .
B 1 12.626 12.626 5.3730 0.05355 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
A 1 10.364 10.364 4.4103 0.07386 .
B 1 12.626 12.626 5.3730 0.05355 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$Parameter
      Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 5.2000    0.48476 7 10.7269 1.345e-05 ***
A            1.1439    0.54471 7  2.1001   0.07386 .
B            1.2626    0.54471 7  2.3180   0.05355 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 8.7.3 p529

(125) MODEL

```

v1p529 = read.table("C:/G/Rt/Kemp/v1p529.txt", head=TRUE)
GLM(y ~ A + B + I(A*A) + I(B*B) + I(A*B), v1p529) # OK

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      5 35.713 7.1427 6.7928 0.01857 *
RESIDUALS   6  6.309 1.0515
CORRECTED TOTAL 11 42.023
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A        1 11.6012 11.6012 11.0329 0.01597 *
B        1 12.6263 12.6263 12.0077 0.01338 *
I(A * A) 1  1.7167  1.7167  1.6326 0.24855
I(B * B) 1  5.3593  5.3593  5.0967 0.06476 .
I(A * B) 1  4.4100  4.4100  4.1940 0.08649 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
A        1 11.6012 11.6012 11.0329 0.01597 *
B        1 12.6263 12.6263 12.0077 0.01338 *
I(A * A) 1  5.5468  5.5468  5.2750 0.06137 .
I(B * B) 1  5.3593  5.3593  5.0967 0.06476 .
I(A * B) 1  4.4100  4.4100  4.1940 0.08649 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)

```

```

A      1 11.6012 11.6012 11.0329 0.01597 *
B      1 12.6263 12.6263 12.0077 0.01338 *
I(A * A) 1 5.5468 5.5468 5.2750 0.06137 .
I(B * B) 1 5.3593 5.3593 5.0967 0.06476 .
I(A * B) 1 4.4100 4.4100 4.1940 0.08649 .

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
            Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 3.5625    0.72492   6 4.9144 0.002672 **
A            0.9899    0.29801   6 3.3216 0.015973 *
B            1.2626    0.36437   6 3.4652 0.013382 *
I(A * A)    1.0106    0.44003   6 2.2967 0.061374 .
I(B * B)    1.0838    0.48007   6 2.2576 0.064762 .
I(A * B)    1.0500    0.51272   6 2.0479 0.086491 .

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.8 Chapter 13

### 8.8.1 p563

(126) MODEL

```

v1p563 = read.table("C:/G/Rt/Kemp/v1p563.txt", head=TRUE)
v1p563 = af(v1p563, c("rep", "A", "B"))
GLM(y ~ rep + A + rep:A + B + A:B, v1p563) # OK

```

```

$ANOVA
Response : y
          Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL       14 2097.08 149.792 17.228 8.385e-05 ***
RESIDUALS    9   78.25   8.694
CORRECTED TOTAL 23 2175.33

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
          Df  Sum Sq Mean Sq F value    Pr(>F)
rep      3 1241.00 413.67 47.5783 7.606e-06 ***
A       2  353.08 176.54 20.3051 0.0004613 ***
rep:A   6 192.25  32.04  3.6853 0.0393557 *
B       1  216.00 216.00 24.8435 0.0007550 ***
A:B     2   94.75  47.38  5.4489 0.0281496 *

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

rep     3 1241.00 413.67 47.5783 7.606e-06 ***  

A       2  353.08 176.54 20.3051 0.0004613 ***  

rep:A   6  192.25  32.04  3.6853 0.0393557 *  

B       1  216.00 216.00 24.8435 0.0007550 ***  

A:B    2   94.75  47.38  5.4489 0.0281496 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

rep     3 1241.00 413.67 47.5783 7.606e-06 ***  

A       2  353.08 176.54 20.3051 0.0004613 ***  

rep:A   6  192.25  32.04  3.6853 0.0393557 *  

B       1  216.00 216.00 24.8435 0.0007550 ***  

A:B    2   94.75  47.38  5.4489 0.0281496 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 17.250        0    2.3311  9  7.3999 4.104e-05 ***  

rep1         19.500        0    2.9486  9  6.6132 9.778e-05 ***  

rep2         14.000        0    2.9486  9  4.7480  0.001047 **  

rep3        -0.500        0    2.9486  9 -0.1696  0.869099  

rep4         0.000        0    0.0000  9  

A1           5.375        0    3.2967  9  1.6304  0.137448  

A2          11.375        0    3.2967  9  3.4504  0.007270 **  

A3           0.000        0    0.0000  9  

rep1:A1      1.500        0    4.1700  9  0.3597  0.727358  

rep1:A2     -9.000        0    4.1700  9 -2.1583  0.059234 .  

rep1:A3      0.000        0    0.0000  9  

rep2:A1     -11.000       0    4.1700  9 -2.6379  0.027007 *  

rep2:A2     -14.500       0    4.1700  9 -3.4772  0.006969 **  

rep2:A3      0.000        0    0.0000  9  

rep3:A1      1.000        0    4.1700  9  0.2398  0.815851  

rep3:A2     -3.000        0    4.1700  9 -0.7194  0.490137  

rep3:A3      0.000        0    0.0000  9  

rep4:A1      0.000        0    0.0000  9  

rep4:A2      0.000        0    0.0000  9  

rep4:A3      0.000        0    0.0000  9  

B1           0.500        0    2.0850  9  0.2398  0.815851  

B2           0.000        0    0.0000  9  

A1:B1       9.250        0    2.9486  9  3.1370  0.011985 *  

A1:B2      0.000        0    0.0000  9

```

```

A2:B1      7.250      0    2.9486  9  2.4588  0.036232 *
A2:B2      0.000      0    0.0000  9
A3:B1      0.000      0    0.0000  9
A3:B2      0.000      0    0.0000  9
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.8.2 p566

(127) MODEL

```

v1p566 = read.table("C:/G/Rt/Kemp/v1p566.txt", head=TRUE)
v1p566 = af(v1p566, c("subject", "A", "B"))
GLM(y ~ A + B + A:B, v1p566) # OK

```

```

$ANOVA
Response : y
      Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL      5 1469.58 293.92   86.2 5.592e-09 ***
RESIDUALS  12   40.92    3.41
CORRECTED TOTAL 17 1510.50
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df  Sum Sq Mean Sq F value    Pr(>F)
A      2 1390.04 695.02 203.8350 5.466e-10 ***
B      1   76.06   76.06  22.3055 0.0004945 ***
A:B    2     3.49     1.74   0.5112 0.6122667
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df  Sum Sq Mean Sq F value    Pr(>F)
A      2 1390.04 695.02 203.8350 5.466e-10 ***
B      1   76.06   76.06  22.3055 0.0004945 ***
A:B    2     3.49     1.74   0.5112 0.6122667
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III` 
      Df  Sum Sq Mean Sq F value    Pr(>F)
A      2 1390.04 695.02 203.8350 5.466e-10 ***
B      1   79.00   79.00  23.1700 0.0004237 ***
A:B    2     3.49     1.74   0.5112 0.6122667
---
```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 54.500       0     1.3057 12 41.7400 2.309e-14 ***
A1          -23.750      0     1.5992 12 -14.8516 4.354e-09 ***
A2          -18.167      0     1.6857 12 -10.7772 1.586e-07 ***
A3           0.000      0     0.0000 12
B1          -5.500      0     1.8465 12 -2.9785  0.01152 *
B2           0.000      0     0.0000 12
A1:B1        2.250      0     2.2615 12  0.9949  0.33943
A1:B2        0.000      0     0.0000 12
A2:B1        1.167      0     2.3839 12  0.4894  0.63338
A2:B2        0.000      0     0.0000 12
A3:B1        0.000      0     0.0000 12
A3:B2        0.000      0     0.0000 12
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 8.9 Chapter 14

### 8.9.1 p581

(128) MODEL

```

v1p581 = read.table("C:/G/Rt/Kemp/v1p581.txt", head=TRUE)
v1p581 = af(v1p581, c("drug", "person", "time"))
GLM(rate ~ drug + person:drug + time + drug:time, v1p581) # OK

```

```

$ANOVA
Response : rate
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      23 2449.5 106.500 12.733 3.469e-11 ***
RESIDUALS   36  301.1   8.364
CORRECTED TOTAL 59 2750.6
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
drug        2 337.60 168.800 20.1820 1.323e-06 ***
drug:person 12 1498.50 124.875 14.9303 1.501e-10 ***
time        3 256.33  85.444 10.2159 5.230e-05 ***
drug:time    6 357.07  59.511  7.1152 4.707e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$`Type II`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

drug        2  337.60 168.800 20.1820 1.323e-06 ***  

drug:person 12 1498.50 124.875 14.9303 1.501e-10 ***  

time        3  256.33  85.444 10.2159 5.230e-05 ***  

drug:time   6  357.07  59.511  7.1152 4.707e-05 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

drug        2  337.60 168.800 20.1820 1.323e-06 ***  

drug:person 12 1498.50 124.875 14.9303 1.501e-10 ***  

time        3  256.33  85.444 10.2159 5.230e-05 ***  

drug:time   6  357.07  59.511  7.1152 4.707e-05 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter  

      Estimate Estimable Std. Error Df t value    Pr(>|t|)  

(Intercept)  71.05       0  1.8291 36 38.8445 < 2.2e-16 ***  

drug1        -2.95       0  2.5867 36 -1.1404  0.261633  

drug2         8.20       0  2.5867 36  3.1700  0.003108 **  

drug3         0.00       0  0.0000 36  

drug1:person1 7.00       0  2.0450 36  3.4230  0.001559 **  

drug1:person2 10.50      0  2.0450 36  5.1345  9.954e-06 ***  

drug1:person3  5.25      0  2.0450 36  2.5673  0.014551 *  

drug1:person4  4.75      0  2.0450 36  2.3228  0.025959 *  

drug1:person5  0.00       0  0.0000 36  

drug2:person1  2.75       0  2.0450 36  1.3448  0.187116  

drug2:person2  2.25       0  2.0450 36  1.1003  0.278524  

drug2:person3 -7.25       0  2.0450 36 -3.5453  0.001109 **  

drug2:person4  2.00       0  2.0450 36  0.9780  0.334599  

drug2:person5  0.00       0  0.0000 36  

drug3:person1  1.25       0  2.0450 36  0.6113  0.544873  

drug3:person2 -3.75       0  2.0450 36 -1.8338  0.074968 .  

drug3:person3 16.50       0  2.0450 36  8.0685  1.374e-09 ***  

drug3:person4  6.75       0  2.0450 36  3.3008  0.002182 **  

drug3:person5  0.00       0  0.0000 36  

time1        -1.00       0  1.8291 36 -0.5467  0.587943  

time2         0.40       0  1.8291 36  0.2187  0.828128  

time3        -0.60       0  1.8291 36 -0.3280  0.744787  

time4         0.00       0  0.0000 36  

drug1:time1  -0.80       0  2.5867 36 -0.3093  0.758897  

drug1:time2   8.60       0  2.5867 36  3.3247  0.002044 **  

drug1:time3   9.00       0  2.5867 36  3.4793  0.001334 **  

drug1:time4   0.00       0  0.0000 36
```

drug2:time1	3.20	0	2.5867	36	1.2371	0.224063
drug2:time2	5.00	0	2.5867	36	1.9330	0.061138 .
drug2:time3	-1.00	0	2.5867	36	-0.3866	0.701335
drug2:time4	0.00	0	0.0000	36		
drug3:time1	0.00	0	0.0000	36		
drug3:time2	0.00	0	0.0000	36		
drug3:time3	0.00	0	0.0000	36		
drug3:time4	0.00	0	0.0000	36		
---						
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1						

## 9 Hinkelmann & Kempthorne - Volume 2

Reference - Hinkelmann K, Kempthorne O. Design and Analysis of Experiments Volume 2 Advanced Experimental Design. 2e. John Wiley & Sons Inc. 2008.

### 9.1 Chapter 1

#### 9.1.1 p53

(129) MODEL

```
v2p53 = read.table("C:/G/Rt/Kemp/v2p53.txt", head=TRUE)
v2p53 = af(v2p53, c("TRT", "BLOCK"))
GLM(Y ~ BLOCK + TRT, v2p53) # OK
```

```
$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      7 518.21 74.030 8.1408 0.1137
RESIDUALS   2 18.19  9.094
CORRECTED TOTAL 9 536.40

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
BLOCK    4 261.40 65.350 7.1863 0.12587
TRT      3 256.81 85.604 9.4135 0.09755 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
BLOCK    4 79.146 19.786 2.1758 0.33880
TRT      3 256.812 85.604 9.4135 0.09755 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
BLOCK    4 79.146 19.786 2.1758 0.33880
TRT      3 256.813 85.604 9.4135 0.09755 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 31.1250        0     2.6116  2 11.9181 0.006967 **
```

```

BLOCK1      -7.6875      0      3.4548  2 -2.2252 0.156028
BLOCK2      -4.0625      0      3.4548  2 -1.1759 0.360652
BLOCK3      -1.9375      0      3.4548  2 -0.5608 0.631370
BLOCK4      -9.3125      0      3.4548  2 -2.6955 0.114475
BLOCK5      0.0000      0      0.0000  2
TRT1       -15.2500      0      3.0156  2 -5.0571 0.036949 *
TRT2       -9.6250      0      3.3715  2 -2.8548 0.103924
TRT3       -3.1250      0      3.3715  2 -0.9269 0.451839
TRT4       0.0000      0      0.0000  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 9.1.2 p62

(130) MODEL

```
GLM(Y ~ TRT + BLOCK, v2p53) # OK
```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL    7 518.21 74.030 8.1408 0.1137
RESIDUALS 2 18.19  9.094
CORRECTED TOTAL 9 536.40

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
TRT     3 439.07 146.356 16.0941 0.05907 .
BLOCK   4  79.15 19.786  2.1758 0.33880
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
TRT     3 256.812 85.604 9.4135 0.09755 .
BLOCK   4  79.146 19.786  2.1758 0.33880
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
TRT     3 256.813 85.604 9.4135 0.09755 .
BLOCK   4  79.146 19.786  2.1758 0.33880
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 31.1250      0    2.6116  2 11.9181 0.006967 **
TRT1        -15.2500     0    3.0156  2 -5.0571 0.036949 *
TRT2        -9.6250      0    3.3715  2 -2.8548 0.103924
TRT3        -3.1250      0    3.3715  2 -0.9269 0.451839
TRT4         0.0000      0    0.0000  2
BLOCK1       -7.6875     0    3.4548  2 -2.2252 0.156028
BLOCK2       -4.0625     0    3.4548  2 -1.1759 0.360652
BLOCK3       -1.9375     0    3.4548  2 -0.5608 0.631370
BLOCK4       -9.3125     0    3.4548  2 -2.6955 0.114475
BLOCK5       0.0000      0    0.0000  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 9.2 Chapter 2

### 9.2.1 p82

#### (131) MODEL

```
v2p82 = read.table("C:/G/Rt/Kemp/v2p82.txt", head=TRUE)
v2p82 = af(v2p82, c("B", "Tx"))
GLM(Y ~ B + Tx, v2p82) # OK
```

```
$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL   14 889.11 63.508 6.3183 0.000518 ***
RESIDUALS 15 150.77 10.052
CORRECTED TOTAL 29 1039.89
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
B    9 730.39 81.154 8.0738 0.0002454 ***
Tx   5 158.73 31.745 3.1583 0.0381655 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
B    9 595.74 66.193 6.5854 0.0007602 ***
Tx   5 158.73 31.745 3.1583 0.0381655 *
---

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

B   9 595.74 66.193  6.5854 0.0007602 ***  

Tx  5 158.73 31.745  3.1583 0.0381655 *  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept) 42.611        0     2.2418 15 19.0074 6.589e-12 ***  

B1          -3.297        0     2.7960 15 -1.1792  0.256667  

B2           0.836        0     2.7960 15  0.2990  0.769017  

B3          -5.100        0     2.6943 15 -1.8929  0.077835 .  

B4           5.497        0     2.7960 15  1.9661  0.068079 .  

B5          -0.992        0     2.7960 15 -0.3547  0.727775  

B6           2.111        0     2.7960 15  0.7550  0.461919  

B7           2.481        0     2.6943 15  0.9207  0.371800  

B8           6.131        0     2.6943 15  2.2754  0.037989 *  

B9          -10.778       0     2.7960 15 -3.8547  0.001559 **  

B10          0.000        0     0.0000 15  

Tx1          -3.300       0     2.2418 15 -1.4720  0.161686  

Tx2          -5.042       0     2.2418 15 -2.2489  0.039971 *  

Tx3          -2.900       0     2.2418 15 -1.2936  0.215373  

Tx4          -3.233       0     2.2418 15 -1.4423  0.169778  

Tx5          -8.525       0     2.2418 15 -3.8027  0.001734 **  

Tx6          0.000        0     0.0000 15  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.2.2 p87

### (132) MODEL

```

v2p87 = read.table("C:/G/Rt/Kemp/v2p87.txt", head=TRUE)
GLM(y ~ x1 + x2 + x3 + x4 + x5 + x6, v2p87) # OK

```

```

$ANOVA  

Response : y  

      Df  Sum Sq Mean Sq F value Pr(>F)  

MODEL      5 1613.25 322.65  2.2332 0.2282  

RESIDUALS  4  577.91 144.48  

CORRECTED TOTAL 9 2191.16

$`Type I`  


```

```

Df  Sum Sq Mean Sq F value Pr(>F)
x1  1 1044.48 1044.48  7.2293 0.05473 .
x2  1   89.79   89.79  0.6215 0.47459
x3  1   10.45   10.45  0.0724 0.80124
x4  1  407.08  407.08  2.8176 0.16854
x5  1   61.44   61.44  0.4253 0.54990
x6  0
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

Df  Sum Sq Mean Sq F value Pr(>F)  

x1  0  

x2  0  

x3  0  

x4  0  

x5  0  

x6  0

```

```

$`Type III`  

CAUTION: Singularity Exists !  

Df  Sum Sq Mean Sq F value Pr(>F)  

x1  0  

x2  0  

x3  0  

x4  0  

x5  0  

x6  0

```

```

$Parameter  

Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 131.100      0    19.3815  4  6.7642 0.002492 **  

x1          11.800      0    9.8142  4  1.2023 0.295540  

x2         -13.533      0    9.8142  4 -1.3790 0.239998  

x3          -5.800      0    9.8142  4 -0.5910 0.586312  

x4         -17.467      0    9.8142  4 -1.7797 0.149731  

x5          -6.400      0    9.8142  4 -0.6521 0.549902  

x6          0.000      0    0.0000  4

```

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.3 Chapter 6

### 9.3.1 p217

(133) MODEL

```
v2p217 = read.table("C:/G/Rt/Kemp/v2p217.txt", head=TRUE)
v2p217 = af(v2p217, c("R", "C", "Tx"))
GLM(Y ~ R + C + Tx, v2p217) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	22	4305.1	195.687	7.5094	0.0002682 ***
RESIDUALS	13	338.8	26.059		
CORRECTED TOTAL	35	4643.9			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	3951.4	1317.15	50.5446	1.998e-07 ***
C	8	168.9	21.11	0.8101	0.6062
Tx	11	184.8	16.80	0.6446	0.7638

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	3403.5	1134.51	43.5360	4.83e-07 ***
C	8	112.4	14.05	0.5390	0.8077
Tx	11	184.8	16.80	0.6446	0.7638

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
R	3	3403.5	1134.51	43.5360	4.83e-07 ***
C	8	112.4	14.05	0.5390	0.8077
Tx	11	184.8	16.80	0.6446	0.7638

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	34.208	0	4.7371	13	7.2214	6.733e-06 ***
R1	-25.542	0	2.5524	13	-10.0069	1.785e-07 ***
R2	-24.167	0	2.5524	13	-9.4682	3.379e-07 ***
R3	-12.458	0	2.5524	13	-4.8810	0.0003001 ***
R4	0.000	0	0.0000	13		
C1	3.000	0	4.1681	13	0.7198	0.4844133
C2	1.444	0	4.1681	13	0.3466	0.7344740
C3	5.000	0	4.1681	13	1.1996	0.2517026

C4	1.556	0	4.1681	13	0.3732	0.7150083					
C5	0.778	0	4.1681	13	0.1866	0.8548516					
C6	6.333	0	4.1681	13	1.5195	0.1525804					
C7	2.889	0	4.1681	13	0.6931	0.5004420					
C8	5.000	0	4.1681	13	1.1996	0.2517026					
C9	0.000	0	0.0000	13							
Tx1	6.569	0	4.6859	13	1.4020	0.1843467					
Tx2	7.398	0	4.6859	13	1.5788	0.1383906					
Tx3	6.731	0	4.6859	13	1.4366	0.1744722					
Tx4	5.366	0	4.6859	13	1.1451	0.2728148					
Tx5	4.477	0	4.6859	13	0.9554	0.3568064					
Tx6	8.556	0	4.8129	13	1.7776	0.0988490 .					
Tx7	6.347	0	4.6859	13	1.3545	0.1986361					
Tx8	5.032	0	4.6859	13	1.0740	0.3023722					
Tx9	6.458	0	4.6859	13	1.3783	0.1913817					
Tx10	8.444	0	4.8129	13	1.7546	0.1028594					
Tx11	0.620	0	4.6859	13	0.1324	0.8967013					
Tx12	0.000	0	0.0000	13							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

### 9.3.2 p234

#### (134) MODEL

```
v2p234 = read.table("C:/G/Rt/Kemp/v2p234.txt", head=TRUE)
v2p234 = af(v2p234, c("R", "C", "Tx"))
GLM(Y ~ C + R + Tx, v2p234) # OK
```

\$ANOVA  
 Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	13	426.50	32.808	7.0936	0.1302
RESIDUALS	2	9.25	4.625		
CORRECTED TOTAL	15	435.75			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
C	3	16.25	5.417	1.1712	0.49129
R	3	357.25	119.083	25.7477	0.03762 *
Tx	7	53.00	7.571	1.6371	0.43052

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '..' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
--	----	--------	---------	---------	--------

```

C   3 10.25   3.417  0.7387 0.6189
R   3 285.50  95.167 20.5766 0.0467 *
Tx  7 53.00   7.571   1.6371 0.4305
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df Sum Sq Mean Sq F value Pr(>F)
C   3 10.25   3.417  0.7387 0.6189
R   3 285.50  95.167 20.5766 0.0467 *
Tx  7 53.00   7.571   1.6371 0.4305
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
  Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 36.375      0     2.0117  2 18.0819 0.003045 **  

C1          0.250      0     1.8625  2  0.1342 0.905509  

C2          2.250      0     1.8625  2  1.2081 0.350481  

C3          0.000      0     2.1506  2  0.0000 1.000000  

C4          0.000      0     0.0000  2  

R1          -9.500     0     1.8625  2 -5.1008 0.036352 *  

R2          -6.000     0     1.8625  2 -3.2215 0.084343 .  

R3          1.000      0     2.1506  2  0.4650 0.687652  

R4          0.000      0     0.0000  2  

Tx1         -6.250     0     2.6339  2 -2.3729 0.140990  

Tx2         -6.750     0     2.8449  2 -2.3726 0.141016  

Tx3         -1.500     0     2.6339  2 -0.5695 0.626456  

Tx4         -3.000     0     2.4044  2 -1.2477 0.338419  

Tx5         -2.750     0     2.8449  2 -0.9666 0.435712  

Tx6         -5.250     0     2.6339  2 -1.9932 0.184428  

Tx7         -4.500     0     2.8449  2 -1.5817 0.254516  

Tx8          0.000     0     0.0000  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.4 Chapter 7

### 9.4.1 p268

(135) MODEL

```

v2p268 = read.table("C:/G/Rt/Kemp/v2p268.txt", head=TRUE)
v2p268 = af(v2p268, c("A", "B", "C"))
GLM(y ~ block + A*B*C, v2p268) # OK

```

\$ANOVA

```

Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          8 1026.00 128.250 24.981 0.0001765 ***
RESIDUALS      7   35.94   5.134
CORRECTED TOTAL 15 1061.94
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
block  1 715.56 715.56 139.3791 7.093e-06 ***
A      1  68.06  68.06 13.2574 0.0082753 **
B      1  0.06   0.06  0.0122 0.9152401
A:B    1  0.56   0.56  0.1096 0.7503276
C      1 232.56 232.56 45.2991 0.0002698 ***
A:C    1  0.06   0.06  0.0122 0.9152401
B:C    1  7.56   7.56  1.4730 0.2642229
A:B:C  1  1.56   1.56  0.3043 0.5983312
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
block  1 715.56 715.56 139.3791 7.093e-06 ***
A      1  68.06  68.06 13.2574 0.0082753 **
B      1  0.06   0.06  0.0122 0.9152401
A:B    1  0.56   0.56  0.1096 0.7503276
C      1 232.56 232.56 45.2991 0.0002698 ***
A:C    1  0.06   0.06  0.0122 0.9152401
B:C    1  7.56   7.56  1.4730 0.2642229
A:B:C  1  1.56   1.56  0.3043 0.5983312
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df Sum Sq Mean Sq F value    Pr(>F)
block  1 715.56 715.56 139.3791 7.093e-06 ***
A      1  68.06  68.06 13.2574 0.0082753 **
B      1  0.06   0.06  0.0122 0.9152401
A:B    1  0.56   0.56  0.1096 0.7503276
C      1 232.56 232.56 45.2991 0.0002698 ***
A:C    1  0.06   0.06  0.0122 0.9152401
B:C    1  7.56   7.56  1.4730 0.2642229
A:B:C  1  1.56   1.56  0.3043 0.5983312
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )					
(Intercept)	10.938	0	2.3356	7	4.6830	0.002253 **					
block	13.375	1	1.1329	7	11.8059	7.093e-06 ***					
A0	-4.500	0	2.2658	7	-1.9860	0.087400 .					
A1	0.000	0	0.0000	7							
B0	1.000	0	2.2658	7	0.4413	0.672276					
B1	0.000	0	0.0000	7							
A0:B0	0.500	0	3.2043	7	0.1560	0.880408					
A0:B1	0.000	0	0.0000	7							
A1:B0	0.000	0	0.0000	7							
A1:B1	0.000	0	0.0000	7							
C0	-7.000	0	2.2658	7	-3.0894	0.017582 *					
C1	0.000	0	0.0000	7							
A0:C0	1.500	0	3.2043	7	0.4681	0.653929					
A0:C1	0.000	0	0.0000	7							
A1:C0	0.000	0	0.0000	7							
A1:C1	0.000	0	0.0000	7							
B0:C0	-1.500	0	3.2043	7	-0.4681	0.653929					
B0:C1	0.000	0	0.0000	7							
B1:C0	0.000	0	0.0000	7							
B1:C1	0.000	0	0.0000	7							
A0:B0:C0	-2.500	0	4.5316	7	-0.5517	0.598331					
A0:B0:C1	0.000	0	0.0000	7							
A0:B1:C0	0.000	0	0.0000	7							
A0:B1:C1	0.000	0	0.0000	7							
A1:B0:C0	0.000	0	0.0000	7							
A1:B0:C1	0.000	0	0.0000	7							
A1:B1:C0	0.000	0	0.0000	7							
A1:B1:C1	0.000	0	0.0000	7							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

## 9.4.2 p273

(136) MODEL

```
v2p273 = read.table("C:/G/Rt/Kemp/v2p273.txt", head=TRUE)
v2p273 = af(v2p273, c("block", "A", "B", "C"))
GLM(y ~ block + A*B*C + block:A:B:C, v2p273) # OK
```

```
$ANOVA
Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      15 2245.0 149.665 129.44 8.427e-14 ***
RESIDUALS   16   18.5   1.156
CORRECTED TOTAL 31 2263.5
```

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	1	1498.78	1498.78	1296.2432	< 2.2e-16 ***
A	1	132.03	132.03	114.1892	1.083e-08 ***
B	1	0.03	0.03	0.0270	0.87148
A:B	1	1.53	1.53	1.3243	0.26673
C	1	504.03	504.03	435.9189	4.926e-13 ***
A:C	1	0.78	0.78	0.6757	0.42316
B:C	1	3.78	3.78	3.2703	0.08938 .
A:B:C	1	2.53	2.53	2.1892	0.15840
block:A:B:C	7	101.47	14.50	12.5367	1.965e-05 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	1	1498.78	1498.78	1296.2432	< 2.2e-16 ***
A	1	132.03	132.03	114.1892	1.083e-08 ***
B	1	0.03	0.03	0.0270	0.87148
A:B	1	1.53	1.53	1.3243	0.26673
C	1	504.03	504.03	435.9189	4.926e-13 ***
A:C	1	0.78	0.78	0.6757	0.42316
B:C	1	3.78	3.78	3.2703	0.08938 .
A:B:C	1	2.53	2.53	2.1892	0.15840
block:A:B:C	7	101.47	14.50	12.5367	1.965e-05 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
block	1	1498.78	1498.78	1296.2432	< 2.2e-16 ***
A	1	132.03	132.03	114.1892	1.083e-08 ***
B	1	0.03	0.03	0.0270	0.87148
A:B	1	1.53	1.53	1.3243	0.26673
C	1	504.03	504.03	435.9189	4.926e-13 ***
A:C	1	0.78	0.78	0.6757	0.42316
B:C	1	3.78	3.78	3.2703	0.08938 .
A:B:C	1	2.53	2.53	2.1892	0.15840
block:A:B:C	7	101.47	14.50	12.5367	1.965e-05 ***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	41.0	0	0.76035	16	53.9229	< 2.2e-16 ***

block1	-18.5	0	1.07529	16	-17.2047	9.615e-12	***
block2	0.0	0	0.00000	16			
A0	-6.5	0	1.07529	16	-6.0449	1.702e-05	***
A1	0.0	0	0.00000	16			
B0	-2.0	0	1.07529	16	-1.8600	0.0813758	.
B1	0.0	0	0.00000	16			
A0:B0	3.5	0	1.52069	16	2.3016	0.0351358	*
A0:B1	0.0	0	0.00000	16			
A1:B0	0.0	0	0.00000	16			
A1:B1	0.0	0	0.00000	16			
C0	-9.5	0	1.07529	16	-8.8348	1.495e-07	***
C1	0.0	0	0.00000	16			
A0:C0	2.5	0	1.52069	16	1.6440	0.1196805	
A0:C1	0.0	0	0.00000	16			
A1:C0	0.0	0	0.00000	16			
A1:C1	0.0	0	0.00000	16			
B0:C0	-3.0	0	1.52069	16	-1.9728	0.0660548	.
B0:C1	0.0	0	0.00000	16			
B1:C0	0.0	0	0.00000	16			
B1:C1	0.0	0	0.00000	16			
A0:B0:C0	-1.0	0	2.15058	16	-0.4650	0.6482037	
A0:B0:C1	0.0	0	0.00000	16			
A0:B1:C0	0.0	0	0.00000	16			
A0:B1:C1	0.0	0	0.00000	16			
A1:B0:C0	0.0	0	0.00000	16			
A1:B0:C1	0.0	0	0.00000	16			
A1:B1:C0	0.0	0	0.00000	16			
A1:B1:C1	0.0	0	0.00000	16			
block1:A0:B0:C0	7.0	0	1.52069	16	4.6032	0.0002938	***
block1:A0:B0:C1	4.0	0	1.52069	16	2.6304	0.0181818	*
block1:A0:B1:C0	3.5	0	1.52069	16	2.3016	0.0351358	*
block1:A0:B1:C1	3.5	0	1.52069	16	2.3016	0.0351358	*
block1:A1:B0:C0	13.0	0	1.52069	16	8.5487	2.321e-07	***
block1:A1:B0:C1	3.5	0	1.52069	16	2.3016	0.0351358	*
block1:A1:B1:C0	4.0	0	1.52069	16	2.6304	0.0181818	*
block1:A1:B1:C1	0.0	0	0.00000	16			
block2:A0:B0:C0	0.0	0	0.00000	16			
block2:A0:B0:C1	0.0	0	0.00000	16			
block2:A0:B1:C0	0.0	0	0.00000	16			
block2:A0:B1:C1	0.0	0	0.00000	16			
block2:A1:B0:C0	0.0	0	0.00000	16			
block2:A1:B0:C1	0.0	0	0.00000	16			
block2:A1:B1:C0	0.0	0	0.00000	16			
block2:A1:B1:C1	0.0	0	0.00000	16			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 9.5 Chapter 8

### 9.5.1 p304

(137) MODEL

```
v2p304 = read.table("C:/G/Rt/Kemp/v2p304.txt", head=TRUE)
v2p304 = af(v2p304, c("rep", "block", "A", "B", "C"))
GLM(y ~ rep + block %in% rep + A*B*C - A:B:C, v2p304) # OK
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      9 699.06 77.674 248.56 5.096e-07 ***
RESIDUALS   6   1.88   0.312
CORRECTED TOTAL 15 700.94
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
rep      1 390.06 390.06 1248.2 3.428e-08 ***
rep:block 2   8.12   4.06   13.0 0.0065918 **
A        1 18.06  18.06   57.8 0.0002696 ***
B        1 175.56 175.56  561.8 3.702e-07 ***
A:B      1   0.06   0.06    0.2 0.6704121
C        1 68.06  68.06  217.8 6.083e-06 ***
A:C      1   0.06   0.06    0.2 0.6704121
B:C      1 39.06  39.06  125.0 3.056e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
rep      1 390.06 390.06 1248.2 3.428e-08 ***
rep:block 2   8.12   4.06   13.0 0.0065918 **
A        1 18.06  18.06   57.8 0.0002696 ***
B        1 175.56 175.56  561.8 3.702e-07 ***
A:B      1   0.06   0.06    0.2 0.6704121
C        1 68.06  68.06  217.8 6.083e-06 ***
A:C      1   0.06   0.06    0.2 0.6704121
B:C      1 39.06  39.06  125.0 3.056e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
```

```

rep      1 390.06 390.06 1248.2 3.428e-08 ***
rep:block 2   8.12    4.06    13.0 0.0065918 **
A       1 18.06   18.06   57.8 0.0002696 ***
B       1 175.56  175.56  561.8 3.702e-07 ***
A:B     1   0.06    0.06    0.2 0.6704121
C       1 68.06   68.06   217.8 6.083e-06 ***
A:C     1   0.06    0.06    0.2 0.6704121
B:C     1 39.06   39.06   125.0 3.056e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
            Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 35.625        0 0.44194   6 80.6102 2.454e-10 ***
rep1        -10.250       0 0.39528   6 -25.9307 2.169e-07 ***
rep2         0.000        0 0.00000   6
rep1:block1 1.750        0 0.39528   6  4.4272  0.004436 **
rep1:block2 0.000        0 0.00000   6
rep1:block3 0
rep1:block4 0
rep2:block1 0
rep2:block2 0
rep2:block3 1.000        0 0.39528   6  2.5298  0.044690 *
rep2:block4 0.000        0 0.00000   6
A0          -2.375        0 0.48412   6 -4.9058  0.002695 **
A1          0.000        0 0.00000   6
B0          -9.875        0 0.48412   6 -20.3977 9.026e-07 ***
B1          0.000        0 0.00000   6
A0:B0       0.250        0 0.55902   6  0.4472  0.670412
A0:B1       0.000        0 0.00000   6
A1:B0       0.000        0 0.00000   6
A1:B1       0.000        0 0.00000   6
C0          -7.375        0 0.48412   6 -15.2337 5.051e-06 ***
C1          0.000        0 0.00000   6
A0:C0       0.250        0 0.55902   6  0.4472  0.670412
A0:C1       0.000        0 0.00000   6
A1:C0       0.000        0 0.00000   6
A1:C1       0.000        0 0.00000   6
B0:C0       6.250        0 0.55902   6 11.1803 3.056e-05 ***
B0:C1       0.000        0 0.00000   6
B1:C0       0.000        0 0.00000   6
B1:C1       0.000        0 0.00000   6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.5.2 p309

(138) MODEL

```
GLM(y ~ rep*A*B*C, v2p304) # OK
```

```
$ANOVA  
Response : y  
          Df Sum Sq Mean Sq F value Pr(>F)  
MODEL      15 700.94 46.729  
RESIDUALS   0   0.00  
CORRECTED TOTAL 15 700.94
```

```
$`Type I`  
          Df Sum Sq Mean Sq F value Pr(>F)  
rep        1 390.06 390.06  
A          1 18.06 18.06  
rep:A      1  0.06  0.06  
B          1 175.56 175.56  
rep:B      1  1.56  1.56  
A:B        1  0.06  0.06  
rep:A:B    1  0.06  0.06  
C          1  68.06 68.06  
rep:C      1  0.06  0.06  
A:C        1  0.06  0.06  
rep:A:C    1  0.06  0.06  
B:C        1  39.06 39.06  
rep:B:C    1  0.06  0.06  
A:B:C     1  7.56  7.56  
rep:A:B:C 1  0.56  0.56
```

```
$`Type II`  
          Df Sum Sq Mean Sq F value Pr(>F)  
rep        1 390.06 390.06  
A          1 18.06 18.06  
rep:A      1  0.06  0.06  
B          1 175.56 175.56  
rep:B      1  1.56  1.56  
A:B        1  0.06  0.06  
rep:A:B    1  0.06  0.06  
C          1  68.06 68.06  
rep:C      1  0.06  0.06  
A:C        1  0.06  0.06  
rep:A:C    1  0.06  0.06  
B:C        1  39.06 39.06  
rep:B:C    1  0.06  0.06  
A:B:C     1  7.56  7.56
```

```
rep:A:B:C 1 0.56 0.56
```

```
$`Type III`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	390.06	390.06		
A	1	18.06	18.06		
rep:A	1	0.06	0.06		
B	1	175.56	175.56		
rep:B	1	1.56	1.56		
A:B	1	0.06	0.06		
rep:A:B	1	0.06	0.06		
C	1	68.06	68.06		
rep:C	1	0.06	0.06		
A:C	1	0.06	0.06		
rep:A:C	1	0.06	0.06		
B:C	1	39.06	39.06		
rep:B:C	1	0.06	0.06		
A:B:C	1	7.56	7.56		
rep:A:B:C	1	0.56	0.56		

```
$Parameter
```

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	35	0	0	0		
rep1	-9	0	0	0		
rep2	0	0	0	0		
A0	-1	0	0	0		
A1	0	0	0	0		
rep1:A0	0	0	0	0		
rep1:A1	0	0	0	0		
rep2:A0	0	0	0	0		
rep2:A1	0	0	0	0		
B0	-8	0	0	0		
B1	0	0	0	0		
rep1:B0	-1	0	0	0		
rep1:B1	0	0	0	0		
rep2:B0	0	0	0	0		
rep2:B1	0	0	0	0		
A0:B0	-2	0	0	0		
A0:B1	0	0	0	0		
A1:B0	0	0	0	0		
A1:B1	0	0	0	0		
rep1:A0:B0	-1	0	0	0		
rep1:A0:B1	0	0	0	0		
rep1:A1:B0	0	0	0	0		
rep1:A1:B1	0	0	0	0		
rep2:A0:B0	0	0	0	0		
rep2:A0:B1	0	0	0	0		
rep2:A1:B0	0	0	0	0		

rep2:A1:B1	0	0	0
C0	-6	0	0
C1	0	0	0
rep1:C0	0	0	0
rep1:C1	0	0	0
rep2:C0	0	0	0
rep2:C1	0	0	0
A0:C0	-2	0	0
A0:C1	0	0	0
A1:C0	0	0	0
A1:C1	0	0	0
rep1:A0:C0	-1	0	0
rep1:A0:C1	0	0	0
rep1:A1:C0	0	0	0
rep1:A1:C1	0	0	0
rep2:A0:C0	0	0	0
rep2:A0:C1	0	0	0
rep2:A1:C0	0	0	0
rep2:A1:C1	0	0	0
B0:C0	4	0	0
B0:C1	0	0	0
B1:C0	0	0	0
B1:C1	0	0	0
rep1:B0:C0	-1	0	0
rep1:B0:C1	0	0	0
rep1:B1:C0	0	0	0
rep1:B1:C1	0	0	0
rep2:B0:C0	0	0	0
rep2:B0:C1	0	0	0
rep2:B1:C0	0	0	0
rep2:B1:C1	0	0	0
A0:B0:C0	4	0	0
A0:B0:C1	0	0	0
A0:B1:C0	0	0	0
A0:B1:C1	0	0	0
A1:B0:C0	0	0	0
A1:B0:C1	0	0	0
A1:B1:C0	0	0	0
A1:B1:C1	0	0	0
rep1:A0:B0:C0	3	0	0
rep1:A0:B0:C1	0	0	0
rep1:A0:B1:C0	0	0	0
rep1:A0:B1:C1	0	0	0
rep1:A1:B0:C0	0	0	0
rep1:A1:B0:C1	0	0	0
rep1:A1:B1:C0	0	0	0
rep1:A1:B1:C1	0	0	0
rep2:A0:B0:C0	0	0	0

```

rep2:A0:B0:C1      0      0      0
rep2:A0:B1:C0      0      0      0
rep2:A0:B1:C1      0      0      0
rep2:A1:B0:C0      0      0      0
rep2:A1:B0:C1      0      0      0
rep2:A1:B1:C0      0      0      0
rep2:A1:B1:C1      0      0      0

```

## 9.6 Chapter 9

### 9.6.1 p343

(139) MODEL

```

v2p343 = read.table("C:/G/Rt/Kemp/v2p343.txt", head=TRUE)
v2p343 = af(v2p343, c("rep", "block", "A", "B", "C"))
GLM(y ~ rep + block %in% rep + A*B*C - A:B:C, v2p343) # OK

```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL     17 1889.8 111.167 14.659 0.001608 ***
RESIDUALS       6   45.5    7.583
CORRECTED TOTAL 23 1935.3
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep      2 1537.33  768.67 101.3626 2.375e-05 ***
rep:block 9  127.00   14.11   1.8608  0.23163
A        1   36.00   36.00   4.7473  0.07218 .
B        1   36.00   36.00   4.7473  0.07218 .
A:B      1   12.25   12.25   1.6154  0.25079
C        1   56.25   56.25   7.4176  0.03448 *
A:C      1   81.00   81.00  10.6813  0.01707 *
B:C      1    4.00    4.00   0.5275  0.49502
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep      2 1537.33  768.67 101.3626 2.375e-05 ***
rep:block 9  119.83   13.31   1.7558  0.25388
A        1   36.00   36.00   4.7473  0.07218 .
B        1   36.00   36.00   4.7473  0.07218 .

```

A:B	1	12.25	12.25	1.6154	0.25079
C	1	56.25	56.25	7.4176	0.03448 *
A:C	1	81.00	81.00	10.6813	0.01707 *
B:C	1	4.00	4.00	0.5275	0.49502
---					
Signif. codes:	0	'***'	0.001	'**'	0.01
	*	'*'	0.05	'. '	0.1
	' '	' '	1		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	2	1537.33	768.67	101.3626	2.375e-05 ***
rep:block	9	119.83	13.31	1.7558	0.25388
A	1	36.00	36.00	4.7473	0.07218 .
B	1	36.00	36.00	4.7473	0.07218 .
A:B	1	12.25	12.25	1.6154	0.25079
C	1	56.25	56.25	7.4176	0.03448 *
A:C	1	81.00	81.00	10.6813	0.01707 *
B:C	1	4.00	4.00	0.5275	0.49502
---					

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '. ' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	40.50	0	2.3848	6	16.9822	2.666e-06 ***
rep1	-22.75	0	3.0788	6	-7.3892	0.0003153 ***
rep2	-17.75	0	3.0788	6	-5.7652	0.0011880 **
rep3	0.00	0	0.0000	6		
rep1:block1	1.25	0	3.0788	6	0.4060	0.6988260
rep1:block2	4.50	0	3.3727	6	1.3342	0.2305270
rep1:block3	3.25	0	3.0788	6	1.0556	0.3317912
rep1:block4	0.00	0	0.0000	6		
rep1:block5		0				
rep1:block6		0				
rep1:block7		0				
rep1:block8		0				
rep1:block9		0				
rep1:block10		0				
rep1:block11		0				
rep1:block12		0				
rep2:block1		0				
rep2:block2		0				
rep2:block3		0				
rep2:block4		0				
rep2:block5	9.00	0	3.0788	6	2.9232	0.0265209 *
rep2:block6	7.50	0	3.3727	6	2.2237	0.0678471 .
rep2:block7	4.50	0	3.0788	6	1.4616	0.1941629
rep2:block8	0.00	0	0.0000	6		
rep2:block9		0				
rep2:block10		0				

```

rep2:block11          0
rep2:block12          0
rep3:block1           0
rep3:block2           0
rep3:block3           0
rep3:block4           0
rep3:block5           0
rep3:block6           0
rep3:block7           0
rep3:block8           0
rep3:block9          0.50   0    3.0788  6  0.1624  0.8763224
rep3:block10         -5.00   0    3.3727  6 -1.4825  0.1887247
rep3:block11         0.50   0    3.0788  6  0.1624  0.8763224
rep3:block12         0.00   0    0.0000  6
A0                  -9.25   0    2.3848  6 -3.8787  0.0081834 **
A1                  0.00   0    0.0000  6
B0                  -3.75   0    2.3848  6 -1.5724  0.1669121
B1                  0.00   0    0.0000  6
A0:B0               3.50   0    2.7538  6  1.2710  0.2507870
A0:B1               0.00   0    0.0000  6
A1:B0               0.00   0    0.0000  6
A1:B1               0.00   0    0.0000  6
C0                  -7.25   0    2.3848  6 -3.0400  0.0228021 *
C1                  0.00   0    0.0000  6
A0:C0               9.00   0    2.7538  6  3.2682  0.0170720 *
A0:C1               0.00   0    0.0000  6
A1:C0               0.00   0    0.0000  6
A1:C1               0.00   0    0.0000  6
B0:C0              -2.00   0    2.7538  6 -0.7263  0.4950160
B0:C1               0.00   0    0.0000  6
B1:C0               0.00   0    0.0000  6
B1:C1               0.00   0    0.0000  6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.6.2 p348

(140) MODEL

```
GLM(y ~ rep + A*B*C + block %in% rep, v2p343) # OK
```

```
$ANOVA
Response : y
              Df Sum Sq Mean Sq F value    Pr(>F)
MODEL          17 1889.8 111.167 14.659 0.001608 ***
RESIDUALS      6   45.5   7.583
```

CORRECTED TOTAL 23 1935.3

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	2	1537.33	768.67	101.3626	2.375e-05	***
A	1	88.17	88.17	11.6264	0.01432	*
B	1	37.50	37.50	4.9451	0.06785	.
A:B	1	2.67	2.67	0.3516	0.57484	
C	1	66.67	66.67	8.7912	0.02512	*
A:C	1	37.50	37.50	4.9451	0.06785	.
B:C	1	0.17	0.17	0.0220	0.88700	
A:B:C	1	24.00	24.00	3.1648	0.12555	
rep:block	8	95.83	11.98	1.5797	0.29730	

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	2	1537.33	768.67	101.3626	2.375e-05	***
A	1	36.00	36.00	4.7473	0.07218	.
B	1	36.00	36.00	4.7473	0.07218	.
A:B	1	12.25	12.25	1.6154	0.25079	
C	1	56.25	56.25	7.4176	0.03448	*
A:C	1	81.00	81.00	10.6813	0.01707	*
B:C	1	4.00	4.00	0.5275	0.49502	
A:B:C	0					
rep:block	8	95.83	11.98	1.5797	0.29730	

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
rep	2	1537.33	768.67	101.3626	2.375e-05	***
A	1	36.00	36.00	4.7473	0.07218	.
B	1	36.00	36.00	4.7473	0.07218	.
A:B	1	12.25	12.25	1.6154	0.25079	
C	1	56.25	56.25	7.4176	0.03448	*
A:C	1	81.00	81.00	10.6813	0.01707	*
B:C	1	4.00	4.00	0.5275	0.49502	
A:B:C	0					
rep:block	8	95.83	11.98	1.5797	0.29730	

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	40.50	0	2.3848	6	16.9822	2.666e-06 ***
rep1	-22.75	0	3.0788	6	-7.3892	0.0003153 ***
rep2	-17.75	0	3.0788	6	-5.7652	0.0011880 **
rep3	0.00	0	0.0000	6		
A0	-8.75	0	3.3727	6	-2.5944	0.0409706 *
A1	0.00	0	0.0000	6		
B0	-3.25	0	3.8944	6	-0.8345	0.4359464
B1	0.00	0	0.0000	6		
A0:B0	2.50	0	6.7454	6	0.3706	0.7236497
A0:B1	0.00	0	0.0000	6		
A1:B0	0.00	0	0.0000	6		
A1:B1	0.00	0	0.0000	6		
C0	-6.75	0	3.8944	6	-1.7332	0.1337546
C1	0.00	0	0.0000	6		
A0:C0	8.00	0	6.7454	6	1.1860	0.2804551
A0:C1	0.00	0	0.0000	6		
A1:C0	0.00	0	0.0000	6		
A1:C1	0.00	0	0.0000	6		
B0:C0	-3.00	0	6.7454	6	-0.4447	0.6720948
B0:C1	0.00	0	0.0000	6		
B1:C0	0.00	0	0.0000	6		
B1:C1	0.00	0	0.0000	6		
A0:B0:C0	2.00	0	12.3153	6	0.1624	0.8763224
A0:B0:C1	0.00	0	0.0000	6		
A0:B1:C0	0.00	0	0.0000	6		
A0:B1:C1	0.00	0	0.0000	6		
A1:B0:C0	0.00	0	0.0000	6		
A1:B0:C1	0.00	0	0.0000	6		
A1:B1:C0	0.00	0	0.0000	6		
A1:B1:C1	0.00	0	0.0000	6		
rep1:block1	0.75	0	4.3541	6	0.1723	0.8689036
rep1:block2	4.50	0	3.3727	6	1.3342	0.2305270
rep1:block3	2.75	0	4.3541	6	0.6316	0.5509461
rep1:block4	0.00	0	0.0000	6		
rep1:block5		0				
rep1:block6		0				
rep1:block7		0				
rep1:block8		0				
rep1:block9		0				
rep1:block10		0				
rep1:block11		0				
rep1:block12		0				
rep2:block1		0				
rep2:block2		0				
rep2:block3		0				
rep2:block4		0				
rep2:block5	8.50	0	4.3541	6	1.9522	0.0987607 .

```

rep2:block6      7.50      0      3.3727  6  2.2237 0.0678471 .
rep2:block7      4.00      0      4.3541  6  0.9187 0.3936995
rep2:block8      0.00      0      0.0000  6
rep2:block9      0
rep2:block10     0
rep2:block11     0
rep2:block12     0
rep3:block1      0
rep3:block2      0
rep3:block3      0
rep3:block4      0
rep3:block5      0
rep3:block6      0
rep3:block7      0
rep3:block8      0
rep3:block9      0.00      0      3.3727  6  0.0000 1.0000000
rep3:block10     -5.00      0      3.3727  6 -1.4825 0.1887247
rep3:block11     0.00      0      0.0000  6
rep3:block12     0.00      0      0.0000  6
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 9.6.3 p353

#### (141) MODEL

```

v2p353 = read.table("C:/G/Rt/Kemp/v2p353.txt", head=TRUE)
v2p353 = af(v2p353, c("rep", "block", "A", "B", "C", "D"))
GLM(y ~ rep + rep:block + A*B*C*D - A:B:C:D, v2p353) # OK

```

```

$ANOVA
Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       21 7132.2  339.63  56.022 9.795e-08 ***
RESIDUALS   10   60.6    6.06
CORRECTED TOTAL 31 7192.9
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
          Df Sum Sq Mean Sq F value    Pr(>F)
rep        1 5940.5  5940.5 979.8763 2.600e-11 ***
rep:block  6  777.4   129.6 21.3711 3.675e-05 ***
A          1  171.1   171.1 28.2268 0.0003412 ***
B          1   18.0    18.0  2.9691 0.1155937
A:B        1    1.6     1.6  0.2577 0.6226914

```

C	1	120.1	120.1	19.8144	0.0012326	**
A:C	1	0.6	0.6	0.0928	0.7669127	
B:C	1	2.0	2.0	0.3299	0.5784103	
A:B:C	1	4.5	4.5	0.7423	0.4091189	
D	1	6.1	6.1	1.0103	0.3385304	
A:D	1	1.1	1.1	0.1856	0.6757693	
B:D	1	5.1	5.1	0.8351	0.3823203	
A:B:D	1	0.5	0.5	0.0825	0.7798349	
C:D	1	1.6	1.6	0.2577	0.6226914	
A:C:D	1	10.1	10.1	1.6701	0.2253083	
B:C:D	1	72.0	72.0	11.8763	0.0062660	**

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	5940.5	5940.5	979.8763	2.6e-11 ***
rep:block	6	406.9	67.8	11.1856	0.0006129 ***
A	1	171.1	171.1	28.2268	0.0003412 ***
B	1	18.0	18.0	2.9691	0.1155937
A:B	1	1.6	1.6	0.2577	0.6226914
C	1	120.1	120.1	19.8144	0.0012326 **
A:C	1	0.6	0.6	0.0928	0.7669127
B:C	1	2.0	2.0	0.3299	0.5784103
A:B:C	1	4.5	4.5	0.7423	0.4091189
D	1	6.1	6.1	1.0103	0.3385304
A:D	1	1.1	1.1	0.1856	0.6757693
B:D	1	5.1	5.1	0.8351	0.3823203
A:B:D	1	0.5	0.5	0.0825	0.7798349
C:D	1	1.6	1.6	0.2577	0.6226914
A:C:D	1	10.1	10.1	1.6701	0.2253083
B:C:D	1	72.0	72.0	11.8763	0.0062660 **

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
rep	1	5940.5	5940.5	979.8763	2.6e-11 ***
rep:block	6	406.9	67.8	11.1856	0.0006129 ***
A	1	171.1	171.1	28.2268	0.0003412 ***
B	1	18.0	18.0	2.9691	0.1155937
A:B	1	1.6	1.6	0.2577	0.6226914
C	1	120.1	120.1	19.8144	0.0012326 **
A:C	1	0.6	0.6	0.0928	0.7669127
B:C	1	2.0	2.0	0.3299	0.5784103
A:B:C	1	4.5	4.5	0.7423	0.4091189
D	1	6.1	6.1	1.0103	0.3385304
A:D	1	1.1	1.1	0.1856	0.6757693

```

B:D      1   5.1   5.1   0.8351  0.3823203
A:B:D    1   0.5   0.5   0.0825  0.7798349
C:D      1   1.6   1.6   0.2577  0.6226914
A:C:D    1  10.1  10.1   1.6701  0.2253083
B:C:D    1  72.0  72.0  11.8763  0.0062660 **

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 61.438        0   2.0416 10 30.0934 3.842e-11 ***
rep1       -32.875        0   2.1323 10 -15.4173 2.685e-08 ***
rep2        0.000        0   0.0000 10
rep1:block1 -3.125        0   2.1323 10 -1.4655 0.1735006
rep1:block2  5.250        0   2.4622 10  2.1322 0.0588002 .
rep1:block3  9.125        0   2.1323 10  4.2793 0.0016131 **
rep1:block4  0.000        0   0.0000 10
rep1:block5
rep1:block6
rep1:block7
rep1:block8
rep2:block1
rep2:block2
rep2:block3
rep2:block4
rep2:block5 -10.625        0   2.1323 10 -4.9828 0.0005512 ***
rep2:block6 -4.250        0   2.4622 10 -1.7261 0.1150383
rep2:block7  3.625        0   2.1323 10  1.7000 0.1199674
rep2:block8  0.000        0   0.0000 10
A0         -6.375        0   2.6116 10 -2.4411 0.0347860 *
A1         0.000        0   0.0000 10
B0         -3.750        0   2.6116 10 -1.4359 0.1815604
B1         0.000        0   0.0000 10
A0:B0     -0.250        0   3.4821 10 -0.0718 0.9441800
A0:B1     0.000        0   0.0000 10
A1:B0     0.000        0   0.0000 10
A1:B1     0.000        0   0.0000 10
C0        -10.250        0   2.6116 10 -3.9248 0.0028439 **
C1         0.000        0   0.0000 10
A0:C0     4.500        0   3.4821 10  1.2923 0.2253083
A0:C1     0.000        0   0.0000 10
A1:C0     0.000        0   0.0000 10
A1:C1     0.000        0   0.0000 10
B0:C0     8.500        0   3.0156 10  2.8187 0.0182015 *
B0:C1     0.000        0   0.0000 10
B1:C0     0.000        0   0.0000 10
B1:C1     0.000        0   0.0000 10
A0:B0:C0 -3.000        0   3.4821 10 -0.8615 0.4091189

```

A0:B0:C1	0.000	0	0.0000	10
A0:B1:C0	0.000	0	0.0000	10
A0:B1:C1	0.000	0	0.0000	10
A1:B0:C0	0.000	0	0.0000	10
A1:B0:C1	0.000	0	0.0000	10
A1:B1:C0	0.000	0	0.0000	10
A1:B1:C1	0.000	0	0.0000	10
D0	-4.625	0	2.6116	10 -1.7710 0.1069851
D1	0.000	0	0.0000	10
A0:D0	2.500	0	3.0156	10 0.8290 0.4264346
A0:D1	0.000	0	0.0000	10
A1:D0	0.000	0	0.0000	10
A1:D1	0.000	0	0.0000	10
B0:D0	3.250	0	3.4821	10 0.9333 0.3726292
B0:D1	0.000	0	0.0000	10
B1:D0	0.000	0	0.0000	10
B1:D1	0.000	0	0.0000	10
A0:B0:D0	1.000	0	3.4821	10 0.2872 0.7798349
A0:B0:D1	0.000	0	0.0000	10
A0:B1:D0	0.000	0	0.0000	10
A0:B1:D1	0.000	0	0.0000	10
A1:B0:D0	0.000	0	0.0000	10
A1:B0:D1	0.000	0	0.0000	10
A1:B1:D0	0.000	0	0.0000	10
A1:B1:D1	0.000	0	0.0000	10
C0:D0	9.500	0	3.4821	10 2.7282 0.0212575 *
C0:D1	0.000	0	0.0000	10
C1:D0	0.000	0	0.0000	10
C1:D1	0.000	0	0.0000	10
A0:C0:D0	-4.500	0	3.4821	10 -1.2923 0.2253083
A0:C0:D1	0.000	0	0.0000	10
A0:C1:D0	0.000	0	0.0000	10
A0:C1:D1	0.000	0	0.0000	10
A1:C0:D0	0.000	0	0.0000	10
A1:C0:D1	0.000	0	0.0000	10
A1:C1:D0	0.000	0	0.0000	10
A1:C1:D1	0.000	0	0.0000	10
B0:C0:D0	-12.000	0	3.4821	10 -3.4462 0.0062660 **
B0:C0:D1	0.000	0	0.0000	10
B0:C1:D0	0.000	0	0.0000	10
B0:C1:D1	0.000	0	0.0000	10
B1:C0:D0	0.000	0	0.0000	10
B1:C0:D1	0.000	0	0.0000	10
B1:C1:D0	0.000	0	0.0000	10
B1:C1:D1	0.000	0	0.0000	10

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 9.7 Chapter 10

### 9.7.1 p388

(142) MODEL

```
v2p388 = read.table("C:/G/Rt/Kemp/v2p388.txt", head=TRUE)
v2p388 = af(v2p388, c("rep", "block", "A", "B"))
GLM(y ~ rep + A*B + rep:block, v2p388) # OK
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      11 1136.8 103.343 124.01 3.698e-06 ***
RESIDUALS     6   5.0   0.833
CORRECTED TOTAL 17 1141.8
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep       1 410.89 410.89 493.0667 5.455e-07 ***
A         2 228.11 114.06 136.8667 9.868e-06 ***
B         2   3.44   1.72   2.0667 0.207585
A:B       4 464.22 116.06 139.2667 4.801e-06 ***
rep:block 2  30.11   15.06  18.0667 0.002888 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
rep       1 410.89 410.89 493.0667 5.455e-07 ***
A         2 228.11 114.06 136.8667 9.868e-06 ***
B         2   3.44   1.72   2.0667 0.207585
A:B       2  18.78   9.39  11.2667 0.009298 **
rep:block 2  30.11   15.06  18.0667 0.002888 **
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
CAUTION: Singularity Exists !
      Df Sum Sq Mean Sq F value    Pr(>F)
rep       1 410.89 410.89 493.0667 5.455e-07 ***
A         2 228.11 114.06 136.8667 9.868e-06 ***
B         2   3.44   1.72   2.0667 0.207585
A:B       2  18.78   9.39  11.2667 0.009298 **
rep:block 2  30.11   15.06  18.0667 0.002888 **
```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 42.833        0   0.74536  6  57.4669 1.865e-09 ***
rep1       -12.667        0   0.74536  6 -16.9941 2.655e-06 ***
rep2        0.000        0   0.00000  6
A0         -16.167        0   1.05409  6 -15.3370 4.854e-06 ***
A1         -18.500        0   1.05409  6 -17.5506 2.196e-06 ***
A2          0.000        0   0.00000  6
B0         -10.167        0   1.05409  6 -9.6449 7.115e-05 ***
B1         -13.500        0   1.05409  6 -12.8072 1.392e-05 ***
B2          0.000        0   0.00000  6
A0:B0       3.833        0   1.58114  6   2.4244 0.0515527 .
A0:B1      18.667        0   1.58114  6  11.8058 2.232e-05 ***
A0:B2       0.000        0   0.00000  6
A1:B0      26.167        0   1.58114  6  16.5493 3.104e-06 ***
A1:B1      18.833        0   1.58114  6  11.9112 2.120e-05 ***
A1:B2       0.000        0   0.00000  6
A2:B0       0.000        0   0.00000  6
A2:B1       0.000        0   0.00000  6
A2:B2       0.000        0   0.00000  6
rep1:block1 3.000        0   1.05409  6   2.8460 0.0293332 *
rep1:block2 6.333        0   1.05409  6   6.0083 0.0009575 ***
rep1:block3 0.000        0   0.00000  6
rep1:block4 0
rep1:block5 0
rep1:block6 0
rep2:block1 0
rep2:block2 0
rep2:block3 0
rep2:block4 0.000        0   0.00000  6
rep2:block5 0.000        0   0.00000  6
rep2:block6 0.000        0   0.00000  6
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.8 Chapter 14

### 9.8.1 p570

(143) MODEL

```

v2p570 = read.table("C:/G/Rt/Kemp/v2p570.txt", head=TRUE)
v2p570 = af(v2p570, c("A", "B", "C", "D"))
GLM(Y ~ A + B + C + D + A:B + A:C + A:D + B:C + B:D + C:D, v2p570) # OK

```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	8	22.222	2.7778		
RESIDUALS	0	0.000			
CORRECTED TOTAL	8	22.222			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	2	2.8889	1.4444		
B	2	2.8889	1.4444		
C	2	1.5556	0.7778		
D	2	14.8889	7.4444		
A:B	0				
A:C	0				
A:D	0				
B:C	0				
B:D	0				
C:D	0				

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	0				
B	0				
C	0				
D	0				
A:B	0				
A:C	0				
A:D	0				
B:C	0				
B:D	0				
C:D	0				

\$`Type III`

CAUTION: Singularity Exists !

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	0				
B	0				
C	0				
D	0				
A:B	0				
A:C	0				
A:D	0				
B:C	0				
B:D	0				
C:D	0				

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	9.3333	0	0			
A0	-1.3333	0	0			
A1	-1.0000	0	0			
A2	0.0000	0	0			
B0	-0.3333	0	0			
B1	1.0000	0	0			
B2	0.0000	0	0			
C0	-0.3333	0	0			
C1	-1.0000	0	0			
C2	0.0000	0	0			
D0	-2.3333	0	0			
D1	-3.0000	0	0			
D2	0.0000	0	0			
A0:B0	0.0000	0	0			
A0:B1	0.0000	0	0			
A0:B2	0.0000	0	0			
A1:B0	0.0000	0	0			
A1:B1	0.0000	0	0			
A1:B2	0.0000	0	0			
A2:B0	0.0000	0	0			
A2:B1	0.0000	0	0			
A2:B2	0.0000	0	0			
A0:C0	0.0000	0	0			
A0:C1	0.0000	0	0			
A0:C2	0.0000	0	0			
A1:C0	0.0000	0	0			
A1:C1	0.0000	0	0			
A1:C2	0.0000	0	0			
A2:C0	0.0000	0	0			
A2:C1	0.0000	0	0			
A2:C2	0.0000	0	0			
A0:D0	0.0000	0	0			
A0:D1	0.0000	0	0			
A0:D2	0.0000	0	0			
A1:D0	0.0000	0	0			
A1:D1	0.0000	0	0			
A1:D2	0.0000	0	0			
A2:D0	0.0000	0	0			
A2:D1	0.0000	0	0			
A2:D2	0.0000	0	0			
B0:C0	0.0000	0	0			
B0:C1	0.0000	0	0			
B0:C2	0.0000	0	0			
B1:C0	0.0000	0	0			
B1:C1	0.0000	0	0			
B1:C2	0.0000	0	0			
B2:C0	0.0000	0	0			

B2:C1	0.0000	0	0
B2:C2	0.0000	0	0
B0:D0	0.0000	0	0
B0:D1	0.0000	0	0
B0:D2	0.0000	0	0
B1:D0	0.0000	0	0
B1:D1	0.0000	0	0
B1:D2	0.0000	0	0
B2:D0	0.0000	0	0
B2:D1	0.0000	0	0
B2:D2	0.0000	0	0
C0:D0	0.0000	0	0
C0:D1	0.0000	0	0
C0:D2	0.0000	0	0
C1:D0	0.0000	0	0
C1:D1	0.0000	0	0
C1:D2	0.0000	0	0
C2:D0	0.0000	0	0
C2:D1	0.0000	0	0
C2:D2	0.0000	0	0

### 9.8.2 p578

(144) MODEL

```
v2p578 = read.table("C:/G/Rt/Kemp/v2p578.txt", head=TRUE)
v2p578 = af(v2p578, 1:11)
GLM(Y ~ A + B + C + D + E + F + G + H + J + K + L, v2p578) # OK
```

```
$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      11   575   52.273
RESIDUALS    0     0
CORRECTED TOTAL 11   575
```

```
$`Type I`
          Df Sum Sq Mean Sq F value Pr(>F)
A   1   3.000   3.000
B   1  27.000  27.000
C   1  12.000  12.000
D   1  16.333  16.333
E   1 176.333 176.333
F   1 133.333 133.333
G   1   1.333   1.333
H   1  21.333  21.333
```

J	1	108.000	108.000
K	1	1.333	1.333
L	1	75.000	75.000

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.000	3.000		
B	1	27.000	27.000		
C	1	12.000	12.000		
D	1	16.333	16.333		
E	1	176.333	176.333		
F	1	133.333	133.333		
G	1	1.333	1.333		
H	1	21.333	21.333		
J	1	108.000	108.000		
K	1	1.333	1.333		
L	1	75.000	75.000		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	3.000	3.000		
B	1	27.000	27.000		
C	1	12.000	12.000		
D	1	16.333	16.333		
E	1	176.333	176.333		
F	1	133.333	133.333		
G	1	1.333	1.333		
H	1	21.333	21.333		
J	1	108.000	108.000		
K	1	1.333	1.333		
L	1	75.000	75.000		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	21.0000	0	0	0		
A0	1.0000	0	0	0		
A1	0.0000	0	0	0		
B0	3.0000	0	0	0		
B1	0.0000	0	0	0		
C0	2.0000	0	0	0		
C1	0.0000	0	0	0		
D0	2.3333	0	0	0		
D1	0.0000	0	0	0		
E0	7.6667	0	0	0		
E1	0.0000	0	0	0		
F0	6.6667	0	0	0		
F1	0.0000	0	0	0		
G0	0.6667	0	0	0		

G1	0.0000	0	0
H0	-2.6667	0	0
H1	0.0000	0	0
J0	-6.0000	0	0
J1	0.0000	0	0
K0	-0.6667	0	0
K1	0.0000	0	0
L0	-5.0000	0	0
L1	0.0000	0	0

(145) MODEL

```
GLM(Y ~ E*F + E*J + F*J + E*L + F*L + J*L, v2p578) # OK
```

\$ANOVA

Response : Y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	10	574.5	57.45	114.9	0.07249 .
RESIDUALS	1	0.5	0.50		
CORRECTED TOTAL	11	575.0			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
E	1	176.333	176.333	352.6667	0.03387 *
F	1	133.333	133.333	266.6667	0.03894 *
E:F	1	65.333	65.333	130.6667	0.05555 .
J	1	66.667	66.667	133.3333	0.05500 .
E:J	1	2.667	2.667	5.3333	0.26015
F:J	1	112.667	112.667	225.3333	0.04235 *
L	1	10.800	10.800	21.6000	0.13492
E:L	1	5.486	5.486	10.9714	0.18666
F:L	1	0.176	0.176	0.3516	0.65925
J:L	1	1.038	1.038	2.0769	0.38618

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
E	1	61.633	61.633	123.2667	0.05719 .
F	1	75.208	75.208	150.4167	0.05179 .
E:F	1	9.346	9.346	18.6923	0.14470
J	1	54.675	54.675	109.3500	0.06069 .
E:J	1	0.115	0.115	0.2308	0.71490
F:J	1	72.115	72.115	144.2308	0.05289 .
L	1	10.800	10.800	21.6000	0.13492

```

E:L 1 5.654 5.654 11.3077 0.18402
F:L 1 0.115 0.115 0.2308 0.71490
J:L 1 1.038 1.038 2.0769 0.38618
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

E     1 61.038 61.038 122.0769 0.05746 .  

F     1 61.038 61.038 122.0769 0.05746 .  

E:F   1  9.346  9.346 18.6923 0.14470  

J     1 61.038 61.038 122.0769 0.05746 .  

E:J   1  0.115  0.115 0.2308 0.71490  

F:J   1 72.115 72.115 144.2308 0.05289 .  

L     1  9.346  9.346 18.6923 0.14470  

E:L   1 5.654 5.654 11.3077 0.18402  

F:L   1  0.115  0.115 0.2308 0.71490  

J:L   1 1.038 1.038 2.0769 0.38618
---
```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### \$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	26.5	0	1.1180	1	23.7023	0.02684 *
E0	6.0	0	1.1547	1	5.1962	0.12104
E1	0.0	0	0.0000	1		
F0	1.5	0	1.0408	1	1.4412	0.38618
F1	0.0	0	0.0000	1		
E0:F0	-4.5	0	1.0408	1	-4.3235	0.14470
E0:F1	0.0	0	0.0000	1		
E1:F0	0.0	0	0.0000	1		
E1:F1	0.0	0	0.0000	1		
J0	-11.5	0	1.0408	1	-11.0488	0.05746 .
J1	0.0	0	0.0000	1		
E0:J0	0.5	0	1.0408	1	0.4804	0.71490
E0:J1	0.0	0	0.0000	1		
E1:J0	0.0	0	0.0000	1		
E1:J1	0.0	0	0.0000	1		
F0:J0	12.5	0	1.0408	1	12.0096	0.05289 .
F0:J1	0.0	0	0.0000	1		
F1:J0	0.0	0	0.0000	1		
F1:J1	0.0	0	0.0000	1		
L0	-3.5	0	1.0408	1	-3.3627	0.18402
L1	0.0	0	0.0000	1		
E0:L0	3.5	0	1.0408	1	3.3627	0.18402
E0:L1	0.0	0	0.0000	1		
E1:L0	0.0	0	0.0000	1		
E1:L1	0.0	0	0.0000	1		

```

F0:L0      0.5      0    1.0408  1   0.4804  0.71490
F0:L1      0.0      0    0.0000  1
F1:L0      0.0      0    0.0000  1
F1:L1      0.0      0    0.0000  1
J0:L0     -1.5      0    1.0408  1  -1.4412  0.38618
J0:L1      0.0      0    0.0000  1
J1:L0      0.0      0    0.0000  1
J1:L1      0.0      0    0.0000  1
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 9.9 Chapter 16

### 9.9.1 p619

(146) MODEL

```

v2p619 = read.table("C:/G/Rt/Kemp/v2p619.txt", head=TRUE)
v2p619 = af(v2p619, c("A", "B", "C"))
GLM(y ~ A + B + C + A:B, v2p619) # OK

```

```

$ANOVA
Response : y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL        4 31.429  7.8571
RESIDUALS     2  0.000  0.0000
CORRECTED TOTAL 6 31.429

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
A      1 13.7619 13.7619    Inf < 2.2e-16 ***
B      1  1.6667  1.6667    Inf < 2.2e-16 ***
C      1 10.0000 10.0000    Inf < 2.2e-16 ***
A:B    1  6.0000  6.0000    Inf < 2.2e-16 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
          Df Sum Sq Mean Sq F value    Pr(>F)
A      1    19.6    19.6    Inf < 2.2e-16 ***
B      1      3.6      3.6    Inf < 2.2e-16 ***
C      1     13.5     13.5    Inf < 2.2e-16 ***
A:B    1      6.0      6.0    Inf < 2.2e-16 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
$`Type III`  

  Df Sum Sq Mean Sq F value    Pr(>F)  

A     1   24.0   24.0      Inf < 2.2e-16 ***  

B     1     6.0     6.0      Inf < 2.2e-16 ***  

C     1   13.5   13.5      Inf < 2.2e-16 ***  

A:B   1     6.0     6.0      Inf < 2.2e-16 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter  

  Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept)  13.5        0        0  2      Inf < 2.2e-16 ***  

A0          -6.0        0        0  2     -Inf < 2.2e-16 ***  

A1           0.0        0        0  2  

B0           0.0        0        0  2     -Inf < 2.2e-16 ***  

B1           0.0        0        0  2  

C0          -3.0        0        0  2     -Inf < 2.2e-16 ***  

C1           0.0        0        0  2  

A0:B0        4.0        0        0  2      Inf < 2.2e-16 ***  

A0:B1        0.0        0        0  2  

A1:B0        0.0        0        0  2  

A1:B1        0.0        0        0  2  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

#### (147) MODEL

```
GLM(y ~ A + B + C + A:C, v2p619) # OK
```

```
$ANOVA  

Response : y  

  Df  Sum Sq Mean Sq F value Pr(>F)  

MODEL       4 26.0952  6.5238  2.4464 0.3106  

RESIDUALS   2  5.3333  2.6667  

CORRECTED TOTAL  6 31.4286
```

```
$`Type I`  

  Df  Sum Sq Mean Sq F value Pr(>F)  

A     1 13.7619 13.7619  5.1607 0.1511  

B     1   1.6667  1.6667  0.6250 0.5120  

C     1 10.0000 10.0000  3.7500 0.1924  

A:C   1   0.6667  0.6667  0.2500 0.6667
```

```
$`Type II`  

  Df  Sum Sq Mean Sq F value Pr(>F)  

A     1 19.6000 19.6000    7.35 0.1134  

B     1   2.6667  2.6667    1.00 0.4226
```

```

C      1 10.0000 10.0000    3.75 0.1924
A:C    1 0.6667  0.6667     0.25 0.6667

$`Type III`
  Df  Sum Sq Mean Sq F value Pr(>F)
A     1 16.6667 16.6667   6.2500 0.1296
B     1  2.6667  2.6667   1.0000 0.4226
C     1  8.1667  8.1667   3.0625 0.2222
A:C   1  0.6667  0.6667   0.2500 0.6667

$Parameter
  Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 12.8333        0    1.3333  2  9.6250  0.01062 *
A0          -4.0000        0    1.6330  2 -2.4495  0.13397
A1          0.0000        0    0.0000  2
B0          1.3333        0    1.3333  2  1.0000  0.42265
B1          0.0000        0    0.0000  2
C0          -3.0000        0    1.6330  2 -1.8371  0.20759
C1          0.0000        0    0.0000  2
A0:C0       1.3333        0    2.6667  2  0.5000  0.66667
A0:C1       0.0000        0    0.0000  2
A1:C0       0.0000        0    0.0000  2
A1:C1       0.0000        0    0.0000  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### (148) MODEL

```
GLM(y ~ A + B + C + B:C, v2p619) # OK
```

```
$ANOVA
Response : y
  Df  Sum Sq Mean Sq F value Pr(>F)
MODEL        4 26.0952 6.5238 2.4464 0.3106
RESIDUALS    2  5.3333 2.6667
CORRECTED TOTAL 6 31.4286
```

```
$`Type I`
  Df  Sum Sq Mean Sq F value Pr(>F)
A     1 13.7619 13.7619  5.1607 0.1511
B     1  1.6667  1.6667  0.6250 0.5120
C     1 10.0000 10.0000  3.7500 0.1924
B:C   1  0.6667  0.6667  0.2500 0.6667
```

```
$`Type II`
  Df  Sum Sq Mean Sq F value Pr(>F)
A     1 16.6667 16.6667   6.25 0.1296
```

```

B     1  3.6000  3.6000    1.35  0.3652
C     1 10.0000 10.0000    3.75  0.1924
B:C   1  0.6667  0.6667    0.25  0.6667

$`Type III` 
  Df  Sum Sq Mean Sq F value Pr(>F)
A     1 16.6667 16.6667  6.2500 0.1296
B     1  2.6667  2.6667  1.0000 0.4226
C     1  8.1667  8.1667  3.0625 0.2222
B:C   1  0.6667  0.6667  0.2500 0.6667

$Parameter
  Estimate Estimable Std. Error Df t value Pr(>|t|) 
(Intercept) 12.1667        0  1.3333  2  9.1250  0.0118 *
A0          -3.3333        0  1.3333  2 -2.5000  0.1296
A1          0.0000        0  0.0000  2
B0          2.0000        0  1.6330  2  1.2247  0.3453
B1          0.0000        0  0.0000  2
C0          -1.6667        0  2.1082  2 -0.7906  0.5120
C1          0.0000        0  0.0000  2
B0:C0       -1.3333        0  2.6667  2 -0.5000  0.6667
B0:C1       0.0000        0  0.0000  2
B1:C0       0.0000        0  0.0000  2
B1:C1       0.0000        0  0.0000  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 9.9.2 p626

#### (149) MODEL

```

v2p626 = read.table("C:/G/Rt/Kemp/v2p626.txt", head=TRUE)
v2p626 = af(v2p626, c("A", "B", "C"))
GLM(y ~ A + B + C + A:B, v2p626) # OK

```

```

$ANOVA
Response : y
  Df  Sum Sq Mean Sq F value Pr(>F)
MODEL      4 42.092 10.5231  22.002 0.04395 *
RESIDUALS  2  0.957  0.4783
CORRECTED TOTAL 6 43.049
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
  Df  Sum Sq Mean Sq F value Pr(>F)

```

```

A     1 16.2088 16.2088 33.890 0.02826 *
B     1 4.8150 4.8150 10.068 0.08662 .
C     1 15.7339 15.7339 32.898 0.02908 *
A:B   1 5.3346 5.3346 11.154 0.07916 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

  Df Sum Sq Mean Sq F value Pr(>F)  

A    1 25.4131 25.4131 53.136 0.01830 *  

B    1 8.6630 8.6630 18.113 0.05102 .  

C    1 19.5193 19.5193 40.812 0.02364 *  

A:B   1 5.3346 5.3346 11.154 0.07916 .  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

  Df Sum Sq Mean Sq F value Pr(>F)  

A    1 29.7950 29.7950 62.297 0.01568 *  

B    1 11.7460 11.7460 24.559 0.03839 *  

C    1 19.5193 19.5193 40.812 0.02364 *  

A:B   1 5.3346 5.3346 11.154 0.07916 .  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 13.7877      0  0.56467  2 24.4174 0.001673 **  

A0          -6.3427      0  0.89281  2 -7.1041 0.019244 *  

A1          0.0000      0  0.00000  2  

B0          0.9125      0  0.69157  2  1.3195 0.317812  

B1          0.0000      0  0.00000  2  

C0          -3.6073      0  0.56467  2 -6.3884 0.023637 *  

C1          0.0000      0  0.00000  2  

A0:B0       3.7717      0  1.12933  2  3.3397 0.079156 .  

A0:B1       0.0000      0  0.00000  2  

A1:B0       0.0000      0  0.00000  2  

A1:B1       0.0000      0  0.00000  2  

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## (150) MODEL

```
GLM(y ~ A + B + C + A:C, v2p626) # OK
```

```
$ANOVA  
Response : y
```

```

Df Sum Sq Mean Sq F value Pr(>F)
MODEL          4 39.229 9.8072 5.1346 0.1696
RESIDUALS      2  3.820 1.9100
CORRECTED TOTAL 6 43.049

$`Type I`  

Df Sum Sq Mean Sq F value Pr(>F)  

A   1 16.2088 16.2088 8.4862 0.1004  

B   1  4.8150  4.8150 2.5209 0.2533  

C   1 15.7339 15.7339 8.2376 0.1030  

A:C  1  2.4711  2.4711 1.2937 0.3733

$`Type II`  

Df Sum Sq Mean Sq F value Pr(>F)  

A   1 25.4131 25.4131 13.3052 0.06762 .  

B   1  6.0361  6.0361 3.1602 0.21743  

C   1 15.7339 15.7339 8.2376 0.10298  

A:C  1  2.4711  2.4711 1.2937 0.37327  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

Df Sum Sq Mean Sq F value Pr(>F)  

A   1 20.1428 20.1428 10.5459 0.08317 .  

B   1  6.0361  6.0361 3.1602 0.21743  

C   1 11.8863 11.8863 6.2232 0.13007  

A:C  1  2.4711  2.4711 1.2937 0.37327  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 13.4865      0    1.1284  2 11.9516 0.006928 **  

A0          -4.9480      0    1.3820  2 -3.5802 0.069930 .  

A1          0.0000      0    0.0000  2  

B0          2.0060      0    1.1284  2  1.7777 0.217428  

B1          0.0000      0    0.0000  2  

C0          -4.0985      0    1.3820  2 -2.9656 0.097381 .  

C1          0.0000      0    0.0000  2  

A0:C0       2.5670      0    2.2569  2  1.1374 0.373273  

A0:C1       0.0000      0    0.0000  2  

A1:C0       0.0000      0    0.0000  2  

A1:C1       0.0000      0    0.0000  2  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

(151) MODEL

```
GLM(y ~ A + B + C + B:C, v2p626) # OK
```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	4	37.340	9.3349	3.2701	0.2477
RESIDUALS	2	5.709	2.8546		
CORRECTED TOTAL	6	43.049			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	16.2088	16.2088	5.6781	0.1400
B	1	4.8150	4.8150	1.6867	0.3236
C	1	15.7339	15.7339	5.5118	0.1434
B:C	1	0.5819	0.5819	0.2038	0.6959

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	21.9995	21.9995	7.7067	0.1090
B	1	8.6630	8.6630	3.0347	0.2236
C	1	15.7339	15.7339	5.5118	0.1434
B:C	1	0.5819	0.5819	0.2038	0.6959

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	21.9995	21.9995	7.7067	0.1090
B	1	7.0709	7.0709	2.4770	0.2562
C	1	13.3221	13.3221	4.6669	0.1633
B:C	1	0.5819	0.5819	0.2038	0.6959

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	12.5333	0	1.3795	2	9.0853	0.0119 *
A0	-3.8297	0	1.3795	2	-2.7761	0.1090
A1	0.0000	0	0.0000	2		
B0	2.7940	0	1.6896	2	1.6537	0.2400
B1	0.0000	0	0.0000	2		
C0	-2.3573	0	2.1812	2	-1.0807	0.3928
C1	0.0000	0	0.0000	2		
B0:C0	-1.2457	0	2.7590	2	-0.4515	0.6959
B0:C1	0.0000	0	0.0000	2		
B1:C0	0.0000	0	0.0000	2		
B1:C1	0.0000	0	0.0000	2		

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 9.10 Chapter 17

### 9.10.1 p642

(152) MODEL

```
v2p642 = read.table("C:/G/Rt/Kemp/v2p642.txt", head=TRUE)
v2p642 = af(v2p642, 2:11)
GLM(Y ~ A + B + C + D + E + F + G, v2p642) # OK
```

```
$ANOVA
Response : Y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      7   11.0  1.57143 1.6688 0.1646
RESIDUALS  24   22.6  0.94167
CORRECTED TOTAL 31   33.6
```

```
$`Type I`
  Df Sum Sq Mean Sq F value Pr(>F)
A  1 5.7800  5.7800  6.1381 0.02066 *
B  1 0.1800  0.1800  0.1912 0.66587
C  1 0.1250  0.1250  0.1327 0.71879
D  1 2.5312  2.5312  2.6881 0.11415
E  1 0.6613  0.6613  0.7022 0.41031
F  1 0.0112  0.0112  0.0119 0.91387
G  1 1.7113  1.7113  1.8173 0.19023
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type II`
  Df Sum Sq Mean Sq F value Pr(>F)
A  1 5.7800  5.7800  6.1381 0.02066 *
B  1 0.1800  0.1800  0.1912 0.66587
C  1 0.1250  0.1250  0.1327 0.71879
D  1 2.5312  2.5312  2.6881 0.11415
E  1 0.6613  0.6613  0.7022 0.41031
F  1 0.0112  0.0112  0.0119 0.91387
G  1 1.7113  1.7113  1.8173 0.19023
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type III`
  Df Sum Sq Mean Sq F value Pr(>F)
A  1 5.7800  5.7800  6.1381 0.02066 *
B  1 0.1800  0.1800  0.1912 0.66587
C  1 0.1250  0.1250  0.1327 0.71879
D  1 2.5312  2.5312  2.6881 0.11415
```

```

E 1 0.6613 0.6613 0.7022 0.41031
F 1 0.0112 0.0112 0.0119 0.91387
G 1 1.7113 1.7113 1.8173 0.19023
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 2.2750        0    0.48520 24 4.6888 9.162e-05 ***
A0          -0.8500       0    0.34309 24 -2.4775  0.02066 *
A1          0.0000       0    0.00000 24
B0          0.1500       0    0.34309 24  0.4372  0.66587
B1          0.0000       0    0.00000 24
C0          -0.1250      0    0.34309 24 -0.3643  0.71879
C1          0.0000       0    0.00000 24
D0          0.5625       0    0.34309 24  1.6395  0.11415
D1          0.0000       0    0.00000 24
E0          -0.2875      0    0.34309 24 -0.8380  0.41031
E1          0.0000       0    0.00000 24
F0          0.0375       0    0.34309 24  0.1093  0.91387
F1          0.0000       0    0.00000 24
G0          0.4625       0    0.34309 24  1.3481  0.19023
G1          0.0000       0    0.00000 24
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (153) MODEL

```
GLM(log(S) ~ A + B + C + D + E + F + G, v2p642) # OK
```

```

$ANOVA
Response : log(S)
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      7 266.43 38.062
RESIDUALS  24   0.00   0.000
CORRECTED TOTAL 31 266.43

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value     Pr(>F)
A 1 1.511 1.511 Inf < 2.2e-16 ***
B 1 0.600 0.600 Inf < 2.2e-16 ***
C 1 0.284 0.284 Inf < 2.2e-16 ***
D 1 0.384 0.384 Inf < 2.2e-16 ***
E 1 0.741 0.741 Inf < 2.2e-16 ***
F 1 261.783 261.783 Inf < 2.2e-16 ***
G 1 1.127 1.127 Inf < 2.2e-16 ***
---

```

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1.511	1.511	Inf < 2.2e-16	***
B	1	0.600	0.600	Inf < 2.2e-16	***
C	1	0.284	0.284	Inf < 2.2e-16	***
D	1	0.384	0.384	Inf < 2.2e-16	***
E	1	0.741	0.741	Inf < 2.2e-16	***
F	1	261.783	261.783	Inf < 2.2e-16	***
G	1	1.127	1.127	Inf < 2.2e-16	***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1.511	1.511	Inf < 2.2e-16	***
B	1	0.600	0.600	Inf < 2.2e-16	***
C	1	0.284	0.284	Inf < 2.2e-16	***
D	1	0.384	0.384	Inf < 2.2e-16	***
E	1	0.741	0.741	Inf < 2.2e-16	***
F	1	261.783	261.783	Inf < 2.2e-16	***
G	1	1.127	1.127	Inf < 2.2e-16	***

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	0.2218	0	0	24	Inf < 2.2e-16	***
A0	0.4346	0	0	24	Inf < 2.2e-16	***
A1	0.0000	0	0	24		
B0	-0.2740	0	0	24	-Inf < 2.2e-16	***
B1	0.0000	0	0	24		
C0	0.1885	0	0	24	Inf < 2.2e-16	***
C1	0.0000	0	0	24		
D0	-0.2190	0	0	24	-Inf < 2.2e-16	***
D1	0.0000	0	0	24		
E0	0.3044	0	0	24	Inf < 2.2e-16	***
E1	0.0000	0	0	24		
F0	-5.7204	0	0	24	-Inf < 2.2e-16	***
F1	0.0000	0	0	24		
G0	0.3754	0	0	24	Inf < 2.2e-16	***
G1	0.0000	0	0	24		

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

## 9.11 Chapter 19

### 9.11.1 p700

(154) MODEL

```
v2p700 = read.table("C:/G/Rt/Kemp/v2p700.txt", head=TRUE)
v2p700 = af(v2p700, 2:5)
GLM(Y ~ P + S + T + C, v2p700) # OK
```

```
$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       12 378.80 31.5670  57.256 0.003319 ***
RESIDUALS     3   1.65  0.5513
CORRECTED TOTAL 15 380.46
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
P 3 53.888 17.963 32.580 0.008646 ***
S 3 154.508 51.503 93.414 0.001845 ***
T 3 149.848 49.949 90.597 0.001930 ***
C 3 20.561  6.854 12.431 0.033708 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
P 2 2.220  1.110  2.0133 0.278974
S 3 111.966 37.322 67.6941 0.002969 ***
T 3 161.828 53.943 97.8403 0.001722 ***
C 3 20.561  6.854 12.4311 0.033708 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
CAUTION: Singularity Exists !
      Df Sum Sq Mean Sq F value    Pr(>F)
P 2 2.220  1.110  2.0133 0.278974
S 3 111.966 37.322 67.6941 0.002969 ***
T 3 161.828 53.943 97.8403 0.001722 ***
C 3 20.561  6.854 12.4311 0.033708 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 14.675       0   0.76085  3 19.2875 0.0003044 ***
P1          4.670       0   0.66413  3  7.0318 0.0059092 **
P2         -0.600       0   0.52504  3 -1.1428 0.3360714
P3          0.450       0   0.52504  3  0.8571 0.4544117
P4          0.000       0   0.00000  3
S1          2.860       0   0.55067  3  5.1937 0.0138648 *
S2          3.595       0   0.55067  3  6.5285 0.0073033 **
S3         -3.455       0   0.55067  3 -6.2742 0.0081740 **
S4          0.000       0   0.00000  3
T1          5.650       0   0.55067  3 10.2603 0.0019739 **
T2          6.255       0   0.55067  3 11.3590 0.0014638 **
T3         -1.285       0   0.55067  3 -2.3335 0.1018191
T4          0.000       0   0.00000  3
C0          0.000       0   0.00000  3
C1          2.800       0   0.66413  3  4.2161 0.0243844 *
C2          0.620       0   0.66413  3  0.9336 0.4193997
C3         -1.140       0   0.66413  3 -1.7165 0.1845672
C4          0.000       0   0.00000  3
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 9.11.2 p703

(155) MODEL

```

v2p703 = read.table("C:/G/Rt/Kemp/v2p703.txt", head=TRUE)
v2p703$C = ifelse(v2p703$C == 0, 4, v2p703$C)
v2p703 = af(v2p703, 2:5)
GLM(Y ~ P + S + T + C, v2p703) # OK

```

```

$ANOVA
Response : Y
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL     13 385.18 29.6293 21.766 0.0005673 ***
RESIDUALS    6   8.17  1.3613
CORRECTED TOTAL 19 393.35
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
P  4  56.408 14.102 10.3596 0.0073255 **
S  3 119.260 39.753 29.2036 0.0005620 ***
T  3 190.430 63.477 46.6312 0.0001498 ***

```

```

C 3 19.083 6.361 4.6728 0.0518237 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
  Df Sum Sq Mean Sq F value    Pr(>F)
P 4 52.288 13.072 9.6028 0.0088641 **
S 3 167.414 55.805 40.9952 0.0002163 ***
T 3 190.430 63.477 46.6312 0.0001498 ***
C 3 19.083 6.361 4.6728 0.0518237 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
  Df Sum Sq Mean Sq F value    Pr(>F)
P 4 52.287 13.072 9.6028 0.0088641 **
S 3 167.414 55.805 40.9952 0.0002163 ***
T 3 190.430 63.477 46.6312 0.0001498 ***
C 3 19.083 6.361 4.6728 0.0518237 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 14.2042        0 1.02435   6 13.8665 8.759e-06 ***
P1           4.8875        0 0.96740   6 5.0522 0.0023285 **
P2          -0.7000        0 0.82500   6 -0.8485 0.4287138
P3           0.3500        0 0.82500   6 0.4242 0.6861791
P4          -0.1000        0 0.82500   6 -0.1212 0.9074805
P5           0.0000        0 0.00000   6
S1           3.4500        0 0.75312   6 4.5810 0.0037667 **
S2           3.4250        0 0.75312   6 4.5478 0.0039011 **
S3          -3.7083        0 0.75312   6 -4.9240 0.0026462 **
S4           0.0000        0 0.00000   6
T1           5.5667        0 0.75312   6 7.3915 0.0003148 ***
T2           6.4250        0 0.75312   6 8.5312 0.0001422 ***
T3          -0.5250        0 0.75312   6 -0.6971 0.5118309
T4           0.0000        0 0.00000   6
C1           2.6750        0 0.82500   6 3.2424 0.0176331 *
C2           0.8750        0 0.82500   6 1.0606 0.3296846
C3           0.0000        0 0.82500   6 0.0000 1.0000000
C4           0.0000        0 0.00000   6
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10 Lawson - DAE with SAS

### *Reference*

- Lawson J. Design and Analysis of Experiments with SAS. Taylor and Francis Group. 2010.

```
require(daewr)
```

### 10.1 Chapter 2

#### 10.1.1 p22

(156) MODEL

```
GLM(height ~ time, bread) # OK
```

\$ANOVA

Response : height

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	2	21.573	10.7865	4.6022	0.042 *
RESIDUALS	9	21.094	2.3438		
CORRECTED TOTAL	11	42.667			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
time	2	21.573	10.787	4.6022	0.042 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
time	2	21.573	10.787	4.6022	0.042 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
time	2	21.573	10.787	4.6022	0.042 *

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$Parameter

Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
----------	-----------	------------	----	---------	----------

```

(Intercept) 8.3125      0    0.76547 9 10.8594 1.794e-06 ***
time35      -2.8750     0    1.08253 9 -2.6558   0.02623 *
time40      -0.0625     0    1.08253 9 -0.0577   0.95522
time45      0.0000     0    0.00000 9
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.1.2 p32

(157) MODEL

```
GLM(height^(1 - 1.294869) ~ time, bread) # OK
```

```

$ANOVA
Response : height^(1 - 1.294869)
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      2 0.0130560 0.0065280 5.9356 0.02271 *
RESIDUALS  9 0.0098983 0.0010998
CORRECTED TOTAL 11 0.0229544
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
time  2 0.013056 0.006528 5.9356 0.02271 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`
      Df Sum Sq Mean Sq F value Pr(>F)
time  2 0.013056 0.006528 5.9356 0.02271 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`
      Df Sum Sq Mean Sq F value Pr(>F)
time  2 0.013056 0.006528 5.9356 0.02271 *
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 0.53776      0    0.016582 9 32.4307 1.239e-10 ***
time35      0.07182      0    0.023450 9   3.0626   0.01351 *
time40      0.00385      0    0.023450 9   0.1643   0.87315
time45      0.00000      0    0.000000 9

```

```
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

### 10.1.3 p42

(158) MODEL

```
GLM(yield ~ treat, sugarbeet) # OK
```

```
$ANOVA
Response : yield
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       3 291.00  97.002   45.9 1.718e-07 ***
RESIDUALS   14 29.59   2.113
CORRECTED TOTAL 17 320.59
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
treat     3    291   97.002   45.9 1.718e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
treat     3    291   97.002   45.9 1.718e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
      Df Sum Sq Mean Sq F value    Pr(>F)
treat     3    291   97.002   45.9 1.718e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  48.7        0   0.65013 14 74.9085 < 2.2e-16 ***
treatA      -10.0       0   0.97519 14 -10.2544 6.837e-08 ***
treatB       -3.7       0   0.97519 14  -3.7941  0.001974 **
treatC        0.1       0   0.91942 14   0.1088  0.914933
treatD        0.0       0   0.00000 14
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 10.2 Chapter 3

### 10.2.1 p63

(159) MODEL

```
GLM(CO ~ Eth + Ratio + Eth:Ratio, COdata) # OK

$ANOVA
Response : CO
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       8 1654.0 206.750 40.016 3.861e-06 ***
RESIDUALS   9    46.5   5.167
CORRECTED TOTAL 17 1700.5
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
Eth        2    324   162.0 31.355 8.790e-05 ***
Ratio      2    652   326.0 63.097 5.067e-06 ***
Eth:Ratio  4    678   169.5 32.806 2.240e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
Eth        2    324   162.0 31.355 8.790e-05 ***
Ratio      2    652   326.0 63.097 5.067e-06 ***
Eth:Ratio  4    678   169.5 32.806 2.240e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
Eth        2    324   162.0 31.355 8.790e-05 ***
Ratio      2    652   326.0 63.097 5.067e-06 ***
Eth:Ratio  4    678   169.5 32.806 2.240e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)     59.0          0   1.6073  9 36.7081 4.094e-11 ***
Eth0.1           8.0          0   2.2730  9   3.5195 0.0065202 **
Eth0.2           8.5          0   2.2730  9   3.7395 0.0046291 **
Eth0.3           0.0          0   0.0000  9
```

```

Ratio14          33.0      0    2.2730  9  14.5181 1.498e-07 ***
Ratio15          17.5      0    2.2730  9   7.6990 3.003e-05 ***
Ratio16          0.0       0    0.0000  9
Eth0.1:Ratio14 -36.0      0    3.2146  9 -11.1991 1.384e-06 ***
Eth0.1:Ratio15 -15.0      0    3.2146  9  -4.6663 0.0011747 **
Eth0.1:Ratio16  0.0       0    0.0000  9
Eth0.2:Ratio14 -21.0      0    3.2146  9  -6.5328 0.0001073 ***
Eth0.2:Ratio15 -4.5       0    3.2146  9  -1.3999 0.1950620
Eth0.2:Ratio16  0.0       0    0.0000  9
Eth0.3:Ratio14  0.0       0    0.0000  9
Eth0.3:Ratio15  0.0       0    0.0000  9
Eth0.3:Ratio16  0.0       0    0.0000  9
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### (160) MODEL

```
GLM(CO ~ Ratio + Eth + Ratio:Eth, C0data) # OK
```

```

$ANOVA
Response : CO
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      8 1654.0 206.750 40.016 3.861e-06 ***
RESIDUALS  9   46.5   5.167
CORRECTED TOTAL 17 1700.5
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Ratio      2    652    326.0 63.097 5.067e-06 ***
Eth        2    324    162.0 31.355 8.790e-05 ***
Ratio:Eth  4    678    169.5 32.806 2.240e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Ratio      2    652    326.0 63.097 5.067e-06 ***
Eth        2    324    162.0 31.355 8.790e-05 ***
Ratio:Eth  4    678    169.5 32.806 2.240e-05 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III` 
      Df Sum Sq Mean Sq F value    Pr(>F)
Ratio      2    652    326.0 63.097 5.067e-06 ***

```

```

Eth      2     324    162.0   31.355 8.790e-05 ***
Ratio:Eth 4     678    169.5   32.806 2.240e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)      59.0        0  1.6073  9 36.7081 4.094e-11 ***
Ratio14         33.0        0  2.2730  9 14.5181 1.498e-07 ***
Ratio15         17.5        0  2.2730  9  7.6990 3.003e-05 ***
Ratio16          0.0        0  0.0000  9
Eth0.1          8.0        0  2.2730  9  3.5195 0.0065202 **
Eth0.2          8.5        0  2.2730  9  3.7395 0.0046291 **
Eth0.3          0.0        0  0.0000  9
Ratio14:Eth0.1 -36.0        0  3.2146  9 -11.1991 1.384e-06 ***
Ratio14:Eth0.2 -21.0        0  3.2146  9 -6.5328 0.0001073 ***
Ratio14:Eth0.3  0.0        0  0.0000  9
Ratio15:Eth0.1 -15.0        0  3.2146  9 -4.6663 0.0011747 **
Ratio15:Eth0.2 -4.5        0  3.2146  9 -1.3999 0.1950620
Ratio15:Eth0.3  0.0        0  0.0000  9
Ratio16:Eth0.1  0.0        0  0.0000  9
Ratio16:Eth0.2  0.0        0  0.0000  9
Ratio16:Eth0.3  0.0        0  0.0000  9
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.2.2 p74

### (161) MODEL

```
GLM(CO ~ Eth + Ratio + Eth:Ratio, C0data[-18,]) # OK
```

```

$ANOVA
Response : CO
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      8 1423.0 177.879  31.978 2.749e-05 ***
RESIDUALS  8   44.5   5.563
CORRECTED TOTAL 16 1467.5
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
Eth       2 472.66 236.33  42.486 5.482e-05 ***
Ratio     2 395.33 197.66  35.535 0.0001048 ***
Eth:Ratio 4 555.04 138.76  24.945 0.0001427 ***

```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
  Df Sum Sq Mean Sq F value    Pr(>F)
Eth      2 398.26 199.13 35.799 0.0001020 ***
Ratio     2 395.33 197.66 35.535 0.0001048 ***
Eth:Ratio 4 555.04 138.76 24.945 0.0001427 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
  Df Sum Sq Mean Sq F value    Pr(>F)
Eth      2 319.45 159.73 28.715 0.0002235 ***
Ratio     2 511.45 255.73 45.973 4.105e-05 ***
Eth:Ratio 4 555.04 138.76 24.945 0.0001427 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
  Estimate Estimable Std. Error Df t value   Pr(>|t|)
(Intercept) 60.0        0 2.3585  8 25.4399 6.108e-09 ***
Eth0.1       7.0        0 2.8886  8 2.4234 0.0416315 *
Eth0.2       7.5        0 2.8886  8 2.5965 0.0317925 *
Eth0.3       0.0        0 0.0000  8
Ratio14      32.0        0 2.8886  8 11.0782 3.933e-06 ***
Ratio15      16.5        0 2.8886  8 5.7122 0.0004480 ***
Ratio16      0.0        0 0.0000  8
Eth0.1:Ratio14 -35.0       0 3.7291  8 -9.3856 1.360e-05 ***
Eth0.1:Ratio15 -14.0       0 3.7291  8 -3.7542 0.0055901 **
Eth0.1:Ratio16  0.0        0 0.0000  8
Eth0.2:Ratio14 -20.0       0 3.7291  8 -5.3632 0.0006751 ***
Eth0.2:Ratio15 -3.5        0 3.7291  8 -0.9386 0.3754235
Eth0.2:Ratio16  0.0        0 0.0000  8
Eth0.3:Ratio14  0.0        0 0.0000  8
Eth0.3:Ratio15  0.0        0 0.0000  8
Eth0.3:Ratio16  0.0        0 0.0000  8
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.2.3 p91

#### (162) MODEL

```

volt$XA = (as.numeric(as.character(volt$A)) - 27)/5
volt$XB = (as.numeric(as.character(volt$B)) - 2.75)/2.25

```

```

volt$XC = (as.numeric(as.character(volt$C)) - 2.75)/2.25
GLM(y ~ XA + XB + XC + XA:XB + XA:XC + XB:XC + XA:XB:XC, volt) # OK

```

\$ANOVA

Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	7	8843.4	1263.35	3.8686	0.0385 *
RESIDUALS	8	2612.5	326.56		
CORRECTED TOTAL	15	11455.9			

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
XA	1	4522.6	4522.6	13.8490	0.005859 **
XB	1	14.1	14.1	0.0431	0.840793
XC	1	473.1	473.1	1.4486	0.263154
XA:XB	1	715.6	715.6	2.1912	0.177071
XA:XC	1	2525.1	2525.1	7.7322	0.023899 *
XB:XC	1	52.6	52.6	0.1610	0.698780
XA:XB:XC	1	540.6	540.6	1.6553	0.234218

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
XA	1	4522.6	4522.6	13.8490	0.005859 **
XB	1	14.1	14.1	0.0431	0.840793
XC	1	473.1	473.1	1.4486	0.263154
XA:XB	1	715.6	715.6	2.1912	0.177071
XA:XC	1	2525.1	2525.1	7.7322	0.023899 *
XB:XC	1	52.6	52.6	0.1610	0.698780
XA:XB:XC	1	540.6	540.6	1.6553	0.234218

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
XA	1	4522.6	4522.6	13.8490	0.005859 **
XB	1	14.1	14.1	0.0431	0.840793
XC	1	473.1	473.1	1.4486	0.263154
XA:XB	1	715.6	715.6	2.1912	0.177071
XA:XC	1	2525.1	2525.1	7.7322	0.023899 *
XB:XC	1	52.6	52.6	0.1610	0.698780
XA:XB:XC	1	540.6	540.6	1.6553	0.234218

---

Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

```
$Parameter
      Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 668.56     4.5178  8 147.9854 4.885e-15 ***
XA          -16.81     4.5178  8 -3.7214  0.005859 **
XB           0.94     4.5178  8  0.2075  0.840793
XC           5.44     4.5178  8  1.2036  0.263154
XA:XB       -6.69     4.5178  8 -1.4803  0.177071
XA:XC       12.56     4.5178  8  2.7807  0.023899 *
XB:XC       1.81     4.5178  8  0.4012  0.698780
XA:XB:XC    -5.81     4.5178  8 -1.2866  0.234218
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

#### 10.2.4 p97

(163) MODEL

```
chem2 = af(chem, c("A", "B", "C", "D"))
GLM(y ~ A*B*C*D, chem2) # OK
```

```
$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL      15 6369.4 424.63
RESIDUALS   0    0.0
CORRECTED TOTAL 15 6369.4
```

```
$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
A        1  637.6  637.6
B        1 5076.6 5076.6
A:B      1  451.6  451.6
C        1    0.6    0.6
A:C      1   10.6   10.6
B:C      1    1.6    1.6
A:B:C    1    0.6    0.6
D        1    7.6    7.6
A:D      1   68.1   68.1
B:D      1    0.1    0.1
A:B:D    1    7.6    7.6
C:D      1    7.6    7.6
A:C:D    1  95.1  95.1
B:C:D    1    3.1    3.1
A:B:C:D 1    1.6    1.6
```

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	637.6	637.6		
B	1	5076.6	5076.6		
A:B	1	451.6	451.6		
C	1	0.6	0.6		
A:C	1	10.6	10.6		
B:C	1	1.6	1.6		
A:B:C	1	0.6	0.6		
D	1	7.6	7.6		
A:D	1	68.1	68.1		
B:D	1	0.1	0.1		
A:B:D	1	7.6	7.6		
C:D	1	7.6	7.6		
A:C:D	1	95.1	95.1		
B:C:D	1	3.1	3.1		
A:B:C:D	1	1.6	1.6		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	637.6	637.6		
B	1	5076.6	5076.6		
A:B	1	451.6	451.6		
C	1	0.6	0.6		
A:C	1	10.6	10.6		
B:C	1	1.6	1.6		
A:B:C	1	0.6	0.6		
D	1	7.6	7.6		
A:D	1	68.1	68.1		
B:D	1	0.1	0.1		
A:B:D	1	7.6	7.6		
C:D	1	7.6	7.6		
A:C:D	1	95.1	95.1		
B:C:D	1	3.1	3.1		
A:B:C:D	1	1.6	1.6		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	93	0	0	0		
A-1	4	0	0	0		
A1	0	0	0	0		
B-1	-45	0	0	0		
B1	0	0	0	0		
A1:B1	-19	0	0	0		
A1:B-1	0	0	0	0		
A-1:B1	0	0	0	0		
A-1:B-1	0	0	0	0		
C-1	-5	0	0	0		

C1	0	0	0
A1:C1	-7	0	0
A1:C-1	0	0	0
A-1:C1	0	0	0
A-1:C-1	0	0	0
B1:C1	0	0	0
B1:C-1	0	0	0
B-1:C1	0	0	0
B-1:C-1	0	0	0
A1:B1:C1	1	0	0
A1:B1:C-1	0	0	0
A1:B-1:C1	0	0	0
A1:B-1:C-1	0	0	0
A-1:B1:C1	0	0	0
A-1:B1:C-1	0	0	0
A-1:B-1:C1	0	0	0
A-1:B-1:C-1	0	0	0
D-1	-2	0	0
D1	0	0	0
A1:D1	0	0	0
A1:D-1	0	0	0
A-1:D1	0	0	0
A-1:D-1	0	0	0
B1:D1	3	0	0
B1:D-1	0	0	0
B-1:D1	0	0	0
B-1:D-1	0	0	0
A1:B1:D1	-3	0	0
A1:B1:D-1	0	0	0
A1:B-1:D1	0	0	0
A1:B-1:D-1	0	0	0
A-1:B1:D1	0	0	0
A-1:B1:D-1	0	0	0
A-1:B-1:D1	0	0	0
A-1:B-1:D-1	0	0	0
C1:D1	-12	0	0
C1:D-1	0	0	0
C-1:D1	0	0	0
C-1:D-1	0	0	0
A1:C1:D1	22	0	0
A1:C1:D-1	0	0	0
A1:C-1:D1	0	0	0
A1:C-1:D-1	0	0	0
A-1:C1:D1	0	0	0
A-1:C1:D-1	0	0	0
A-1:C-1:D1	0	0	0
A-1:C-1:D-1	0	0	0
B1:C1:D1	-1	0	0

B1:C1:D-1	0	0	0
B1:C-1:D1	0	0	0
B1:C-1:D-1	0	0	0
B-1:C1:D1	0	0	0
B-1:C1:D-1	0	0	0
B-1:C-1:D1	0	0	0
B-1:C-1:D-1	0	0	0
A1:B1:C1:D1	-5	0	0
A1:B1:C1:D-1	0	0	0
A1:B1:C-1:D1	0	0	0
A1:B1:C-1:D-1	0	0	0
A1:B-1:C1:D1	0	0	0
A1:B-1:C1:D-1	0	0	0
A1:B-1:C-1:D1	0	0	0
A1:B-1:C-1:D-1	0	0	0
A-1:B1:C1:D1	0	0	0
A-1:B1:C1:D-1	0	0	0
A-1:B1:C-1:D1	0	0	0
A-1:B1:C-1:D-1	0	0	0
A-1:B-1:C1:D1	0	0	0
A-1:B-1:C1:D-1	0	0	0
A-1:B-1:C-1:D1	0	0	0
A-1:B-1:C-1:D-1	0	0	0

### 10.2.5 p104

(164) MODEL

```
GLM(y ~ A*B*C*D, BoxM) # OK
```

```
$ANOVA
Response : y
          Df Sum Sq Mean Sq F value Pr(>F)
MODEL      15 207.1 13.807
RESIDUALS   0   0.0
CORRECTED TOTAL 15 207.1
```

```
$`Type I`
          Df Sum Sq Mean Sq F value Pr(>F)
A          1  2.560  2.560
B          1 71.234  71.234
A:B        1  3.312  3.312
C          1 55.056  55.056
A:C        1 24.800  24.800
B:C        1  2.560  2.560
A:B:C     1  5.760  5.760
```

D	1	4.080	4.080
A:D	1	1.346	1.346
B:D	1	5.570	5.570
A:B:D	1	2.074	2.074
C:D	1	8.880	8.880
A:C:D	1	0.640	0.640
B:C:D	1	9.986	9.986
A:B:C:D	1	9.242	9.242

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	2.560	2.560		
B	1	71.234	71.234		
A:B	1	3.312	3.312		
C	1	55.056	55.056		
A:C	1	24.800	24.800		
B:C	1	2.560	2.560		
A:B:C	1	5.760	5.760		
D	1	4.080	4.080		
A:D	1	1.346	1.346		
B:D	1	5.570	5.570		
A:B:D	1	2.074	2.074		
C:D	1	8.880	8.880		
A:C:D	1	0.640	0.640		
B:C:D	1	9.986	9.986		
A:B:C:D	1	9.242	9.242		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	2.560	2.560		
B	1	71.234	71.234		
A:B	1	3.312	3.312		
C	1	55.056	55.056		
A:C	1	24.800	24.800		
B:C	1	2.560	2.560		
A:B:C	1	5.760	5.760		
D	1	4.080	4.080		
A:D	1	1.346	1.346		
B:D	1	5.570	5.570		
A:B:D	1	2.074	2.074		
C:D	1	8.880	8.880		
A:C:D	1	0.640	0.640		
B:C:D	1	9.986	9.986		
A:B:C:D	1	9.242	9.242		

\$Parameter

	Estimate	Std. Error	Df	t value	Pr(> t )
(Intercept)	48.245		0		

A	-0.400	0
B	-2.110	0
A:B	0.455	0
C	1.855	0
A:C	-1.245	0
B:C	-0.400	0
A:B:C	0.600	0
D	0.505	0
A:D	-0.290	0
B:D	-0.590	0
A:B:D	0.360	0
C:D	0.745	0
A:C:D	0.200	0
B:C:D	-0.790	0
A:B:C:D	0.760	0

## 10.3 Chapter 4

### 10.3.1 p122

(165) MODEL

```
GLM(rate ~ rat + dose, drug) # OK

$ANOVA
Response : rate
      Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL   13 2.12867 0.163744 19.613 1.59e-12 ***
RESIDUALS 36 0.30055 0.008349
CORRECTED TOTAL 49 2.42922
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df  Sum Sq Mean Sq F value    Pr(>F)
rat     9 1.66846 0.18538 22.205 3.749e-12 ***
dose    4 0.46021 0.11505 13.781 6.535e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df  Sum Sq Mean Sq F value    Pr(>F)
rat     9 1.66846 0.18538 22.205 3.749e-12 ***
dose    4 0.46021 0.11505 13.781 6.535e-07 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```

$`Type III`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

rat     9 1.66846 0.18538  22.205 3.749e-12 ***  

dose    4 0.46021 0.11505  13.781 6.535e-07 ***  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

          Estimate Estimable Std. Error Df t value  Pr(>|t|)  

(Intercept)  1.0578      0  0.048349 36 21.8784 < 2.2e-16 ***  

rat1        -0.4160      0  0.057788 36 -7.1987 1.804e-08 ***  

rat2        -0.4300      0  0.057788 36 -7.4410 8.740e-09 ***  

rat3        -0.4040      0  0.057788 36 -6.9911 3.373e-08 ***  

rat4        -0.3000      0  0.057788 36 -5.1914 8.362e-06 ***  

rat5        -0.1340      0  0.057788 36 -2.3188 0.0261960 *  

rat6        -0.2880      0  0.057788 36 -4.9837 1.579e-05 ***  

rat7        -0.2140      0  0.057788 36 -3.7032 0.0007098 ***  

rat8         0.0240      0  0.057788 36  0.4153 0.6803798  

rat9         0.0840      0  0.057788 36  1.4536 0.1547238  

rat10        0.0000      0  0.000000 36  

dose0       -0.0860      0  0.040862 36 -2.1046 0.0423697 *  

dose0.5      0.0840      0  0.040862 36  2.0557 0.0471211 *  

dose1        0.1640      0  0.040862 36  4.0135 0.0002899 ***  

dose1.5      0.1590      0  0.040862 36  3.8911 0.0004137 ***  

dose2        0.0000      0  0.000000 36  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.3.2 p127

#### (166) MODEL

```
GLM(y ~ block + treat + strain + treat:strain, bha) # OK
```

```

$ANOVA  

Response : y  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

MODEL      8 543.22  67.902  26.203 0.0001507 ***  

RESIDUALS   7 18.14   2.591  

CORRECTED TOTAL 15 561.36  

---  

Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`  

      Df  Sum Sq Mean Sq F value    Pr(>F)

```

```

block      1  47.61   47.61  18.3721  0.003627 **
treat      1 422.30  422.30 162.9613 4.194e-06 ***
strain     3  32.96   10.99   4.2399  0.052741 .
treat:strain 3  40.34   13.45   5.1892  0.033685 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
block      1  47.61   47.61  18.3721  0.003627 **
treat      1 422.30  422.30 162.9613 4.194e-06 ***
strain     3  32.96   10.99   4.2399  0.052741 .
treat:strain 3  40.34   13.45   5.1892  0.033685 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
block      1  47.61   47.61  18.3721  0.003627 **
treat      1 422.30  422.30 162.9613 4.194e-06 ***
strain     3  32.96   10.99   4.2399  0.052741 .
treat:strain 3  40.34   13.45   5.1892  0.033685 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value    Pr(>|t|) 
(Intercept)      13.875       0    1.2073  7 11.4922 8.495e-06 ***
block1            3.450       0    0.8049  7  4.2863  0.003627 ** 
block2            0.000       0    0.0000  7 
treatcontrol     -15.200      0    1.6098  7 -9.4422 3.119e-05 *** 
treattreated      0.000       0    0.0000  7 
strain1290la     0.550       0    1.6098  7  0.3417  0.742635 
strainA/J         2.100       0    1.6098  7  1.3045  0.233308 
strainBALB/c      7.450       0    1.6098  7  4.6279  0.002404 ** 
strainNIH          0.000       0    0.0000  7 
treatcontrol:strainA/J 4.550       0    2.2766  7  1.9986  0.085796 . 
treatcontrol:strainNIH 8.550       0    2.2766  7  3.7556  0.007116 ** 
treatcontrol:strain1290la 6.600       0    2.2766  7  2.8991  0.023016 * 
treatcontrol:strainBALB/c 0.000       0    0.0000  7 
treattreated:strainA/J 0.000       0    0.0000  7 
treattreated:strainNIH 0.000       0    0.0000  7 
treattreated:strain1290la 0.000       0    0.0000  7 
treattreated:strainBALB/c 0.000       0    0.0000  7 
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.3.3 p129

(167) MODEL

```
GLM(cdistance ~ id + teehgt, rcb) # OK

$ANOVA
Response : cdistance
      Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      10 126465 12646.5  161.72 < 2.2e-16 ***
RESIDUALS   124   9697    78.2
CORRECTED TOTAL 134 136162
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value    Pr(>F)
id      8 124741   15593 199.394 < 2.2e-16 ***
teehgt  2    1724     862  11.023 3.926e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df Sum Sq Mean Sq F value    Pr(>F)
id      8 124741   15593 199.394 < 2.2e-16 ***
teehgt  2    1724     862  11.023 3.926e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df Sum Sq Mean Sq F value    Pr(>F)
id      8 124741   15593 199.394 < 2.2e-16 ***
teehgt  2    1724     862  11.023 3.926e-05 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 240.440        0  2.5243 124 95.2517 < 2.2e-16 ***
id1         -92.907       0  3.2290 124 -28.7722 < 2.2e-16 ***
id2         -57.860       0  3.2290 124 -17.9186 < 2.2e-16 ***
id3         -92.907       0  3.2290 124 -28.7722 < 2.2e-16 ***
id4         -60.360       0  3.2290 124 -18.6928 < 2.2e-16 ***
id5         -22.267       0  3.2290 124 -6.8957 2.422e-10 ***
id6         -92.860       0  3.2290 124 -28.7577 < 2.2e-16 ***
id7         -66.720       0  3.2290 124 -20.6625 < 2.2e-16 ***
id8         -59.540       0  3.2290 124 -18.4389 < 2.2e-16 ***
```

```

id9          0.000      0   0.0000 124
teehgt1     -8.380      0   1.8643 124  -4.4950 1.575e-05 ***
teehgt2     -2.000      0   1.8643 124  -1.0728    0.2854
teehgt3      0.000      0   0.0000 124
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.3.4 p136

(168) MODEL

```
GLM(AUC ~ Subject + Period + Treat, bioequiv) # OK
```

```
$ANOVA
Response : AUC
           Df Sum Sq Mean Sq F value Pr(>F)
MODEL       6 174461  29077  0.1315 0.9774
RESIDUALS   2 442158  221079
CORRECTED TOTAL 8 616618
```

```
$`Type I`
           Df Sum Sq Mean Sq F value Pr(>F)
Subject    2 114264   57132  0.2584 0.7946
Period     2  45196   22598  0.1022 0.9073
Treat      2  15000    7500  0.0339 0.9672
```

```
$`Type II`
           Df Sum Sq Mean Sq F value Pr(>F)
Subject    2 114264   57132  0.2584 0.7946
Period     2  45196   22598  0.1022 0.9073
Treat      2  15000    7500  0.0339 0.9672
```

```
$`Type III`
           Df Sum Sq Mean Sq F value Pr(>F)
Subject    2 114264   57132  0.2584 0.7946
Period     2  45196   22598  0.1022 0.9073
Treat      2  15000    7500  0.0339 0.9672
```

```
$Parameter
           Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 1352.56        0   414.67  2  3.2618  0.08252 .
Subject1    -276.00        0   383.91  2 -0.7189  0.54684
Subject2    -138.33        0   383.91  2 -0.3603  0.75310
Subject3      0.00        0    0.00  2
Period1     -171.00        0   383.91  2 -0.4454  0.69959
Period2     -111.33        0   383.91  2 -0.2900  0.79912
```

```

Period3          0.00      0      0.00  2
TreatA          78.33     0    383.91  2  0.2040  0.85720
TreatB         -14.67     0    383.91  2 -0.0382  0.97300
TreatC          0.00      0      0.00  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.4 Chapter 5

### 10.4.1 p152

(169) MODEL

```
GLM(conc ~ lab, Apo) # OK
```

```

$ANOVA
Response : conc
      Df   Sum Sq   Mean Sq F value    Pr(>F)
MODEL       3 0.092233 0.0307444 42.107 4.009e-10 ***
RESIDUALS   26 0.018984 0.0007302
CORRECTED TOTAL 29 0.111217
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df   Sum Sq   Mean Sq F value    Pr(>F)
lab   3 0.092233 0.030744 42.107 4.009e-10 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df   Sum Sq   Mean Sq F value    Pr(>F)
lab   3 0.092233 0.030744 42.107 4.009e-10 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III` 
      Df   Sum Sq   Mean Sq F value    Pr(>F)
lab   3 0.092233 0.030744 42.107 4.009e-10 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|) 
(Intercept) 1.16425        0  0.0095535 26 121.8661 < 2.2e-16 ***
labA        0.02661        0  0.0139849 26   1.9026  0.06823 .

```

```

labB      -0.00237      0  0.0135107 26  -0.1758   0.86182
labC      -0.12111      0  0.0139849 26  -8.6598  3.878e-09 ***
labD      0.00000      0  0.0000000 26
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.4.2 p181

(170) MODEL

```
GLM(residue ~ form + tech + form:tech + plot:form:tech, pesticide) # OK
```

```

$ANOVA
Response : residue
      Df  Sum Sq  Mean Sq F value    Pr(>F)
MODEL      7 0.036857 0.0052653 11.804 0.001187 **
RESIDUALS  8 0.003569 0.0004461
CORRECTED TOTAL 15 0.040426
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

`Type I`
      Df  Sum Sq  Mean Sq F value    Pr(>F)
form      1 0.000018 0.000018 0.0405  0.84554
tech      1 0.032310 0.032310 72.4339 2.789e-05 ***
form:tech 1 0.002186 0.002186 4.8997  0.05776 .
form:tech:plot 4 0.002344 0.000586 1.3136  0.34317
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

`Type II`
      Df  Sum Sq  Mean Sq F value    Pr(>F)
form      1 0.000018 0.000018 0.0405  0.84554
tech      1 0.032310 0.032310 72.4339 2.789e-05 ***
form:tech 1 0.002186 0.002186 4.8997  0.05776 .
form:tech:plot 4 0.002344 0.000586 1.3136  0.34317
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

`Type III`
      Df  Sum Sq  Mean Sq F value    Pr(>F)
form      1 0.000018 0.000018 0.0405  0.84554
tech      1 0.032310 0.032310 72.4339 2.789e-05 ***
form:tech 1 0.002186 0.002186 4.8997  0.05776 .
form:tech:plot 4 0.002344 0.000586 1.3136  0.34317
---

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 0.3410      0  0.014934 8 22.8334 1.435e-08 ***
formA        0.0225      0  0.021120 8  1.0653  0.31782
formB        0.0000      0  0.000000 8
tech1       -0.0470      0  0.021120 8 -2.2254  0.05671 .
tech2        0.0000      0  0.000000 8
formA:tech1 -0.0390      0  0.029868 8 -1.3057  0.22794
formA:tech2  0.0000      0  0.000000 8
formB:tech1  0.0000      0  0.000000 8
formB:tech2  0.0000      0  0.000000 8
formA:tech1:plot1 -0.0330      0  0.021120 8 -1.5625  0.15680
formA:tech1:plot2  0.0000      0  0.000000 8
formA:tech2:plot1  0.0215      0  0.021120 8  1.0180  0.33848
formA:tech2:plot2  0.0000      0  0.000000 8
formB:tech1:plot1 -0.0235      0  0.021120 8 -1.1127  0.29816
formB:tech1:plot2  0.0000      0  0.000000 8
formB:tech2:plot1  0.0155      0  0.021120 8  0.7339  0.48396
formB:tech2:plot2  0.0000      0  0.000000 8
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.5 Chapter 7

### 10.5.1 p260

#### (171) MODEL

```
GLM(score ~ recipe + panelist, taste) # OK
```

```

$ANOVA
Response : score
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL    14 28.458 2.03274   2.661 0.0719 .
RESIDUALS 9  6.875  0.76389
CORRECTED TOTAL 23 35.333
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df Sum Sq Mean Sq F value Pr(>F)
recipe    3 21.0000   7.000  9.1636 0.004246 **
panelist 11  7.4583   0.678  0.8876 0.581099
---
```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

recipe     3 9.1250 3.04167 3.9818 0.04649 *  

panelist 11 7.4583 0.67803 0.8876 0.58110  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df Sum Sq Mean Sq F value Pr(>F)  

recipe     3 9.1250 3.04167 3.9818 0.04649 *  

panelist 11 7.4583 0.67803 0.8876 0.58110  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 4.5000      0  0.69096  9  6.5126 0.0001098 ***  

recipeA     0.6250      0  0.61802  9  1.0113 0.3382874  

recipeB     1.3750      0  0.61802  9  2.2249 0.0531409 .  

recipeC     2.0000      0  0.61802  9  3.2362 0.0102213 *  

recipeD     0.0000      0  0.00000  9  

panelist1   -0.5000     0  0.97717  9 -0.5117 0.6211912  

panelist2   0.6875      0  0.92702  9  0.7416 0.4772232  

panelist3   -0.3125     0  0.92702  9 -0.3371 0.7437697  

panelist4   0.3125      0  0.92702  9  0.3371 0.7437697  

panelist5   -0.1875     0  0.92702  9 -0.2023 0.8442116  

panelist6   1.5000      0  0.87401  9  1.7162 0.1202534  

panelist7   1.0000      0  0.97717  9  1.0234 0.3328547  

panelist8   0.6875      0  0.92702  9  0.7416 0.4772232  

panelist9   -0.3125     0  0.92702  9 -0.3371 0.7437697  

panelist10  0.8125      0  0.92702  9  0.8765 0.4035670  

panelist11  0.3125      0  0.92702  9  0.3371 0.7437697  

panelist12  0.0000      0  0.00000  9  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.5.2 p262

### (172) MODEL

```
GLM(pressure ~ Block + Treatment, BPmonitor) # OK
```

```
$ANOVA  
Response : pressure
```

```

          Df Sum Sq Mean Sq F value Pr(>F)
MODEL           8 321.00 40.125 4.4174 0.1245
RESIDUALS       3  27.25  9.083
CORRECTED TOTAL 11 348.25

$`Type I` 
          Df Sum Sq Mean Sq F value Pr(>F)
Block      5 73.75 14.750 1.6239 0.36606
Treatment  3 247.25 82.417 9.0734 0.05149 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II` 
          Df Sum Sq Mean Sq F value Pr(>F)
Block      5 83.25 16.650 1.8330 0.32772
Treatment  3 247.25 82.417 9.0734 0.05149 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III` 
          Df Sum Sq Mean Sq F value Pr(>F)
Block      5 83.25 16.650 1.8330 0.32772
Treatment  3 247.25 82.417 9.0734 0.05149 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|) 
(Intercept) 78.00        0    2.6101  3 29.8842 8.23e-05 ***
Block1       6.25        0    3.6912  3  1.6932  0.18899
Block2       2.75        0    3.6912  3  0.7450  0.51032
Block3       9.50        0    3.6912  3  2.5737  0.08223 .
Block4       3.50        0    3.6912  3  0.9482  0.41298
Block5       2.00        0    3.0139  3  0.6636  0.55439
Block6       0.00        0    0.0000  3
TreatmentA  -6.50       0    3.0139  3 -2.1567  0.11995
TreatmentB  -13.00      0    3.0139  3 -4.3134  0.02295 *
TreatmentC  -6.00       0    3.0139  3 -1.9908  0.14057
TreatmentP   0.00       0    0.0000  3
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.5.3 p276

(173) MODEL

```
GLM(weight ~ Blocks + A + B + C + D + E + F + G + H, Bff) # OK
```

\$ANOVA

Response : weight

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	158.37	10.558		
RESIDUALS	0	0.00			
CORRECTED TOTAL	15	158.37			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Blocks	7	30.567	4.367		
A	1	21.879	21.879		
B	1	8.338	8.338		
C	1	6.213	6.213		
D	1	12.870	12.870		
E	1	0.098	0.098		
F	1	1.260	1.260		
G	1	71.868	71.868		
H	1	5.279	5.279		

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Blocks	7	30.567	4.367		
A	1	21.879	21.879		
B	1	8.338	8.338		
C	1	6.213	6.213		
D	1	12.870	12.870		
E	1	0.098	0.098		
F	1	1.260	1.260		
G	1	71.868	71.868		
H	1	5.279	5.279		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
Blocks	7	30.567	4.367		
A	1	21.879	21.879		
B	1	8.338	8.338		
C	1	6.213	6.213		
D	1	12.870	12.870		
E	1	0.098	0.098		
F	1	1.260	1.260		
G	1	71.868	71.868		
H	1	5.279	5.279		

\$Parameter

Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
----------	-----------	------------	----	---------	----------

(Intercept)	10.2000	0	0
Blocks1	-3.0350	0	0
Blocks2	0.0900	0	0
Blocks3	-0.9600	0	0
Blocks4	-2.1700	0	0
Blocks5	-0.4600	0	0
Blocks6	-2.5200	0	0
Blocks7	-3.8200	0	0
Blocks8	0.0000	0	0
A-1	-2.3388	0	0
A1	0.0000	0	0
B-1	1.4437	0	0
B1	0.0000	0	0
C-1	-1.2463	0	0
C1	0.0000	0	0
D-1	1.7937	0	0
D1	0.0000	0	0
E-1	-0.1563	0	0
E1	0.0000	0	0
F-1	0.5612	0	0
F1	0.0000	0	0
G-1	-4.2388	0	0
G1	0.0000	0	0
H-1	-1.1488	0	0
H1	0.0000	0	0

## 10.6 Chapter 8

### 10.6.1 p315

(174) MODEL

```
GLM(ys ~ Block + A*B + Block:A:B + C*D + A:C + A:D + B:C + B:D + A:B:C + A:B:D +
    A:C:D + B:C:D + A:B:C:D, sausage) # OK
```

```
$ANOVA
Response : ys
          Df  Sum Sq  Mean Sq F value Pr(>F)
MODEL      19 0.064059 0.0033715 14.134 1.74e-05 ***
RESIDUALS  12 0.002862 0.0002385
CORRECTED TOTAL 31 0.066922
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
          Df  Sum Sq  Mean Sq F value Pr(>F)
```

Block	1	0.000903	0.000903	3.7860	0.075482	.
A	1	0.045753	0.045753	191.8035	9.647e-09	***
B	1	0.002628	0.002628	11.0175	0.006119	**
A:B	1	0.001128	0.001128	4.7293	0.050371	.
Block:A:B	3	0.005484	0.001828	7.6638	0.004007	**
C	1	0.003828	0.003828	16.0480	0.001743	**
D	1	0.000528	0.000528	2.2140	0.162566	
C:D	1	0.000253	0.000253	1.0611	0.323272	
A:C	1	0.000153	0.000153	0.6419	0.438593	
A:D	1	0.000903	0.000903	3.7860	0.075482	.
B:C	1	0.000078	0.000078	0.3275	0.577693	
B:D	1	0.000253	0.000253	1.0611	0.323272	
A:B:C	1	0.001378	0.001378	5.7773	0.033299	*
A:B:D	1	0.000703	0.000703	2.9476	0.111680	
A:C:D	1	0.000028	0.000028	0.1179	0.737260	
B:C:D	1	0.000028	0.000028	0.1179	0.737260	
A:B:C:D	1	0.000028	0.000028	0.1179	0.737260	
<hr/>						
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1						
\$`Type II`						
	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Block	1	0.000903	0.000903	3.7860	0.075482	.
A	1	0.045753	0.045753	191.8035	9.647e-09	***
B	1	0.002628	0.002628	11.0175	0.006119	**
A:B	1	0.001128	0.001128	4.7293	0.050371	.
Block:A:B	3	0.005484	0.001828	7.6638	0.004007	**
C	1	0.003828	0.003828	16.0480	0.001743	**
D	1	0.000528	0.000528	2.2140	0.162566	
C:D	1	0.000253	0.000253	1.0611	0.323272	
A:C	1	0.000153	0.000153	0.6419	0.438593	
A:D	1	0.000903	0.000903	3.7860	0.075482	.
B:C	1	0.000078	0.000078	0.3275	0.577693	
B:D	1	0.000253	0.000253	1.0611	0.323272	
A:B:C	1	0.001378	0.001378	5.7773	0.033299	*
A:B:D	1	0.000703	0.000703	2.9476	0.111680	
A:C:D	1	0.000028	0.000028	0.1179	0.737260	
B:C:D	1	0.000028	0.000028	0.1179	0.737260	
A:B:C:D	1	0.000028	0.000028	0.1179	0.737260	
<hr/>						
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1						
\$`Type III`						
	Df	Sum Sq	Mean Sq	F value	Pr(>F)	
Block	1	0.000903	0.000903	3.7860	0.075482	.
A	1	0.045753	0.045753	191.8035	9.647e-09	***
B	1	0.002628	0.002628	11.0175	0.006119	**
A:B	1	0.001128	0.001128	4.7293	0.050371	.

```

Block:A:B 3 0.005484 0.001828 7.6638 0.004007 **
C 1 0.003828 0.003828 16.0480 0.001743 **
D 1 0.000528 0.000528 2.2140 0.162566
C:D 1 0.000253 0.000253 1.0611 0.323272
A:C 1 0.000153 0.000153 0.6419 0.438593
A:D 1 0.000903 0.000903 3.7860 0.075482 .
B:C 1 0.000078 0.000078 0.3275 0.577693
B:D 1 0.000253 0.000253 1.0611 0.323272
A:B:C 1 0.001378 0.001378 5.7773 0.033299 *
A:B:D 1 0.000703 0.000703 2.9476 0.111680
A:C:D 1 0.000028 0.000028 0.1179 0.737260
B:C:D 1 0.000028 0.000028 0.1179 0.737260
A:B:C:D 1 0.000028 0.000028 0.1179 0.737260
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	2.00875	0	0.040497	12	49.6029	3.109e-15 ***
Block1	0.02750	0	0.010921	12	2.5181	0.027005 *
Block2	0.00000	0	0.000000	12		
A-1	0.03500	0	0.017268	12	2.0269	0.065486 .
A1	0.00000	0	0.000000	12		
B-1	0.01250	0	0.017268	12	0.7239	0.483007
B1	0.00000	0	0.000000	12		
A1:B1	-0.00625	0	0.024420	12	-0.2559	0.802336
A1:B-1	0.00000	0	0.000000	12		
A-1:B1	0.00000	0	0.000000	12		
A-1:B-1	0.00000	0	0.000000	12		
Block1:A1:B1	-0.05250	0	0.015445	12	-3.3992	0.005277 **
Block1:A1:B-1	-0.03000	0	0.015445	12	-1.9424	0.075926 .
Block1:A-1:B1	0.01500	0	0.015445	12	0.9712	0.350618
Block1:A-1:B-1	0.00000	0	0.000000	12		
Block2:A1:B1	0.00000	0	0.000000	12		
Block2:A1:B-1	0.00000	0	0.000000	12		
Block2:A-1:B1	0.00000	0	0.000000	12		
Block2:A-1:B-1	0.00000	0	0.000000	12		
C-1	0.01500	0	0.015445	12	0.9712	0.350618
C1	0.00000	0	0.000000	12		
D-1	-0.01000	0	0.015445	12	-0.6475	0.529522
D1	0.00000	0	0.000000	12		
C1:D1	0.01500	0	0.021842	12	0.6867	0.505299
C1:D-1	0.00000	0	0.000000	12		
C-1:D1	0.00000	0	0.000000	12		
C-1:D-1	0.00000	0	0.000000	12		
A1:C1	-0.03500	0	0.021842	12	-1.6024	0.135048
A1:C-1	0.00000	0	0.000000	12		
A-1:C1	0.00000	0	0.000000	12		

A-1:C-1	0.00000	0	0.000000	12			
A1:D1	-0.04000	0	0.021842	12	-1.8313	0.091980	.
A1:D-1	0.00000	0	0.000000	12			
A-1:D1	0.00000	0	0.000000	12			
A-1:D-1	0.00000	0	0.000000	12			
B1:C1	-0.02000	0	0.021842	12	-0.9157	0.377880	
B1:C-1	0.00000	0	0.000000	12			
B-1:C1	0.00000	0	0.000000	12			
B-1:C-1	0.00000	0	0.000000	12			
B1:D1	-0.03000	0	0.021842	12	-1.3735	0.194718	
B1:D-1	0.00000	0	0.000000	12			
B-1:D1	0.00000	0	0.000000	12			
B-1:D-1	0.00000	0	0.000000	12			
A1:B1:C1	0.06000	0	0.030890	12	1.9424	0.075926	.
A1:B1:C-1	0.00000	0	0.000000	12			
A1:B-1:C1	0.00000	0	0.000000	12			
A1:B-1:C-1	0.00000	0	0.000000	12			
A-1:B1:C1	0.00000	0	0.000000	12			
A-1:B1:C-1	0.00000	0	0.000000	12			
A-1:B-1:C1	0.00000	0	0.000000	12			
A-1:B-1:C-1	0.00000	0	0.000000	12			
A1:B1:D1	0.04500	0	0.030890	12	1.4568	0.170835	
A1:B1:D-1	0.00000	0	0.000000	12			
A1:B-1:D1	0.00000	0	0.000000	12			
A1:B-1:D-1	0.00000	0	0.000000	12			
A-1:B1:D1	0.00000	0	0.000000	12			
A-1:B1:D-1	0.00000	0	0.000000	12			
A-1:B-1:D1	0.00000	0	0.000000	12			
A-1:B-1:D-1	0.00000	0	0.000000	12			
A1:C1:D1	0.00000	0	0.030890	12	0.0000	1.000000	
A1:C1:D-1	0.00000	0	0.000000	12			
A1:C-1:D1	0.00000	0	0.000000	12			
A1:C-1:D-1	0.00000	0	0.000000	12			
A-1:C1:D1	0.00000	0	0.000000	12			
A-1:C1:D-1	0.00000	0	0.000000	12			
A-1:C-1:D1	0.00000	0	0.000000	12			
A-1:C-1:D-1	0.00000	0	0.000000	12			
B1:C1:D1	0.00000	0	0.030890	12	0.0000	1.000000	
B1:C1:D-1	0.00000	0	0.000000	12			
B1:C-1:D1	0.00000	0	0.000000	12			
B1:C-1:D-1	0.00000	0	0.000000	12			
B-1:C1:D1	0.00000	0	0.000000	12			
B-1:C1:D-1	0.00000	0	0.000000	12			
B-1:C-1:D1	0.00000	0	0.000000	12			
B-1:C-1:D-1	0.00000	0	0.000000	12			
A1:B1:C1:D1	-0.01500	0	0.043684	12	-0.3434	0.737260	
A1:B1:C1:D-1	0.00000	0	0.000000	12			
A1:B1:C-1:D1	0.00000	0	0.000000	12			

```

A1:B1:C-1:D-1    0.00000      0  0.000000 12
A1:B-1:C1:D1     0.00000      0  0.000000 12
A1:B-1:C1:D-1    0.00000      0  0.000000 12
A1:B-1:C-1:D1    0.00000      0  0.000000 12
A1:B-1:C-1:D-1   0.00000      0  0.000000 12
A-1:B1:C1:D1     0.00000      0  0.000000 12
A-1:B1:C1:D-1    0.00000      0  0.000000 12
A-1:B1:C-1:D1    0.00000      0  0.000000 12
A-1:B1:C-1:D-1   0.00000      0  0.000000 12
A-1:B-1:C1:D1    0.00000      0  0.000000 12
A-1:B-1:C1:D-1   0.00000      0  0.000000 12
A-1:B-1:C-1:D1   0.00000      0  0.000000 12
A-1:B-1:C-1:D-1  0.00000      0  0.000000 12
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.6.2 p320

(175) MODEL

```
GLM(y ~ A*B*C*D*E, plasma) # OK
```

```
$ANOVA
Response : y
              Df Sum Sq Mean Sq F value Pr(>F)
MODEL          31 6672.9  215.26
RESIDUALS       0     0.0
CORRECTED TOTAL 31 6672.9
```

```
$`Type I`
              Df Sum Sq Mean Sq F value Pr(>F)
A              1 1118.65 1118.65
B              1 142.81 142.81
A:B             1 141.96 141.96
C              1  91.80  91.80
A:C             1  70.81  70.81
B:C             1   5.78   5.78
A:B:C           1  65.55  65.55
D              1 1824.08 1824.08
A:D             1 2194.53 2194.53
B:D             1  87.78  87.78
A:B:D           1  87.12  87.12
C:D             1  22.45  22.45
A:C:D           1  42.78  42.78
B:C:D           1  12.25  12.25
A:B:C:D         1 375.38 375.38
```

E	1	78.75	78.75
A:E	1	278.48	278.48
B:E	1	0.72	0.72
A:B:E	1	0.10	0.10
C:E	1	0.15	0.15
A:C:E	1	0.24	0.24
B:C:E	1	6.48	6.48
A:B:C:E	1	1.53	1.53
D:E	1	8.40	8.40
A:D:E	1	5.28	5.28
B:D:E	1	0.28	0.28
A:B:D:E	1	0.60	0.60
C:D:E	1	0.85	0.85
A:C:D:E	1	0.55	0.55
B:C:D:E	1	6.30	6.30
A:B:C:D:E	1	0.50	0.50

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1118.65	1118.65		
B	1	142.81	142.81		
A:B	1	141.96	141.96		
C	1	91.80	91.80		
A:C	1	70.81	70.81		
B:C	1	5.78	5.78		
A:B:C	1	65.55	65.55		
D	1	1824.08	1824.08		
A:D	1	2194.53	2194.53		
B:D	1	87.78	87.78		
A:B:D	1	87.12	87.12		
C:D	1	22.45	22.45		
A:C:D	1	42.78	42.78		
B:C:D	1	12.25	12.25		
A:B:C:D	1	375.38	375.38		
E	1	78.75	78.75		
A:E	1	278.48	278.48		
B:E	1	0.72	0.72		
A:B:E	1	0.10	0.10		
C:E	1	0.15	0.15		
A:C:E	1	0.24	0.24		
B:C:E	1	6.48	6.48		
A:B:C:E	1	1.53	1.53		
D:E	1	8.40	8.40		
A:D:E	1	5.28	5.28		
B:D:E	1	0.28	0.28		
A:B:D:E	1	0.60	0.60		
C:D:E	1	0.85	0.85		
A:C:D:E	1	0.55	0.55		

B:C:D:E	1	6.30	6.30
A:B:C:D:E	1	0.50	0.50

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	1118.64	1118.64		
B	1	142.80	142.80		
A:B	1	141.96	141.96		
C	1	91.80	91.80		
A:C	1	70.81	70.81		
B:C	1	5.78	5.78		
A:B:C	1	65.55	65.55		
D	1	1824.08	1824.08		
A:D	1	2194.53	2194.53		
B:D	1	87.78	87.78		
A:B:D	1	87.12	87.12		
C:D	1	22.45	22.45		
A:C:D	1	42.78	42.78		
B:C:D	1	12.25	12.25		
A:B:C:D	1	375.38	375.38		
E	1	78.75	78.75		
A:E	1	278.48	278.48		
B:E	1	0.72	0.72		
A:B:E	1	0.10	0.10		
C:E	1	0.15	0.15		
A:C:E	1	0.24	0.24		
B:C:E	1	6.48	6.48		
A:B:C:E	1	1.53	1.53		
D:E	1	8.40	8.40		
A:D:E	1	5.28	5.28		
B:D:E	1	0.28	0.28		
A:B:D:E	1	0.60	0.60		
C:D:E	1	0.85	0.85		
A:C:D:E	1	0.55	0.55		
B:C:D:E	1	6.30	6.30		
A:B:C:D:E	1	0.50	0.50		

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	48.2	0	0			
A-	-24.3	0	0			
A+	0.0	0	0			
B-	-5.0	0	0			
B+	0.0	0	0			
A-:B-	4.8	0	0			
A-:B+	0.0	0	0			
A+:B-	0.0	0	0			
A+:B+	0.0	0	0			

C-	-10.4	0	0
C+	0.0	0	0
A-:C-	19.5	0	0
A-:C+	0.0	0	0
A+:C-	0.0	0	0
A+:C+	0.0	0	0
B-:C-	23.4	0	0
B-:C+	0.0	0	0
B+:C-	0.0	0	0
B+:C+	0.0	0	0
A-:B-:C-	-38.1	0	0
A-:B-:C+	0.0	0	0
A-:B+:C-	0.0	0	0
A-:B+:C+	0.0	0	0
A+:B-:C-	0.0	0	0
A+:B-:C+	0.0	0	0
A+:B+:C-	0.0	0	0
A+:B+:C+	0.0	0	0
D-	-3.8	0	0
D+	0.0	0	0
A-:D-	34.5	0	0
A-:D+	0.0	0	0
A+:D-	0.0	0	0
A+:D+	0.0	0	0
B-:D-	5.4	0	0
B-:D+	0.0	0	0
B+:D-	0.0	0	0
B+:D+	0.0	0	0
A-:B-:D-	-16.3	0	0
A-:B-:D+	0.0	0	0
A-:B+:D-	0.0	0	0
A-:B+:D+	0.0	0	0
A+:B-:D-	0.0	0	0
A+:B-:D+	0.0	0	0
A+:B+:D-	0.0	0	0
A+:B+:D+	0.0	0	0
C-:D-	17.3	0	0
C-:D+	0.0	0	0
C+:D-	0.0	0	0
C+:D+	0.0	0	0
A-:C-:D-	-18.1	0	0
A-:C-:D+	0.0	0	0
A-:C+:D-	0.0	0	0
A-:C+:D+	0.0	0	0
A+:C-:D-	0.0	0	0
A+:C-:D+	0.0	0	0
A+:C+:D-	0.0	0	0
A+:C+:D+	0.0	0	0

B-:C-:D-	-36.9	0	0
B-:C-:D+	0.0	0	0
B-:C+:D-	0.0	0	0
B-:C+:D+	0.0	0	0
B+:C-:D-	0.0	0	0
B+:C-:D+	0.0	0	0
B+:C+:D-	0.0	0	0
B+:C+:D+	0.0	0	0
A-:B-:C-:D-	56.8	0	0
A-:B-:C-:D+	0.0	0	0
A-:B-:C+:D-	0.0	0	0
A-:B-:C+:D+	0.0	0	0
A-:B+:C-:D-	0.0	0	0
A-:B+:C-:D+	0.0	0	0
A-:B+:C+:D-	0.0	0	0
A-:B+:C+:D+	0.0	0	0
A+:B-:C-:D-	0.0	0	0
A+:B-:C-:D+	0.0	0	0
A+:B-:C+:D-	0.0	0	0
A+:B-:C+:D+	0.0	0	0
A+:B+:C-:D-	0.0	0	0
A+:B+:C-:D+	0.0	0	0
A+:B+:C+:D-	0.0	0	0
A+:B+:C+:D+	0.0	0	0
E-	1.3	0	0
E+	0.0	0	0
A-:E-	-13.9	0	0
A-:E+	0.0	0	0
A+:E-	0.0	0	0
A+:E+	0.0	0	0
B-:E-	3.0	0	0
B-:E+	0.0	0	0
B+:E-	0.0	0	0
B+:E+	0.0	0	0
A-:B-:E-	-0.8	0	0
A-:B-:E+	0.0	0	0
A-:B+:E-	0.0	0	0
A-:B+:E+	0.0	0	0
A+:B-:E-	0.0	0	0
A+:B-:E+	0.0	0	0
A+:B+:E-	0.0	0	0
A+:B+:E+	0.0	0	0
C-:E-	2.7	0	0
C-:E+	0.0	0	0
C+:E-	0.0	0	0
C+:E+	0.0	0	0
A-:C-:E-	2.5	0	0
A-:C-:E+	0.0	0	0

A-:C+:E-	0.0	0	0
A-:C+:E+	0.0	0	0
A+:C-:E-	0.0	0	0
A+:C-:E+	0.0	0	0
A+:C+:E-	0.0	0	0
A+:C+:E+	0.0	0	0
B-:C-:E-	-6.4	0	0
B-:C-:E+	0.0	0	0
B-:C+:E-	0.0	0	0
B-:C+:E+	0.0	0	0
B+:C-:E-	0.0	0	0
B+:C-:E+	0.0	0	0
B+:C+:E-	0.0	0	0
B+:C+:E+	0.0	0	0
A-:B-:C-:E-	-1.5	0	0
A-:B-:C-:E+	0.0	0	0
A-:B-:C+:E-	0.0	0	0
A-:B-:C+:E+	0.0	0	0
A-:B+:C-:E-	0.0	0	0
A-:B+:C-:E+	0.0	0	0
A-:B+:C+:E-	0.0	0	0
A-:B+:C+:E+	0.0	0	0
A+:B-:C-:E-	0.0	0	0
A+:B-:C-:E+	0.0	0	0
A+:B-:C+:E-	0.0	0	0
A+:B-:C+:E+	0.0	0	0
A+:B+:C-:E-	0.0	0	0
A+:B+:C-:E+	0.0	0	0
A+:B+:C+:E-	0.0	0	0
A+:B+:C+:E+	0.0	0	0
D-:E-	3.0	0	0
D-:E+	0.0	0	0
D+:E-	0.0	0	0
D+:E+	0.0	0	0
A-:D-:E-	2.2	0	0
A-:D-:E+	0.0	0	0
A-:D+:E-	0.0	0	0
A-:D+:E+	0.0	0	0
A+:D-:E-	0.0	0	0
A+:D-:E+	0.0	0	0
A+:D+:E-	0.0	0	0
A+:D+:E+	0.0	0	0
B-:D-:E-	-4.9	0	0
B-:D-:E+	0.0	0	0
B-:D+:E-	0.0	0	0
B-:D+:E+	0.0	0	0
B+:D-:E-	0.0	0	0
B+:D-:E+	0.0	0	0

B+:D+:E-	0.0	0	0
B+:D+:E+	0.0	0	0
A-:B-:D-:E-	4.2	0	0
A-:B-:D-:E+	0.0	0	0
A-:B-:D+:E-	0.0	0	0
A-:B-:D+:E+	0.0	0	0
A-:B+:D-:E-	0.0	0	0
A-:B+:D-:E+	0.0	0	0
A-:B+:D+:E-	0.0	0	0
A-:B+:D+:E+	0.0	0	0
A+:B-:D-:E-	0.0	0	0
A+:B-:D-:E+	0.0	0	0
A+:B-:D+:E-	0.0	0	0
A+:B-:D+:E+	0.0	0	0
A+:B+:D-:E-	0.0	0	0
A+:B+:D-:E+	0.0	0	0
A+:B+:D+:E-	0.0	0	0
A+:B+:D+:E+	0.0	0	0
C-:D-:E-	-4.8	0	0
C-:D-:E+	0.0	0	0
C-:D+:E-	0.0	0	0
C-:D+:E+	0.0	0	0
C+:D-:E-	0.0	0	0
C+:D-:E+	0.0	0	0
C+:D+:E-	0.0	0	0
C+:D+:E+	0.0	0	0
A-:C-:D-:E-	-0.1	0	0
A-:C-:D-:E+	0.0	0	0
A-:C-:D+:E-	0.0	0	0
A-:C-:D+:E+	0.0	0	0
A-:C+:D-:E-	0.0	0	0
A-:C+:D-:E+	0.0	0	0
A-:C+:D+:E-	0.0	0	0
A-:C+:D+:E+	0.0	0	0
A+:C-:D-:E-	0.0	0	0
A+:C-:D-:E+	0.0	0	0
A+:C-:D+:E-	0.0	0	0
A+:C-:D+:E+	0.0	0	0
A+:C+:D-:E-	0.0	0	0
A+:C+:D-:E+	0.0	0	0
A+:C+:D+:E-	0.0	0	0
A+:C+:D+:E+	0.0	0	0
B-:C-:D-:E-	9.1	0	0
B-:C-:D-:E+	0.0	0	0
B-:C-:D+:E-	0.0	0	0
B-:C-:D+:E+	0.0	0	0
B-:C+:D-:E-	0.0	0	0
B-:C+:D-:E+	0.0	0	0

B-:C+:D+:E-	0.0	0	0
B-:C+:D+:E+	0.0	0	0
B+:C-:D-:E-	0.0	0	0
B+:C-:D-:E+	0.0	0	0
B+:C-:D+:E-	0.0	0	0
B+:C-:D+:E+	0.0	0	0
B+:C+:D-:E-	0.0	0	0
B+:C+:D-:E+	0.0	0	0
B+:C+:D+:E-	0.0	0	0
B+:C+:D+:E+	0.0	0	0
A-:B-:C-:D-:E-	-4.0	0	0
A-:B-:C-:D-:E+	0.0	0	0
A-:B-:C-:D+:E-	0.0	0	0
A-:B-:C-:D+:E+	0.0	0	0
A-:B-:C+:D-:E-	0.0	0	0
A-:B-:C+:D-:E+	0.0	0	0
A-:B-:C+:D+:E-	0.0	0	0
A-:B-:C+:D+:E+	0.0	0	0
A-:B+:C-:D-:E-	0.0	0	0
A-:B+:C-:D-:E+	0.0	0	0
A-:B+:C-:D+:E-	0.0	0	0
A-:B+:C-:D+:E+	0.0	0	0
A-:B+:C+:D-:E-	0.0	0	0
A-:B+:C+:D-:E+	0.0	0	0
A-:B+:C+:D+:E-	0.0	0	0
A-:B+:C+:D+:E+	0.0	0	0
A+:B-:C-:D-:E-	0.0	0	0
A+:B-:C-:D-:E+	0.0	0	0
A+:B-:C-:D+:E-	0.0	0	0
A+:B-:C-:D+:E+	0.0	0	0
A+:B-:C+:D-:E-	0.0	0	0
A+:B-:C+:D-:E+	0.0	0	0
A+:B-:C+:D+:E-	0.0	0	0
A+:B-:C+:D+:E+	0.0	0	0
A+:B+:C-:D-:E-	0.0	0	0
A+:B+:C-:D-:E+	0.0	0	0
A+:B+:C-:D+:E-	0.0	0	0
A+:B+:C-:D+:E+	0.0	0	0
A+:B+:C+:D-:E-	0.0	0	0
A+:B+:C+:D-:E+	0.0	0	0
A+:B+:C+:D+:E-	0.0	0	0
A+:B+:C+:D+:E+	0.0	0	0

### 10.6.3 p335

(176) MODEL

```

gear$A = as.numeric(as.character(gear$A))
gear$B = as.numeric(as.character(gear$B))
gear$C = as.numeric(as.character(gear$C))
gear$P = as.numeric(as.character(gear$P))
gear$Q = as.numeric(as.character(gear$Q))
REG(y ~ A*B*C + P + Q + A:P + A:Q + B:P + B:Q + C:P + C:Q, gear) # OK

```

	Estimate	Std. Error	Df	t value	Pr(> t )
(Intercept)	15.4062		0		
A	-4.9062		0		
B	-0.1562		0		
A:B	0.5312		0		
C	3.9688		0		
A:C	2.9062		0		
B:C	0.4062		0		
A:B:C	0.5938		0		
P	-2.3438		0		
Q	-3.4062		0		
A:P	-0.9062		0		
A:Q	-0.3438		0		
B:P	1.0938		0		
B:Q	0.1562		0		
C:P	-0.2812		0		
C:Q	0.7812		0		

## 10.7 Chapter 9

### 10.7.1 p349

(177) MODEL

```
GLM(pl ~ Subject + Period + Treat, antifungal) # OK
```

```
$ANOVA
Response : pl
          Df  Sum Sq Mean Sq F value Pr(>F)
MODEL      18 118.558  6.5866  1.4435 0.2388
RESIDUALS   15  68.444  4.5630
CORRECTED TOTAL 33 187.002
```

```
$`Type I` 
          Df  Sum Sq Mean Sq F value Pr(>F)
Subject  16 114.642  7.1651  1.5703 0.1942
Period    1   0.922  0.9224  0.2021 0.6594
Treat     1   2.993  2.9932  0.6560 0.4306
```

```

$`Type II`  

      Df  Sum Sq Mean Sq F value Pr(>F)  

Subject 16 114.642 7.1651 1.5703 0.1942  

Period   1  0.734  0.7344 0.1609 0.6939  

Treat    1  2.993  2.9932 0.6560 0.4306  

  

$`Type III`  

      Df  Sum Sq Mean Sq F value Pr(>F)  

Subject 16 114.642 7.1651 1.5703 0.1942  

Period   1  0.734  0.7344 0.1609 0.6939  

Treat    1  2.993  2.9932 0.6560 0.4306  

  

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 11.9000      0 1.60208 15 7.4278 2.121e-06 ***  

Subject1     -0.4500      0 2.13611 15 -0.2107 0.83598  

Subject2     -1.5500      0 2.13611 15 -0.7256 0.47924  

Subject3      2.7500      0 2.13611 15 1.2874 0.21747  

Subject4      0.4500      0 2.13611 15 0.2107 0.83598  

Subject5      2.8000      0 2.13611 15 1.3108 0.20964  

Subject6      5.2500      0 2.13611 15 2.4577 0.02663 *  

Subject7      1.4500      0 2.13611 15 0.6788 0.50760  

Subject8      0.8500      0 2.13611 15 0.3979 0.69630  

Subject9      2.3500      0 2.13611 15 1.1001 0.28862  

Subject10     3.2000      0 2.13611 15 1.4981 0.15487  

Subject11     1.1500      0 2.13611 15 0.5384 0.59823  

Subject12     0.5000      0 2.13611 15 0.2341 0.81810  

Subject13     -2.9500      0 2.13611 15 -1.3810 0.18750  

Subject14     1.2500      0 2.13611 15 0.5852 0.56713  

Subject15     1.3500      0 2.13611 15 0.6320 0.53691  

Subject16     0.4500      0 2.13611 15 0.2107 0.83598  

Subject17     0.0000      0 0.00000 15  

Period1      -0.2944      0 0.73395 15 -0.4012 0.69395  

Period2      0.0000      0 0.00000 15  

TreatA       0.5944      0 0.73395 15 0.8099 0.43065  

TreatB       0.0000      0 0.00000 15  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.7.2 p355

(178) MODEL

```
GLM(y ~ Group + Subject:Group + Period + Treat + Carry, bioequiv) # OK
```

\$ANOVA

```

Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      39 417852 10714.1  20.367 < 2.2e-16 ***
RESIDUALS   68 35772   526.1
CORRECTED TOTAL 107 453624
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
          Df Sum Sq Mean Sq F value    Pr(>F)
Group       1 43335  43335 82.3763  2.46e-13 ***
Group:Subject 34 370970  10911 20.7406 < 2.2e-16 ***
Period      2    287     143  0.2723   0.7624
Treat        1   2209    2209  4.1993   0.0443 *
Carry        1   1051    1051  1.9970   0.1622
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
          Df Sum Sq Mean Sq F value    Pr(>F)
Group       1 32616  32616 61.9998 3.712e-11 ***
Group:Subject 34 370970  10911 20.7406 < 2.2e-16 ***
Period      1    38     38  0.0724   0.7888
Treat        1   2209    2209  4.1993   0.0443 *
Carry        1   1051    1051  1.9970   0.1622
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
CAUTION: Singularity Exists !
          Df Sum Sq Mean Sq F value    Pr(>F)
Group       1 32616  32616 61.9998 3.712e-11 ***
Group:Subject 34 370970  10911 20.7406 < 2.2e-16 ***
Period      1    38     38  0.0724   0.7888
Treat        1   2209    2209  4.1993   0.0443 *
Carry        1   1051    1051  1.9970   0.1622
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
          Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)  60.210        0   14.2178 68  4.2349 7.030e-05 ***
Group1       275.892       0   18.7922 68 14.6812 < 2.2e-16 ***
Group2       0.000        0   0.0000 68
Group1:Subject1 0
Group1:Subject2 -227.030      0   18.7273 68 -12.1230 < 2.2e-16 ***
Group1:Subject3 -177.713      0   18.7273 68 -9.4896 4.441e-14 ***
Group1:Subject4 0

```

Group1:Subject5		0				
Group1:Subject6	-40.340	0	18.7273	68	-2.1541	0.0347809 *
Group1:Subject7		0				
Group1:Subject8	-295.857	0	18.7273	68	-15.7982	< 2.2e-16 ***
Group1:Subject9		0				
Group1:Subject10	-274.273	0	18.7273	68	-14.6457	< 2.2e-16 ***
Group1:Subject11		0				
Group1:Subject12	-289.343	0	18.7273	68	-15.4504	< 2.2e-16 ***
Group1:Subject13	-244.527	0	18.7273	68	-13.0573	< 2.2e-16 ***
Group1:Subject14	-214.220	0	18.7273	68	-11.4389	< 2.2e-16 ***
Group1:Subject15		0				
Group1:Subject16		0				
Group1:Subject17		0				
Group1:Subject18	-256.807	0	18.7273	68	-13.7130	< 2.2e-16 ***
Group1:Subject19	-167.663	0	18.7273	68	-8.9529	4.106e-13 ***
Group1:Subject21	-196.253	0	18.7273	68	-10.4796	8.882e-16 ***
Group1:Subject23	-282.743	0	18.7273	68	-15.0980	< 2.2e-16 ***
Group1:Subject24		0				
Group1:Subject25		0				
Group1:Subject26	-175.620	0	18.7273	68	-9.3778	7.061e-14 ***
Group1:Subject27		0				
Group1:Subject28	-224.523	0	18.7273	68	-11.9891	< 2.2e-16 ***
Group1:Subject30		0				
Group1:Subject31	-231.780	0	18.7273	68	-12.3766	< 2.2e-16 ***
Group1:Subject32		0				
Group1:Subject33		0				
Group1:Subject34	-208.733	0	18.7273	68	-11.1460	< 2.2e-16 ***
Group1:Subject35		0				
Group1:Subject36	-236.827	0	18.7273	68	-12.6461	< 2.2e-16 ***
Group1:Subject120		0				
Group1:Subject122		0				
Group1:Subject129	0.000	0	0.0000	68		
Group2:Subject1	-12.267	0	18.7273	68	-0.6550	0.5146667
Group2:Subject2		0				
Group2:Subject3		0				
Group2:Subject4	97.027	0	18.7273	68	5.1810	2.142e-06 ***
Group2:Subject5	67.423	0	18.7273	68	3.6003	0.0005992 ***
Group2:Subject6		0				
Group2:Subject7	20.703	0	18.7273	68	1.1055	0.2728310
Group2:Subject8		0				
Group2:Subject9	13.143	0	18.7273	68	0.7018	0.4851810
Group2:Subject10		0				
Group2:Subject11	102.857	0	18.7273	68	5.4924	6.396e-07 ***
Group2:Subject12		0				
Group2:Subject13		0				
Group2:Subject14		0				
Group2:Subject15	-1.000	0	18.7273	68	-0.0534	0.9575713
Group2:Subject16	47.123	0	18.7273	68	2.5163	0.0142246 *

Group2:Subject17	4.540	0	18.7273	68	0.2424	0.8091787					
Group2:Subject18		0									
Group2:Subject19		0									
Group2:Subject21		0									
Group2:Subject23		0									
Group2:Subject24	25.713	0	18.7273	68	1.3730	0.1742498					
Group2:Subject25	37.693	0	18.7273	68	2.0128	0.0481026 *					
Group2:Subject26		0									
Group2:Subject27	29.563	0	18.7273	68	1.5786	0.1190628					
Group2:Subject28		0									
Group2:Subject30	2.340	0	18.7273	68	0.1250	0.9009306					
Group2:Subject31		0									
Group2:Subject32	58.270	0	18.7273	68	3.1115	0.0027208 **					
Group2:Subject33	39.150	0	18.7273	68	2.0905	0.0403104 *					
Group2:Subject34		0									
Group2:Subject35	14.293	0	18.7273	68	0.7632	0.4479620					
Group2:Subject36		0									
Group2:Subject120	11.667	0	18.7273	68	0.6230	0.5353829					
Group2:Subject122	0.000	0	0.0000	68							
Group2:Subject129		0									
Period1	-1.329	0	6.0442	68	-0.2199	0.8265839					
Period2	-1.454	0	5.4061	68	-0.2690	0.7887545					
Period3	0.000	0	0.0000	68							
TreatA	-9.594	0	4.6818	68	-2.0492	0.0443021 *					
TreatB	0.000	0	0.0000	68							
CarryA	-7.640	0	5.4061	68	-1.4132	0.1621674					
CarryB	0.000	0	0.0000	68							
Carrynone	0.000	0	0.0000	68							
---											
Signif. codes:	0	'***'	0.001	'**'	0.01	'*'	0.05	'..'	0.1	' '	1

### (179) MODEL

```
GLM(y ~ Subject + Period + Treat + Carry, bioequiv) # OK
```

```
$ANOVA
Response : y
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL      39 417852 10714.1 20.367 < 2.2e-16 ***
RESIDUALS   68 35772   526.1
CORRECTED TOTAL 107 453624
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`
          Df Sum Sq Mean Sq F value Pr(>F)
Subject 35 414306 11837.3 22.5016 <2e-16 ***
```

```

Period   2     287    143.3  0.2723 0.7624
Treat    1     2209   2209.1  4.1993 0.0443 *
Carry    1     1051   1050.6  1.9970 0.1622
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

      Df Sum Sq Mean Sq F value Pr(>F)  

Subject 35 403586 11531.0 21.9194 <2e-16 ***  

Period   1     38    38.1  0.0724 0.7888  

Treat    1     2209   2209.1  4.1993 0.0443 *  

Carry    1     1051   1050.6  1.9970 0.1622
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

CAUTION: Singularity Exists !  

      Df Sum Sq Mean Sq F value Pr(>F)  

Subject 35 403586 11531.0 21.9194 <2e-16 ***  

Period   1     38    38.1  0.0724 0.7888  

Treat    1     2209   2209.1  4.1993 0.0443 *  

Carry    1     1051   1050.6  1.9970 0.1622
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept) 336.10        0    13.9585 68  24.0787 < 2.2e-16 ***  

Subject1    -288.16        0    18.7922 68 -15.3340 < 2.2e-16 ***  

Subject2    -227.03        0    18.7273 68 -12.1230 < 2.2e-16 ***  

Subject3    -177.71        0    18.7273 68 -9.4896 4.441e-14 ***  

Subject4    -178.87        0    18.7922 68 -9.5181 3.952e-14 ***  

Subject5    -208.47        0    18.7922 68 -11.0934 < 2.2e-16 ***  

Subject6    -40.34         0    18.7273 68 -2.1541  0.03478 *  

Subject7    -255.19        0    18.7922 68 -13.5795 < 2.2e-16 ***  

Subject8    -295.86        0    18.7273 68 -15.7982 < 2.2e-16 ***  

Subject9    -262.75        0    18.7922 68 -13.9818 < 2.2e-16 ***  

Subject10   -274.27        0    18.7273 68 -14.6457 < 2.2e-16 ***  

Subject11   -173.04        0    18.7922 68 -9.2078 1.426e-13 ***  

Subject12   -289.34        0    18.7273 68 -15.4504 < 2.2e-16 ***  

Subject13   -244.53        0    18.7273 68 -13.0573 < 2.2e-16 ***  

Subject14   -214.22        0    18.7273 68 -11.4389 < 2.2e-16 ***  

Subject15   -276.89        0    18.7922 68 -14.7344 < 2.2e-16 ***  

Subject16   -228.77        0    18.7922 68 -12.1736 < 2.2e-16 ***  

Subject17   -271.35        0    18.7922 68 -14.4396 < 2.2e-16 ***  

Subject18   -256.81        0    18.7273 68 -13.7130 < 2.2e-16 ***  

Subject19   -167.66        0    18.7273 68 -8.9529 4.106e-13 ***  

Subject21   -196.25        0    18.7273 68 -10.4796 8.882e-16 ***

```

```

Subject23    -282.74      0   18.7273 68 -15.0980 < 2.2e-16 ***
Subject24    -250.18      0   18.7922 68 -13.3129 < 2.2e-16 ***
Subject25    -238.20      0   18.7922 68 -12.6754 < 2.2e-16 ***
Subject26    -175.62      0   18.7273 68 -9.3778 7.061e-14 ***
Subject27    -246.33      0   18.7922 68 -13.1080 < 2.2e-16 ***
Subject28    -224.52      0   18.7273 68 -11.9891 < 2.2e-16 ***
Subject29    -273.55      0   18.7922 68 -14.5567 < 2.2e-16 ***
Subject30    -231.78      0   18.7273 68 -12.3766 < 2.2e-16 ***
Subject31    -217.62      0   18.7922 68 -11.5805 < 2.2e-16 ***
Subject32    -236.74      0   18.7922 68 -12.5979 < 2.2e-16 ***
Subject33    -208.73      0   18.7273 68 -11.1460 < 2.2e-16 ***
Subject34    -261.60      0   18.7922 68 -13.9206 < 2.2e-16 ***
Subject35    -236.83      0   18.7273 68 -12.6461 < 2.2e-16 ***
Subject120   -264.23      0   18.7922 68 -14.0604 < 2.2e-16 ***
Subject122   -275.89      0   18.7922 68 -14.6812 < 2.2e-16 ***
Subject129    0.00       0   0.0000 68
Period1     -1.33       0   6.0442 68 -0.2199   0.82658
Period2     -1.45       0   5.4061 68 -0.2690   0.78875
Period3     0.00       0   0.0000 68
TreatA      -9.59       0   4.6818 68 -2.0492   0.04430 *
TreatB      0.00       0   0.0000 68
CarryA      -7.64       0   5.4061 68 -1.4132   0.16217
CarryB      0.00       0   0.0000 68
Carrynone   0.00       0   0.0000 68
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.7.3 p361

(180) MODEL

```
GLM(Time ~ Subject + Period + Treat + Carry, chipman) # OK
```

```

$ANOVA
Response : Time
          Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL        17 28.0757 1.65151  64.421 1.139e-12 ***
RESIDUALS    18  0.4615 0.02564
CORRECTED TOTAL 35 28.5372
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I` 
          Df  Sum Sq Mean Sq F value    Pr(>F)
Subject  11 24.2084 2.20076 85.8462 3.157e-13 ***
Period    2  3.2065 1.60325 62.5388 7.894e-09 ***

```

```

Treat      2  0.4276 0.21382  8.3406  0.002733 **
Carry      2  0.2332 0.11660  4.5484  0.025188 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II`  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

Subject 11 24.2547 2.20497 86.0105 3.104e-13 ***  

Period   1  0.0018 0.00184  0.0717 0.7919554  

Treat     2  0.6392 0.31958 12.4661 0.0004003 ***  

Carry     2  0.2332 0.11660  4.5484 0.0251881 *  

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type III`  

CAUTION: Singularity Exists !  

      Df  Sum Sq Mean Sq F value    Pr(>F)  

Subject 11 24.2547 2.20497 86.0105 3.104e-13 ***  

Period   1  0.0018 0.00184  0.0717 0.7919554  

Treat     2  0.6392 0.31958 12.4661 0.0004003 ***  

Carry     2  0.2332 0.11660  4.5484 0.0251881 *  

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$Parameter  

      Estimate Estimable Std. Error Df t value Pr(>|t|)  

(Intercept)  7.2383          0  0.142461 18 50.8091 < 2.2e-16 ***  

Subject1     -1.9179          0  0.134755 18 -14.2326 3.093e-11 ***  

Subject2     -1.4912          0  0.134755 18 -11.0664 1.838e-09 ***  

Subject3      0.4200          0  0.130732 18   3.2127 0.0048259 **  

Subject4     -1.1700          0  0.130732 18  -8.9496 4.788e-08 ***  

Subject5      0.3621          0  0.134755 18   2.6870 0.0150624 *  

Subject6     -0.3046          0  0.134755 18  -2.2603 0.0364348 *  

Subject7     -1.6946          0  0.134755 18  -12.5753 2.366e-10 ***  

Subject8     -1.3746          0  0.134755 18  -10.2006 6.573e-09 ***  

Subject9     -1.5446          0  0.134755 18  -11.4622 1.052e-09 ***  

Subject10     0.1288          0  0.134755 18   0.9554 0.3520132  

Subject11     -1.2033         0  0.130732 18  -9.2046 3.148e-08 ***  

Subject12     0.0000          0  0.000000 18  

Period1      0.4550          0  0.086471 18   5.2619 5.286e-05 ***  

Period2     -0.0175          0  0.065366 18  -0.2677 0.7919554  

Period3      0.0000          0  0.000000 18  

Treat1     -0.2654          0  0.073081 18  -3.6318 0.0019073 **  

Treat2     -0.3496          0  0.073081 18  -4.7835 0.0001487 ***  

Treat3      0.0000          0  0.000000 18  

Carry0      0.0000          0  0.000000 18  

Carry1     -0.2337          0  0.098049 18  -2.3840 0.0283404 *  

Carry2     -0.2737          0  0.098049 18  -2.7920 0.0120418 *

```

```

Carry3      0.0000      0  0.000000 18
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### 10.7.4 p372

(181) MODEL

```

residue$lc1 = log(residue$X1)
residue$lc2 = log(residue$X2)
residue$lc3 = log(residue$X3)
residue$lc4 = log(residue$X4)
residue$lc5 = log(residue$X5)
residue$sp = 7*residue$lc2+ 14*residue$lc3 + 30*residue$lc4 + 60*residue$lc5
residue$sm = residue$lc1 + residue$lc2+ residue$lc3 + residue$lc4 + residue$lc5
residue$num = 5*residue$sp - 111*residue$sm
residue$den = 5*4745 - 111^2
residue$k = residue$num/residue$den
residue$HL = -log(2)/residue$k
residue$logHL = log(residue$HL)
GLM(logHL ~ temp*moisture*soil, residue) # OK

```

```

$ANOVA
Response : logHL
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       7 7.5133 1.07332 13.543 0.0007329 ***
RESIDUALS   8 0.6340 0.07925
CORRECTED TOTAL 15 8.1473
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
          Df Sum Sq Mean Sq F value    Pr(>F)
temp        1 6.0503 6.0503 76.3427 2.303e-05 ***
moisture    1 0.9521 0.9521 12.0134 0.008492 **
temp:moisture 1 0.0013 0.0013 0.0162 0.901779
soil         1 0.4098 0.4098 5.1712 0.052559 .
temp:soil    1 0.0086 0.0086 0.1081 0.750753
moisture:soil 1 0.0860 0.0860 1.0855 0.327921
temp:moisture:soil 1 0.0051 0.0051 0.0648 0.805427
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
          Df Sum Sq Mean Sq F value    Pr(>F)
temp        1 6.0503 6.0503 76.3427 2.303e-05 ***

```

```

moisture           1 0.9521  0.9521 12.0134  0.008492 **
temp:moisture     1 0.0013  0.0013  0.0162  0.901779
soil              1 0.4098  0.4098  5.1712  0.052559 .
temp:soil         1 0.0086  0.0086  0.1081  0.750753
moisture:soil     1 0.0860  0.0860  1.0855  0.327921
temp:moisture:soil 1 0.0051  0.0051  0.0648  0.805427
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
temp	1	6.0503	6.0503	76.3427	2.303e-05 ***
moisture	1	0.9521	0.9521	12.0134	0.008492 **
temp:moisture	1	0.0013	0.0013	0.0162	0.901779
soil	1	0.4098	0.4098	5.1712	0.052559 .
temp:soil	1	0.0086	0.0086	0.1081	0.750753
moisture:soil	1	0.0860	0.0860	1.0855	0.327921
temp:moisture:soil	1	0.0051	0.0051	0.0648	0.805427

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	4.2566	0	0.19906	8	21.3832	2.407e-08 ***
temp10	1.2582	0	0.28152	8	4.4695	0.002085 **
temp30	0.0000	0	0.00000	8		
moistureH	-0.3591	0	0.28152	8	-1.2757	0.237854
moistureL	0.0000	0	0.00000	8		
temp10:moistureH	0.0358	0	0.39813	8	0.0900	0.930514
temp10:moistureL	0.0000	0	0.00000	8		
temp30:moistureH	0.0000	0	0.00000	8		
temp30:moistureL	0.0000	0	0.00000	8		
soilC	0.4772	0	0.28152	8	1.6950	0.128514
soilP	0.0000	0	0.00000	8		
temp10:soilC	-0.0209	0	0.39813	8	-0.0524	0.959466
temp10:soilP	0.0000	0	0.00000	8		
temp30:soilC	0.0000	0	0.00000	8		
temp30:soilP	0.0000	0	0.00000	8		
moistureH:soilC	-0.2216	0	0.39813	8	-0.5567	0.592977
moistureH:soilP	0.0000	0	0.00000	8		
moistureL:soilC	0.0000	0	0.00000	8		
moistureL:soilP	0.0000	0	0.00000	8		
temp10:moistureH:soilC	-0.1434	0	0.56303	8	-0.2546	0.805427
temp10:moistureH:soilP	0.0000	0	0.00000	8		
temp10:moistureL:soilC	0.0000	0	0.00000	8		
temp10:moistureL:soilP	0.0000	0	0.00000	8		
temp30:moistureH:soilC	0.0000	0	0.00000	8		
temp30:moistureH:soilP	0.0000	0	0.00000	8		

```

temp30:moistureL:soilC  0.0000      0  0.00000  8
temp30:moistureL:soilP  0.0000      0  0.00000  8
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.8 Chapter 11

### 10.8.1 p461

(182) MODEL

```
GLM(y ~ x1 + x2 + x1:x2 + x1:x3 + x2:x3, pest) # OK
```

```

$ANOVA
Response : y
      Df  Sum Sq Mean Sq F value    Pr(>F)
MODEL      5 275.642 55.128 160.38 4.631e-07 ***
RESIDUALS   7   2.406   0.344
CORRECTED TOTAL 12 278.048
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type I`
      Df  Sum Sq Mean Sq F value    Pr(>F)
x1      1  83.402  83.402 242.6351 1.086e-06 ***
x2      1 161.734 161.734 470.5191 1.116e-07 ***
x1:x2  1   0.246   0.246   0.7169 0.4251627
x1:x3  1  15.663  15.663  45.5660 0.0002649 ***
x2:x3  1  14.596  14.596  42.4614 0.0003291 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`
      Df  Sum Sq Mean Sq F value    Pr(>F)
x1      1 215.951 215.951 628.246 4.105e-08 ***
x2      1 175.256 175.256 509.855 8.458e-08 ***
x1:x2  1   0.025   0.025   0.072 0.7961658
x1:x3  1  14.539  14.539  42.298 0.0003330 ***
x2:x3  1  14.596  14.596  42.461 0.0003291 ***
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`
      Df  Sum Sq Mean Sq F value    Pr(>F)
x1      1 178.372 178.372 518.922 7.958e-08 ***
x2      1 145.518 145.518 423.341 1.608e-07 ***

```

```

x1:x2 1 0.025 0.025 0.072 0.7961658
x1:x3 1 14.539 14.539 42.298 0.0003330 ***
x2:x3 1 14.596 14.596 42.461 0.0003291 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Std. Error Df t value Pr(>|t|)
(Intercept) 65.375    0.52373 7 124.8256 5.587e-13 ***
x1          -16.482   0.72352 7 -22.7799 7.958e-08 ***
x2          -14.992   0.72864 7 -20.5752 1.608e-07 ***
x1:x2        -0.665   2.47759 7 -0.2684 0.7961658
x1:x3        -16.113   2.47759 7 -6.5037 0.0003330 ***
x2:x3        -16.919   2.59646 7 -6.5162 0.0003291 ***
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.8.2 p469

(183) MODEL

```
GLM(y ~ x1 + x2 + x1:x2 + x1:x3 + x2:x3 + x1:x2:x3, polvdat) # OK
```

```

$ANOVA
Response : y
      Df Sum Sq Mean Sq F value Pr(>F)
MODEL       6 12.5313 2.08854 37.056 0.0005473 ***
RESIDUALS    5 0.2818 0.05636
CORRECTED TOTAL 11 12.8131
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
      Df Sum Sq Mean Sq F value Pr(>F)
x1      1 5.4668 5.4668 96.9942 0.0001839 ***
x2      1 0.3660 0.3660 6.4944 0.0513654 .
x1:x2    1 4.6897 4.6897 83.2068 0.0002652 ***
x1:x3    1 1.2450 1.2450 22.0887 0.0053378 **
x2:x3    1 0.4707 0.4707 8.3509 0.0341949 *
x1:x2:x3 1 0.2931 0.2931 5.2004 0.0714991 .
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type II` 
      Df Sum Sq Mean Sq F value Pr(>F)
x1      1 0.0184 0.0184 0.3265 0.5924707

```

```

x2      1 0.2419  0.2419  4.2911  0.0930613 .
x1:x2    1 3.8824  3.8824  68.8834  0.0004147 ***
x1:x3    1 1.4383  1.4383  25.5196  0.0039276 **
x2:x3    1 0.4707  0.4707  8.3509  0.0341949 *
x1:x2:x3 1 0.2931  0.2931  5.2004  0.0714991 .

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df  Sum Sq Mean Sq F value Pr(>F)  

x1      1 0.25744 0.25744  4.5677 0.08562 .  

x2      1 0.12956 0.12956  2.2987 0.18992  

x1:x2    1 0.65909 0.65909 11.6939 0.01885 *  

x1:x3    1 0.26323 0.26323  4.6704 0.08307 .  

x2:x3    1 0.12999 0.12999  2.3063 0.18931  

x1:x2:x3 1 0.29310 0.29310  5.2004 0.07150 .  

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Std. Error Df t value Pr(>|t|)  

(Intercept) 1.2367    1.6150   5  0.7657  0.47840  

x1          3.1892    1.4922   5  2.1372  0.08562 .  

x2          2.2814    1.5047   5  1.5162  0.18992  

x1:x2       6.9004    2.0179   5  3.4196  0.01885 *  

x1:x3       8.9528    4.1427   5  2.1611  0.08307 .  

x2:x3       5.3135    3.4988   5  1.5187  0.18931  

x1:x2:x3   25.5460   11.2023  5  2.2804  0.07150 .  

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.8.3 p482

(184) MODEL

```

REG(y ~ x1 + x2 + x3 + x1:x2 + x1:x3 + x2:x3 + x1:z1 + x2:z1 + x3:z1 +
     x1:x2:z1 + x1:x3:z1 + x2:x3:z1 + x1:z2 + x2:z2 + x3:z2 +
     x1:x2:z2 + x1:x3:z2 + x2:x3:z2 + x1:z1:z2 + x2:z1:z2 + x3:z1:z2 +
     x1:x2:z1:z2 + x1:x3:z1:z2 + x2:x3:z1:z2 - 1, MPV) # OK

```

	Estimate	Std. Error	Df	t value	Pr(> t )
x1	346948	294197	11	1.1793	0.2631550
x2	8223	490	11	16.7869	3.467e-09 ***
x3	1656	459	11	3.6104	0.0040950 **
x1:x2	-414463	312262	11	-1.3273	0.2113017
x1:x3	-334747	311426	11	-1.0749	0.3054382

```

x2:x3      -6476      1199 11 -5.4032 0.0002156 ***
x1:z1      103044     328922 11  0.3133 0.7599297
x2:z1      -2241      548 11 -4.0924 0.0017824 **
x3:z1      823        513 11  1.6056 0.1366709
x1:x2:z1   -64013     349120 11 -0.1834 0.8578546
x1:x3:z1   -123730    348184 11 -0.3554 0.7290412
x2:x3:z1   4659       1340 11  3.4765 0.0051806 **
x1:z2      244320     328922 11  0.7428 0.4731733
x2:z2      886        548 11  1.6187 0.1338108
x3:z2      86         513 11  0.1670 0.8704301
x1:x2:z2   -266052    349120 11 -0.7621 0.4620497
x1:x3:z2   -253151    348184 11 -0.7271 0.4823761
x2:x3:z2   -1822      1340 11 -1.3593 0.2012686
x1:z1:z2   259038     328922 11  0.7875 0.4476062
x2:z1:z2   -137       548 11 -0.2500 0.8071853
x3:z1:z2   100        513 11  0.1955 0.8485983
x1:x2:z1:z2 -269527   349120 11 -0.7720 0.4563702
x1:x3:z1:z2 -269249   348184 11 -0.7733 0.4556454
x2:x3:z1:z2 -328       1340 11 -0.2448 0.8111141
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 10.9 Chapter 12

### 10.9.1 p513

(185) MODEL

```
GLM(ybar ~ A + B + C + D + E + F + G, tile) # OK
```

```
$ANOVA
Response : ybar
          Df  Sum Sq Mean Sq F value Pr(>F)
MODEL      7  0.68737 0.098196
RESIDUALS  0  0.00000
CORRECTED TOTAL 7  0.68737

$`Type I`
          Df  Sum Sq Mean Sq F value Pr(>F)
A  1  0.04984 0.04984
B  1  0.01992 0.01992
C  1  0.51534 0.51534
D  1  0.01532 0.01532
E  1  0.05965 0.05965
F  1  0.00879 0.00879
G  1  0.01851 0.01851
```

```

$`Type II`  

  Df Sum Sq Mean Sq F value Pr(>F)  

A 1 0.04984 0.04984  

B 1 0.01992 0.01992  

C 1 0.51534 0.51534  

D 1 0.01532 0.01532  

E 1 0.05965 0.05965  

F 1 0.00879 0.00879  

G 1 0.01851 0.01851

$`Type III`  

  Df Sum Sq Mean Sq F value Pr(>F)  

A 1 0.04984 0.04984  

B 1 0.01992 0.01992  

C 1 0.51534 0.51534  

D 1 0.01532 0.01532  

E 1 0.05965 0.05965  

F 1 0.00879 0.00879  

G 1 0.01851 0.01851

$Parameter  

      Estimate Std. Error Df t value Pr(>|t|)  

(Intercept) 0.74246 0  

A 0.07893 0  

B -0.04990 0  

C 0.25381 0  

D -0.04376 0  

E 0.08635 0  

F 0.03314 0  

G -0.04810 0

```

### (186) MODEL

```
GLM(lns2 ~ A + B + C + D + E + F + G, tile) # OK
```

```
$ANOVA  

Response : lns2  

      Df Sum Sq Mean Sq F value Pr(>F)  

MODEL 7 12.305 1.7578  

RESIDUALS 0 0.000  

CORRECTED TOTAL 7 12.305
```

```
$`Type I`  

  Df Sum Sq Mean Sq F value Pr(>F)  

A 1 1.6436 1.6436  

B 1 0.3109 0.3109
```

```

C 1 7.1858 7.1858
D 1 2.3199 2.3199
E 1 0.0248 0.0248
F 1 0.7379 0.7379
G 1 0.0820 0.0820

$`Type II`
  Df Sum Sq Mean Sq F value Pr(>F)
A 1 1.6436 1.6436
B 1 0.3109 0.3109
C 1 7.1858 7.1858
D 1 2.3199 2.3199
E 1 0.0248 0.0248
F 1 0.7379 0.7379
G 1 0.0820 0.0820

$`Type III`
  Df Sum Sq Mean Sq F value Pr(>F)
A 1 1.6436 1.6436
B 1 0.3109 0.3109
C 1 7.1858 7.1858
D 1 2.3199 2.3199
E 1 0.0248 0.0248
F 1 0.7379 0.7379
G 1 0.0820 0.0820

$Parameter
  Estimate Std. Error Df t value Pr(>|t|)
(Intercept) -2.62342      0
A            0.45326      0
B            -0.19715     0
C            0.94775      0
D            0.53851      0
E            0.05564      0
F            0.30372      0
G            -0.10125     0

```

## 10.9.2 p521

(187) MODEL

```

strng = reshape(tile,
  direction = "long",
  varying = list(c("y1", "y2")),
  v.names = "y",
  idvar = c("A", "B", "C", "D", "E", "F", "G"),
  timevar = "H",

```

```

  times = c(-1, 1))
GLM(y ~ A/H + B/H + C/H + D/H + E/H + F/H + G/H, strng) # OK

```

\$ANOVA  
 Response : y

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	14	1.65427	0.11816	0.1433	0.9807
RESIDUALS	1	0.82473	0.82473		
CORRECTED TOTAL	15	2.47901			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.09968	0.09968	0.1209	0.7870
A:H	1	0.04015	0.04015	0.0487	0.8618
B	1	0.03984	0.03984	0.0483	0.8623
H:B	1	0.00043	0.00043	0.0005	0.9854
C	1	1.03069	1.03069	1.2497	0.4646
H:C	1	0.15307	0.15307	0.1856	0.7410
D	1	0.03064	0.03064	0.0372	0.8788
H:D	1	0.04690	0.04690	0.0569	0.8510
E	1	0.11929	0.11929	0.1446	0.7686
H:E	1	0.01883	0.01883	0.0228	0.9045
F	1	0.01758	0.01758	0.0213	0.9077
H:F	1	0.01384	0.01384	0.0168	0.9180
G	1	0.03702	0.03702	0.0449	0.8671
H:G	1	0.00632	0.00632	0.0077	0.9444

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.09968	0.09968	0.1209	0.7870
A:H	1	0.04015	0.04015	0.0487	0.8618
B	1	0.03984	0.03984	0.0483	0.8623
H:B	1	0.00043	0.00043	0.0005	0.9854
C	1	1.03069	1.03069	1.2497	0.4646
H:C	1	0.15307	0.15307	0.1856	0.7410
D	1	0.03064	0.03064	0.0372	0.8788
H:D	1	0.04690	0.04690	0.0569	0.8510
E	1	0.11929	0.11929	0.1446	0.7686
H:E	1	0.01883	0.01883	0.0228	0.9045
F	1	0.01758	0.01758	0.0213	0.9077
H:F	1	0.01384	0.01384	0.0168	0.9180
G	1	0.03702	0.03702	0.0449	0.8671
H:G	1	0.00632	0.00632	0.0077	0.9444

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.09968	0.09968	0.1209	0.7870

```

A:H 1 0.04015 0.04015 0.0487 0.8618
B 1 0.03984 0.03984 0.0483 0.8623
H:B 1 0.00043 0.00043 0.0005 0.9854
C 1 1.03069 1.03069 1.2497 0.4646
H:C 1 0.15307 0.15307 0.1856 0.7410
D 1 0.03064 0.03064 0.0372 0.8788
H:D 1 0.04690 0.04690 0.0569 0.8510
E 1 0.11929 0.11929 0.1446 0.7686
H:E 1 0.01883 0.01883 0.0228 0.9045
F 1 0.01758 0.01758 0.0213 0.9077
H:F 1 0.01384 0.01384 0.0168 0.9180
G 1 0.03702 0.03702 0.0449 0.8671
H:G 1 0.00632 0.00632 0.0077 0.9444

```

#### \$Parameter

	Estimate	Std. Error	Df	t value	Pr(> t )
(Intercept)	0.74246	0.22704	1	3.2702	0.1889
A	0.07893	0.22704	1	0.3477	0.7870
A:H	0.05009	0.22704	1	0.2206	0.8618
B	-0.04990	0.22704	1	-0.2198	0.8623
H:B	0.00520	0.22704	1	0.0229	0.9854
C	0.25381	0.22704	1	1.1179	0.4646
H:C	0.09781	0.22704	1	0.4308	0.7410
D	-0.04376	0.22704	1	-0.1928	0.8788
H:D	0.05414	0.22704	1	0.2385	0.8510
E	0.08635	0.22704	1	0.3803	0.7686
H:E	0.03431	0.22704	1	0.1511	0.9045
F	0.03314	0.22704	1	0.1460	0.9077
H:F	0.02941	0.22704	1	0.1296	0.9180
G	-0.04810	0.22704	1	-0.2119	0.8671
H:G	0.01987	0.22704	1	0.0875	0.9444

### 10.9.3 p525

#### (188) MODEL

```

prod2 = af(prodstd, 1:7)
GLM(Pof ~ A + B + C + D + E + F + G + A:G + A:E:F + B:E:G + C:E:G + C:E:G:F +
    D:E + D:F, prod2) # OK

```

\$ANOVA

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	47	769.49	16.3721	5.1667	2.737e-05 ***
RESIDUALS	24	76.05	3.1688		
CORRECTED TOTAL	71	845.54			

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type I`  
Df Sum Sq Mean Sq F value Pr(>F)  
A 2 50.577 25.288 7.9806 0.0022023 \*\*  
B 2 13.384 6.692 2.1118 0.1429491  
C 2 68.594 34.297 10.8234 0.0004463 \*\*\*  
D 2 23.674 11.837 3.7355 0.0386914 \*  
E 1 275.733 275.733 87.0165 1.878e-09 \*\*\*  
F 1 161.700 161.700 51.0296 2.204e-07 \*\*\*  
G 1 1.051 1.051 0.3318 0.5699896  
A:G 2 26.567 13.284 4.1921 0.0274494 \*  
A:E:F 7 28.404 4.058 1.2806 0.3013844  
B:E:G 7 22.453 3.208 1.0123 0.4475160  
C:E:G 6 35.546 5.924 1.8696 0.1277692  
C:E:F:G 10 24.607 2.461 0.7766 0.6500534  
D:E 2 21.745 10.873 3.4312 0.0489076 \*  
D:F 2 15.450 7.725 2.4379 0.1086730

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type II`  
Df Sum Sq Mean Sq F value Pr(>F)  
A 2 50.577 25.288 7.9806 0.0022023 \*\*  
B 2 13.384 6.692 2.1118 0.1429491  
C 2 68.594 34.297 10.8234 0.0004463 \*\*\*  
D 2 23.674 11.837 3.7355 0.0386914 \*  
E 1 275.733 275.733 87.0165 1.878e-09 \*\*\*  
F 1 161.700 161.700 51.0296 2.204e-07 \*\*\*  
G 1 1.051 1.051 0.3318 0.5699896  
A:G 2 26.567 13.284 4.1921 0.0274494 \*  
A:E:F 6 24.623 4.104 1.2951 0.2970196  
B:E:G 6 19.770 3.295 1.0398 0.4246194  
C:E:G 6 35.546 5.924 1.8696 0.1277692  
C:E:F:G 10 24.607 2.461 0.7766 0.6500534  
D:E 2 21.745 10.873 3.4312 0.0489076 \*  
D:F 2 15.450 7.725 2.4379 0.1086730

---  
Signif. codes: 0 '\*\*\*' 0.001 '\*\*' 0.01 '\*' 0.05 '.' 0.1 ' ' 1

\$`Type III`  
CAUTION: Singularity Exists !

Df Sum Sq Mean Sq F value Pr(>F)  
A 2 50.577 25.288 7.9806 0.0022023 \*\*  
B 2 13.384 6.692 2.1118 0.1429491  
C 2 68.594 34.297 10.8234 0.0004463 \*\*\*  
D 2 23.674 11.837 3.7355 0.0386914 \*

```

E      1 275.733 275.733 87.0165 1.878e-09 ***
F      1 161.700 161.700 51.0296 2.204e-07 ***
G      1 1.051   1.051   0.3318 0.5699896
A:G    2 26.567  13.284  4.1921 0.0274494 *
A:E:F  6 24.623  4.104   1.2951 0.2970196
B:E:G  6 19.770  3.295   1.0398 0.4246194
C:E:G  6 35.546  5.924   1.8696 0.1277692
C:E:F:G 10 24.607  2.461   0.7766 0.6500534
D:E    2 21.745  10.873  3.4312 0.0489076 *
D:F    2 15.450  7.725   2.4379 0.1086730
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept) 23.9833        0 1.45344 24 16.5010 1.332e-14 ***
A1          -4.1208        0 1.14905 24 -3.5863 0.001487 **
A2          -0.1792        0 1.14905 24 -0.1559 0.877395
A3          0.0000        0 0.00000 24
B1          -1.9500        0 1.02774 24 -1.8974 0.069875 .
B2          -0.3000        0 1.02774 24 -0.2919 0.772869
B3          0.0000        0 0.00000 24
C1          0.3000        0 1.45344 24 0.2064 0.838215
C2          2.6333        0 1.45344 24 1.8118 0.082552 .
C3          0.0000        0 0.00000 24
D1          1.6042        0 0.89005 24 1.8023 0.084067 .
D2          0.2958        0 0.89005 24 0.3324 0.742489
D3          0.0000        0 0.00000 24
E1          -4.2111        0 1.96797 24 -2.1398 0.042742 *
E2          0.0000        0 0.00000 24
F1          -3.1556        0 1.78010 24 -1.7727 0.088975 .
F2          0.0000        0 0.00000 24
G1          0.0889        0 1.78010 24 0.0499 0.960588
G2          0.0000        0 0.00000 24
A1:G1       2.9750        0 1.02774 24 2.8947 0.007959 **
A1:G2       0.0000        0 0.00000 24
A2:G1       1.4250        0 1.02774 24 1.3865 0.178329
A2:G2       0.0000        0 0.00000 24
A3:G1       0.0000        0 0.00000 24
A3:G2       0.0000        0 0.00000 24
A1:E1:F1   2.2667        0 2.78313 24 0.8144 0.423407
A1:E1:F2   2.6333        0 1.45344 24 1.8118 0.082552 .
A1:E2:F1   2.7833        0 1.45344 24 1.9150 0.067486 .
A1:E2:F2   0.0000        0 0.00000 24
A2:E1:F1   1.9667        0 2.78313 24 0.7066 0.486596
A2:E1:F2   1.3500        0 1.45344 24 0.9288 0.362226
A2:E2:F1   -0.1000       0 1.45344 24 -0.0688 0.945717
A2:E2:F2   0.0000        0 0.00000 24

```

A3:E1:F1	1.6333	0	2.37346	24	0.6882	0.497948
A3:E1:F2	0.0000	0	0.00000	24		
A3:E2:F1	0.0000	0	0.00000	24		
A3:E2:F2	0.0000	0	0.00000	24		
B1:E1:G1	-1.6278	0	2.78313	24	-0.5849	0.564092
B1:E1:G2	2.3667	0	1.45344	24	1.6283	0.116516
B1:E2:G1	1.3000	0	1.45344	24	0.8944	0.379976
B1:E2:G2	0.0000	0	0.00000	24		
B2:E1:G1	-3.5611	0	2.78313	24	-1.2795	0.212941
B2:E1:G2	1.3500	0	1.45344	24	0.9288	0.362226
B2:E2:G1	1.8333	0	1.45344	24	1.2614	0.219298
B2:E2:G2	0.0000	0	0.00000	24		
B3:E1:G1	-3.1611	0	2.37346	24	-1.3319	0.195419
B3:E1:G2	0.0000	0	0.00000	24		
B3:E2:G1	0.0000	0	0.00000	24		
B3:E2:G2	0.0000	0	0.00000	24		
C1:E1:G1	-1.9333	0	2.05548	24	-0.9406	0.356294
C1:E1:G2	-2.9000	0	2.05548	24	-1.4109	0.171117
C1:E2:G1	-3.4333	0	2.05548	24	-1.6703	0.107846
C1:E2:G2	0.0000	0	0.00000	24		
C2:E1:G1	-2.4000	0	2.05548	24	-1.1676	0.254434
C2:E1:G2	-5.5667	0	2.05548	24	-2.7082	0.012273 *
C2:E2:G1	-4.3333	0	2.05548	24	-2.1082	0.045643 *
C2:E2:G2	0.0000	0	0.00000	24		
C3:E1:G1	0.0000	0	0.00000	24		
C3:E1:G2	0.0000	0	0.00000	24		
C3:E2:G1	0.0000	0	0.00000	24		
C3:E2:G2	0.0000	0	0.00000	24		
C1:E1:F1:G1	1.3000	0	2.05548	24	0.6325	0.533069
C1:E1:F1:G2	-1.7333	0	2.05548	24	-0.8433	0.407402
C1:E1:F2:G1	0.0000	0	0.00000	24		
C1:E1:F2:G2	0.0000	0	0.00000	24		
C1:E2:F1:G1	-1.5000	0	2.05548	24	-0.7298	0.472602
C1:E2:F1:G2	-0.1000	0	2.05548	24	-0.0487	0.961600
C1:E2:F2:G1	0.0000	0	0.00000	24		
C1:E2:F2:G2	0.0000	0	0.00000	24		
C2:E1:F1:G1	0.5667	0	2.05548	24	0.2757	0.785149
C2:E1:F1:G2	2.6333	0	2.05548	24	1.2811	0.212390
C2:E1:F2:G1	0.0000	0	0.00000	24		
C2:E1:F2:G2	0.0000	0	0.00000	24		
C2:E2:F1:G1	0.9667	0	2.05548	24	0.4703	0.642395
C2:E2:F1:G2	-1.5667	0	2.05548	24	-0.7622	0.453373
C2:E2:F2:G1	0.0000	0	0.00000	24		
C2:E2:F2:G2	0.0000	0	0.00000	24		
C3:E1:F1:G1	1.8000	0	2.05548	24	0.8757	0.389869
C3:E1:F1:G2	0.0000	0	0.00000	24		
C3:E1:F2:G1	0.0000	0	0.00000	24		
C3:E1:F2:G2	0.0000	0	0.00000	24		

```

C3:E2:F1:G1 -0.3333      0  2.05548 24 -0.1622  0.872531
C3:E2:F1:G2  0.0000      0  0.00000 24
C3:E2:F2:G1  0.0000      0  0.00000 24
C3:E2:F2:G2  0.0000      0  0.00000 24
D1:E1        -0.2583      0  1.02774 24 -0.2514  0.803675
D1:E2        0.0000      0  0.00000 24
D2:E1        2.1917      0  1.02774 24  2.1325  0.043397 *
D2:E2        0.0000      0  0.00000 24
D3:E1        0.0000      0  0.00000 24
D3:E2        0.0000      0  0.00000 24
D1:F1        -0.2417      0  1.02774 24 -0.2351  0.816092
D1:F2        0.0000      0  0.00000 24
D2:F1        -2.0750      0  1.02774 24 -2.0190  0.054793 .
D2:F2        0.0000      0  0.00000 24
D3:F1        0.0000      0  0.00000 24
D3:F2        0.0000      0  0.00000 24
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

#### 10.9.4 p532

(189) MODEL

```
GLM(torque ~ A + B + C + D + E + A:B + A:C + A:D + A:E, Smotor) # OK
```

```

$ANOVA
Response : torque
          Df   Sum Sq   Mean Sq F value    Pr(>F)
MODEL       15 0.0112217 0.00074811 102.2 0.009731 **
RESIDUALS    2 0.00000146 0.000000732
CORRECTED TOTAL 17 0.0112363
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

$`Type I` 
          Df   Sum Sq   Mean Sq F value    Pr(>F)
A         1 0.0039545 0.0039545 540.2187 0.001846 ***
B         2 0.0003817 0.0001909  26.0732 0.036937 *
C         2 0.0057241 0.0028620 390.9837 0.002551 ***
D         2 0.0000265 0.0000133   1.8104 0.355820
E         1 0.0000984 0.0000984  13.4406 0.067009 .
A:B       2 0.0010068 0.0005034  68.7668 0.014333 *
A:C       2 0.0000031 0.0000016   0.2134 0.824110
A:D       2 0.0000009 0.0000004   0.0599 0.943521
A:E       1 0.0000258 0.0000258   3.5198 0.201458
---

```

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type II`  

      Df   Sum Sq  Mean Sq  F value  Pr(>F)  

A     1 0.0039545 0.0039545 540.2187 0.001846 **  

B     2 0.0003817 0.0001909 26.0732 0.036937 *  

C     2 0.0032014 0.0016007 218.6753 0.004552 **  

D     2 0.0000268 0.0000134  1.8319 0.353123  

E     1 0.0000423 0.0000423  5.7744 0.138172  

A:B   2 0.0010068 0.0005034 68.7668 0.014333 *  

A:C   2 0.0000031 0.0000016  0.2134 0.824110  

A:D   2 0.0000052 0.0000026  0.3536 0.738760  

A:E   1 0.0000258 0.0000258  3.5198 0.201458  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$`Type III`  

      Df   Sum Sq  Mean Sq  F value  Pr(>F)  

A     1 0.0034241 0.0034241 467.7636 0.002131 **  

B     2 0.0003817 0.0001909 26.0732 0.036937 *  

C     2 0.0032014 0.0016007 218.6753 0.004552 **  

D     2 0.0000268 0.0000134  1.8319 0.353123  

E     1 0.0000423 0.0000423  5.7744 0.138172  

A:B   2 0.0010068 0.0005034 68.7668 0.014333 *  

A:C   2 0.0000031 0.0000016  0.2134 0.824110  

A:D   2 0.0000052 0.0000026  0.3536 0.738760  

A:E   1 0.0000258 0.0000258  3.5198 0.201458  

---  

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter  

      Estimate Estimable Std. Error Df  t value  Pr(>|t|)  

(Intercept) 0.289577          0 0.0034044  2  85.0589 0.0001382 ***  

A1           -0.032740         0 0.0042779  2  -7.6533 0.0166477 *  

A2           0.000000         0 0.0000000  2  

B1           -0.009206         0 0.0022091  2  -4.1673 0.0530418 .  

B2           0.013405         0 0.0022091  2   6.0681 0.0260991 *  

B3           0.000000         0 0.0000000  2  

C1           -0.040333         0 0.0030249  2  -13.3336 0.0055778 **  

C2           -0.023615         0 0.0030249  2  -7.8068 0.0160147 *  

C3           0.000000         0 0.0000000  2  

D1           0.004119         0 0.0030249  2   1.3617 0.3063965  

D2           0.004196         0 0.0027056  2   1.5509 0.2610866  

D3           0.000000         0 0.0000000  2  

E1           -0.001008         0 0.0027056  2  -0.3726 0.7452485  

E2           0.000000         0 0.0000000  2  

A1:B1        0.029389         0 0.0031241  2   9.4070 0.0111124 *  

A1:B2        -0.004253        0 0.0031241  2  -1.3612 0.3065165

```

```

A1:B3      0.000000      0  0.0000000  2
A2:B1      0.000000      0  0.0000000  2
A2:B2      0.000000      0  0.0000000  2
A2:B3      0.000000      0  0.0000000  2
A1:C1     -0.002699      0  0.0042779  2  -0.6310  0.5925465
A1:C2     -0.001250      0  0.0042779  2  -0.2923  0.7976178
A1:C3      0.000000      0  0.0000000  2
A2:C1      0.000000      0  0.0000000  2
A2:C2      0.000000      0  0.0000000  2
A2:C3      0.000000      0  0.0000000  2
A1:D1     -0.003579      0  0.0042779  2  -0.8367  0.4908121
A1:D2     -0.001141      0  0.0038262  2  -0.2983  0.7935889
A1:D3      0.000000      0  0.0000000  2
A2:D1      0.000000      0  0.0000000  2
A2:D2      0.000000      0  0.0000000  2
A2:D3      0.000000      0  0.0000000  2
A1:E1     -0.007178      0  0.0038262  2  -1.8761  0.2014578
A1:E2      0.000000      0  0.0000000  2
A2:E1      0.000000      0  0.0000000  2
A2:E2      0.000000      0  0.0000000  2
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

### 10.9.5 p535

(190) MODEL

```
GLM(shrinkage ~ A + B + C + D + E + F + G + A:B + A:C + A:D + A:E + A:F + A:G +
    B:D, inject) # OK
```

```
$ANOVA
Response : shrinkage
          Df Sum Sq Mean Sq F value    Pr(>F)
MODEL       14 6659.4  475.67  129.08 1.97e-05 ***
RESIDUALS    5   18.4    3.68
CORRECTED TOTAL 19 6677.8
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$`Type I`
          Df Sum Sq Mean Sq  F value    Pr(>F)
A      1  770.1   770.1  208.9722 2.858e-05 ***
B      1 5076.6  5076.6 1377.6289 2.674e-07 ***
C      1    3.1     3.1   0.8311  0.403773
D      1    7.6     7.6   2.0522  0.211416
E      1    0.6     0.6   0.1526  0.712112
```

F	1	0.6	0.6	0.1526	0.712112
G	1	95.1	95.1	25.7972	0.003837 **
A:B	1	564.1	564.1	153.0699	6.112e-05 ***
A:C	1	10.6	10.6	2.8664	0.151230
A:D	1	115.6	115.6	31.3602	0.002508 **
A:E	1	14.1	14.1	3.8161	0.108185
A:F	1	1.6	1.6	0.4240	0.543677
A:G	1	0.1	0.1	0.0170	0.901459
B:D	1	0.1	0.1	0.0170	0.901459
<hr/>					
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1					

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	770.1	770.1	208.9722	2.858e-05 ***
B	1	5076.6	5076.6	1377.6289	2.674e-07 ***
C	1	3.1	3.1	0.8311	0.403773
D	1	7.6	7.6	2.0522	0.211416
E	1	0.6	0.6	0.1526	0.712112
F	1	0.6	0.6	0.1526	0.712112
G	1	95.1	95.1	25.7972	0.003837 **
A:B	1	564.1	564.1	153.0699	6.112e-05 ***
A:C	1	10.6	10.6	2.8664	0.151230
A:D	1	115.6	115.6	31.3602	0.002508 **
A:E	1	14.1	14.1	3.8161	0.108185
A:F	1	1.6	1.6	0.4240	0.543677
A:G	1	0.1	0.1	0.0170	0.901459
B:D	1	0.1	0.1	0.0170	0.901459
<hr/>					
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1					

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	770.1	770.1	208.9722	2.858e-05 ***
B	1	5076.6	5076.6	1377.6289	2.674e-07 ***
C	1	3.1	3.1	0.8311	0.403773
D	1	7.6	7.6	2.0522	0.211416
E	1	0.6	0.6	0.1526	0.712112
F	1	0.6	0.6	0.1526	0.712112
G	1	95.1	95.1	25.7972	0.003837 **
A:B	1	564.1	564.1	153.0699	6.112e-05 ***
A:C	1	10.6	10.6	2.8664	0.151230
A:D	1	115.6	115.6	31.3602	0.002508 **
A:E	1	14.1	14.1	3.8161	0.108185
A:F	1	1.6	1.6	0.4240	0.543677
A:G	1	0.1	0.1	0.0170	0.901459
B:D	1	0.1	0.1	0.0170	0.901459
<hr/>					

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
$Parameter
```

	Estimate	Std. Error	Df	t value	Pr(> t )
(Intercept)	27.1000	0.42924	5	63.1343	1.887e-08 ***
A	6.9375	0.47991	5	14.4559	2.858e-05 ***
B	17.8125	0.47991	5	37.1164	2.674e-07 ***
C	-0.4375	0.47991	5	-0.9116	0.403773
D	0.6875	0.47991	5	1.4326	0.211416
E	0.1875	0.47991	5	0.3907	0.712112
F	0.1875	0.47991	5	0.3907	0.712112
G	-2.4375	0.47991	5	-5.0791	0.003837 **
A:B	5.9375	0.47991	5	12.3721	6.112e-05 ***
A:C	-0.8125	0.47991	5	-1.6930	0.151230
A:D	-2.6875	0.47991	5	-5.6000	0.002508 **
A:E	-0.9375	0.47991	5	-1.9535	0.108185
A:F	0.3125	0.47991	5	0.6512	0.543677
A:G	-0.0625	0.47991	5	-0.1302	0.901459
B:D	-0.0625	0.47991	5	-0.1302	0.901459

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

## 10.9.6 p539

```
(191) MODEL
```

```
eptax = cbind(eptaxr[1:16,], y2=eptaxr[17:32,9], y3=eptaxr[33:48,9],  
               y5=eptaxr[49:64,9])  
eptax$ybar = (eptax$y + eptax$y2 + eptax$y3 + eptax$y5)/4  
GLM(ybar ~ A + B + C + D + E + F + G + H + A:B + A:C + A:D + A:E + A:F + A:G +  
     A:H, eptax) # OK
```

```
$ANOVA
```

```
Response : ybar
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL	15	2.8452	0.18968		
RESIDUALS	0	0.0000			
CORRECTED TOTAL	15	2.8452			

```
$`Type I`
```

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.02686	0.02686		
B	1	0.00042	0.00042		
C	1	0.06306	0.06306		
D	1	2.49443	2.49443		
E	1	0.00304	0.00304		

F	1	0.03209	0.03209
G	1	0.02954	0.02954
H	1	0.12879	0.12879
A:B	1	0.00047	0.00047
A:C	1	0.03218	0.03218
A:D	1	0.01185	0.01185
A:E	1	0.00380	0.00380
A:F	1	0.01674	0.01674
A:G	1	0.00186	0.00186
A:H	1	0.00012	0.00012

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.02686	0.02686		
B	1	0.00042	0.00042		
C	1	0.06306	0.06306		
D	1	2.49443	2.49443		
E	1	0.00304	0.00304		
F	1	0.03209	0.03209		
G	1	0.02954	0.02954		
H	1	0.12879	0.12879		
A:B	1	0.00047	0.00047		
A:C	1	0.03218	0.03218		
A:D	1	0.01185	0.01185		
A:E	1	0.00380	0.00380		
A:F	1	0.01674	0.01674		
A:G	1	0.00186	0.00186		
A:H	1	0.00012	0.00012		

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
A	1	0.02686	0.02686		
B	1	0.00042	0.00042		
C	1	0.06306	0.06306		
D	1	2.49443	2.49443		
E	1	0.00304	0.00304		
F	1	0.03209	0.03209		
G	1	0.02954	0.02954		
H	1	0.12879	0.12879		
A:B	1	0.00047	0.00047		
A:C	1	0.03218	0.03218		
A:D	1	0.01185	0.01185		
A:E	1	0.00380	0.00380		
A:F	1	0.01674	0.01674		
A:G	1	0.00186	0.00186		
A:H	1	0.00012	0.00012		

\$Parameter

	Estimate	Std. Error	Df	t value	Pr(> t )
(Intercept)	14.3612		0		
A	-0.0410		0		
B	0.0051		0		
C	-0.0628		0		
D	-0.3948		0		
E	-0.0138		0		
F	0.0448		0		
G	-0.0430		0		
H	0.0897		0		
A:B	0.0054		0		
A:C	-0.0448		0		
A:D	0.0272		0		
A:E	0.0154		0		
A:F	0.0323		0		
A:G	-0.0108		0		
A:H	0.0028		0		

## 11 Searle - Linear Models 2e

### Reference

- Searle SR, Gruber MHJ. Linear Models 2e, Kindle Edition. John Wiley & Sons Inc. 2016.

### 11.1 7.2 (p390, 59%)

(192) MODEL

```
weight = c(8,13,9,12,7,11,6,12,12,14,9,7,14,16,10,14,11,13)
treatment = c("ta","ta","ta","ta","ta","tb","tb","tb","tb","tc","tc","tc",
             "tc","tc","tc")
variety = c("va","va","va","vc","vd","vd","va","va","vb","vb","vb","vb",
           "vc","vd","vd","vd")
d1 = data.frame(weight, treatment, variety)
GLM(weight ~ treatment*variety, d1)
```

\$ANOVA

```
Response : weight
            Df Sum Sq Mean Sq F value Pr(>F)
MODEL          7    82   11.714  2.0918  0.14
RESIDUALS      10    56    5.600
CORRECTED TOTAL 17   138
```

\$`Type I`

```
            Df Sum Sq Mean Sq F value Pr(>F)
treatment      2 10.500   5.250  0.9375 0.42348
variety        3 36.786  12.262  2.1896 0.15232
treatment:variety  2 34.714  17.357  3.0995 0.08965 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type II`

```
            Df Sum Sq Mean Sq F value Pr(>F)
treatment      2  9.486  4.7429  0.8469 0.45731
variety        3 36.786 12.2619  2.1896 0.15232
treatment:variety  2 34.714 17.3571  3.0995 0.08965 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

\$`Type III`

```
            Df Sum Sq Mean Sq F value Pr(>F)
treatment      2 12.471  6.2353  1.1134 0.36595
variety        3 34.872 11.6240  2.0757 0.16719
treatment:variety  2 34.714 17.3571  3.0995 0.08965 .
```

```

---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

$Parameter
      Estimate Estimable Std. Error Df t value Pr(>|t|)
(Intercept)     12          0    1.1832 10 10.1419 1.397e-06 ***
treatmentta     -3          0    2.0494 10 -1.4639   0.17395
treatmenttb      5          0    2.3664 10  2.1129   0.06075 .
treatmenttc      0          0    0.0000 10
varietyva      -8          0    3.1305 10 -2.5555   0.02859 *
varietyvb      -4          0    2.0494 10 -1.9518   0.07951 .
varietyvc       3          0    2.0494 10  1.4639   0.17395
varietyvd       0          0    0.0000 10
treatmentta:varietyva  9          0    3.8035 10  2.3662   0.03953 *
treatmentta:varietyvb  0
treatmentta:varietyvc  0          0    3.5496 10  0.0000   1.00000
treatmentta:varietyvd  0          0    0.0000 10
treatmenttb:varietyva  0          0    0.0000 10
treatmenttb:varietyvb  0          0    0.0000 10
treatmenttb:varietyvc  0
treatmenttb:varietyvd  0
treatmenttc:varietyva  0
treatmenttc:varietyvb  0          0    0.0000 10
treatmenttc:varietyvc  0          0    0.0000 10
treatmenttc:varietyvd  0          0    0.0000 10
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts = c("contr.sum", "contr.poly"))
Anova(lm(weight ~ treatment*variety, d1), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

```

Response: weight
      Sum Sq Df F values Pr(>F)
treatment      0.000  0
variety        0.000  0
treatment:variety 34.714  2  3.0995 0.08965 .
Residuals     56.000 10
---
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

## 11.2 7.2 (p393, 60%)

(193) MODEL

```

percent = c(31,33,44,36,38,26,37,59,42,42,34,42,28,39,36,32,38,42,36,22,42,46,
          26,37,43)
refinery = c(rep("g",9),rep("n",8),rep("s",8))
process = as.factor(c(1,1,1,1,1,1,2,2,2,1,1,1,2,2,2,2,1,1,1,2,2,2,2))
source0 = c("t","t","t","t","o","m","t","t","o","m","i","i","i","t","o","m","m",
           "t","o","i","o","o","m","i","i")
d2 = data.frame(percent, refinery, process, source=source0)
GLM(percent ~ refinery*source, d2)

```

\$ANOVA

	Response : percent	Df	Sum Sq	Mean Sq	F value	Pr(>F)
MODEL		10	442.56	44.256	0.6361	0.7616
RESIDUALS		14	974.00	69.571		
CORRECTED TOTAL		24	1416.56			

\$`Type I`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
refinery	2	20.963	10.481	0.1507	0.8615
source	3	266.124	88.708	1.2751	0.3212
refinery:source	5	155.474	31.095	0.4469	0.8086

\$`Type II`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
refinery	2	25.535	12.767	0.1835	0.8343
source	3	266.124	88.708	1.2751	0.3212
refinery:source	5	155.474	31.095	0.4469	0.8086

\$`Type III`

	Df	Sum Sq	Mean Sq	F value	Pr(>F)
refinery	2	10.766	5.383	0.0774	0.9259
source	3	282.633	94.211	1.3542	0.2972
refinery:source	5	155.474	31.095	0.4469	0.8086

\$Parameter

	Estimate	Estimable	Std. Error	Df	t value	Pr(> t )
(Intercept)	42.000	0	8.3409	14	5.0354	0.0001822 ***
refineryg	-2.000	0	9.0093	14	-0.2220	0.8275243
refineryn	-3.000	0	11.7959	14	-0.2543	0.8029412
refinerys	0.000	0	0.0000	14		
sourcei	-8.000	0	9.6313	14	-0.8306	0.4201255
sourcem	-16.000	0	11.7959	14	-1.3564	0.1964425
sourceo	-0.667	0	9.6313	14	-0.0692	0.9457944

```

sourcet          0.000      0    0.0000 14
refineryg:sourcei        0
refineryg:sourcem       2.000      0    14.8428 14  0.1347 0.8947314
refineryg:sourceo       0.667      0    11.7959 14  0.0565 0.9557287
refineryg:sourcet        0.000      0    0.0000 14
refineryn:sourcei       3.667      0    13.6207 14  0.2692 0.7917042
refineryn:sourcem       14.333      0    15.2284 14  0.9412 0.3625491
refineryn:sourceo      -2.333      0    15.2284 14 -0.1532 0.8804095
refineryn:sourcet        0.000      0    0.0000 14
refinerys:sourcei        0.000      0    0.0000 14
refinerys:sourcem        0.000      0    0.0000 14
refinerys:sourceo        0.000      0    0.0000 14
refinerys:sourcet        0.000      0    0.0000 14
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```

options(contrasts=c("contr.sum", "contr.poly"))
Anova(lm(percent ~ refinery*source, d2), type=3, singular.ok=TRUE) # NOT OK

```

Note: model has aliased coefficients  
sums of squares computed by model comparison

Anova Table (Type III tests)

Response: percent

	Sum Sq	Df	F values	Pr(>F)
refinery	2.52	1	0.0362	0.8518
source	268.19	2	1.9275	0.1822
refinery:source	155.47	5	0.4469	0.8086
Residuals	974.00	14		

## 12 Test Summary

Package	Version	Total Count	Identical to SAS	Different from SAS
sasLM	0.6.4	193	193 (100%)	0 (0%)
car	3.0.11	193	< 174 (90%)	=> 20 (10%)

All of the results in sasLM 0.6.4 were identical, while type III SSs of Model (83) and (84) were different from those of SAS in sasLM 0.1.2 package.

Slight differences in the last digits between type II and type III SS (when they should be same) are resulted from the round-to-even number way of R rounding function.

If you are uncertain about the equivalence of the ‘sasLM’ to ‘SAS,’ you can use ‘SAS University Edition’ for free.

If you find any discrepancies, please mail to the author, Kyun-Seop Bae k@acr.kr.

## 13 Session Information

```
R version 4.1.1 (2021-08-10)
Platform: x86_64-w64-mingw32/x64 (64-bit)
Running under: Windows 10 x64 (build 17763)
```

```
Matrix products: default
```

```
locale:
```

```
[1] LC_COLLATE=Korean_Korea.949  LC_CTYPE=Korean_Korea.949
[3] LC_MONETARY=Korean_Korea.949 LC_NUMERIC=C
[5] LC_TIME=Korean_Korea.949
```

```
attached base packages:
```

```
[1] stats      graphics   grDevices utils      datasets   methods    base
```

```
other attached packages:
```

```
[1] daewr_1.2-7     car_3.0-11      carData_3.0-4   sasLM_0.6.4    mvtnorm_1.1-3
[6] rmarkdown_2.11
```

```
loaded via a namespace (and not attached):
```

[1] tinytex_0.34	zoo_1.8-9	xfun_0.27
[4] partitions_1.10-4	haven_2.4.3	lattice_0.20-45
[7] colorspace_2.0-2	vctrs_0.3.8	htmltools_0.5.2
[10] yaml_2.2.1	gmp_0.6-2	utf8_1.2.2
[13] rlang_0.4.12	pillar_1.6.4	foreign_0.8-81
[16] readxl_1.3.1	lifecycle_1.0.1	stringr_1.4.0
[19] combinat_0.0-8	cellranger_1.1.0	DoE.base_1.2
[22] zip_2.2.0	evaluate_0.14	knitr_1.36
[25] rio_0.5.27	forcats_0.5.1	fastmap_1.1.0
[28] lmtest_0.9-38	numbers_0.8-2	curl_4.3.2
[31] fansi_0.5.0	vcd_1.4-9	conf.design_2.0.0
[34] Rcpp_1.0.7	polynom_1.4-0	scatterplot3d_0.3-41
[37] abind_1.4-5	FrF2_2.2-2	hms_1.1.1
[40] digest_0.6.28	stringi_1.7.5	openxlsx_4.2.4
[43] grid_4.1.1	mathjaxr_1.4-0	tools_4.1.1
[46] magrittr_2.0.1	tibble_3.1.5	crayon_1.4.2
[49] pkgconfig_2.0.3	ellipsis_0.3.2	MASS_7.3-54
[52] data.table_1.14.2	sfsmisc_1.1-12	igraph_1.2.7
[55] compiler_4.1.1		