

Package ‘this.path’

October 29, 2023

Version 2.2.0

Date 2023-10-29

License MIT + file LICENSE

Title Get Executing Script's Path

Description Determine the path of the executing script. Compatible with a few popular GUIs: 'Rgui', 'RStudio', 'VSCode', 'Jupyter', and 'Rscript' (shell). Compatible with several functions and packages: 'source()', 'sys.source()', 'debugSource()' in 'RStudio', 'compiler::loadcmp()', 'box::use()', 'knitr::knit()', 'plumber::plumb()', 'shiny::runApp()', 'package::targets', and 'testthat::source_file()'.

Author Iris Simmons

Maintainer Iris Simmons <ikwsimmo@gmail.com>

Suggests utils, microbenchmark

Enhances compiler, box, IRkernel, jsonlite, knitr, plumber, rprojroot, rstudioapi, shiny, targets, testthat

URL <https://github.com/ArcadeAntics/this.path>

BugReports <https://github.com/ArcadeAntics/this.path/issues>

ByteCompile TRUE

Biarch TRUE

Type Package

R topics documented:

this.path-package	2
basename2	3
check.path	4
ext	5
FILE	6
from.shell	7
getinitwd	8
here	8
LINENO	10
OS.type	11

path.functions	12
path.join	13
path.split	14
print.ThisPathDocumentContext	15
progArgs	16
relpath	18
set.gui.path	20
set.jupyter.path	22
shFILE	23
source.exprs	24
sys.path	25
Sys.putenv	30
sys.srcref	31
this.path	32
this.proj	35
try.this.path	36
tryCatch2	37
wrap.source	38

Index	47
--------------	-----------

this.path-package	<i>Get Script's Path</i>
-------------------	--------------------------

Description

Determine the path of the executing script. Compatible with a few popular GUIs: ‘Rgui’, ‘**RStudio**’, ‘**VSCode**’, ‘**Jupyter**’, and ‘Rscript’ (shell). Compatible with several functions and packages: `source()`, `sys.source()`, `debugSource()` in ‘**RStudio**’, `compiler::loadcmp()`, `box::use()`, `knitr::knit()`, `plumber::plumb()`, `shiny::runApp()`, **targets**, and `testthat::source_file()`.

Details

The most important functions from **this.path** are `this.path()`, `this.dir()`, `here()`, and `this.proj()`:

- `this.path()` returns the normalized path of the script in which it is written.
- `this.dir()` returns the directory of `this.path()`.
- `here()` constructs file paths against `this.dir()`.
- `this.proj()` constructs file paths against the project root of `this.dir()`.

this.path also provides functions for constructing and manipulating file paths:

- `path.join()`, `basename2()`, and `dirname2()` are drop in replacements for `file.path()`, `basename()`, and `dirname()` which better handle drives and network shares.
- `splitext()`, `removeext()`, `ext()`, and `ext<-()` split a path into root and extension, remove a file extension, get an extension, or set an extension for a file path.
- `path.split()`, `path.split.1()`, and `path.unsplit()` split the path to a file into components.
- `relpath()`, `rel2here()`, and `rel2proj()` turn absolute paths into relative paths.

New additions to **this.path** include:

- `with_site.file()` and `with_init.file()` allow `this.path()` and related to be used in the site-wide startup profile file or a user profile.
- `LINENO()` returns the line number of the executing expression.
- `set.sys.path()` implements `this.path()` for any `source()`-like functions outside of `source()`, `sys.source()`, `debugSource()` in 'RStudio', `compiler::loadcmp()`, `box::use()`, `knitr::knit()`, `plumber::plumb()`, `shiny::runApp()`, **targets**, and `testthat::source_file()`.
- `shFILE()` looks through the command line arguments, extracting 'FILE' from either of the following: '-f' 'FILE' or '--file=FILE'

Note

This package started from a stack overflow posting, found at:

<https://stackoverflow.com/questions/1815606/determine-path-of-the-executing-script>

If you like this package, please consider upvoting my answer so that more people will see it! If you have an issue with this package, please use `utils::bug.report(package = "this.path")` to report your issue.

Author(s)

Iris Simmons

Maintainer: Iris Simmons <ikwsimmo@gmail.com>

basename2

Manipulate File Paths

Description

`basename2()` removes all of the path up to and including the last path separator (if any).

`dirname2()` returns the part of the path up to but excluding the last path separator, or "." if there is no path separator.

Usage

```
basename2(path)
dirname2(path)
```

Arguments

path character vector, containing path names.

Details

Tilde-expansion (see `?path.expand()`) of the path will be performed.

Trailing path separators are removed before dissecting the path, and for `dirname2()` any trailing file separators are removed from the result.

Value

A character vector of the same length as `path`.

Behaviour on Windows

If path is an empty string, then both `dirname2()` and `basename2()` return an empty string.

`\` and `/` are accepted as path separators, and `dirname2()` does **NOT** translate the path separators.

Recall that a network share looks like `//host/share` and a drive looks like `d:`.

For a path which starts with a network share or drive, the path specification is the portion of the string immediately afterward, e.g. `/path/to/file` is the path specification of `//host/share/path/to/file` and `d:/path/to/file`. For a path which does not start with a network share or drive, the path specification is the entire string.

The path specification of a network share will always be empty or absolute, but the path specification of a drive does not have to be, e.g. `d:file` is a valid path despite the fact that the path specification does not start with `/`.

If the path specification of path is empty or is `/`, then `dirname2()` will return path and `basename2()` will return an empty string.

Behaviour under Unix-alikes

If path is an empty string, then both `dirname2()` and `basename2()` return an empty string.

Recall that a network share looks like `//host/share`.

For a path which starts with a network share, the path specification is the portion of the string immediately afterward, e.g. `/path/to/file` is the path specification of `//host/share/path/to/file`. For a path which does not start with a network share, the path specification is the entire string.

If the path specification of path is empty or is `/`, then `dirname2()` will return path and `basename2()` will return an empty string.

Examples

```
path <- c("/usr/lib", "/usr/", "usr", "/", ".", "..")
x <- cbind(path, dirname = dirname2(path), basename = basename2(path))
print(x, quote = FALSE, print.gap = 3)
```

check.path

Check 'this.path()' is Functioning Correctly

Description

Add `check.path("path/to/file")` to the start of your script to initialize `this.path()` and check that it is returning the expected path.

Usage

```
check.path(...)
check.dir(...)

check.proj(...)
```

Arguments

... further arguments passed to `path.join()` which must return a character string; the path you expect `this.path()` or `this.dir()` to return. The specified path can be as deep as necessary (just the basename, the last directory and the base-name, the last two directories and the basename, ...), but do not use an absolute path. `this.path()` makes R scripts portable, but using an absolute path in `check.path()` or `check.dir()` makes an R script non-portable, defeating a major purpose of this package.

Details

`check.proj()` is a specialized version of `check.path()` that checks the path all the way up to the project's directory.

Value

If the expected path // directory matches `this.path()` // `this.dir()`, then TRUE invisibly. Otherwise, an error is thrown.

Examples

```
# ## I have a project called 'EOAdjusted'
# ##
# ## Within this project, I have a folder called 'code'
# ## where I place all of my scripts.
# ##
# ## One of these scripts is called 'provr.R'
# ##
# ## So, at the top of that R script, I could write:
#
#
# this.path::check.path("EOAdjusted", "code", "provr.R")
#
# ## or:
#
# this.path::check.path("EOAdjusted/code/provr.R")
```

 ext

File Extensions

Description

`splitext()` splits an extension from a path.
`removeext()` removes an extension from a path.
`ext()` gets the extension of a path.
`ext<-()` sets the extension of a path.

Usage

```
splitext(path, compression = FALSE)
removeext(path, compression = FALSE)
ext(path, compression = FALSE)
ext(path, compression = FALSE) <- value
```

Arguments

path	character vector, containing path names.
compression	should compression extensions ".gz", ".bz2", and ".xz" be taken into account when removing // getting an extension?
value	a character vector, typically of length 1 or length(path), or NULL.

Details

Tilde-expansion (see ?path.expand()) of the path will be performed.

Trailing path separators are removed before dissecting the path.

Except for path <- NA_character_, it will always be true that path == paste0(removeext(path), ext(path)).

Value

for splitext(), a matrix with 2 rows and length(path) columns. The first row will be the roots of the paths, the second row will be the extensions of the paths.

for removeext() and ext(), a character vector the same length as path.

for ext<-(), the updated object.

Examples

```
splitext(character(0))
splitext("")

splitext("file.ext")

path <- c("file.tar.gz", "file.tar.bz2", "file.tar.xz")
splitext(path, compression = FALSE)
splitext(path, compression = TRUE)

path <- "this.path_1.0.0.tar.gz"
ext(path) <- ".png"
path

path <- "this.path_1.0.0.tar.gz"
ext(path, compression = TRUE) <- ".png"
path
```

FILE

Macros in Package 'this.path'

Description

FILE() and LINE() are intended to be used in a similar manner to the macros __FILE__ and __LINE__ in C. They are useful for generating a diagnostic message // warning // error to about the status of the program.

Usage

```
FILE()
LINE()
```

Examples

```
FILE.R <- tempfile(fileext = ".R")
writeLines("fun <- function ()
{
  message(sprintf('invalid value %d at %s, line %d',
-1, FILE(), LINE()))
}
", FILE.R)
source(FILE.R, verbose = FALSE, keep.source = TRUE)
fun()
unlink(FILE.R)
```

from.shell

Top-Level Code Environment

Description

Determine if a program is the main program, or if an R script was run from a shell.

Usage

```
from.shell()
is.main()
```

Details

When an R script is run from a shell, `from.shell()` and `is.main()` will both be TRUE. If that script sources another R script, `from.shell()` and `is.main()` will both be FALSE for the duration of the second script.

Otherwise, `from.shell()` will be FALSE. `is.main()` will be TRUE when there is no executing script or when `source()`-ing a script in a toplevel context, and FALSE otherwise.

Value

TRUE or FALSE.

Examples

```
FILES <- tempfile(c("file1_", "file2_"), fileext = ".R")
this.path:::write.code({
  from.shell()
  is.main()
}, FILES[2])
this.path:::write.code((
  bquote(this.path:::withAutoprint({
    from.shell()
    is.main()
    source(.FILES[2]), echo = TRUE, verbose = FALSE,
      prompt.echo = "file2> ", continue.echo = "file2+ ")
  }, spaced = TRUE, verbose = FALSE, width.cutoff = 60L,
    prompt.echo = "file1> ", continue.echo = "file1+ "))
), FILES[1])
```

```

this.path:::Rscript(
  c("--default-packages=this.path", "--vanilla", FILES[1])
)

this.path:::Rscript(c("--default-packages=this.path", "--vanilla",
  "-e", "cat(\n> from.shell()\n\n)",
  "-e", "from.shell()",
  "-e", "cat(\n> is.main()\n\n)",
  "-e", "is.main()",
  "-e", "cat(\n> source(commandArgs(TRUE)[[1L]]\n\n)",
  "-e", "source(commandArgs(TRUE)[[1L]]",
  FILES[1]))

unlink(FILES)

```

getinitwd

Get Initial Working Directory

Description

getinitwd() returns an absolute filepath representing the working directory at the time of loading this package.

Usage

```

getinitwd()
initwd

```

Value

getinitwd() returns a character string or NULL if the initial working directory is not available.

Examples

```

cat("\ninitial working directory:\n"); getinitwd()
cat("\ncurrent working directory:\n"); getwd()

```

here

Construct Path to File, Starting with Script's Directory

Description

Construct the path to a file from components / / paths in a platform-**DEPENDENT** way, starting with `sys.dir()`, `env.dir()`, or `this.dir()`.

Usage

```

sys.here(..., .. = 0, local = FALSE)
env.here(..., .. = 0, n = 0, envir = parent.frame(n + 1),
          matchThisEnv = getOption("topLevelEnvironment"))
src.here(..., .. = 0, n = 0,
          srcfile = if (n) sys.parent(n) else 0)

here(..., .. = 0, local = FALSE, n = 0,
      envir = parent.frame(n + 1),
      matchThisEnv = getOption("topLevelEnvironment"),
      srcfile = if (n) sys.parent(n) else 0)

## alias for 'here'
ici(..., .. = 0, local = FALSE, n = 0,
     envir = parent.frame(n + 1),
     matchThisEnv = getOption("topLevelEnvironment"),
     srcfile = if (n) sys.parent(n) else 0)

```

Arguments

```

...           further arguments passed to path.join().
..           the number of directories to go back.
local        See ?sys.path().
n, envir, matchThisEnv, srcfile
              See ?this.path().

```

Details

The path to a file starts with a base. The base is .. number of directories back from the executing script's directory (`this.dir()`). The argument is named .. because ".." refers to the parent directory on Windows, under Unix-alikes, and for URL pathnames.

Value

A character vector of the arguments concatenated term-by-term, starting with the executing script's directory.

Examples

```

FILE.R <- tempfile(fileext = ".R")
this.path:::write.code({

  this.path::here()
  this.path::here(.. = 1)
  this.path::here(.. = 2)

  ## use 'here' to read input from a file located nearby
  this.path::here(.. = 1, "input", "file1.csv")

  ## or maybe to run another script

```

```

    this.path::here("script2.R")

}, FILE.R)

source(FILE.R, echo = TRUE, verbose = FALSE)

unlink(FILE.R)

```

LINENO

Line Number of Executing Expression

Description

Get the line number of the executing expression.

Usage

```

sys.LINENO()
env.LINENO(n = 0, envir = parent.frame(n + 1),
           matchThisEnv = getOption("topLevelEnvironment"))
src.LINENO(n = 0, srcfile = if (n) sys.parent(n) else 0)

LINENO(n = 0, envir = parent.frame(n + 1),
       matchThisEnv = getOption("topLevelEnvironment"),
       srcfile = if (n) sys.parent(n) else 0)

```

Arguments

`n`, `envir`, `matchThisEnv`, `srcfile`
 See [?this.path\(\)](#).

Details

`sys.LINENO()` returns the line number of the most recent expression with a source reference and a source file equal to [sys.path\(\)](#).

`env.LINENO()` returns the line number of the most recent expression with a source reference and a source file equal to [env.path\(\)](#).

`src.LINENO()` returns the line number of its source file.

`LINENO()` returns the line number of the most recent expression with a source reference and a source file equal to [this.path\(\)](#).

In general, `LINENO()` is the most useful. It works whether your R code is `source()-d` or modularized.

Value

An integer, `NA_integer_` if the line number cannot be determined.

Note

LINENO() only works if the expressions have a srcref and a srcfile.

Scripts run with Rscript do not store their srcref, even when getOption("keep.source") is TRUE.

For source() or sys.source(), make sure to supply argument keep.source = TRUE directly, or set the options "keep.source" or "keep.source.pkgs" to TRUE.

For debugSource() in 'RStudio', it has no argument keep.source, so set the option "keep.source" to TRUE before calling.

For compiler::loadcmp(), the srcref is never stored for the compiled code, there is nothing that can be done.

For knitr::knit(), the srcref is never stored, there is nothing that can be done. I am looking into a fix for such a thing.

For **targets**, set option "keep.source" to TRUE before calling.

For box::use(), plumber::plumb(), shiny::runApp(), and testthat::source_file(), the srcref is always stored, so you do not need to do anything special before calling.

Examples

```
FILE.R <- tempfile(fileext = ".R")
writeLines(c("
LINENO()
LINENO()
## LINENO() respects #line directives
#line 15
LINENO()
#line 1218
cat(sprintf('invalid value %d at %s, line %d\\n',
            -5, try.this.path(), LINENO()))
"), FILE.R)

# ## previously used:
#
# source(FILE.R, echo = TRUE, verbose = FALSE,
#        max.deparse.length = Inf, keep.source = TRUE)
#
# ## but it echoes incorrectly with #line directives
this.path:::source(FILE.R, echo = TRUE, verbose = FALSE,
                  max.deparse.length = Inf, keep.source = TRUE)

unlink(FILE.R)
```

Description

OS.type is a list of TRUE // FALSE values dependent on the platform under which this package was built.

Usage

OS.type

Value

A list with at least the following components:

AIX	Built under IBM AIX.
HPUX	Built under Hewlett-Packard HP-UX.
linux	Built under some distribution of Linux.
darwin	Built under Apple OSX and iOS (Darwin).
iOS.simulator	Built under iOS in Xcode simulator.
iOS	Built under iOS on iPhone, iPad, etc.
macOS	Built under OSX.
solaris	Built under Solaris (SunOS).
cygwin	Built under Cygwin POSIX under Microsoft Windows.
windows	Built under Microsoft Windows.
win64	Built under Microsoft Windows (64-bit).
win32	Built under Microsoft Windows (32-bit).
UNIX	Built under a UNIX-style OS.

Source

http://web.archive.org/web/20191012035921/http://nadeausoftware.com/articles/2012/01/c_c_tip_how_use_compiler_p

path.functions	<i>Constructs Path Functions Similar to 'this.path()'</i>
----------------	---

Description

path.functions() accepts a pathname and constructs a set of path-related functions, similar to this.path() and associated.

Usage

```
path.functions(file, local = FALSE, n = 0,
               envir = parent.frame(n + 1),
               matchThisEnv = getOption("topLevelEnvironment"),
               srcfile = if (n) sys.parent(n) else 0)
```

Arguments

file	a character string giving the pathname of the file or URL.
local	See ?sys.path() .
n, envir, matchThisEnv, srcfile	See ?this.path() .

Value

An environment with at least the following bindings:

<code>this.path</code>	Function with formals (<code>original = FALSE</code> , <code>contents = FALSE</code>) which returns the normalized file path, the original file path, or the contents of the file.
<code>this.dir</code>	Function with formals <code>NULL</code> which returns the directory of the normalized file path.
<code>here</code>	Function with formals (<code>...</code> , <code>.. = 0</code>) which constructs file paths, starting with the file's directory.
<code>this.proj</code>	Function with formals (<code>...</code> , <code>.. = 0</code>) which constructs file paths, starting with the project's root directory.
<code>rel2here</code> , <code>rel2proj</code>	Functions with formals (<code>path</code>) which turn absolute paths into relative paths, against the file's directory // project's root directory.
<code>LINENO</code>	Function with formals <code>NULL</code> which returns the line number of the executing expression in file.

<code>path.join</code>	<i>Construct Path to File</i>
------------------------	-------------------------------

Description

Construct the path to a file from components // paths in a platform-**DEPENDENT** way.

Usage

```
path.join(...)
```

Arguments

... character vectors.

Details

When constructing a path to a file, the last absolute path is selected and all trailing components are appended. This is different from `file.path()` where all trailing paths are treated as components.

Value

A character vector of the arguments concatenated term-by-term and separated by `"/"`.

Examples

```
path.join("C:", "test1")
```

```
path.join("C:/", "test1")
```

```
path.join("C:/path/to/file1", "/path/to/file2")
```

```
path.join("//host-name/share-name/path/to/file1", "/path/to/file2")
```

```

path.join("C:testing", "C:/testing", "~", "~/testing", "//host",
         "//host/share", "//host/share/path/to/file", "not-an-abs-path")

path.join("c:/test1", "c:test2", "C:test3")

path.join("test1", "c:/test2", "test3", "//host/share/test4", "test5",
         "c:/test6", "test7", "c:test8", "test9")

```

path.split

Split File Path Into Individual Components

Description

Split the path to a file into components in a platform-**DEPENDENT** way.

Usage

```

path.split(path)
path.split.1(path)
path.unsplit(...)

```

Arguments

path	character vector.
...	character vectors, or one list of character vectors.

Value

for path.split(), a list of character vectors.
 for path.split.1() and path.unsplit(), a character vector.

Note

path.unsplit() is **NOT** the same as [path.join\(\)](#).

Examples

```

path <- c(
  NA,
  "",
  paste0("https://raw.githubusercontent.com/ArcadeAntics/PACKAGES/",
        "src/contrib/Archive/this.path/this.path_1.0.0.tar.gz"),
  "\\\host\\share\\path\\to\\file",
  "\\\host\\share\\",
  "\\\host\\share",
  "C:\\path\\to\\file",
  "C:path\\to\\file",
  "path\\to\\file",
  "\\path\\to\\file",
  "~\\path\\to\\file",
  ## paths with character encodings
  `Encoding<-`("path/to/fil\xe9", "latin1"),
  "C:/Users/iris/Documents/\u03b4.R"
)

```

```
)  
print(x <- path.split(path))  
print(path.unsplit(x))
```

```
print.ThisPathDocumentContext
```

Printing "ThisPathDocumentContext" Objects

Description

Print a "ThisPathDocumentContext" object.

Usage

```
## S3 method for class 'ThisPathDocumentContext'  
print(x, ..., quote = TRUE)
```

```
## S3 method for class 'ThisPathDocumentContext'  
format(x, ...)
```

```
## S3 method for class 'ThisPathDocumentContext'  
as.character(x, ...)
```

Arguments

x	object of class "ThisPathDocumentContext".
...	unused.
quote	logical, indicating whether or not strings should be printed with surrounding quotes.

Details

An object of class "ThisPathDocumentContext" is generated upon calling [set.sys.path\(\)](#), [wrap.source\(\)](#), [sys.path\(\)](#), [env.path\(\)](#), or [src.path\(\)](#), and by extension [this.path\(\)](#). It contains information about the path of the executing // current script.

These objects are not usually user-visible.

Value

for `print.ThisPathDocumentContext()`, x invisibly.

for `format.ThisPathDocumentContext()`, a character vector of lines.

for `as.character.ThisPathDocumentContext()`, a character string of concatenated lines.

Examples

```
fun <- function (file)  
{  
  set.sys.path(file, Function = "fun")  
  `~.this.path::document.context`  
}
```

```

fun()

fun("clipboard")

fun(paste0("https://raw.githubusercontent.com/ArcadeAntics/",
          "this.path/main/tests/sys-path-with-urls.R"))

FILE.R <- tempfile(fileext = ".R"); file.create(FILE.R)

x <- fun(FILE.R)
print(x)
print(x, quote = FALSE)
format(x)
as.character(x)

unlink(FILE.R)

```

progArgs

Providing Arguments to a Script

Description

`withArgs()` allows you to `source()` an R script while providing arguments. As opposed to running with `Rscript`, the code will be evaluated in the same session in an environment of your choosing.

`fileArgs()` // `progArgs()` are generalized versions of `commandArgs(trailingOnly = TRUE)`, allowing you to access the script's arguments whether it was sourced or run from a shell.

`asArgs()` coerces R objects into a character vector, for use with command line applications and `withArgs()`.

Usage

```

asArgs(...)
fileArgs()
progArgs()
withArgs(...)

```

Arguments

... R objects to turn into script arguments; typically logical, numeric, character, Date, and POSIXt vectors.

for `withArgs()`, the first argument should be an (unevaluated) call to `source()`, `sys.source()`, `debugSource()` in 'RStudio', `compiler::loadcmp()`, `knitr::knit()`, `testthat::source_file()`, or a `source()`-like function containing `set.sys.path()` // `wrap.source()`.

Details

fileArgs() will return the arguments associated with the executing script, or character(0) when there is no executing script.

progArgs() will return the arguments associated with the executing script, or commandArgs(trailingOnly = TRUE) when there is no executing script.

asArgs() coerces objects into command-line arguments. ... is first put into a list, and then each non-list element is converted to character. They are converted as follows:

Factors (class "factor") using as.character.factor()

Date-Times (class "POSIXct" and "POSIXlt") using format "%Y-%m-%d %H:%M:%OS6" (retains as much precision as possible)

Numbers (class "numeric" and "complex") with 17 significant digits (retains as much precision as possible) and "." as the decimal point character.

Raw Bytes (class "raw") using sprintf("%0x%02x",) (for easy conversion back to raw with as.raw() or as.vector("raw"))

All others will be converted to character using as.character() and its methods.

The arguments will then be unlisted, and all attributes will be removed. Arguments that are NA_character_ after conversion will be converted to "NA" (since the command-line arguments also never have missing strings).

Value

for asArgs(), fileArgs(), and progArgs(), a character vector.

for withArgs(), the result of evaluating the first argument.

Examples

```
this.path::asArgs(NULL, c(TRUE, FALSE, NA), 1:5, pi, exp(6i),
  letters[1:5], as.raw(0:4), Sys.Date(), Sys.time(),
  list(list(list("lists are recursed"))))
```

```
FILE.R <- tempfile(fileext = ".R")
this.path::write.code({
  this.path::withAutoprint({
    this.path::sys.path()
    this.path::fileArgs()
    this.path::progArgs()
  }, spaced = TRUE, verbose = FALSE, width.cutoff = 60L)
}, FILE.R)
```

```
## wrap your source call with a call to withArgs()
this.path::withArgs(
  source(FILE.R, local = TRUE, verbose = FALSE),
  letters[6:10], pi, exp(1)
)
this.path::withArgs(
  sys.source(FILE.R, environment()),
  letters[11:15], pi + 1i * exp(1)
)
this.path::Rscript(c("--default-packages=NULL", "--vanilla", FILE.R,
```

```

    this.path::asArgs(letters[16:20], pi, Sys.time()))
## fileArgs() will be character(0) because there is no executing script
this.path::.Rscript(c("--default-packages=NULL", "--vanilla",
  rbind("-e", readLines(FILE.R)[-2L]),
  this.path::asArgs(letters[16:20], pi, Sys.time()))))

# ## with R >= 4.1.0, use the forward pipe operator '|>' to
# ## make calls to withArgs() more intuitive:
# source(FILE.R, local = TRUE, verbose = FALSE) |> this.path::withArgs(
#   letters[6:10], pi, exp(1))
# sys.source(FILE.R, environment()) |> this.path::withArgs(
#   letters[11:15], pi + 1i * exp(1))

## withArgs() also works with set.sys.path() and wrap.source()
sourcelike <- function (file, envir = parent.frame())
{
  file <- set.sys.path(file)
  envir <- as.environment(envir)
  exprs <- parse(n = -1, file = file)
  for (i in seq_along(exprs)) eval(exprs[i], envir)
}
this.path::withArgs(sourcelike(FILE.R), letters[21:26])

sourcelike2 <- function (file, envir = parent.frame())
{
  envir <- as.environment(envir)
  exprs <- parse(n = -1, file = file)
  for (i in seq_along(exprs)) eval(exprs[i], envir)
}
sourcelike3 <- function (file, envir = parent.frame())
{
  envir <- as.environment(envir)
  wrap.source(sourcelike2(file = file, envir = envir))
}
this.path::withArgs(sourcelike3(FILE.R), LETTERS[1:5])
this.path::withArgs(wrap.source(sourcelike2(FILE.R)), LETTERS[6:10])

unlink(FILE.R)

```

relpath

Make a Path Relative to Another Path

Description

When working with **this.path**, you will be dealing with a lot of absolute paths. These paths are not portable for saving within files nor tables, so convert them to relative paths with `relpath()`.

Usage

```
relpath(path, relative.to = normalizePath(getwd()), "/", TRUE)
```

```

rel2sys.dir(path, local = FALSE)
rel2sys.proj(path, local = FALSE)

rel2env.dir(path, n = 0, envir = parent.frame(n + 1),
            matchThisEnv = getOption("topLevelEnvironment"))
rel2env.proj(path, n = 0, envir = parent.frame(n + 1),
            matchThisEnv = getOption("topLevelEnvironment"))

rel2src.dir(path, n = 0,
            srcfile = if (n) sys.parent(n) else 0)
rel2src.proj(path, n = 0,
            srcfile = if (n) sys.parent(n) else 0)

rel2here(path, local = FALSE, n = 0, envir = parent.frame(n + 1),
         matchThisEnv = getOption("topLevelEnvironment"),
         srcfile = if (n) sys.parent(n) else 0)
rel2proj(path, local = FALSE, n = 0,
         envir = parent.frame(n + 1),
         matchThisEnv = getOption("topLevelEnvironment"),
         srcfile = if (n) sys.parent(n) else 0)

```

Arguments

path character vector of file // URL pathnames.
relative.to character string; the file // URL pathname to make path relative to.
local See [?sys.path\(\)](#).
n, envir, matchThisEnv, srcfile See [?this.path\(\)](#).

Details

Tilde-expansion (see [?path.expand\(\)](#)) is first done on `path` and `relative.to`.

If `path` and `relative.to` are equivalent, `"."` will be returned. If `path` and `relative.to` have no base in common, the normalized path will be returned.

Value

character vector of the same length as `path`.

Note

`rel2sys.dir()`, `rel2sys.proj()`, `rel2env.dir()`, `rel2env.proj()`, `rel2src.dir()`, `rel2src.proj()`, `rel2here()`, and `rel2proj()` are variants of `relpath()` in which `relative.to` is [sys.dir\(\)](#), [sys.proj\(\)](#), [env.dir\(\)](#), [env.proj\(\)](#), [src.dir\(\)](#), [src.proj\(\)](#), [here\(\)](#), and [this.proj\(\)](#).

Examples

```

## Not run:
relpath(
  c(
    ## paths which are equivalent will return "."
    "C:/Users/effective_user/Documents/this.path/man",

```

```

## paths which have no base in common return as themselves
paste0("https://raw.githubusercontent.com/ArcadeAntics/",
      "this.path/main/tests/sys-path-with-urls.R"),
"D:/",
"//host-name/share-name/path/to/file",

"C:/Users/effective_user/Documents/testing",
"C:\\Users\\effective_user",
"C:/Users/effective_user/Documents/R/thispath.R"
),
relative.to = "C:/Users/effective_user/Documents/this.path/man"
)

## End(Not run)

```

set.gui.path

Declare GUI's Active Document

Description

set.gui.path() can be used to implement `sys.path()` for arbitrary GUIs. This is similar to `set.sys.path()` which can be used to implement `sys.path()` for arbitrary `source()`-like functions.

Usage

```
set.gui.path(...)
```

```
thisPathNotExistsError(..., call. = TRUE, domain = NULL,
                        call = .getCurrentCall())
```

Arguments

```
..., call., domain, call
      See details.
```

Details

thisPathNotExistsError() is provided for use inside set.gui.path(), and should not be used elsewhere.

If no arguments are passed to set.gui.path(), the default behaviour will be restored.

If one argument is passed to set.gui.path(), it must be a function that returns the path of the active document in your GUI. It must accept the following arguments: (verbose, original, for.msg, contents) (default values are unnecessary). This makes sense for a GUI which can edit and run R code from several different documents such as **RStudio**, **VSCode**, and **RGui**.

If two or three arguments are passed to set.gui.path(), they must be the name of the GUI, the path of the active document, and optionally a function to read the contents of the document. If provided, the function must accept at least one argument which will be the normalized path of the

document. This makes sense for a GUI which can edit and run R code from only one document such as [Jupyter](#) and shell.

It is best to call this function as a user hook.

```
setHook(packageEvent("this.path"),
function(pkgname, pkgpath)
{
  this.path::set.gui.path(<...>)
}, action = "prepend")
```

An example for a GUI which can run code from multiple documents:

```
evalq(envir = new.env(parent = .BaseNamespaceEnv), {
  .guiname <- "myGui"
  .custom.gui.path <- function(verbose, original, for.msg, contents) {
    if (verbose)
      cat("Source: document in", .guiname, "\n")

    ## your GUI needs to know which document is active
    ## and some way to retrieve that document from R
    doc <- <.myGui.activeDocument()>

    ## if no documents are open, 'doc' should be NULL
    ## or some other object to represent no documents open
    if (is.null(doc)) {
      if (for.msg)
        NA_character_
      else stop(this.path::thisPathNotExistsError("R is running from ",
        .guiname, " with no documents open\n",
        " (or document has no path)"))
    }
    else if (contents) {
      ## somehow, get and return the contents of the document
      <doc$contents>
    }
    else {
      ## somehow, get the path of the document
      path <- <doc$path>
      if (nzchar(path)) {
        ## if the path is not normalized, this will normalize it
        if (isTRUE(original))
          path
        else normalizePath(path, "/", TRUE)
        # ## otherwise, you could just do:
        # path
      }
      else if (for.msg)
        ## return "Untitled" possibly translated
        gettext("Untitled", domain = "RGui", trim = FALSE)
      else stop("document in ", .guiname, " does not exist")
    }
  }
}
## recommended to prevent tampering
```

```
lockEnvironment(environment(), bindings = TRUE)
setHook(packageEvent("this.path"),
function(pkgname, pkgpath) {
  this.path::set.gui.path(.custom.gui.path)
}, action = "prepend")
})
```

An example for a GUI which can run code from only one document:

```
evalq(envir = new.env(parent = .BaseNamespaceEnv), {
  .guiname <- "myGui"
  .path <- "~/example.R"
  .custom.readContents <- function(path) {
    ## get the contents of the document
    readLines(path, warn = FALSE)
  }
  ## recommended to prevent tampering
  lockEnvironment(environment(), bindings = TRUE)
  setHook(packageEvent("this.path"), function(pkgname, pkgpath) {
    this.path::set.gui.path(.guiname, .path, .custom.readContents)
  }, action = "prepend")
  # ## if your GUI does not have/need a .custom.readContents
  # ## function, then this works just as well:
  # setHook(packageEvent("this.path"), function(pkgname, pkgpath) {
  #   this.path::set.gui.path(.guiname, .path)
  # }, action = "prepend")
})
```

```
set.jupyter.path
```

```
Declare Executing 'Jupyter' Notebook's Filename
```

Description

`sys.path()` does some guess work to determine the path of the executing notebook in ‘Jupyter’. This involves listing all the files in the initial working directory, filtering those which are R notebooks, then filtering those with contents matching the top-level expression.

This could possibly select the wrong file if the same top-level expression is found in another file. As such, you can use `set.jupyter.path()` to declare the executing ‘Jupyter’ notebook’s filename.

Usage

```
set.jupyter.path(...)
set.sys.path.jupyter(...)
```

Arguments

... further arguments passed to `path.join()`. If no arguments are provided or exactly one argument is provided that is NA or NULL, the ‘Jupyter’ path is unset.

Details

This function may only be called from a top-level context in ‘Jupyter’. It is recommended that you do **NOT** provide an absolute path. Instead, provide just the basename and the directory will be determined by the initial working directory.

Value

character string, invisibly; the declared path for ‘Jupyter’.

Examples

```
# ## if you opened the file "~/file50b816a24ec1.ipynb", the initial
# ## working directory should be "~". You can write:
#
# set.jupyter.path("file50b816a24ec1.ipynb")
#
# ## and then sys.path() will return "~/file50b816a24ec1.ipynb"
```

shFILE

*Get 'FILE' Provided to R by a Shell***Description**

Look through the command line arguments, extracting ‘FILE’ from either of the following: ‘-f’ ‘FILE’ or ‘--file=FILE’

Usage

```
shFILE(original = FALSE, for.msg = FALSE, default, else.)
```

```
site.file(original = FALSE, for.msg = FALSE, default, else.)
init.file(original = FALSE, for.msg = FALSE, default, else.)
```

Arguments

original	TRUE, FALSE, or NA; should the original or the normalized path be returned? NA means the normalized path will be returned if it has already been forced, and the original path otherwise.
for.msg	TRUE or FALSE; do you want the path for the purpose of printing a diagnostic message // warning // error? for.msg = TRUE will ignore original = FALSE, and will use original = NA instead.
default	if ‘FILE’ is not found, this value is returned.
else.	missing or a function to apply if ‘FILE’ is found. See tryCatch2() for inspiration.

Value

character string, or default if ‘FILE’ was not found.

Note

The original and the normalized path are saved; this makes them faster when called subsequent times.

On Windows, the normalized path will use / as the file separator.

See Also

[this.path\(\)](#), [here\(\)](#)

Examples

```
FILE.R <- tempfile(fileext = ".R")
this.path:::write.code({
  this.path:::withAutoprint({
    shFILE(original = TRUE)
    shFILE()
    shFILE(default = {
      stop("since 'FILE.R' will be found, argument 'default'\n",
        " will not be evaluated, so this error will not be\n",
        " thrown! you can use this to your advantage in a\n",
        " similar manner, doing arbitrary things only if\n",
        " 'FILE.R' is not found")
    })
  }, spaced = TRUE, verbose = FALSE, width.cutoff = 60L)
}, FILE.R)
this.path:::Rscript(
  c("--default-packages=this.path", "--vanilla", FILE.R)
)
unlink(FILE.R)

for (expr in c("shFILE(original = TRUE)",
  "shFILE(original = TRUE, default = NULL)",
  "shFILE()",
  "shFILE(default = NULL)"))
{
  cat("\n\n")
  this.path:::Rscript(
    c("--default-packages=this.path", "--vanilla", "-e", expr)
  )
}
```

Description

source.exprs() evaluates and auto-prints expressions as if in a toplevel context.

Usage

```
source.exprs(exprs, evaluated = FALSE, envir = parent.frame(),
  echo = TRUE, print.eval = TRUE)
```

Arguments

exprs, evaluated, envir, echo, print.eval
See withAutoprint().

sys.path	<i>Determine Executing Script's Filename</i>
----------	--

Description

sys.path() returns the normalized path of the executing script.

sys.dir() returns the directory of sys.path().

Usage

```
sys.path(verbose = getOption("verbose"), original = FALSE,
         for.msg = FALSE, contents = FALSE, local = FALSE,
         default, else.)
sys.dir(verbose = getOption("verbose"), local = FALSE,
        default, else.)
```

Arguments

verbose	TRUE or FALSE; should the method in which the path was determined be printed?
original	TRUE, FALSE, or NA; should the original or the normalized path be returned? NA means the normalized path will be returned if it has already been forced, and the original path otherwise.
for.msg	TRUE or FALSE; do you want the path for the purpose of printing a diagnostic message // warning // error? This will return NA_character_ in most cases where an error would have been thrown. for.msg = TRUE will ignore original = FALSE, and will use original = NA instead.
contents	TRUE or FALSE; should the contents of the executing script be returned instead? In 'Jupyter', a list of character vectors will be returned, the contents separated into cells. Otherwise, if for.msg is TRUE and the executing script cannot be determined, NULL will be returned. Otherwise, a character vector will be returned. You could use as.character(unlist(sys.path(contents = TRUE))) if you require a character vector. This is intended for logging purposes. This is useful in 'RStudio' and 'VSCode' when the source document has contents but no path.
local	TRUE or FALSE; should the search for the executing script be confined to the local environment in which set.sys.path() was called?
default	if there is no executing script, this value is returned.
else.	missing or a function to apply if there is an executing script. See tryCatch2() for inspiration.

Details

There are three ways in which R code is typically run:

1. in ‘Rgui’ // ‘RStudio’ // ‘VSCode’ // ‘Jupyter’ by running the current line // selection with the **Run** button // appropriate keyboard shortcut
2. through a source call: a call to function `source()`, `sys.source()`, `debugSource()` in ‘RStudio’, `compiler::loadcmp()`, `box::use()`, `knitr::knit()`, `plumber::plumb()`, `shiny::runApp()`, `targets`, or `testthat::source_file()`
3. from a shell, such as the Windows command-line // Unix terminal

To retrieve the executing script’s filename, first an attempt is made to find a source call. The calls are searched in reverse order so as to grab the most recent source call in the case of nested source calls. If a source call was found, the file argument is returned from the function’s evaluation environment. If you have your own `source()`-like function that you would like to be recognized by `sys.path()`, please contact the package maintainer so that it can be implemented or use `set.sys.path()` // `wrap.source()`.

If no source call is found up the calling stack, then an attempt is made to figure out how R is running.

If R is being run from a shell, the shell arguments are searched for ‘-f’ ‘FILE’ or ‘--file=FILE’ (the two methods of taking input from ‘FILE’). The last ‘FILE’ is extracted and returned (ignoring ‘-f’ ‘-’ and ‘--file=-’). It is an error to use `sys.path()` if no arguments of either type are supplied.

If R is being run from a shell under Unix-alikes with ‘-g’ ‘Tk’ or ‘--gui=Tk’, `sys.path()` will throw an error. ‘Tk’ does not make use of its ‘-f’ ‘FILE’, ‘--file=FILE’ arguments.

If R is being run from ‘Rgui’, the source document’s filename (the document most recently interacted with besides the R Console) is returned (at the time of evaluation). Please note that minimized documents *WILL* be included when looking for the most recently used document. It is important to not leave the current document (either by closing the document or interacting with another document) while any calls to `sys.path()` have yet to be evaluated in the run selection. It is an error for no documents to be open or for a document to not exist (not saved anywhere).

If R is being run from ‘RStudio’, the active document’s filename (the document in which the cursor is active) is returned (at the time of evaluation). If the active document is the R console, the source document’s filename (the document open in the current tab) is returned (at the time of evaluation). Please note that the source document will *NEVER* be a document open in another window (with the **Show in new window** button). Please also note that an active document open in another window can sometimes lose focus and become inactive, thus returning the incorrect path. It is best **NOT** to not run R code from a document open in another window. It is important to not leave the current tab (either by closing or switching tabs) while any calls to `sys.path()` have yet to be evaluated in the run selection. It is an error for no documents to be open or for a document to not exist (not saved anywhere).

If R is being run from ‘VSCode’, the source document’s filename is returned (at the time of evaluation). It is important to not leave the current tab (either by closing or switching tabs) while any calls to `sys.path()` have yet to be evaluated in the run selection. It is an error for a document to not exist (not saved anywhere).

If R is being run from ‘Jupyter’, the source document’s filename is guessed by looking for R notebooks in the initial working directory, then searching the contents of those files for an expression matching the top-level expression. Please be sure to save your notebook before using `sys.path()`, or explicitly use `set.sys.path.jupyter()`.

If R is being run from ‘AQUA’, the executing script’s path cannot be determined. Unlike ‘Rgui’, ‘RStudio’, and ‘VSCode’, there is currently no way to request the path of an open document. Until

such a time that there is a method for requesting the path of an open document, consider using ‘RStudio’ or ‘VSCoDe’.

If R is being run in another manner, it is an error to use `sys.path()`.

If your GUI of choice is not implemented with `sys.path()`, please contact the package maintainer so that it can be implemented.

Value

character string; the executing script’s filename.

Note

The first time `sys.path()` is called within a script, it will normalize the script’s path, checking that the script exists (throwing an error if it does not), and save it in the appropriate environment. When `sys.path()` is called subsequent times within the same script, it returns the saved path. This will be faster than the first time, will not check for file existence, and will be independent of the working directory.

As a side effect, this means that a script can delete itself using `file.remove()` or `unlink()` but still know its own path for the remainder of the script.

If you need to use `sys.path()` inside the site-wide startup profile file or a user profile, please use [with_site.file\(\)](#) or [with_init.file\(\)](#), something along the lines of:

```
this.path::with_init.file({
  <expr 1>
  <expr 2>
  <...>
})
```

See Also

[shFILE\(\)](#)

[set.sys.path\(\)](#), [wrap.source\(\)](#)

Examples

```
FILE1.R <- tempfile(fileext = ".R")
this.path::write.code({
  this.path::withAutoprint({
    cat(sQuote(this.path::sys.path(verbose = TRUE, default = {
      stop("since the executing script's path will be found,\n",
        " 'default' will not be evaluated, so this error\n",
        " will not be thrown! use this to your advantage to\n",
        " do arbitrary things only if the executing script\n",
        " does not exist")
    })), "\n\n")
  }, spaced = TRUE, verbose = FALSE, width.cutoff = 60L,
  prompt = Sys.getenv("R_PROMPT"), continue = Sys.getenv("R_CONTINUE"))
}, FILE1.R)
```

```
oenv <- this.path::envvars(R_PROMPT = "FILE1.R> ",
  R_CONTINUE = "FILE1.R+ ")
```

```

## 'sys.path()' works with 'source()'
source(FILE1.R, verbose = FALSE)

## 'sys.path()' works with 'sys.source()'
sys.source(FILE1.R, envir = environment())

## 'sys.path()' works with 'debugSource()' in 'RStudio'
if (.Platform$GUI == "RStudio")
  get("debugSource", "tools:rstudio", inherits = FALSE)(FILE1.R)

## 'sys.path()' works with 'testthat::source_file()'
if (requireNamespace("testthat"))
  testthat::source_file(FILE1.R, chdir = FALSE, wrap = FALSE)

## 'sys.path()' works with 'knitr::knit()'
if (requireNamespace("knitr")) {
  FILE2.Rmd <- tempfile(fileext = ".Rmd")
  FILE3.md <- tempfile(fileext = ".md")
  writelines(c(
    "```{r}",
    ## same expression as above
    deparse(parse(FILE1.R)[[c(1L, 2L, 2L)]]),
    "```"
  ), FILE2.Rmd)

  # knitr::knit(FILE2.Rmd, output = FILE3.md, quiet = FALSE)
  ## the above does not work when using the 'Run examples' button in
  ## the HTML documentation. 'package:knitr' cannot knit a document
  ## inside another document, pretty embarrassing oversight, so we
  ## have to launch a new R session and knit the document from there
  FILE4.R <- tempfile(fileext = ".R")
  this.path::write.code(bquote({
    knitr::knit(.FILE2.Rmd), output = .(FILE3.md), quiet = TRUE
  }), FILE4.R)
  this.path::Rscript(
    c("--default-packages=NULL", "--vanilla", FILE4.R),
    show.command = FALSE
  )
  unlink(FILE4.R)

  this.path::cat.file(FILE2.Rmd, number.nonblank = TRUE,
    squeeze.blank = TRUE, show.tabs = TRUE,
    show.command = TRUE)
  this.path::cat.file(FILE3.md, number.nonblank = TRUE,
    squeeze.blank = TRUE, show.tabs = TRUE,
    show.command = TRUE)
  unlink(c(FILE3.md, FILE2.Rmd))
}

```

```

## 'sys.path()' works with 'compiler::loadcmp()'
if (requireNamespace("compiler")) {
  FILE2.Rc <- tempfile(fileext = ".Rc")
  compiler::cmpfile(FILE1.R, FILE2.Rc)
  oenv2 <- this.path:::envvars(R_PROMPT = "FILE2.Rc> ",
                             R_CONTINUE = "FILE2.Rc+ ")
  compiler::loadcmp(FILE2.Rc)
  this.path:::envvars(oenv2)
  unlink(FILE2.Rc)
}

## 'sys.path()' works with 'box::use()'
if (requireNamespace("box")) {
  FILE2.R <- tempfile(fileext = ".R")
  this.path:::write.code(bquote({
    ## we have to use box::set_script_path() because 'package:box'
    ## does not allow us to import a module by its path
    script_path <- box::script_path()
    on.exit(box::set_script_path(script_path))
    box::set_script_path.(normalizePath(FILE1.R, "/"))
    box::use(module = ./(as.symbol(this.path:::removeext(
      this.path:::basename2(FILE1.R)
    ))))
    box::unload(module)
  }), FILE2.R)
  source(FILE2.R, echo = TRUE, spaced = FALSE, verbose = FALSE,
         prompt.echo = "FILE2.R> ", continue.echo = "FILE2.R+ ")
  unlink(FILE2.R)
}

## 'sys.path()' works with 'Rscript'
## it also works with other GUIs but that is
## not possible to show in a simple example
this.path:::Rscript(c("--default-packages=NULL", "--vanilla", FILE1.R))
this.path:::envvars(oenv)

## 'sys.path()' also works when 'source()' -ing a URL
## (included tryCatch in case an internet connection is not available)
tryCatch({
  source(paste0("https://raw.githubusercontent.com/ArcadeAntics/",
              "this.path/main/tests/sys-path-with-urls.R"))
}, condition = this.path:::cat.condition)

for (expr in c("sys.path()",
              "sys.path(default = NULL)",
              "sys.dir()",
              "sys.dir(default = NULL)",
              "sys.dir(default = getwd())"))
{
  cat("\n\n")
  this.path:::Rscript(c("--default-packages=this.path",
                      "--vanilla", "-e", expr))
}

```

```
## an example from R package 'logr'  
this.path::sys.path(verbose = FALSE, default = "script.log",  
  else. = function(path) {  
  ## replace extension (probably .R) with .log  
  this.path::ext(path) <- ".log"  
  path  
  ## or you could use paste0(this.path::removeext(path), ".log")  
})  
  
unlink(FILE1.R)
```

Sys.putenv

Set Environment Variables

Description

Sys.putenv() sets environment variables (for other processes called from within R or future calls to Sys.getenv() from this R process).

Usage

```
Sys.putenv(x)
```

Arguments

x a character vector, or an object coercible to character. Strings must be of the form "name=value".

Value

A logical vector, with elements being true if setting the corresponding variable succeeded.

See Also

Sys.setenv()

Examples

```
Sys.putenv(c("R_TEST=testit", "A+C=123"))  
Sys.getenv("R_TEST")  
Sys.unsetenv("R_TEST") ## under Unix-alikes may warn and not succeed  
Sys.getenv("R_TEST", unset = NA)
```

sys.srcrref	<i>Get 'srcrref' From Call Stack</i>
-------------	--------------------------------------

Description

This is the R-level version of the function that implements `this.path()`. It retrieves the `srcrref` of the call `n` generations back from `sys.srcrref()`.

Usage

```
sys.srcrref(n = 1, which = if (n) sys.parent(n) else 0)
```

Arguments

<code>n</code>	See <code>?this.path()</code> . However, note that <code>n</code> defaults to 0 in <code>this.path()</code> but defaults to 1 here.
<code>which</code>	the frame number to inspect for source references. An alternative to specifying <code>n</code> .

Value

A `srcrref` object or `NULL`.

Examples

```
## this example will not work with 'Run examples'
## which uses 'package:knitr' since knitted
## documents do not store source references
fun <- function ()
{
  list(
    `sys.srcrref()` = this.path::sys.srcrref(),
    ## while this might seem like a simpler alternative,
    ## you will see it does not work in a couple cases below
    `attr(sys.call(sys.parent()), "srcrref")` =
      attr(sys.call(sys.parent()), "srcrref")
  )
}

## the braces are unnecessary when using example("sys.srcrref"),
## but are needed when copied into the R Console
{ fun() }
{ print(fun()) }
{ try(print(fun())) }
```

 this.path

Determine Script's Filename

Description

env.path() returns the normalized path associated with the top level environment (see ?topenv).

env.dir() returns the directory of env.path().

src.path() returns the normalized path associated with its source reference.

src.dir() returns the directory of src.path().

this.path() returns the normalized path of the script in which it was written.

this.dir() returns the directory of this.path().

Usage

```
env.path(verbose = getOption("verbose"), original = FALSE,
         for.msg = FALSE, contents = FALSE, n = 0,
         envir = parent.frame(n + 1),
         matchThisEnv = getOption("topLevelEnvironment"),
         default, else.)
```

```
env.dir(verbose = getOption("verbose"), n = 0,
        envir = parent.frame(n + 1),
        matchThisEnv = getOption("topLevelEnvironment"),
        default, else.)
```

```
src.path(verbose = getOption("verbose"), original = FALSE,
         for.msg = FALSE, contents = FALSE, n = 0,
         srcfile = if (n) sys.parent(n) else 0,
         default, else.)
```

```
src.dir(verbose = getOption("verbose"), n = 0,
        srcfile = if (n) sys.parent(n) else 0,
        default, else.)
```

```
this.path(verbose = getOption("verbose"), original = FALSE,
          for.msg = FALSE, contents = FALSE, local = FALSE,
          n = 0, envir = parent.frame(n + 1),
          matchThisEnv = getOption("topLevelEnvironment"),
          srcfile = if (n) sys.parent(n) else 0,
          default, else.)
```

```
this.dir(verbose = getOption("verbose"), local = FALSE,
         n = 0, envir = parent.frame(n + 1),
         matchThisEnv = getOption("topLevelEnvironment"),
         srcfile = if (n) sys.parent(n) else 0,
         default, else.)
```

Arguments

verbose, original, for.msg, contents, local, default, else.

See [?sys.path\(\)](#).

n	the number of additional generations to go back. By default, <code>this.path()</code> will look for a path based on the <code>srcref</code> of the call to <code>this.path()</code> and the environment in which <code>this.path()</code> was called. This can be changed to be based on the <code>srcref</code> of the call and the calling environment <code>n</code> generations up the stack. See section Argument 'n' for more details.
<code>envir, matchThisEnv</code>	arguments passed to <code>topenv()</code> to determine the top level environment in which to search for an associated path.
<code>srcfile</code>	source file in which to search for a pathname, or an object containing a source file. This includes a source reference, a call, an expression object, or a closure.

Details

There are two ways in which `env.path()` will find a path associated with the top level environment:

1. from a **box** module's namespace.
2. from an attribute "path".

If `env.path()` does not find an associated path, it will throw an error.

`src.path()` will look for a source file in its argument. It will look at the bindings `filename` and `wd` to determine the associated file path. Filenames such as "", "clipboard", and "stdin" will be ignored as they do not refer to files. A source file of class "srcfilecopy" in which binding `isFile` is FALSE will also be ignored. A source file of class "srcfilealias" will use the aliased filename in determining the associated path.

If `src.path()` does not find an associated path, it will throw an error.

`this.path()` determines the path of the script in which it is written by:

1. examining its `srcfile` argument, looking for an associated path, the same as `src.path()`.
2. examining the top level environment, looking for an associated path, the same as `env.path()`.
3. examining the call stack, looking for the path of the executing script, the same as `sys.path()`.

`this.path()` and `this.dir()` are likely the functions you want to use. `env.path()`, `env.dir()`, `src.path()`, and `src.dir()` are provided for completeness // convenience but are less general purpose. If you need to know the path of the executing script, perhaps for logging purposes, then you should use `sys.path()` and `sys.dir()`.

Value

character string.

Argument 'n'

By default, `this.path()` will look for a path based on the `srcref` of the call to `this.path()` and the environment in which `this.path()` was called. For example:

```
{
#line 1 "file1.R"
fun <- function() this.path::this.path(original = TRUE)
fun()
}
```

```
{
#line 1 "file2.R"
fun()
}
```

Both of these will return "file1.R" because that is where the call to `this.path()` is written.

But suppose we do not care where `this.path()` is called, but instead want to know where `fun()` is called. Pass argument `n = 1` to do so; `this.path()` will inspect the call and the calling environment one generation up the stack:

```
{
#line 1 "file1.R"
fun <- function() this.path::this.path(original = TRUE, n = 1)
fun()
}
```

```
{
#line 1 "file2.R"
fun()
}
```

These will return "file1.R" and "file2.R", respectively, because those are where the calls to `fun()` are written.

But now suppose we wish to make a second function that uses `fun()`. We do not care where `fun()` is called, but instead want to know where `fun2()` is called. Add a formal argument `n = 0` to each function and pass `n = n + 1` to each sub-function:

```
{
#line 1 "file1.R"
fun <- function(n = 0) {
  this.path::this.path(original = TRUE, n = n + 1)
}
fun()
}
```

```
{
#line 1 "file2.R"
fun2 <- function(n = 0) fun(n = n + 1)
list(fun = fun(), fun2 = fun2())
}
```

```
{
#line 1 "file3.R"
fun3 <- function(n = 0) fun2(n = n + 1)
list(fun = fun(), fun2 = fun2(), fun3 = fun3())
}
```

Within each file, all these functions will return the path in which they are called, regardless of how deep `this.path()` is called.

Note

If you need to use `this.path()` inside the site-wide startup profile file or a user profile, please use `with_site.file()` or `with_init.file()`, something along the lines of:

```
this.path::with_init.file({
  <expr 1>
  <expr 2>
  <...>
})
```

See Also

[shFILE\(\)](#)

Examples

```
## the important difference between 'this.path()' and 'sys.path()'

FILE1.R <- tempfile("FILE1-", fileext = ".R")
this.path::write.code({
  fun <- function() {
    cat("\n> this.path()\n")
    print(this.path::this.path(verbose = TRUE))
    cat("\n> sys.path()\n")
    print(this.path::sys.path(verbose = TRUE))
  }
  ## 'this.path()' and 'sys.path()' should be identical because the
  ## executing script is the same as the script of the source file
  fun()
}, FILE1.R)
source(FILE1.R, verbose = FALSE, keep.source = TRUE)

FILE2.R <- tempfile("FILE2-", fileext = ".R")
this.path::write.code({
  ## 'this.path()' and 'sys.path()' should no longer be identical
  ## since FILE2.R is now the executing script, and FILE1.R is not
  fun()
}, FILE2.R)
source(FILE2.R, verbose = FALSE)

unlink(c(FILE1.R, FILE2.R))
```

this.proj

Construct Path to File, Starting with the Project's Directory

Description

`sys.proj()`, `env.proj()`, `src.proj()`, and `this.proj()` construct paths to files starting with the project's root.

reset.proj() will reset the paths cached by these functions. This can be useful if you created a new project in your R session that you would like to be detected without the need to restart the R session.

Usage

```
sys.proj(..., local = FALSE)
env.proj(..., n = 0, envir = parent.frame(n + 1),
          matchThisEnv = getOption("topLevelEnvironment"))
src.proj(..., n = 0,
          srcfile = if (n) sys.parent(n) else 0)

this.proj(..., local = FALSE, n = 0,
          envir = parent.frame(n + 1),
          matchThisEnv = getOption("topLevelEnvironment"),
          srcfile = if (n) sys.parent(n) else 0)

reset.proj()
```

Arguments

... further arguments passed to `path.join()`.
 local See `?sys.path()`.
 n, envir, matchThisEnv, srcfile See `?this.path()`.

Details

Unlike `here::here()`, these functions support sub-projects and multiple projects in use at once, and will choose which project root is appropriate based on `sys.dir()`, `env.dir()`, `src.dir()`, or `this.dir()`. Additionally, it is independent of working directory, whereas `here::here()` relies on the working directory being set within the project's directory when the package is loaded. Arguably, this makes it better than `here::here()`.

Value

A character vector of the arguments concatenated term-by-term, starting with the project's root.

try.this.path	<i>Attempt to Determine Script's Filename</i>
---------------	---

Description

try.sys.path() attempts to return `sys.path()`, returning `sys.path(original = TRUE)` if that fails, returning `NA_character_` if that fails as well.

try.env.path(), try.src.path(), try.this.path(), and try.shFILE do the same with `env.path()`, `src.path()`, `this.path()`, and `shFILE()`.

Usage

```

try.sys.path(contents = FALSE, local = FALSE)
try.env.path(contents = FALSE, n = 0,
             envir = parent.frame(n + 1),
             matchThisEnv = getOption("topLevelEnvironment"))
try.src.path(contents = FALSE, n = 0,
            srcfile = if (n) sys.parent(n) else 0)

try.this.path(contents = FALSE, local = FALSE, n = 0,
             envir = parent.frame(n + 1),
             matchThisEnv = getOption("topLevelEnvironment"),
             srcfile = if (n) sys.parent(n) else 0)

try.shFILE()

```

Arguments

contents, local
 See [?sys.path\(\)](#).

n, envir, matchThisEnv, srcfile
 See [?this.path\(\)](#).

Details

This should **NOT** be used to construct file paths against the script's directory. This should exclusively be used in the scenario that you would like the normalized path of the executing script, perhaps for a diagnostic message, but it is not required to exist and can be a relative path or undefined.

Value

character string.

Examples

```

try.shFILE()
try.this.path()
try.this.path(contents = TRUE)

```

tryCatch2

Condition Handling and Recovery

Description

Variants of tryCatch() that accept an else. argument, similar to try except in 'Python'. last.condition will be the last thrown and caught condition in tryCatch3().

Usage

```

tryCatch2(expr, ..., else., finally)
tryCatch3(expr, ..., else., finally)

last.condition

```

Arguments

expr	expression to be evaluated.
...	for tryCatch2(), condition handlers. for tryCatch3(), expressions to be conditionally evaluated. Arguments which are missing will use the next non-missing argument. If there is no next non-missing argument, NULL will be returned invisibly.
else.	expression to be evaluated if evaluating expr does not throw an error nor a condition is caught.
finally	expression to be evaluated before returning or exiting.

Details

The use of the else. argument is better than adding additional code to expr because it avoids accidentally catching a condition that was not being protected by the tryCatch() call.

Examples

```
FILES <- tempfile(c("existent-file_", "non-existent-file_"))
writeLines("line1\nline2", FILES[[1L]])
for (FILE in FILES) {
  conn <- file(FILE)
  tryCatch2({
    open(conn, "r")
  }, condition = function(cond) {
    cat("cannot open", FILE, "\n")
  }, else. = {
    cat(FILE, "has", length(readLines(conn)), "lines\n")
  }, finally = {
    close(conn)
  })
  # ## or more naturely with tryCatch3:
  # tryCatch3({
  #   open(conn, "r")
  # }, condition = {
  #   cat("cannot open", FILE, "\n")
  # }, else. = {
  #   cat(FILE, "has", length(readLines(conn)), "lines\n")
  # }, finally = {
  #   close(conn)
  # })
}
unlink(FILES)
```

wrap.source

Implement 'this.path()' For Arbitrary 'source()'-Like Functions

Description

`sys.path()` is implemented to work with `source()`, `sys.source()`, `debugSource()` in 'RStudio', `compiler::loadcmp()`, `box::use()`, `knitr::knit()`, `plumber::plumb()`, `shiny::runApp()`, `targets`, and `testthat::source_file()`.

`set.sys.path()` and `wrap.source()` can be used to implement `sys.path()` for any other `source()`-like functions.

`set.env.path()` and `set.src.path()` can be used along side `set.sys.path()` to implement `env.path()` and `src.path()`. Note that `set.env.path()` only makes sense if the code is being modularized, see examples.

`unset.sys.path()` will undo a call to `set.sys.path()`. You will need to use this if you wish to call `set.sys.path()` multiple times within a function.

`set.sys.path.function()` is a special variant of `set.sys.path()` to be called within `callr::r()` on a function with an appropriate `srcref`.

`with_sys.path()` is a convenient way to evaluate code within the context of a file. Whereas `set.sys.path()` can only be used within a function, `with_sys.path()` can only be used outside a function. `with_site.file()` and `with_init.file()` provide two common use cases of `with_sys.path()`; within the site-wide startup profile file or a user profile. You could combine these with `withAutoprint()` to auto-print expressions as if in a toplevel context, for example:

```
this.path::with_init.file(withAutoprint({
  this.path::this.path()
}), echo = FALSE))
```

See `?sys.path(local = TRUE)` which returns the path of the executing script, confining the search to the local environment in which `set.sys.path()` was called.

Usage

```
wrap.source(expr,
  path.only = FALSE,
  character.only = path.only,
  file.only = path.only,
  conv2utf8 = FALSE,
  allow.blank.string = FALSE,
  allow.clipboard = !file.only,
  allow.stdin = !file.only,
  allow.url = !file.only,
  allow.file.uri = !path.only,
  allow.unz = !path.only,
  allow.pipe = !file.only,
  allow.terminal = !file.only,
  allow.textConnection = !file.only,
  allow.rawConnection = !file.only,
  allow.sockconn = !file.only,
  allow.servsockconn = !file.only,
  allow.customConnection = !file.only,
  ignore.all = FALSE,
  ignore.blank.string = ignore.all,
  ignore.clipboard = ignore.all,
  ignore.stdin = ignore.all,
  ignore.url = ignore.all,
  ignore.file.uri = ignore.all)

set.sys.path(file,
  path.only = FALSE,
  character.only = path.only,
```

```

file.only = path.only,
conv2utf8 = FALSE,
allow.blank.string = FALSE,
allow.clipboard = !file.only,
allow.stdin = !file.only,
allow.url = !file.only,
allow.file.uri = !path.only,
allow.unz = !path.only,
allow.pipe = !file.only,
allow.terminal = !file.only,
allow.textConnection = !file.only,
allow.rawConnection = !file.only,
allow.sockconn = !file.only,
allow.servsockconn = !file.only,
allow.customConnection = !file.only,
ignore.all = FALSE,
ignore.blank.string = ignore.all,
ignore.clipboard = ignore.all,
ignore.stdin = ignore.all,
ignore.url = ignore.all,
ignore.file.uri = ignore.all,
Function = NULL, ofile)

set.env.path(envir, matchThisEnv = getOption("topLevelEnvironment"))

set.src.path(srcfile)

unset.sys.path()

set.sys.path.function(fun)

with_sys.path(file, expr, ...)
with_site.file(expr, n = 0)
with_init.file(expr, n = 0)

```

Arguments

expr	for wrap.source(), an (unevaluated) call to a source()-like function. for with_sys.path(), with_site.file(), and with_init.file(), an expression to evaluate within the context of a file.
file	a connection or a character string giving the pathname of the file or URL to read from.
path.only	must file be an existing path? This implies character.only and file.only are TRUE and implies allow.file.uri and allow.unz are FALSE, though these can be manually changed.
character.only	must file be a character string?
file.only	must file refer to an existing file?
conv2utf8	if file is a character string, should it be converted to UTF-8?
allow.blank.string	may file be a blank string, i.e. ""?

allow.clipboard	may file be "clipboard" or a clipboard connection?
allow.stdin	may file be "stdin"? Note that "stdin" refers to the C-level 'standard input' of the process, differing from <code>stdin()</code> which refers to the R-level 'standard input'.
allow.url	may file be a URL pathname or a connection of class "url-libcurl" // "url-wininet"?
allow.file.uri	may file be a 'file://' URI?
allow.unz, allow.pipe, allow.terminal, allow.textConnection, allow.rawConnection, allow.sockconn, allow.servsockconn	may file be a connection of class "unz" // "pipe" // "terminal" // "textConnection" // "rawConnection" // "sockconn" // "servsockconn"?
allow.customConnection	may file be a custom connection?
ignore.all, ignore.blank.string, ignore.clipboard, ignore.stdin, ignore.url, ignore.file.uri	ignore the special meaning of these types of strings, treating it as a path instead?
Function	character vector of length 1 or 2; the name of the function and package in which <code>set.sys.path()</code> is called.
ofile	a connection or a character string specifying the original file argument. This overwrites the value returned by <code>sys.path(original = TRUE)</code> .
envir, matchThisEnv	arguments passed to <code>topenv()</code> to determine the top level environment in which to assign an associated path.
srcfile	source file in which to assign a pathname.
fun	function with a <code>srcfile</code> .
...	further arguments passed to <code>set.sys.path()</code> .
n	see <code>?this.path()</code> .

Details

`set.sys.path()` should be added to the body of your `source()`-like function before reading // evaluating the expressions.

`wrap.source()`, unlike `set.sys.path()`, does not accept an argument `file`. Instead, an attempt is made to extract the file from `expr`, after which `expr` is evaluated. It is assumed that the file is the first argument of the function, as is the case with `source()`, `sys.source()`, `debugSource()` in 'RStudio', `compiler::loadcmp()`, `knitr::knit()`, and `testthat::source_file()`. The function of the call is evaluated, its `formals()` are retrieved, and then the arguments of `expr` are searched for a name matching the name of the first formal argument. If a match cannot be found by name, the first unnamed argument is taken instead. If no such argument exists, the file is assumed missing.

`wrap.source()` does non-standard evaluation and does some guess work to determine the file. As such, it is less desirable than `set.sys.path()` when the option is available. I can think of exactly one scenario in which `wrap.source()` might be preferable: suppose there is a `source()`-like function `sourcelike()` in a foreign package (a package for which you do not have write permission). Suppose that you write your own function in which the formals are `(...)` to wrap `sourcelike()`:

```
wrapper <- function (...)
{
  ## possibly more args to wrap.source()
  wrap.source(sourcelike(...))
}
```

This is the only scenario in which `wrap.source()` is preferable, since extracting the file from the `...` list would be a pain. Then again, you could simply change the formals of `wrapper()` from `(...)` to `(file, ...)`. If this does not describe your exact scenario, use `set.sys.path()` instead.

Value

for `wrap.source()`, the result of evaluating `expr`.

for `set.sys.path()`, if `file` is a path, then the normalized path with the same attributes, otherwise `file` itself. The return value of `set.sys.path()` should be assigned to a variable before use, something like:

```
{
  file <- set.sys.path(file, ...)
  sourcelike(file)
}
```

Using 'ofile'

`ofile` can be used when the `file` argument supplied to `set.sys.path()` is not the same as the `file` argument supplied to the `source()`-like function:

```
sourcelike <- function (file)
{
  ofile <- file
  if (!is.character(ofile) || length(ofile) != 1)
    stop(gettextf("%s' must be a character string", "file"))
  ## if the file exists, do nothing
  if (file.exists(file)) {
  }
  ## look for the file in the home directory
  ## if it exists, do nothing
  else if (file.exists(file <- this.path::path.join("~", ofile))) {
  }
  ## you could add other directories to look in,
  ## but this is good enough for an example
  else stop(gettextf("%s' is not an existing file", ofile))
  file <- this.path::set.sys.path(file, ofile = ofile)
  exprs <- parse(n = -1, file = file)
  for (i in seq_along(exprs)) eval(exprs[i], envir)
  invisible()
}
```

Note

Both functions should only be called within another function.

Suppose that the functions `source()`, `sys.source()`, `debugSource()` in 'RStudio', `compiler::loadcmp()`, `box::use()`, `knitr::knit()`, `plumber::plumb()`, `shiny::runApp()`, `targets`, and `testthat::source_file()` were not implemented with `sys.path()`. You could use `set.sys.path()` to implement each of them as follows:

```
source() wrapper <- function(file, ...) {
  file <- set.sys.path(file)
  source(file = file, ...)
}
```

```

sys.source() wrapper <- function(file, ...) {
  file <- set.sys.path(file, path.only = TRUE)
  sys.source(file = file, ...)
}

debugSource() in 'RStudio' wrapper <- function(fileName, ...) {
  fileName <- set.sys.path(fileName, character.only = TRUE,
    conv2utf8 = TRUE, allow.blank.string = TRUE)
  debugSource(fileName = fileName, ...)
}

compiler::loadcmp() wrapper <- function(file, ...) {
  file <- set.sys.path(file, path.only = TRUE)
  compiler::loadcmp(file = file, ...)
}

knitr::knit() wrapper <- function(input, ...) {
  ## this works for the most part, but will not work in child mode
  input <- set.sys.path(input, allow.file.uri = FALSE)
  knitr::knit(input = input, ...)
}

testthat::source_file() wrapper <- function(path, ...) {
  ## before testthat_3.1.2, source_file() used readLines() to read
  ## the input lines. changed in 3.1.2, source_file() uses
  ## brio::read_lines() which normalizes 'path' before reading,
  ## disregarding the special meaning of the strings listed above
  path <- set.sys.path(path, path.only = TRUE, ignore.all =
    as.numeric_version(getNamespaceVersion("testthat")) >= "3.1.2")
  testthat::source_file(path = path, ...)
}

box::use(), plumber::plumb(), shiny::runApp(), and targets do not have any simple
implementations using set.sys.path() since the sourcing functions are the internal objects
of these namespaces.

```

Examples

```

FILE.R <- tempfile(fileext = ".R")
this.path:::write.code({
  this.path::sys.path(verbose = TRUE)
  try(this.path::env.path(verbose = TRUE))
  this.path::src.path(verbose = TRUE)
  this.path::this.path(verbose = TRUE)
}, FILE.R)

## here we have a source-like function, suppose this
## function is in a package for which you have write permission
sourcelike <- function (file, envir = parent.frame())
{
  ofile <- file
  file <- set.sys.path(file, Function = "sourcelike")
  lines <- readLines(file, warn = FALSE)
  filename <- sys.path(local = TRUE, for.msg = TRUE)
  isFile <- !is.na(filename)
  if (isFile) {
    timestamp <- file.mtime(filename)[1]

```

```

    ## in case 'ofile' is a URL pathname // 'unz' connection
    if (is.na(timestamp))
      timestamp <- Sys.time()
  }
  else {
    filename <- if (is.character(ofile)) ofile else "<connection>"
    timestamp <- Sys.time()
  }
  srcfile <- srcfilecopy(filename, lines, timestamp, isFile)
  set.src.path(srcfile)
  exprs <- parse(text = lines, srcfile = srcfile, keep.source = FALSE)
  invisible(source.exprs(exprs, evaluated = TRUE, envir = envir))
}

sourcelike(FILE.R)
sourcelike(conn <- file(FILE.R)); close(conn)

## here we have another source-like function, suppose this function
## is in a foreign package for which you do not have write permission
sourcelike2 <- function (pathname, envir = globalenv())
{
  if (!(is.character(pathname) && file.exists(pathname)))
    stop(gettextf("%s' is not an existing file",
      pathname, domain = "R-base"))
  envir <- as.environment(envir)
  lines <- readLines(pathname, warn = FALSE)
  srcfile <- srcfilecopy(pathname, lines, isFile = TRUE)
  exprs <- parse(text = lines, srcfile = srcfile, keep.source = FALSE)
  invisible(source.exprs(exprs, evaluated = TRUE, envir = envir))
}

## the above function is similar to sys.source(), and it
## expects a character string referring to an existing file
##
## with the following, you should be able
## to use 'sys.path()' within 'FILE.R':
wrap.source(sourcelike2(FILE.R), path.only = TRUE)

# ## with R >= 4.1.0, use the forward pipe operator '|>' to
# ## make calls to 'wrap.source' more intuitive:
# sourcelike2(FILE.R) |> wrap.source(path.only = TRUE)

## 'wrap.source' can recognize arguments by name, so they
## do not need to appear in the same order as the formals
wrap.source(sourcelike2(envir = new.env(), pathname = FILE.R),
  path.only = TRUE)

## it is much easier to define a new function to do this
sourcelike3 <- function (...)
wrap.source(sourcelike2(...), path.only = TRUE)

```

```

## the same as before
sourcelike3(FILE.R)

## however, this is preferable:
sourcelike4 <- function (pathname, ...)
{
  ## pathname is now normalized
  pathname <- set.sys.path(pathname, path.only = TRUE)
  sourcelike2(pathname = pathname, ...)
}
sourcelike4(FILE.R)

## perhaps you wish to run several scripts in the same function
fun <- function (paths, ...)
{
  for (pathname in paths) {
    pathname <- set.sys.path(pathname, path.only = TRUE)
    sourcelike2(pathname = pathname, ...)
    unset.sys.path(pathname)
  }
}

## here we have a source-like function which modularizes its code
sourcelike5 <- function (file)
{
  ofile <- file
  file <- set.sys.path(file, Function = "sourcelike5")
  lines <- readLines(file, warn = FALSE)
  filename <- sys.path(local = TRUE, for.msg = TRUE)
  isFile <- !is.na(filename)
  if (isFile) {
    timestamp <- file.mtime(filename)[1]
    ## in case 'ofile' is a URL pathname // 'unz' connection
    if (is.na(timestamp))
      timestamp <- Sys.time()
  }
  else {
    filename <- if (is.character(ofile)) ofile else "<connection>"
    timestamp <- Sys.time()
  }
  srcfile <- srcfilecopy(filename, lines, timestamp, isFile)
  set.src.path(srcfile)
  envir <- new.env(hash = TRUE, parent = .BaseNamespaceEnv)
  envir$.packageName <- filename
  oopt <- options(topLevelEnvironment = envir)
  on.exit(options(oopt))
  set.env.path(envir)
  exprs <- parse(text = lines, srcfile = srcfile, keep.source = FALSE)
  source.exprs(exprs, evaluated = TRUE, envir = envir)
  envir
}

```

```
source5(FILE.R)
```

```
## the code can be made much simpler in some cases
source6 <- function (file)
{
  ## we expect a character string referring to a file
  ofile <- file
  filename <- set.sys.path(file, path.only = TRUE, ignore.all = TRUE,
    Function = "source6")
  lines <- readLines(filename, warn = FALSE)
  timestamp <- file.mtime(filename)[1]
  srcfile <- srcfilecopy(filename, lines, timestamp, isFile = TRUE)
  set.src.path(srcfile)
  envir <- new.env(hash = TRUE, parent = .BaseNamespaceEnv)
  envir$.packageName <- filename
  oopt <- options(topLevelEnvironment = envir)
  on.exit(options(oopt))
  set.env.path(envir)
  exprs <- parse(text = lines, srcfile = srcfile, keep.source = FALSE)
  source.exprs(exprs, evaluated = TRUE, envir = envir)
  envir
}
```

```
source6(FILE.R)
```

```
unlink(FILE.R)
```

Index

- * **error**
 - tryCatch2, 37
- * **package**
 - this.path-package, 2
- * **print**
 - print.ThisPathDocumentContext, 15
- as.character.ThisPathDocumentContext
(print.ThisPathDocumentContext),
15
- asArgs (progArgs), 16
- basename2, 2, 3
- check.dir (check.path), 4
- check.path, 4
- check.proj (check.path), 4
- dirname2, 2
- dirname2 (basename2), 3
- env.dir, 8, 19, 36
- env.dir (this.path), 32
- env.here (here), 8
- env.LINENO (LINENO), 10
- env.path, 10, 15, 36, 39
- env.path (this.path), 32
- env.proj, 19
- env.proj (this.proj), 35
- ext, 2, 5
- ext<- (ext), 5
- FILE, 6
- fileArgs (progArgs), 16
- formals, 41
- format.ThisPathDocumentContext
(print.ThisPathDocumentContext),
15
- from.shell, 7
- getinitwd, 8
- here, 2, 8, 19, 24
- ici (here), 8
- init.file (shFILE), 23
- initwd (getinitwd), 8
- is.main (from.shell), 7
- last.condition (tryCatch2), 37
- LINE (FILE), 6
- LINENO, 3, 10
- OS.type, 11
- path.functions, 12
- path.join, 2, 5, 9, 13, 14, 22, 36
- path.split, 2, 14
- path.split.1, 2
- path.unsplit, 2
- path.unsplit (path.split), 14
- print.ThisPathDocumentContext, 15
- progArgs, 16
- rel2env.dir (relpath), 18
- rel2env.proj (relpath), 18
- rel2here, 2
- rel2here (relpath), 18
- rel2proj, 2
- rel2proj (relpath), 18
- rel2src.dir (relpath), 18
- rel2src.proj (relpath), 18
- rel2sys.dir (relpath), 18
- rel2sys.proj (relpath), 18
- relpath, 2, 18
- removeext, 2
- removeext (ext), 5
- reset.proj (this.proj), 35
- set.env.path (wrap.source), 38
- set.gui.path, 20
- set.jupyter.path, 22
- set.src.path (wrap.source), 38
- set.sys.path, 3, 15, 16, 20, 25–27
- set.sys.path (wrap.source), 38
- set.sys.path.jupyter, 26
- set.sys.path.jupyter
(set.jupyter.path), 22
- shFILE, 3, 23, 27, 35, 36
- site.file (shFILE), 23

- source.exprs, 24
- splitext, 2
- splitext(ext), 5
- src.dir, 19, 36
- src.dir(this.path), 32
- src.here(here), 8
- src.LINENO(LINENO), 10
- src.path, 15, 36, 39
- src.path(this.path), 32
- src.proj, 19
- src.proj(this.proj), 35
- srcref, 31, 33, 39
- sys.dir, 8, 19, 36
- sys.dir(sys.path), 25
- sys.here(here), 8
- sys.LINENO(LINENO), 10
- sys.path, 9, 10, 12, 15, 19, 20, 22, 25, 32, 33, 36–39, 41
- sys.proj, 19
- sys.proj(this.proj), 35
- Sys.putenv, 30
- sys.srcref, 31

- this.dir, 2, 8, 36
- this.dir(this.path), 32
- this.path, 2–4, 9, 10, 12, 15, 19, 24, 31, 32, 36, 37, 41
- this.path-package, 2
- this.proj, 2, 19, 35
- thisPathNotExistsError(set.gui.path), 20

- try.env.path(try.this.path), 36
- try.shFILE(try.this.path), 36
- try.src.path(try.this.path), 36
- try.sys.path(try.this.path), 36
- try.this.path, 36
- tryCatch2, 25, 37
- tryCatch3(tryCatch2), 37

- unset.sys.path(wrap.source), 38

- with_init.file, 3, 27, 35
- with_init.file(wrap.source), 38
- with_site.file, 3, 27, 35
- with_site.file(wrap.source), 38
- with_sys.path(wrap.source), 38
- withArgs(progArgs), 16
- withAutoprint, 39
- wrap.source, 15, 16, 26, 27, 38