

Package ‘snowquery’

July 20, 2023

Title Query 'Snowflake' Databases with 'SQL'

Version 1.0.0

Maintainer Dani Mermelstein <dmermelstein@hey.com>

Description A wrapper allowing 'SQL' queries to be run on a 'Snowflake' instance directly from an 'R' script, by using the 'snowflake-connector-python' package in the background.

URL <https://github.com/mermelstein/snowquery>

BugReports <https://github.com/mermelstein/snowquery/issues>

Imports reticulate, yaml, DBI, RPostgres

Encoding UTF-8

RoxygenNote 7.2.3

License GPL (>= 3)

NeedsCompilation no

Author Dani Mermelstein [aut, cre, cph]

Repository CRAN

Date/Publication 2023-07-20 08:00:02 UTC

R topics documented:

queryDB	1
Index	4

queryDB	<i>Query a Snowflake or Postgres database</i>
---------	---

Description

Run a SQL query on a Snowflake or Postgres database (requires a ~/snowquery_creds.yaml file)

Usage

```
queryDB(
  query,
  conn_name = "default",
  db_type = NULL,
  username = NULL,
  password = NULL,
  host = NULL,
  port = NULL,
  database = NULL,
  warehouse = NULL,
  account = NULL,
  role = NULL,
  timeout = 15
)
```

Arguments

query	A string of the SQL query to execute
conn_name	The name of the connection to use in snowquery_creds.yaml (e.g. "my_snowflake_dwh")
db_type	The type of database to connect to (e.g. "snowflake" or "postgres")
username	The username to use for authentication
password	The password to use for authentication
host	The hostname or IP address of the database server
port	The port number to use for the database connection
database	The name of the database to connect to
warehouse	Snowflake The name of the warehouse to use for the Snowflake connection
account	Snowflake The name of the Snowflake account to connect to
role	Snowflake The name of the role to use for the Snowflake connection
timeout	The number of seconds to wait for the database to connect successfully

Value

A data frame containing the results of the query

Examples

```
## Not run:
# Query the database and get a dataframe of results
result <- queryDB("SELECT * FROM my_table", conn_name='my_snowflake_dwh')
print(result)

## End(Not run)
## Not run:
# You can also pass in credentials manually
result <- queryDB("SELECT * FROM my_table",
```

```
db_type='snowflake',
username='my_username',
password='my_password',
account='my_account',
database='my_database',
warehouse='my_warehouse',
role='my_role',
timeout=30)

print(result)

## End(Not run)
```

Index

queryDB, [1](#)