

# Package ‘phenolocrop’

October 10, 2025

**Type** Package

**Title** Time-Series Models to the Crop Phenology

**Version** 0.0.4

**Maintainer** Shoji Taniguchi <taniguchi.shoji938@naro.go.jp>

**Description** Fit a time-series model to a crop phenology data, such as time-series rice canopy height. This package returns the model parameters as the summary statistics of crop phenology, and these parameters will be useful to characterize the growth pattern of each cultivar and predict manually-measured traits, such as days to heading and biomass. Please see Taniguchi et al. (2022) <[doi:10.3389/fpls.2022.998803](https://doi.org/10.3389/fpls.2022.998803)> and Taniguchi et al. (2025) <[doi:10.3389/frai.2024.1477637](https://doi.org/10.3389/frai.2024.1477637)> for detail. This package has been designed for scientific use. Use for commercial purposes shall not be allowed.

**Imports** purrr

**Suggests** dplyr, knitr, testthat (>= 3.0.0)

**License** CC BY-NC 4.0

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 7.3.2

**Depends** R (>= 4.2.0)

**Config/testthat/edition** 3

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Shoji Taniguchi [aut, cre],  
The National Agriculture and Food Research Organization (NARO) [cph]

**Repository** CRAN

**Date/Publication** 2025-10-10 08:30:02 UTC

## Contents

doubleLogis . . . . .	2
logisLateDicr . . . . .	3
phenololine . . . . .	4
riceCH_eg . . . . .	5
riceCIg_eg . . . . .	5
<b>Index</b>	<b>6</b>

---

doubleLogis	<i>Double logistic function for the time-series data.</i>
-------------	---

---

## Description

Apply a time-series model, double logistic function , to the time-series trait data. This function was originally developed for the time-series data of rice CIg data. Fitting the time-series model is done by the "two-step procedure". For more information, see Taniguchi et al. (under review).

## Usage

```
doubleLogis(
  dat,
  x,
  y,
  returnModels = FALSE,
  start = c(r2 = 0.05, r3 = 0.05, d2 = 40, d3 = 100),
  upper = c(r2 = 1, r3 = 1, d2 = 200, d3 = 200),
  lower = c(r2 = 0, r3 = 0, d2 = 0, d3 = 0)
)
```

## Arguments

dat	data.frame including date and trait (e.g. canopy height).
x	Column name (character) for the date after sowing or planting.
y	Column name (character) for the trait.
returnModels	Logical value whether to return the time-series model object. Default is F.
start	Start values to estimate 'r2', 'r3', 'd2' and 'd3'. Default is 'c(r2 = 0.05, r3 = 0.05, d2 = 40, d3 = 100)'.
upper	Upper bounds to estimate 'r2', 'r3', 'd2' and 'd3'. Default is 'c(r2 = 1, r3 = 1, d2 = 200, d3 = 200)'.
lower	Lower bounds to estimate 'r2', 'r3', 'd2' and 'd3'. Default is 'c(r2 = 0, r3 = 0, d2 = 0, d3 = 0)'.

## Value

doubleLogis function returns the vector of estimated parameter values. If returnModels = TRUE, this function also returns the nls regression object.

## References

S. Taniguchi et al. (2025) Phenology analysis for trait prediction using UAVs in a MAGIC rice population with different transplanting protocols. *Frontiers in Artificial Intelligence*, 7, 1477637.

## Examples

```
library(phenocrop)
riceCIg_eg |>
  doubleLogis("x", "CIg")
```

---

logisLateDicr	<i>Three-parameter logistic with the decrease in the late growth phase</i>
---------------	--

---

## Description

Apply a time-series model, three-parameter logistic with the decrease in the late growth phase, to the time-series trait data. This function was originally developed for the time-series data of rice canopy height. Fitting the time-series model is done by the "two-step procedure". For more information, see Taniguchi et al. (2022).

## Usage

```
logisLateDicr(
  dat,
  x,
  y,
  returnModels = FALSE,
  start = c(d0 = 50, r = 0.05, a = 1e-04),
  upper = c(d0 = 200, r = Inf, a = 1),
  lower = c(d0 = 0, r = 0, a = 0)
)
```

## Arguments

<code>dat</code>	data.frame including date and trait (e.g. canopy height).
<code>x</code>	Column name (character) for the date after sowing or planting.
<code>y</code>	Column name (character) for the trait.
<code>returnModels</code>	Logical value whether to return the time-series model object. Default is F.
<code>start</code>	Start values to estimate 'd0', 'r' and 'a'. Default is 'c(d0 = 50, r = 0.05, a = 0.0001)'.
<code>upper</code>	Upper bounds to estimate 'd0', 'r' and 'a'. Default is 'c(d0 = 200, r = Inf, a = 1)'.
<code>lower</code>	Lower bounds to estimate 'd0', 'r' and 'a'. Default is 'c(d0 = 0, r = 0, a = 0)'.

**Value**

logisLateDicr function returns the vector of estimated parameter values. If returnModels = TRUE, this function also returns the cubic polynomial regression object and logistic with the decrease in the late growth phase regression object.

**References**

S. Taniguchi et al., (2022) Prediction of heading date, culm length, and biomass from canopy-height-related parameters derived from time-series UAV observations of rice. *Frontiers in Plant Science*, 13:998803.

**Examples**

```
library(phenolocrop)
riceCH_eg |>
  logisLateDicr("x", "height")
```

---

phenololine	<i>Return time-series curve given the time-series model and parameter values</i>
-------------	--

---

**Description**

phenololine function returns the predicted values given the model name and model parameters.

**Usage**

```
phenololine(param, x, method)
```

**Arguments**

param	Vector of model parameter values.
x	Vector of time (e.g. vector of dates).
method	Character name of the time-series model. Please use "logisLateDicr" or "doubleLogis".

**Details**

If method = "logisLateDicr", param should be the vector of c(K, d0, r, a, d1). If method = "doubleLogis", aram should be the vector of c(r2, r3, d2, d3, ymax).

**Value**

phenololine function returns the trait values given x.

**Examples**

```
library(phenocrop)
y <- riceCH_eg |>
  logisLateDitr("x", "height") |>
  phenololine(x = 1:160, method = "logisLateDitr")
plot(1:160, y, type = "l")
```

---

riceCH_eg	<i>Rice canopy height example data</i>
-----------	--

---

**Description**

This data was a simulated rice CH data to show the usage of this package.

**Usage**

```
riceCH_eg
```

**Format**

**date** Date of observation  
**height** CH  
**id** Cultivar ID  
**x** Dayes after sowing

---

riceCIg_eg	<i>Rice CIg example data</i>
------------	------------------------------

---

**Description**

This data was a simulated rice CIg data to show the usage of this package.

**Usage**

```
riceCIg_eg
```

**Format**

**date** Date of observation  
**CIg** CIg  
**id** Cultivar ID  
**x** Dayes after sowing

# Index

## \* datasets

riceCH\_eg, 5

riceCIg\_eg, 5

doubleLogis, 2

logisLateDicr, 3

phenololine, 4

riceCH\_eg, 5

riceCIg\_eg, 5