Package 'PPCDT'

July 8, 2024

Description In the era of big data, data redundancy and distributed characteristics present novel challenges to data analysis. This package introduces a method for estimating optimal subsets of re-

Title An Optimal Subset Selection for Distributed Hypothesis Testing

Maintainer Guangbao Guo <ggb1111111110163.com>

Type Package

dundant distributed data, based on PPCDT (Conjunction of Power and P-value in Distributed Settings). Leveraging PPC technology, this approach can efficiently extract valuable information from redundant distributed data and determine the optimal subset. Experimental results demonstrate that this method not only enhances data quality and utilization efficiency but also assesses its performance effectively. The philosophy of the package is described in Guo G. (2020) <doi:10.1007 s00180-020-00974-4="">.</doi:10.1007>
License Apache License (== 2.0)
Depends R ($>= 3.5.0$)
Encoding UTF-8
Imports MASS,stats
NeedsCompilation no
RoxygenNote 7.3.1
Author Guangbao Guo [aut, cre, cph], Jiarui Li [ctb]
Repository CRAN
Date/Publication 2024-07-08 11:00:06 UTC
Contents PPCDT
Index 3
Titlex 5

PPCDT

PPCDT	An Optimal Subset Selection for Distributed Hypothesis Testing

Description

We introduce an optimal subset selection for distributed hypothesis testing called as PPCDT.

Usage

```
PPCDT(X,Y,alpha,K)
```

Arguments

X	A independent variable
Υ	The response variable
alpha	Significance level

K The number of blocks into which variable X is divided

Value

Xopt	optimal subset of selected independent variables
Yopt	optimal subset of selected response variables
Bopt	Regression coefficients

Eopt The Mean Squared Error of optimal subset

Aopt The Mean Absolute Error of optimal subset

Author(s)

Guangbao Guo, Jiarui Li

Examples

```
alpha=0.05
t=5;K=10;n=1000;p=5
X=matrix(rnorm(n*p,0,1),ncol=p)
beta=matrix(runif(p),nrow = p)
esp=matrix(rnorm(n),nrow = n)
Y=X%*%beta+esp
PPCDT(X=X,Y=Y,alpha=alpha,K=K)
```

Index

PPCDT, 2