

Package ‘diffviewer’

September 30, 2021

Title HTML Widget to Show File Differences

Version 0.1.1

Description A HTML widget that shows differences between files
(text, images, and data frames).

License MIT + file LICENSE

URL <https://diffviewer.r-lib.org>, <https://github.com/r-lib/diffviewer>

BugReports <https://github.com/r-lib/diffviewer/issues>

Imports htmlwidgets, jsonlite

Suggests covr, shiny

Encoding UTF-8

RoxygenNote 7.1.1

NeedsCompilation no

Author Hadley Wickham [aut, cre],
Joshua Kunst [aut],
Winston Chang [aut],
RStudio [cph, fnd],
Paul Fitzpatrick [cph] (Author of included daff.js library),
Rodrigo Fernandes [cph] (Author of included diff2html library),
jQuery Foundation [cph] (Author of included jquery library),
Kevin Decker [cph] (Author of included jsdiff library),
Matthew Holt [cph] (Author of included PapaParse library),
Huddle [cph] (Author of included resemble library)

Maintainer Hadley Wickham <hadley@rstudio.com>

Repository CRAN

Date/Publication 2021-09-30 20:20:02 UTC

R topics documented:

visual_diff	2
visual_diff_output	3

Index	4
--------------	----------

`visual_diff`*HTML widget to visually compare two files*

Description

Currently supports:

- image diffs for .svg and .png
- tabular diffs for .csv
- text diffs for everything else

Usage

```
visual_diff(file_old, file_new, width = NULL, height = NULL)
```

Arguments

```
file_old, file_new      Paths to files to compare  
width, height           Output size
```

Value

A HTML widget

See Also

[visual_diff_output\(\)](#) for use within Shiny apps

Examples

```
path1 <- tempfile()  
path2 <- tempfile()  
writeLines(letters, path1)  
writeLines(letters[-13], path2)  
  
if (interactive()) {  
  visual_diff(path1, path2)  
}
```

visual_diff_output *Shiny bindings for visual_diff()*

Description

Use `visual_diff_output()` in ui and `render_visual_diff(visual_diff(...))` in the server function.

Usage

```
visual_diff_output(outputId, width = "100%", height = "400px")
```

```
visual_diff_render(expr, env = parent.frame(), quoted = FALSE)
```

Arguments

<code>outputId</code>	output variable to read from
<code>width, height</code>	Must be a valid CSS unit (like '100%', '400px', 'auto') or a number, which will be coerced to a string and have 'px' appended.
<code>expr</code>	An expression that generates a <code>visual_diff</code>
<code>env</code>	The environment in which to evaluate <code>expr</code> .
<code>quoted</code>	Is <code>expr</code> a quoted expression (with <code>quote()</code>)? This is useful if you want to save an expression in a variable.

Value

Components for use inside a Shiny app.

Examples

```
if (require("shiny") && interactive()) {
  ui <- fluidPage(
    visual_diff_output("diff")
  )

  server <- function(input, output, session) {
    path1 <- tempfile()
    path2 <- tempfile()
    writeLines(letters, path1)
    writeLines(letters[-13], path2)

    output$difff <- visual_diff_render(visual_diff(path1, path2))
  }

  shinyApp(ui, server)
}
```

Index

`visual_diff`, 2
`visual_diff_output`, 3
`visual_diff_output()`, 2
`visual_diff_render`
 (`visual_diff_output`), 3