

Package ‘fc’

July 22, 2025

Type Package

Title Standard Evaluation-Based Multivariate Function Composition

Version 0.1.0

Description Provides a streamlined, standard evaluation-based approach to multivariate function composition. Allows for chaining commands via a forward-pipe operator, `%>%`.

Encoding UTF-8

LazyData true

URL <https://github.com/swang87/fc>

BugReports <https://github.com/swang87/fc/issues>

License GPL-2

Imports codetools

Suggests magrittr, purrr

RoxygenNote 6.1.0

NeedsCompilation no

Author Xiaofei (Susan) Wang [aut, cre],
Michael Kane [aut]

Maintainer Xiaofei (Susan) Wang <xiaofei.wang@yale.edu>

Repository CRAN

Date/Publication 2018-08-14 09:40:06 UTC

Contents

fc	2
<code>%>%</code>	3
Index	4

fc *Generalized Function Composition and Partial Function Evaluation*

Description

'fc' is used to modify functions. It can be used to compose function with specified function parameters and it can be used to set parameter values (partial function evaluation).

Usage

```
fc(.func, ...)
```

Arguments

.func	the function to be modified.
...	the function modifiers (see Details).

Details

The 'fc' function works by capturing function modifier expressions in a list, which can be applied to the specified function via the 'do.call' function. The function make use of standard R evaluation only. The 'substitute' function is not used and modifiers expressions must be syntatically valid.

Value

A modified function based on the parameters provided.

Examples

```
# Partial function evaluation - a function that returns the first three
# elements of an object.
head3 <- fc(head, n=3)

# Function composition - a function that returns the fifth through the
# 10th element of an object using the head and tail functions.
head_1_to_10 <- fc(head, n=10)
head_5_to_10 <- fc(tail, x=head_1_to_10(x))
head_5_to_10(iris)
```

Description

The forward pipe operator behaves similar to the magrittr pipe operator with two exceptions. First, it only supports standard evaluation. If modified parameter values are needed then the 'fc' function should be used. Second, it composes functions. The return type of this operator is an R function.

Usage

```
lhs %>% rhs
```

Arguments

lhs	the function that will be applied second to an input.
rhs	the function that will be applied first to an input.

Value

The composed function `lhs(rhs(x))`.

Examples

```
# Create a new code block in case the pipe operator is already
# defined.
{
  # Make sure the example uses the correct pipe operator.
  `%>%` <- fc::`%>%`

  # Create a function that gets the 9th and 10th objects using the head
  # and tail functions.
  nine_and_ten <- fc(head, n=10) %>% fc(tail, n=2)
  nine_and_ten(iris)
}
```

Index

$\%>\%$, 3

fc, 2