

Package ‘wheatmap’

March 15, 2018

Type Package

Title Incrementally Build Complex Plots using Natural Semantics

Version 0.1.0

URL <https://github.com/zwdzwd/wheatmap>

BugReports <https://github.com/zwdzwd/wheatmap/issues>

Description Builds complex plots, heatmaps in particular, using natural semantics. Bigger plots can be assembled using directives such as 'LeftOf', 'RightOf', 'TopOf', and 'Beneath' and more. Other features include clustering, dendrograms and integration with 'ggplot2' generated grid objects. This package is particularly designed for bioinformaticians to assemble complex plots for publication.

License GPL-3

LazyData TRUE

RoxygenNote 6.0.1

Imports grid, stats, colorspace, RColorBrewer

Suggests knitr, rmarkdown

VignetteBuilder knitr

NeedsCompilation no

Author Wanding Zhou [aut, cre]

Maintainer Wanding Zhou <zhouwanding@gmail.com>

Repository CRAN

Date/Publication 2018-03-15 09:30:28 UTC

R topics documented:

+.WObject	3
AddWGroup	3
Beneath	4
both.cluster	4
BottomLeftOf	5
BottomRightOf	6

CalcTextBounding	7
CalcTextBounding.WHeatmap	7
CMPar	8
ColorMap	9
column.cluster	9
darkjet.stops	10
FromAffine	10
getdim	11
grid.dendrogram	11
GroupCheckNameUnique	12
GroupDeepGet	12
jet.stops	13
LeftOf	13
ly	14
MapToContinuousColors	14
MapToDiscreteColors	15
print.WDendrogram	15
print.WGenerator	16
print.WGG	16
print.WGrob	17
print.WGroup	18
print.WHeatmap	18
print.WLabel	19
print.WRect	20
Resolve	20
RightOf	21
row.cluster	21
ScaleGroup	22
ToAffine	23
TopLeftOf	23
TopOf	24
TopRightOf	25
WColorBarH	25
WColorBarV	26
WColumnBind	27
WCustomize	27
WDendrogram	28
WDim	29
WGG	29
WGrob	30
WGroup	30
WHeatmap	31
WLabel	33
WLegendH	33
WLegendV	34
WMatrix	35
WObject	35
WPosition	36

<code>+.WObject</code>	3
WRect	36
WRowBind	37
[.WGroup	38
Index	39

<code>+.WObject</code>	<i>merge plotting objects</i>
------------------------	-------------------------------

Description

merge plotting objects

Usage

```
## S3 method for class 'WObject'
group + p
```

Arguments

group	a WGroup or a plotting object
p	a new plotting object

Value

a WGroup

AddWGroup	<i>Add a plotting object to a group</i>
-----------	---

Description

The object to be added are in the same coordinate system as the group.

Usage

```
AddWGroup(group.obj, new.obj)
```

Arguments

group.obj	WGroup object to be added to
new.obj	plotting object to be added

Value

a WGroup object where new.obj is added.

 Beneath

Beneath

Description

Generate dimension beneath another object

Usage

```
Beneath(x = NULL, height = NULL, pad = 0.01, min.ratio = 0.02,
        h.aln = NULL, v.scale = NULL, v.scale.proportional = FALSE)
```

Arguments

<code>x</code>	an object with dimension
<code>height</code>	the height of the new object (when NULL set proportional to the data)
<code>pad</code>	padding between the target and current
<code>min.ratio</code>	minimum ratio of dimensions when auto-scale
<code>h.aln</code>	object for horizontal alignment (when NULL, set to <code>x</code>)
<code>v.scale</code>	object for vertical scaling (when NULL, set to <code>x</code>)
<code>v.scale.proportional</code>	when <code>v.scale</code> is provided, whether to make proportional to data

Value

a dimension generator beneath `x`

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WColorBarH(1:20, cmp=CMPar(), continuous=FALSE, Beneath())
```

 both.cluster

row- and column-cluster a matrix

Description

row- and column-cluster a matrix

Usage

```
both.cluster(mat, extra.row = NULL, extra.column = NULL,
            hc.method = "ward.D2", dist.method = "euclidean")
```

Arguments

mat	input matrix
extra.row	extra row reordering
extra.column	extra column reordering
hc.method	method to use in hclust
dist.method	method to use in dist

Value

a list of clustered row, column and matrix

Examples

```
WHeatmap(both.cluster(matrix(rnorm(100),nrow=10))$mat)
```

BottomLeftOf	<i>Bottom left of</i>
--------------	-----------------------

Description

Place a new object to the bottom left corner of another.

Usage

```
BottomLeftOf(x = NULL, just = c("right", "bottom"), v.pad = 0,
             h.pad = 0)
```

Arguments

x	target object, either a name, a object or NULL which refers to the last plotting object
just	the part from the new object that should be attached to
v.pad	vertical translational padding [0.0]
h.pad	horizontal translational padding [0.0]

Value

a WDimGenerator

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), BottomLeftOf(just=c('right','top'))))

WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), BottomLeftOf(just=c('right','bottom'))))

WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), BottomLeftOf(just=c('left','bottom'))))
```

BottomRightOf	<i>Bottom right of</i>
---------------	------------------------

Description

Place a new object to the bottom right corner of another.

Usage

```
BottomRightOf(x = NULL, just = c("left", "bottom"), v.pad = 0,
  h.pad = 0)
```

Arguments

x	target object, either a name, a object or NULL which refers to the last plotting object
just	the part from the new object that should be attached to
v.pad	vertical translational padding [0.0]
h.pad	horizontal translational padding [0.0]

Value

a WDimGenerator

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), BottomRightOf(just=c('left','top'))))

WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), BottomRightOf(just=c('left','bottom'))))

WHeatmap(matrix(rnorm(2000),nrow=40)) +
```

```
WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
  cmp=CMPar(brewer.name = 'RdGy'), BottomRightOf(just=c('right','bottom')))
```

CalcTextBounding *Calculate Text Bounding*

Description

Calculate bounding box including texts.

Usage

```
CalcTextBounding(x, ...)
```

Arguments

x	object
...	extra options

Details

W.R.T lower left corner of the view port in the unit of points

CalcTextBounding.WHeatmap
Calculate Texting Bounding for WHeatmap

Description

Calculate Texting Bounding for WHeatmap

Usage

```
## S3 method for class 'WHeatmap'
CalcTextBounding(hm, group)
```

Arguments

hm	an object of class WHeatmap
group	an object of class WGroup

Value

an object of class WDim in coordinate points

 CMPar

Color Map Parameters

Description

Create color map parameters

Usage

```
CMPar(dmin = NULL, dmax = NULL, brewer.name = NULL, brewer.n = 3,
      colorspace.name = NULL, colorspace.n = 2, cmap = NULL,
      label2color = NULL, use.data = FALSE, stop.points = NULL,
      grey.scale = FALSE)
```

Arguments

<code>dmin</code>	minimum for continuous color map
<code>dmax</code>	maximum for continuous color map
<code>brewer.name</code>	palette name for RColorbrewer
<code>brewer.n</code>	number of stop points in RColorBrewer for continuous color map
<code>colorspace.name</code>	colorspace name
<code>colorspace.n</code>	number of stops in colorspace palettes
<code>cmap</code>	customized colormap name
<code>label2color</code>	a named vector or list that defines label to color mapping explicitly for discrete color mapping
<code>use.data</code>	use data as color, data must be either common color names or hexadecimal color names
<code>stop.points</code>	custome stop points
<code>grey.scale</code>	whether to use grey scale

Value

an object of class `CMPar`

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WColorBarV(1:20, cmp=CMPar(brewer.name = 'RdBu'), RightOf())
```

ColorMap	<i>Constructor for ColoMap object</i>
----------	---------------------------------------

Description

Create color maps

Usage

```
ColorMap(continuous = TRUE, colors = NULL, dmin = NULL, dmax = NULL,
         scaler = NULL, mapper = NULL)
```

Arguments

continuous	whether colormap is continuous
colors	colors for each data point
dmin	mimimum in continuous color map
dmax	maximum in continuous color map
scaler	scaler function from data range to 0-1
mapper	function that maps data to color

Value

an object of class ColorMap

column.cluster	<i>column cluster a matrix</i>
----------------	--------------------------------

Description

column cluster a matrix

Usage

```
column.cluster(mat, ..., hc.method = "ward.D2", dist.method = "euclidean")
```

Arguments

mat	input matrix
...	extra color bars or matrix that needs column reordered
hc.method	method to use in hclust
dist.method	method to use in dist

Value

a list of clustered row, column and matrix

Examples

```
WHeatmap(column.cluster(matrix(rnorm(100),nrow=10))$mat)
```

darkjet.stops	<i>darker jet color stops</i>
---------------	-------------------------------

Description

darker jet color stops

Usage

```
darkjet.stops
```

Format

An object of class character of length 6.

FromAffine	<i>Convert from affine coordinates to absolute coordinates</i>
------------	--

Description

Convert from affine coordinates to absolute coordinates

Usage

```
FromAffine(dm.affine, dm.sys)
```

Arguments

dm.affine	dimension on affine coordinates (relative coordinates)
dm.sys	dimension of the affine system

Value

dimension on the same coordinate system

getdim	<i>Get dimensions</i>
--------	-----------------------

Description

Get dimensions

Usage

```
getdim(x)
```

Arguments

x	WDim object or a plotting object
---	----------------------------------

Value

vector of dimensions

grid.dendrogram	<i>Draw dendrogram under grid system</i>
-----------------	--

Description

The dendrogram can be rendered. A viewport is created which contains the dendrogram.

Usage

```
grid.dendrogram(dend, facing = c("bottom", "top", "left", "right"),
  max_height = NULL, order = c("normal", "reverse"), ...)
```

Arguments

dend	a stats::dendrogram object.
facing	facing of the dendrogram.
max_height	maximum height of the dendrogram.
order	order
...	additional options

Details

-order should leaves of dendrogram be put in the normal order (1, ..., n) or reverse order (n, ..., 1)?
 -... pass to 'grid::viewport' which contains the dendrogram.

This function only plots the dendrogram without adding labels. The leaves of the dendrogram locates at `unit(c(0.5, 1.5, ...(n-0.5))/n, "npc")`.

Value

view port that plots dendrogram

GroupCheckNameUnique *Check whether group names are unique*

Description

Check whether group names are unique

Usage

GroupCheckNameUnique(group.obj)

Arguments

group.obj a WGroup

Value

TRUE or FALSE

GroupDeepGet *Get an plotting object from a group's descendants*

Description

Get an plotting object from a group's descendants

Usage

GroupDeepGet(x, nm, force.unique = TRUE)

Arguments

x a WGroup object

nm name

force.unique assume the name is unique in the descendants and get one object instead of a list

Value

if 'force.unique==FALSE' return a list. Otherwise, one plotting object.

jet.stops	<i>jet color stops</i>
-----------	------------------------

Description

jet color stops

Usage

jet.stops

Format

An object of class character of length 75.

LeftOf	<i>LeftOf</i>
--------	---------------

Description

Generate dimension to the left of another object

Usage

```
LeftOf(x = NULL, width = NULL, pad = 0.01, min.ratio = 0.02,
       v.aln = NULL, h.scale = NULL, h.scale.proportional = FALSE)
```

Arguments

x	an object with dimension
width	the width of the new object (when NULL, set proportional to data)
pad	padding between the target and current
min.ratio	minimum ratio of dimensions when auto-scale
v.aln	object for vertical alignment (when NULL, set to x)
h.scale	object for horizontal scaling (when NULL, set to x)
h.scale.proportional	when h.scale is provided, whether to make proportional to data

Value

a dimension to the left of x

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WColorBarV(1:20, cmp=CMPar(), continuous=FALSE, LeftOf())
```

ly	<i>show layout</i>
----	--------------------

Description

show layout

Usage

```
ly(x)
```

Arguments

x	plot
---	------

Examples

```
ly(
  WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(rnorm(2000),nrow=40), cmp=CMPar(brewer.name = 'RdBu'),
    BottomRightOf(just=c('left','top'))))
```

MapToContinuousColors *map data to continuous color*

Description

map data to continuous color

Usage

```
MapToContinuousColors(data, cmp = CMPar(), given.cm = NULL)
```

Arguments

data	numeric vector
cmp	an color map parameter object of class CMPar
given.cm	given colormap

Value

an object of ColorMap

Examples

```
barplot(1:10, col=MapToContinuousColors(1:10)$colors)
barplot(1:20, col=MapToContinuousColors(c(1:10,10:1))$colors)
```

MapToDiscreteColors *map data to discrete color*

Description

map data to discrete color

Usage

```
MapToDiscreteColors(data, cmp = CMPar(), given.cm = NULL)
```

Arguments

data	numeric vector
cmp	an color map parameter object of class CMPar
given.cm	given color map

Value

an object of ColorMap

Examples

```
pie(rep(1,6), col=MapToDiscreteColors(c(1:3,10:13))$colors)
```

print.WDendrogram *print a dendrogram*

Description

print a dendrogram

Usage

```
## S3 method for class 'WDendrogram'
print(x, stand.alone = TRUE, layout.only = FALSE,
      cex = 1, ...)
```

Arguments

x	a dendrogram
stand.alone	plot is stand alone
layout.only	plot layout only
cex	factor to scaling texts
...	additional options (ignored)

Value

view port that contains the plotted dendrogram

Examples

```
WDendrogram(column.cluster(matrix(1:24,nrow=4))$column.clust)
```

```
print.WGenerator      print a WGenerator
```

Description

This calls WGenerator and creates a WGroup to enclose the produced object.

Usage

```
## S3 method for class 'WGenerator'
print(x, ...)
```

Arguments

```
x          a WGenerator object
...        additional options
```

Value

the WGroup containing the plotting object

```
print.WGG          plot WGG object
```

Description

plot WGG object

Usage

```
## S3 method for class 'WGG'
print(x, cex = 1, layout.only = FALSE, stand.alone = TRUE,
      ...)
```


Arguments

x	WGG
cex	scaling factor for text
layout.only	plot layout
stand.alone	produce a stand.alone plot
...	extra options

Value

printed ggobj object

<code>print.WGrob</code>	<i>plot WGrob object</i>
--------------------------	--------------------------

Description

plot WGrob object

Usage

```
## S3 method for class 'WGrob'  
print(x, cex = 1, layout.only = FALSE, stand.alone = TRUE,  
      ...)
```

Arguments

x	WGrob
cex	scaling factor for text
layout.only	plot layout
stand.alone	produce a stand.alone plot
...	extra options

print.WGroup	<i>Draw WGroup</i>
--------------	--------------------

Description

Draw WGroup

Usage

```
## S3 method for class 'WGroup'
print(x, stand.alone = TRUE, cex = 1,
      layout.only = FALSE, ...)
```

Arguments

x	a WGroup
stand.alone	to plot stand alone
cex	factor for scaling fonts
layout.only	to plot layout only
...	additional options

print.WHeatmap	<i>plot WHeatmap</i>
----------------	----------------------

Description

plot WHeatmap

Usage

```
## S3 method for class 'WHeatmap'
print(x, cex = 1, layout.only = FALSE,
      stand.alone = TRUE, ...)
```

Arguments

x	a WHeatmap
cex	factor to scaling texts
layout.only	plot layout only
stand.alone	plot is stand alone
...	additional options

Value

NULL

Examples

```
print(WHeatmap(matrix(1:12, nrow=2)))
```

<code>print.WLabel</code>	<i>print WLabel</i>
---------------------------	---------------------

Description

print WLabel

Usage

```
## S3 method for class 'WLabel'  
print(x, cex = 1, layout.only = FALSE,  
      stand.alone = TRUE, ...)
```

Arguments

<code>x</code>	a WLabel object
<code>cex</code>	factor to scale text
<code>layout.only</code>	plot layout only
<code>stand.alone</code>	plot label stand alone
<code>...</code>	additional options

Examples

```
print(WLabel("This is a label."))
```

<code>print.WRect</code>	<i>print WRect</i>
--------------------------	--------------------

Description

print WRect

Usage

```
## S3 method for class 'WRect'
print(x, cex = 1, layout.only = FALSE, stand.alone = TRUE,
      ...)
```

Arguments

<code>x</code>	a WRect object
<code>cex</code>	factor for scaling text
<code>layout.only</code>	print layout only
<code>stand.alone</code>	plot WRect standalone
<code>...</code>	additional options

Value

the WRect object

<code>Resolve</code>	<i>Resolve name to object</i>
----------------------	-------------------------------

Description

Resolve name to object

Usage

```
Resolve(x, ...)
```

Arguments

<code>x</code>	the target
<code>...</code>	extra options

 RightOf

RightOf

Description

Generate dimension to the right of another object

Usage

```
RightOf(x = NULL, width = NULL, pad = 0.01, min.ratio = 0.02,
        v.aln = NULL, h.scale = NULL, h.scale.proportional = FALSE)
```

Arguments

x	an object with dimension
width	the width of the new object (when NULL, set proportional to data)
pad	padding between the target and current
min.ratio	minimum ratio of dimensions when auto-scale
v.aln	object for vertical alignment (when NULL, set to x)
h.scale	object for horizontal scaling (when NULL, set to x)
h.scale.proportional	when h.scale is provided, whether to make proportional to data

Value

a dimension to the right of x

Examples

```
WHeatmap(matrix(rnorm(2000), nrow=40)) +
  WColorBarV(1:20, cmp=CMPar(), continuous=FALSE, RightOf())
```

 row.cluster

row cluster a matrix

Description

row cluster a matrix

Usage

```
row.cluster(mat, ..., hc.method = "ward.D2", dist.method = "euclidean")
```

Arguments

<code>mat</code>	input matrix
<code>...</code>	extra color bars or matrix that needs row reordered.
<code>hc.method</code>	method to use in hclust
<code>dist.method</code>	method to use in dist

Value

a list of clustered row, column and matrix

Examples

```
WHeatmap(row.cluster(matrix(rnorm(100), nrow=10))$mat)
```

ScaleGroup

Scale group

Description

Scale group to incorporate text on margins

Usage

```
ScaleGroup(group.obj)
```

Arguments

<code>group.obj</code>	group object that needs to be scaled
------------------------	--------------------------------------

Value

scaled group obj

ToAffine	<i>Convert from absolute coordinates to affine coordinates</i>
----------	--

Description

Convert from absolute coordinates to affine coordinates

Usage

```
ToAffine(dm, dm.sys)
```

Arguments

dm	dimension on the same coordinate system as the affine system (absolute coordinates)
dm.sys	dimension of the affine system

Value

dimension on affine coordinates (relative coordinates)

TopLeftOf	<i>Top left of</i>
-----------	--------------------

Description

Place a new object to the top left corner of another.

Usage

```
TopLeftOf(x = NULL, just = c("right", "bottom"), v.pad = 0, h.pad = 0)
```

Arguments

x	target object, either a name, a object or NULL which refers to the last plotting object
just	the part from the new object that should be attached to
v.pad	vertical translational padding [0.0]
h.pad	horizontal translational padding [0.0]

Value

a WDimGenerator

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), TopLeftOf(just=c('right','bottom')))
```

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), TopLeftOf(just=c('right','top')))
```

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), TopLeftOf(just=c('left','top')))
```

 TopOf

Top of

Description

Generate dimension top of another object

Usage

```
TopOf(x = NULL, height = NULL, pad = 0.01, min.ratio = 0.02,
  h.aln = NULL, v.scale = NULL, v.scale.proportional = FALSE)
```

Arguments

x	an object with dimension
height	the height of the new object (when NULL, set to proportional to data)
pad	padding between the target and current
min.ratio	minimum ratio of dimensions when auto-scale
h.aln	object for horizontal alignment (when NULL, set to x)
v.scale	object for vertical scaling (when NULL, set to x)
v.scale.proportional	when v.scale is provided, whether to make proportional to data

Value

a dimension generator on top of x

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WColorBarH(1:20, cmp=CMPar(), continuous=FALSE, TopOf())
```

TopRightOf

Top right of

Description

Place a new object to the top right corner of another.

Usage

```
TopRightOf(x = NULL, just = c("left", "bottom"), v.pad = 0, h.pad = 0)
```

Arguments

x	target object, either a name, a object or NULL which refers to the last plotting object
just	the part from the new object that should be attached to
v.pad	vertical translational padding [0.0]
h.pad	horizontal translational padding [0.0]

Value

a WDimGenerator

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), TopRightOf(just=c('left','bottom'))))

WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), TopRightOf(just=c('right','top'))))

WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'), TopRightOf(just=c('left','top'))))
```

WColorBarH

WColorBarH

Description

a horizontal color bar

Usage

```
WColorBarH(data, ..., label = NULL, label.side = "r", label.fontsize = 12,
            label.pad = 0.005)
```

Arguments

data	numeric vector
...	additional options to WHeatmap
label	colorbar label
label.side	l (for left) or r (for right)
label.fontsize	label font size
label.pad	label padding

Value

an object of class WColorBarH

Examples

```
WColorBarH(matrix(1:50))
```

WColorBarV

WColorBarV

Description

a vertical color bar

Usage

```
WColorBarV(data, ..., label = NULL, label.side = "t", label.fontsize = 12,
            label.pad = 0.005)
```

Arguments

data	numeric vector
...	additional options to WHeatmap
label	colorbar label
label.side	t (for top) or b (for bottom)
label.fontsize	label font size
label.pad	label padding

Value

an object of class WColorBarV

Examples

```
WColorBarV(matrix(50:1))
```

WColumnBind	<i>column bind non-overlapping objects</i>
-------------	--

Description

column bind non-overlapping objects

Usage

```
WColumnBind(..., nr = NULL, nc = NULL)
```

Arguments

...	plotting objects
nr	number of rows
nc	number of columns

Value

an object of class WDim

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40),name='a') +
  WHeatmap(matrix(rnorm(30), nrow=3), RightOf(),name='b') +
  WColorBarH(1:10, TopOf(WColumnBind('a','b')))
```

WCustomize	<i>Customize an existing plot</i>
------------	-----------------------------------

Description

Customize an existing plot

Usage

```
WCustomize(mar.left = NULL, mar.right = NULL, mar.top = NULL,
  mar.bottom = NULL, mar = NULL)
```

Arguments

<code>mar.left</code>	left margin [0.03]
<code>mar.right</code>	right margin [0.03]
<code>mar.top</code>	top margin [0.03]
<code>mar.bottom</code>	bottom margin [0.03]
<code>mar</code>	margin in all directions [0.03]

Value

an object of class `WCustomize`

Examples

```
WHeatmap(matrix(c('fred','frank','brad',
                  'frank','fred','frank'), ncol=2)) +
  WLegendV(NULL, RightOf(), label.fontsize = 20) +
  WCustomize(mar.right=0.1)
```

`WDendrogram`

WDendrogram class

Description

`WDendrogram` class

Usage

```
WDendrogram(clust = NULL, dm = WDim(0, 0, 1, 1), name = "",
  facing = c("bottom", "top", "left", "right"))
```

Arguments

<code>clust</code>	hclust object
<code>dm</code>	plotting dimension
<code>name</code>	name of the dendrogram plot
<code>facing</code>	direction of the dendrogram plot

Value

an object of class `WDendrogram`

Examples

```
WDendrogram(column.cluster(matrix(1:24,nrow=4))$column.clust)
```

WDim	<i>class WDim</i>
------	-------------------

Description

class WDim

Usage

```
WDim(left = 0, bottom = 0, width = 1, height = 1, nr = 1, nc = 1,
      text.x = 0, text.y = 0, text.just = c("center", "center"),
      column.split = NULL, row.split = NULL)
```

Arguments

left	left coordinate
bottom	bottom coordinate
width	width
height	height
nr	number of row
nc	number of column
text.x	x anchor for text
text.y	y anchor for text
text.just	just for text
column.split	a list of WDim objects for column split
row.split	a list of WDim objects for row split

Value

a WDim object

WGG	<i>WGG object form ggplot with coordinates</i>
-----	--

Description

WGG object form ggplot with coordinates

Usage

```
WGG(ggobj, dm = NULL, name = "")
```

Arguments

ggobj	ggplot plotting object
dm	dimension
name	name

Value

WGG object

WGrob	<i>WGrob object plot from a gList of grob objects</i>
-------	---

Description

WGrob object plot from a gList of grob objects

Usage

```
WGrob(glist, dm = NULL, name = "")
```

Arguments

glist	gList object
dm	dimension
name	name

Value

WGrob object

WGroup	<i>Construct a WGroup</i>
--------	---------------------------

Description

Construct a WGroup

Usage

```
WGroup(..., name = "", group.dm = NULL, group.from.member = FALSE,
        mar = WMar(), affine = FALSE, nr = NULL, nc = NULL)
```

Arguments

...	plotting objects to be grouped
name	name of the group
group.dm	group dimension, by default use the dm of the merge of members
group.from.member	group merged from member coordinates (require affine == FALSE), the supplied group.dm is ignored
mar	a WMar object
affine	whether the group members are on affine coordinates already
nr	number of rows
nc	number of columns

Value

a WGroup object

WHeatmap

WHeatmap object

Description

Create a heatmap

Usage

```
WHeatmap(data = NULL, dm = NULL, name = "", continuous = NULL,
  cmp = CMPar(), cm = NULL, xticklabels = NULL, xticklabels.n = NULL,
  xticklabel.side = "b", xticklabel.fontsize = 12, xticklabel.rotat = 90,
  xticklabel.pad = 0.005, yticklabels = NULL, yticklabels.n = NULL,
  yticklabel.side = "l", yticklabel.fontsize = 12, yticklabel.rotat = 0,
  yticklabel.pad = 0.005, sub.name = NULL, gp = NULL)
```

Arguments

data	data matrix
dm	plotting dimension (a WDim or a WDimGenerator object)
name	name of the plot
continuous	whether the data should be treated as continuous or discrete
cmp	a CMPar object, for tuning color mapping parameters
cm	a given color map
xticklabels	to plot xtick labels, one may supply characters to plot just a subset of xtick labels
xticklabels.n	number of xtick labels to plot (resample for aesthetics by default)

```

xticklabel.side          xticklabel side (t or b)
xticklabel.fontsize     xticklabel font size
xticklabel.rotat        xticklabel rotation
xticklabel.pad          padding between xticklabel and x-axis
yticklabels             to plot ytick labels, one may supply characters to plot just a subset of ytick labels
yticklabels.n           number of ytick labels to plot (resample for aesthetics by default)
yticklabel.side         yticklabel side (l or r)
yticklabel.fontsize     yticklabel font size
yticklabel.rotat        yticklabel rotation
yticklabel.pad          padding between yticklabel and y-axis
sub.name                subclass name
gp                      a list of graphical parameters

```

Value

one or a list of heatmaps (depends on whether dimension is split)

Examples

```

WHeatmap(matrix(1:10, nrow=2), cmp=CMPar(brewer.name='Greens'))

WHeatmap(matrix(1:12,nrow=2), cmp=CMPar(brewer.name='Greens'), name='a') +
  WHeatmap(matrix(1:6,nrow=1), Beneath(pad=0.05), cmp=CMPar(brewer.name='Set2'), name='b') +
  WHeatmap(matrix(c(1:30,30:1),nrow=5), Beneath(pad=0.05), 'c', cmp=CMPar(cmap='jet')) +
  WHeatmap(matrix(1:24,nrow=4), RightOf('c'), 'd', cmp=CMPar(brewer.name='Set1')) +
  WLegendV('c', LeftOf('c', pad=0.01), yticklabel.side='l') +
  WLegendV('b', RightOf('b', width=0.1)) +
  WLegendV('a', RightOf('a')) +
  WHeatmap(matrix(1:100, nrow=10), RightOf('d'), cmp=CMPar(brewer.name='RdYlGn')) +
  WColorBarH(matrix(5:1), TopOf(), cmp=CMPar(colorspace.name = 'diverge_hcl')) +
  WColorBarH(matrix(50:1), TopOf(), cmp=CMPar(colorspace.name = 'terrain_hcl')) +
  WColorBarH(matrix(1:8), TopOf(), cmp=CMPar(colorspace.name = 'sequential_hcl')) +
  WColorBarH(matrix(1:8), TopOf(), cmp=CMPar(brewer.name = 'YlOrRd'))

## One could use %>% too, in combination with magrittr's add function
## Not run:
library(magrittr)
WColorBarH(1:10) %>% add(WColorBarV(rep(c('black','red','blue'),3), RightOf()))

## End(Not run)

```

WLabel	<i>construct a WLabel</i>
--------	---------------------------

Description

construct a WLabel

Usage

```
WLabel(x = NULL, dm = WDim(), name = "", fontsize = 12, rot = 0,  
       color = "black")
```

Arguments

x	text to be labeled
dm	position
name	name
fontsize	font size
rot	rotation
color	color of the label

Value

a WLabel object

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) + WLabel("This is a label.", RightOf(), rot=-90)
```

WLegendH	<i>WLegendH</i>
----------	-----------------

Description

a horizontal legend

Usage

```
WLegendH(x = NULL, dm = NULL, name = "", n.stops = 20, n.text = 5,  
         label.fontsize = 12, width = 0.02, height = 0.05, ...)
```

Arguments

x	a name or a plotting object, if NULL use the last plotting object
dm	position
name	name of the plotted legend
n.stops	number of stops in computing continuous legend
n.text	number of text labels in continuous legend
label.fontsize	label font size
width	width of each unit in plotted legend
height	height of each unit in plotted legend
...	additional options to WHeatmap

Value

an object of class WLegendH

Examples

```
WHeatmap(matrix(1:4,nrow=2))+WLegendH(NULL, Beneath())
```

WLegendV

WLegendV

Description

a vertical legend

Usage

```
WLegendV(x = NULL, dm = NULL, name = "", n.stops = 20, n.text = 5,
  label.fontsize = 12, width = 0.05, height = 0.02, ...)
```

Arguments

x	a name or a plotting object, if NULL use the last plotting object
dm	position
name	name of the plotted legend
n.stops	number of stops in computing continuous legend
n.text	number of text labels in continuous legend
label.fontsize	label font size
width	width of each unit in plotted legend
height	height of each unit in plotted legend
...	additional options to WHeatmap

Value

an object of class WLegendV

Examples

```
WHeatmap(matrix(1:4,nrow=2))+WLegendV(NULL, RightOf())
```

WMatrix	<i>plot multiple figures in a matrix</i>
---------	--

Description

This function can take WObject, or gg (from ggplot) since the coordinates are not set, gg can be converted to WGG

Usage

```
WMatrix(objs, ncols = 1)
```

Arguments

objs	a list of plotting objects either WObject or gg
ncols	number of columns

Value

WGroup

WObject	<i>Construct a WObject</i>
---------	----------------------------

Description

Construct a WObject

Usage

```
WObject(dm = NULL, name = "")
```

Arguments

dm	position
name	name

Value

a WObject

WPosition *place an arbitrary position w.r.t a subplot*

Description

place an arbitrary position w.r.t a subplot

Usage

```
WPosition(anchor.x, anchor.y, x = NULL, just = c("left", "bottom"),
  data.coord = FALSE)
```

Arguments

anchor.x	x coordinates
anchor.y	y coordinates
x	plotting object to anchor
just	adjustment of new plot
data.coord	whether the coordinates is in term of data

Value

a WDimGenerator object

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40)) +
  WHeatmap(matrix(c(rnorm(100)+1,rnorm(100)), nrow=10),
    cmp=CMPar(brewer.name = 'RdGy'),
    WPosition(0.1,0.1,just=c('left','top')))
```

WRect *construct a WRect*

Description

construct a WRect

Usage

```
WRect(obj = NULL, x.span = NULL, y.span = NULL, color = "black",
  lwd = 3, fill = NA, name = "")
```

Arguments

<code>obj</code>	a plotting object or its name
<code>x.span</code>	x-axis/horizontal span (e.g., <code>c(2,4)</code>)
<code>y.span</code>	y-axis/vertical span (e.g., <code>c(5,9)</code>)
<code>color</code>	edge color
<code>lwd</code>	edge width
<code>fill</code>	fill color
<code>name</code>	name

Value

a WRect object

WRowBind	<i>row bind non-overlapping objects</i>
----------	---

Description

row bind non-overlapping objects

Usage

```
WRowBind(..., nr = NULL, nc = NULL)
```

Arguments

<code>...</code>	plotting objects
<code>nr</code>	number of rows
<code>nc</code>	number of columns

Value

an object of class WDim

Examples

```
WHeatmap(matrix(rnorm(2000),nrow=40),name='a') +
  WHeatmap(matrix(rnorm(30), nrow=3), Beneath(),name='b') +
  WColorBarV(1:10, LeftOf(WRowBind('a','b')))
```

[.WGroup	<i>subset WGroup</i>
----------	----------------------

Description

subset WGroup

Usage

```
## S3 method for class 'WGroup'  
x[i]
```

Arguments

x	a WGroup object
i	integer indexing element

Value

a subset of WGroup or NULL

Index

*Topic **datasets**

- darkjet.stops, [10](#)
- jet.stops, [13](#)
- +.WObject, [3](#)
- [.WGroup, [38](#)

- AddWGroup, [3](#)

- Beneath, [4](#)
- both.cluster, [4](#)
- BottomLeftOf, [5](#)
- BottomRightOf, [6](#)

- CalcTextBounding, [7](#)
- CalcTextBounding.WHeatmap, [7](#)
- CMPar, [8](#)
- ColorMap, [9](#)
- column.cluster, [9](#)

- darkjet.stops, [10](#)

- FromAffine, [10](#)

- getdim, [11](#)
- grid.dendrogram, [11](#)
- GroupCheckNameUnique, [12](#)
- GroupDeepGet, [12](#)

- jet.stops, [13](#)

- LeftOf, [13](#)
- ly, [14](#)

- MapToContinuousColors, [14](#)
- MapToDiscreteColors, [15](#)

- print.WDendrogram, [15](#)
- print.WGenerator, [16](#)
- print.WGG, [16](#)
- print.WGrob, [17](#)
- print.WGroup, [18](#)

- print.WHeatmap, [18](#)
- print.WLabel, [19](#)
- print.WRect, [20](#)

- Resolve, [20](#)
- RightOf, [21](#)
- row.cluster, [21](#)

- ScaleGroup, [22](#)

- ToAffine, [23](#)
- TopLeftOf, [23](#)
- TopOf, [24](#)
- TopRightOf, [25](#)

- WColorBarH, [25](#)
- WColorBarV, [26](#)
- WColumnBind, [27](#)
- WCustomize, [27](#)
- WDendrogram, [28](#)
- WDim, [29](#)
- WGG, [29](#)
- WGrob, [30](#)
- WGroup, [30](#)
- WHeatmap, [31](#)
- WLabel, [33](#)
- WLegendH, [33](#)
- WLegendV, [34](#)
- WMatrix, [35](#)
- WObject, [35](#)
- WPosition, [36](#)
- WRect, [36](#)
- WRowBind, [37](#)